



AGRICULTURAL RESEARCH INSTITUTE
PUSA

PROCEEDINGS
OF THE
ZOOLOGICAL SOCIETY
OF LONDON.

INDEX.
1830—1847.

PRINTED FOR THE SOCIETY,
AND SOLD AT THEIR HOUSE IN HANOVER SQUARE,
LONDON:
MESSRS LONGMANS, GREEN, READER, AND DYER,
PATERNOSTER ROW.

PARIS:
M. J. ROTHSCILD,
11, RUE SAINT ANDRÉ DES ARTS

LEIPZIG:
M. J. ROTHSCILD,
11, QUERSTRASSE.

1866.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET

CONTENTS.

	Page
List of the Names of Contributors, from 1830 to 1847, with the Titles of and References to the several Articles con- tributed by each	i
Index of Species described and referred to, 1830 to 1847	97

LIST OF THE NAMES

CF

CONTRIBUTORS.

FROM 1830 TO 1847.

*With the Titles of and References to the several Articles contributed
by each.*

[illegible]

ADAMSON, Rev. J., Corr. Memb.

- Letter acknowledging the receipt of the Society's
'Transactions' at the South-African Literary and
Scientific Institution 1837, 15

AGASSIZ, Professor LOUIS, For. Memb.

- On the Anatomy of the Genus *Lepidosteus*, with
Descriptions of two New Species 1834, 119
- Views of the Affinities and Disposition of the *Cy-
prinidae* 1835, 149

ALEXANDER, THOMAS.

- Presentation of nineteen specimens of Stuffed Birds
from Van Diemen's Land 1844, 64

ALLEN, WILLIAM, Capt., R.N., Corr. Memb.

- On a Collection of Objects of Zoology, made in the
Interior of Africa, and presented by... 1834, 45
- On some Drawings of *Fishes* of the river Quorra,
made by 1834, 147

ALLIS, T.

- On the mode of attachment of the *os furcatum* to
the *sternum* in various Gallatorial and Natatorial
Birds .. 1835, 151
- Letter addressed to Mr. Gould respecting the Scle-
rotic Ring in the *Podargus* 1837, 67

ARNOLD, J. B.

- Letters on the Naturalization of *Sea-Fishes* in a
Lake chiefly supplied with fresh water..... 1830-1, 126

BACHMAN, Rev. JOHN, D.D., Corr. Memb.

- Monograph of the Species of Squirrel inhabiting
North America 1838, 85

BAILLON, M.

Letter relating to several Birds described by him in
the Memoirs of the Society of Emulation of Abbeville 1839, 124

BALFOUR, JOHN OSBORNE.

Austalian Birds' Skins, presented by 1815, 21

BALL, ROBERT, late Secretary to the Royal Zoological
Society of Ireland.

On the *Bradypus didactylus*.. . . . 1814, 93

On *Felis melanura* 1811, 128

BANCROFT, EDWARD N., M.D., Corr. Memb

On several Fishes of Jamaica 1830-1, 131

BARNES, Mrs.

Note on the Rearing of a Species of Humming-
bird.† 1831, 33

BARRY, Dr. MARTIN, of Edinburgh.

Exhibition of a living specimen of the *Proteus an-
guinus* 1837, 107

BARTLETT, A. D.

On a New British Species of the Genus *Anser*
(*Anser phænicopus*) 1839, 2

Description of a New Species of *Fuligula* ... 1817, 48

BELCHER, Capt., R N.

Account of a Collection of *Fishes* from the Atlantic
Coast of North Africa, presented by 1830-1, 145

Note on the Length of the Peduncle of the *Penta-
lasmus striata*, Leach 1833, 120

Exhibition of a collection of *Birds* from the West
Coast of South America, collected by ... 1839, 115

Letter from.. . . . 1811, 19

	Page
BELL, THOMAS, F.R.S., F.G.S., F.Z.S.	
Account of a pair of living Acouches (<i>Dasyprocta acouchy</i> , Ill.)	1830-1, 6
Characters of two New Genera of Reptiles	1833, 98
Observations on the Neck of the <i>Three-toed</i> Sloth (<i>Bradypus tridactylus</i> , Linn.)	1833, 99
Characters of a New Genus of <i>Freshwater Tortoise</i> (<i>Cyclemys</i>)	1834, 17
Observations on the Genus <i>Cancer</i> of Dr. Leach (<i>Platycaercinus</i> , Latr.), with Descriptions of three New Species	1835, 86
On <i>Microhynchus</i> , a New Genus of Triangular Crabs	1835, 88
Account of the <i>Crustacea</i> of the Coasts of South America	1835, 169
Observations on the Genus <i>Galictis</i> , and the Description of a New Species (<i>Galictis allamandi</i>)	1837, 45
BENNETT, EDWARD TURNER, Secretary to the Society.	
Characters of a New Species of <i>Polyborus</i> ?	1830-1, 13
On the History and Synonymy of <i>Cereopsis novæ-hollandiæ</i> , Lath.	1830-1, 26
Characters of a New Species of Deer (<i>Cervus humilis</i>)	1830-1, 27
Description of a young Nyl-ghau (<i>Antelope picta</i> , Pall.)	1830-1, 37
Characters of a New Species of Spider-Monkey (<i>Ateles frontalis</i>)	1830-1, 38
Observations on a Collection of Fishes from the Mauritius, presented by Mr. Telfair, with characters of New Genera and Species	1830-1, { 59 61 126 165
On the <i>Vultur auricularis</i> , Daud.	1830-1, 66

BENNETT, EDWARD TURNER (*continued*).

Characters of two Species of Mammalia (one constituting a new genus) from Sierra Leone.	1830-1, 109
Observations on a Collection of Fishes formed during the voyage of H. M. S. 'Chanticleer,' with	
Characters of two New Species	1830-1, 112
Characters of a New Species of <i>Pterois</i>	1830-1, 128
Characters of New Genera and Species of Fishes from the Atlantic Coast of Northern Africa, presented by Captain Belcher, R.N.	1830-1, 146
Characters of a New Species of Otter (<i>Lutra</i> , Erxl.) and of a New Species of Mouse (<i>Mus</i> , L.), collected in Chili by Mr. Cuming	1832, 1
Characters of New Species of Fishes, collected by Mr. Cuming	1832, 1
Characters of a New Genus of <i>Lemuridae</i> , presented by Mr. Telfair.	1832, 20
Characters of a New Genus of <i>Rodent Mammalia</i> , from Chili, presented by Mr. Cuming	1832, 46
Characters of two New Species of the Genus <i>Mus</i> , L., collected by Col. Sykes in Dukhun	1832, 121
On several skins of <i>Mammalia</i> from Algoa Bay	1832, 122
Characters of two New Species of Hedgehog (<i>Eri-naecus</i> , L.) from the Himalayan Mountains	1832, 123
Characters of several New Species of <i>Fishes</i> , from Ceylon, presented by Dr. Sibbald	1832, 182
Characters of two New Species of <i>Fishes</i> , from the Mauritius, presented by Mr. Telfair	1832, 184
Characters of a New Species of Hedgehog (<i>Eri-naecus</i> , L.), from South Africa, collected by Mr. Steedman	1832, 193
Characters of a New Species of Antelope (<i>Antelope mhorr</i>), presented by E. W. A. Drummond-Hay, Esq.	1833, 1

BENNETT, EDWARD TURNER (*continued*).

Characters of a New Species of *Aphrophora* (*Aphrophora goudoti*) from Madagascar, presented by C. Telfair, Esq. 1833, 12

On a Specimen of an *Antelope*, probably the young of *Antelope cervicapra*, Pall., presented by C. Telfair, Esq... 1833, 12

Characters of New Species of *Fishes* from the Mauritius, presented by C. Telfair, Esq. 1833, 32

Characters of New Species of *Mammalia* from California 1833, 39

Notice of a New Genus of Viverridous Mammalia from Madagascar, presented by Charles Telfair, Esq. 1833, 46

On the Family of *Chinchillulæ*, and on a New Genus referable to it 1833, 57

Characters of two New Species of *Monkeys* in the Society's Collection 1833, 67

Characters of a New Species of *Cat* (*Felis*, Linn.) from the Continent of India, presented by J.M. Heath, Esq... 1833, 68

Characters of a New Species of *Lemur* (*Lemur rufigrons*) 1833, 106

Characters of a Species of *Monkey* (the *Malbrouch* of Buffon) hitherto confounded with the *Simia fauulus*, Auct. 1833, 109

On several Animals recently added to the Society's Menagerie 1833, 118

Observations on the Genus *Cryptoprocta* 1834, 13

Observations on a Species of *Paradoxurus*, probably *Paradoxurus prehensilis*, Gray, presented by Lord Fitzroy Somerset 1834, 33

On several Animals recently added to the Society's Menagerie } 1834, { 41
110

	Page
BENNETT, EDWARD TURNER (<i>continued</i>).	
Characters of New Species of Fishes, collected by Lieutenant Allen, R.N., in Western Africa . . .	1834, 45
On a Specimen of the <i>Manis temminckii</i> , Smuts., from South Africa, forming part of the collection of Mr. Steedman.....	1834, 81
On a New Species of Kangaroo . . .	1834, 151
Observations on the <i>Brush-tailed Kangaroo</i> (<i>Macropus penicillatus</i> , Gray) . . .	1835, 1
Remarks on some <i>Mammalia</i> from Travancore, including a New Species of <i>Herpestes</i> (<i>Herpestes vitticollis</i>)	1835, 66
On a second Species of <i>Lagotis</i> (<i>Lagotis pallipes</i>)	1835, 67
Observations on several <i>Mammalia</i> from Trebizond and Erzeroun, including a New Species of <i>Rat</i> (<i>Mus latipes</i>) and of <i>Marmot</i> (<i>Citellus xanthoprimum</i>) . .	1835, 89
Characters of several previously undescribed Fishes from Trebizond ..	1835, 91
Character of a Species of <i>Pseudosaurus</i> ..	1835, 118
Character of a Species of <i>Acanthurus</i> . . .	1835, 119
Character of a New Species of Crocodile (<i>Crocodilus leptorhynchus</i>) . . .	1835, 128
On a remarkable <i>Pteropine Bat</i> from the Gambia	1835, 149
On a New Species of <i>Ctenomys</i> , Blauy, and on other <i>Rodents</i> collected near the Straits of Magellan by Capt. P. P. King, R.N.	1835, 189
Characters of several <i>Fishes</i> from the Isle of France	1835, 206
Remarks upon a series of the Indian Antelope (<i>Antelope cervicapra</i> , Pall.)... ..	1836, 31
On the <i>Brush-tailed Kangaroo</i> (<i>Macropus penicillatus</i> , Gray)	1836, 41

BENNETT, FREDERICK DE BELL, CORR. Memb.

On the Larynx of the Albatross (<i>Diomedea exulans</i> , Linn.)	1833,	78
On the Light emitted by a Species of <i>Pyrosoma</i> ..	1833,	79
Notes on the Anatomy of the <i>Spermaceti Whale</i> (<i>Physeter macrocephalus</i> , Lac.)	1836,	127
On the Natural History of the <i>Spermaceti Whale</i> (<i>Physeter macrocephalus</i>)	1837,	{ 37 39
On Marine <i>Noctilucae</i>	1837,	{ 50 51

BENNETT, GEORGE, M.D., of Sydney, F.Z.S.

On the Generation of the <i>Kangaroo</i> and <i>Ornithorhynchus</i> , &c.	1833,	82
On the Habits of a Species of <i>Horned Pheasant</i> (<i>Tragopan temminckii</i> , Gray)	1834,	33
On the Habits of the <i>King Penguin</i> (<i>Aptenodytes patagonica</i> , Gm.)	1834,	34
On a Wound inflicted by a <i>Pelican</i> on its own breast	1834,	49
Characters of a New Species of <i>Bat</i> from New Holland, collected by	1834,	52
On the Natural History and Habits of the <i>Ornithorhynchus paradoxus</i> , Blum.	1834,	141
On the Nasal Gland of the Wandering Albatross (<i>Diomedea exulans</i> , Linn.)	1834,	151
Notice of an Animal called <i>Gumar</i> by the Australians	1835,	2
Notes relating to the Habits of the <i>Spermaceti Whale</i> , and to a large species of <i>Grampus</i> , called the <i>Killer</i>	1836,	53
Observations on a Species of <i>Glaucus</i> , referred to <i>Glaucus hexapterygius</i> , Cuvier	1836,	113
Observations on Phosphorescence of the Ocean, made during a voyage from England to Sydney . .	1837,	1
Observations on <i>Physalia pelagica</i>	1837,	43

	Page
BENSON, W. H.	
Observations on a Collection of <i>Land</i> and <i>Fresh-water Shells</i> formed in the Gangetic Provinces of India	1834, 89
Notes on the Importation of a Living <i>Certhium telescopium</i> , Brug.	1834, 91
BETE, Capt., and BRETON, WILLIAM II., Lieut. R.N., Corr. Memb.	
Donation of <i>Birds</i> from Swan River	1836, 85
BIBRON, M.	
Observations on some British specimens of the genus <i>Triton</i>	1838, 23
Observations on the Ravages of the <i>Limnoria terebrans</i>	1838, 66
BICHENO, J. E.	
Letter accompanying the Donation of a Skin of the Burral Sheep from the Himalaya Mountains	1838, 79
BIDWELL, C. B.	
Letter from	1839, 57
Letter from, relating to the <i>Hippopotamus (Hippopotamus amphibius)</i>	1839, 76
BIGG, II.	
On a species of <i>Bee</i> from the Brazils, found living on splitting a log of peach-wood containing its comb	1834, 118
BLACKETT, CHARLES P., F.Z.S.	
Letter from, relating to the parent stock of the Domestic Dog	1841, 9
BLYTH, EDWARD, CORR. MEMB.	
On the Osteology of the <i>Great Auk (Alca impennis)</i>	1837, 122
Observations on the Structure of the Feet of the <i>Trogonidæ</i>	1838, 20

BLYTH, EDWARD, Corr. Memb. (*continued*).

Remarks on the Plumage and Progressive Changes of the Crossbill and Linnet	1838, 115
Exhibition of the Skull of a Cumberland Ox, pre- sented a remarkable development of the Horns	1838, 120
Monograph of the Species of the Genus <i>Ovis</i> .. .	1840, 12
Exhibition of a pair of Horns of the <i>Rass</i> of Pamir, and also of the Horns of a new species of Wild Sheep from Little Tibet	1840, 61
On the Species of the Genus <i>Ovis</i>	1840, 62
Exhibition of Drawings of various Quadrupeds, chiefly collected by Mr. Vigne in Little Tibet, and Observations upon them.	1840, 79
Letter from	1841, 63
Abstract of a Letter from, relating to various spe- cies of Birds which are found both in India and Eu- rope	1842, 93

BOASE, Dr. H.

On two Species of Fishes taken in Mount's Bay, Cornwall	1833, 114
---	-----------

BOYER, W., Corr. Memb

Letter on the Habits, &c., of <i>Cryptoprocta ferox</i> , Benn.	1834, 13
---	----------

BONAPARTE, CHARLES LUCIEN.

Exhibition of a Lithographic Print of the <i>Gigantic</i> <i>Salamander</i>	1837, 96
On the Habits of the <i>Long-tailed Trogon</i> (<i>Trogon</i> <i>resplendens</i> , Gould)	1837, 101
Description of New or interesting Birds from South America and Mexico	1837, 108
Description of a New Species of Bat.	1847, 115
(See CANINO AND MUSIGNANO, 'The Prince of')	

BREWSTER, Sir DAVID.

- Letter from, relating to the Colouring-matter of
certain Land-shells from the Philippine Islands 1841, 16

BRIDGES, THOMAS, CORR. Memb.

- Notes on various Birds and Mammals from Chili.. 1841, 93
On the Habits of some of the smaller Chilian Ro-
dents 1843, 129
Notes relating to Mammalia from Chili .. . 1844, 153
Letter from, addressed to G. R. Waterhouse, Esq.,
containing notices of Bolivian Mammals and Birds . 1846, 7
Notes in addition to former papers on South Ame-
rican Ornithology 1847, 28

BRODERIP, WILLIAM J, F R.S., F.Z.S.

- Characters of New Species of *Mollusca* and *Con-*
chifera, collected by Mr. Cuming. } 1832, { 25
50
104
124
173
194
Characters of New Species of *Mollusca* and *Con-*
chifera, collected by Mr. Cuming } 1833, { 4
52
82
Descriptions of some New Species of Cuvier's fa-
mily of *Brachiopoda* 1833, 121
Characters of New Genera and Species of *Mollusca* }
and *Conchifera*, collected by Mr. Cuming } 1831, { 2
13
35
47
114
148
Descriptions of New Species of *Calyptraeidae* 1834, { 13
35
Description of a New Genus of *Gasteropoda* (*Scu-*
tella) 1834, 47
On *Clavagella*, with Characters of New Species .. 1834, 115
Description of some Species of *Chama* 1834, 148

BRODERIP, WILLIAM J., F.R.S., F.Z.S. (*continued*).

Characters of New Genera and Species of *Mollusca* } 1835, { 41
and *Conchyfera*, collected by Mr. Cuming } 192

Observations on the Habits, &c., of a Male *Chimpanzee* (*Troglodytes niger*, Geoff.) living in the Society's Menagerie 1835, 160

Description of some New Species of *Shells* belonging to the Genera *Spondylus*, *Voluta*, *Conus*, *Purpura*, and *Bulimus* 1836, 43

Descriptions of Shells collected in the Philippine Islands, by H. Cuming, Esq. } 1840, { 83
..... } 94
..... } 119
..... } 155
..... } 180

Descriptions of Species of *Bulimus*, collected by H. Cuming, Esq. 1841, 14

Descriptions of Shells collected by H. Cuming, Esq., in the Philippine Islands } 1841, { 22
..... } 34
..... } 36
..... } 44

Descriptions of New Species of Shells, from the Collection of H. Cuming, Esq. 1842, 53

Description of *Voluta signifer* 1847, 232

BROOKE, SIR JAMES, K.C.B., Rajah of Sarawak, Corr. Memb.

Letter from, relating to the Habits and Points of Distinction in the Orangs of Borneo 1841, 55

Exhibition of a series of Skulls of the Orang Outan, presented by 1842, 9

Letter from 1843, 15

Exhibition of Specimens, presented by 1843, { 27
..... } 35

BUCKNELL, Mr.

Exhibition of his *Eccaleobion*, and Observations on the Period of Incubation in the Common Fowl ... 1839, 93

	Page
BURTON, E., of the Museum of the Army and Medical Department at Chatham.	
Description of a <i>Ratelus</i> from India	1835, 113
Description of a Species of <i>Agriopus</i> , Cuv.	1835, 116
Characters of several <i>Birds</i> from the Himalayan Mountains	1835, 152
Description of a New Species of <i>Pipra</i>	1836, 113
Description of a New <i>Kingfisher</i> (<i>Ceyx microsoma</i>), and a Female Specimen of <i>Caprimulgus monticolus</i> . .	1837, 89
 BURTON, H.	
Characters of a New Species of the Genus <i>Mon-</i> <i>acanthus</i> , Cuv.	1834, 121
 CADELL, —.	
Donation of a Skin of <i>Bradyptes tridactylus</i>	1844, 167
 CAMPBELL, H. BRUCE.	
Note on a White Variety of the <i>Blackbird</i> (<i>Turdus</i> <i>merula</i> , Linn.), presented by him	1835, 105
 CAMPBELL, Col. PATRICK, Corr. Memb.	
Letter respecting the probability of procuring some White Elephants for the Menagerie	1838, 119
 CANINO AND MUSIGNANO, The Prince of.	
Description of a New Species of Bat.	1847, 115
(See BONAPARTE, C. L.)	
 CANTOR, THEODORE, M.D., Corr. Memb.	
Notice of the <i>Hamadryas</i> , a Genus of Hooded Ser- pents with poisonous fangs and maxillary teeth . . .	1838, 72
Observations on Marine Serpents	1838, 80
On Indian Serpents	1839, { 31 49

CANTOR, THEODORE, M.D., Corr. Memb. (*continued*).

On the Production of Isinglass from certain Indian Fishes	1839, 115
Letter from, relating to <i>Ursus syriacus</i> , &c... ..	1840, 46
Letter from, containing a list of a Collection of Shells from Chusan, presented to the Society	1842, 124

CARLISLE, SIR A.

On a Specimen of <i>Labrus maculatus</i> , Bl., taken on the British Coast, presented by	1830-1, 17
--	------------

CARY, HON. BYRON.

Note on a large Specimen of the Gallapagos Island Tortoise	1834, 113
--	-----------

CHAMBERS, R.

On a simple method of taking Impressions of Feathers upon Paper	1837, 36
On the Habits and Geographical Distribution of Humming-Birds	1837, 37

CHARLESWORTH, EDWARD.

Remarks upon the Mode of Reparation in the animal of the Argonaut	1837, 81
Exhibition of a Bone, supposed to be the Spine of some species of Ray or Shark	1839, 60
Exhibition of the Nest and Eggs of the Crossbill (<i>Loxia curvirostra</i>)	1839, 60
Exhibition of a young Shell of the <i>Nautilus pompilius</i>	1839, 123
On the Habits of the <i>Bassaris astuta</i> , Licht., and of the <i>Ascomys mexicanus</i> of the same author . . .	1841, 60

CHILDREN, J. G.

On Specimens of the <i>Phytotomu bloxhami</i> , Childr., collected by Mr. Cumming in Chili.....	1832, 3
---	---------

CHRISTY, W., Jun.

- Note on the Position of the *Mammæ* in the *Coyne*
 (*Myopotamus coypus*, Comm.) 1835, 182

CLARK, Dr.

- Letter from 1815, 1

CLARKE, C.

- Notes, contained in a Letter, relating to a Bird
 called in Cuba "The Musician" 1810, 153

CORFIN, Mr., Commissary-General.

- Observations on the Habits of the Woodcock 1811, 79

COLDSTREAM, Dr.

- On the *ova* of *Sepia officinalis*, Linn. 1833, 86

COLEMAN, E.

- On the propensity of Domesticated *Quadrupeds* to
 destroy their young when suffering under a deficiency
 of milk 1830-1, 57

COLLIE, A.

- On the Pouch of the *Frigate-bird* (*Trachypetes*
aquilus, Vieill) 1830-1, 62

Cook, Captain.

- On a Collection of *Birds*, from the south of Europe,
 presented by 1830-1, 96

COOPER, W. D.

- Notes relating to the Habits of the *Bassaris astuta*,
 communicated by 1812, 10

COTTON, Rev. W.

- Letter from, addressed to Professor Owen, on the
 Remains of a Gigantic Bird in New Zealand..... 1843, 1

COX, JOSEPH COX, F.Z.S.

Observations on the Treatment of the <i>Sylviadae</i> in captivity	1830-1,	13
On the Preservation of a proper Temperature for Exotic Animals	1830-1,	18
On <i>prolapsus uteri</i> in Sheep	1830-1,	37
On Atmospheric Causes as influencing the Health of Exotic Animals kept in confinement in England ..	1832,	33
On the Circumstances which modify the Existence of Animals in Northern Regions	1833,	87
Notice of a living <i>Mocking-bird</i> (<i>Turdus polyglottus</i> , Linn.) in his possession	1833,	111
Notice of a White Variety of the <i>Common Sparrow</i> (<i>Passer domesticus</i> , Briss.) ..	1835,	106

COX, DR.

Letter from.....	1841,	63
------------------	-------	----

CUMING, HUGH, Corr. Memb.

Characters of New Species of <i>Mammalia</i> , <i>Birds</i> , and <i>Fishes</i> , collected by	1832,	1
--	-------	---

Characters of New Species of <i>Stomapodous Crustacea</i> , collected by	1832,	5
--	-------	---

Characters of New Species of <i>Mollusca</i> and <i>Conchifera</i> , collected by ..	1832,	25 50 101 113 121 173 194
--	-------	---

Characters of a New Genus of <i>Rodent Mammalia</i> , presented by	1832,	46
--	-------	----

Characters of New Species of <i>Cypræa</i> , chiefly collected by	1832,	181
---	-------	-----

CUMING, HUGH, CORR. Memb. (<i>continued</i>).		Page
Characters of New Species of <i>Mollusca</i> and <i>Con-</i> <i>chifera</i> , collected by	} 1833,	4
		16
		34
		52
		70
		82
		124
		134
Characters of New Genera and Species of <i>Mollusca</i> and <i>Conchifera</i> , collected by	} 1834,	2
		6
		13
		17
		21
		35
		46
		48
		68
		87
		123
		118
Characters of New Genera and Species of <i>Mol-</i> <i>lusca</i> and <i>Conchifera</i> , collected by	} 1835,	4
		21
		41
		49
		84
		93
		109
		192
Characters of New Genera and Species of <i>Crus-</i> <i>tacea</i> , collected by	} 1835,	86
		88
		169
Letter accompanying a donation of Skins from Ma- nilla	1837,	70
On the Habits of some Species of Mammalia from the Philippine Islands	1838,	67
Letter from.	1839,	93
Letter, relating to Specimens sent to the Society .	1840,	33
Exhibition of some Specimens of Quadrupeds from Malacca	1840,	62
Descriptions of New Species of <i>Scalaria</i> , by G. B. Sowerby, jun., collected by	1844,	10

CUMING, HUGH, CORR. Memb. (*continued*).

Descriptions of New Species of <i>Columbella</i> , by G.	
B. Sowerby, from the collection of	1844, 48
Descriptions of New Species of <i>Tellina</i> , by Sylvanus	1841, {
Hanley, collected by	
<i>Margmellæ</i> collected by	1841, {
	72 96
Descriptions of New Species of <i>Triton</i> , by Lovell	
Reeve, collected chiefly by	
Descriptions of New Species of <i>Arica</i> , by Lovell	
Reeve, from the cabinet of	1841, 110
Bats collected in the Philippine Islands, and presented to the Society by	1845, 3
New Species of <i>Donax</i> , in the collection of	1845, 14
Description of New Species of <i>Helix</i> and a New <i>Glandina</i> , by Dr. L. Pfeiffer, in the collection of . .	1845, 38
Descriptions of New Species of Land-shells, by Dr. L. Pfeiffer, in the collection of	1845, 43
Description of Eighty-nine New Species of <i>Mitra</i> , by Lovell Reeve, chiefly from the collection of . . .	1845, 45
Descriptions of Twenty-two New Species of Land-shells by Dr. L. Pfeiffer, in the collection of . . .	1845, 63
Descriptions of Six New Species of <i>Achatinella</i> , by Dr. L. Pfeiffer, in the collection of	1845, 89
New Species of <i>Ostrea</i> , in the collection of	1845, 105
Description de quelques nouvelles Nérîtes Fluviales, by M. C. A. Recluz, du cabinet de	1845, 122
Descriptions of Fourteen New Species of <i>Helix</i> , by Dr. L. Pfeiffer, in the collection of	1845, 123
Descriptions of Thirty-six New Species of <i>Helix</i> , by Dr. L. Pfeiffer, in the collection of	1845, 126

CUMING, HUGH, Corr. Memb. (*continued*).

Descriptions of a New <i>Trochus</i> and of Eighteen New Species of <i>Littorina</i> , by Dr. Philippi, in the collection of	1845,	138
Descriptions of Thirty New Species of <i>Helicea</i> , by Dr. L. Pfeiffer, in the collection of	1846,	23
Description of Twenty New Species of <i>Helicea</i> , by Dr. L. Pfeiffer, in the collection of	1846,	37
Description of Nine New Species of <i>Helicea</i> , by Dr. L. Pfeiffer, in the collection of	1846,	41
Descriptions of Forty New Species of <i>Halotes</i> , by Lovell Reeve, from the collection of	1846,	53
Descriptions of Fifty-four New Species of <i>Mangelia</i> , by Lovell Reeve, from the collection of	1846,	59
Descriptions of New Species of <i>Chama</i> , by Lovell Reeve, communicated by	1846,	117

CUNNINGHAM, ALLAN.

On the Habits of the <i>Apteryx</i> (<i>Apteryx australis</i>)	1839,	63
--	-------	----

CURTIS, J.

On a Species of Bee (<i>Trigona</i> , Jur.) from South America	1834,	118
Characters and Description of a New Genus of <i>Melolonthidæ</i> (<i>Ancistrosoma</i>)	1835,	18
On a Species of Moth found inhabiting the Galls of a Plant, near Monte Video	1835,	19

CUST, SIR EDWARD, F.Z.S.

Letter from, relating to a Species of <i>Holothuria</i> from the Island of Porto Rico	1841,	1
---	-------	---

CUVIER, FREDERICK, For Memb.

Letter on several subjects of Zoological interest .	1830-1,	57
Notice on <i>Ctenomys</i> , <i>Octodon</i> , and <i>Poephagomys</i> .	1835,	123
Memoir on the Genera <i>Dipus</i> and <i>Gerbillus</i>	1836,	141

DANIELL, GEORGE, F.Z.S.

On the Habits and Economy of two British Species
of Bats 1834, 129

DANIELL, W., R.A.

Exhibition of numerous Drawings of *Antelopes*, &c ,
made by his Brother 1832, 24

DARWIN, CHARLES, M.A., F.R.S., F.G.S., F.R.G.S.,
F.Z.S.

Remarks upon the Habits of the Genera *Geospiza*,
Camathynchus, *Cactornis*, and *Certhidea* of Gould . 1837, 49

DAVY, JOHN, M.D., F.R.S.

Measurements of the Blood-Corpuscles of some
Fishes and of a Humming-Bird 1816, 26

Note on the early Generative Power of the Goat .. 1847, 71

DENNY, H.

Letter addressed to N. A. Vigors, Esq., M.P., no-
ticing the capture of a male specimen of the Snowy
Owl at Selby 1837, 45

DENNY, WILLIAM.

Remarks on the Geographical Distribution of Birds
in the West Indies 1847, 36

DERBY, EDWARD, 13TH EARL OF, K.G., President of
the Society.

Letter on the Breeding of the *Sandwich Island*
Goose (*Bernicla sandvicensis*, Vig.) 1834, 41

Letter on the Breeding of several *Birds* in his
Menagerie at Knowsley 1834, 81

Letter, relating to some Crosses, which have taken
place among the Animals in his Menagerie 1840, 33

DERBY, EDWARD, 13TH EARL OF, K G (*continued*).

Letter from	1841, 63
Letter from, relating to the hatching and rearing of two young Fire-backed Pheasants and four young Rheas in his Menagerie	1842, 131
Letter from, relating to the hatching some Rheas, &c.	1842, 147
Notice of a valuable Collection of Quadrupeds and Birds, presented by	1842, 196
Exhibition of two living specimens of <i>Hypsiprymnus</i> , by order of	1843, 73
Extract of a Letter from	1844, 123
Letter from, on the Parturition of <i>Bettongia</i>	1844, 163
Observations on Struthionine Birds in the Menagerie at Knowsley	1847, 5
On a Hybrid Swan. Communicated by	1847, 97

DESJARDINS, JULIEN.

Abstract of the Proceedings of the 'Société de l'Histoire Naturelle de l'île Maurice,' to the 24th of August 1830	1830-1, 45
Abstract of the 'Proceedings of the Société d'Histoire Naturelle de l'île Maurice,' pendant la 2 ^{de} Année	1832, 111
Abstract of the Third Report of the 'Proceedings of the Société d'Histoire Naturelle de l'île Maurice'	1833, 117
Letter accompanying a Collection of Objects of Zoology, chiefly <i>Mammalia</i> and <i>Birds</i> , from the Mauritius	1834, 57
Zoological Labours of the Natural History Society of Mauritius, fourth and fifth years	1835 { 204 205
Letter from, accompanying a Memoir of the late Charles Telfair, Esq, Corr. Memb Z. S	1837, 15
Letter from	1838, 119

	Page
DICKSON, EDWARD DALZELL, M.D., Corr. Memb.	
Letter from.	1842, 177
Letter from.	1844, 153
Letter from, containing an offer to present to the Society five Birds of Carthage	1845, 13
DICKSON, EDWARD DALZELL, and ROSS, H. J., Corr. Memb.	
Notes accompanying a Collection of Buds from Erzeioom	1839 { 119 { 130
Numerous specimens presented by, exhibited	1842, 197
Letter from, accompanied by a donation of Buds' Skins	1844, 61
DILLWYN, L. W.	
On the Capture of a Specimen of <i>Labrus maculatus</i> , Bl, in Swansea Bay	1830-1, 35
DODD, GEORGE, M.P., F.Z.S.	
Exhibition of a fine specimen of the Wiry-haired Wolf or Deer-hound	1844, 122
DOHERTY, Lieut.-Colonel.	
Letter relating to the Chimpanzee and Hippopo- tamus	1838, 119
DOUBLEDAY, EDWARD, F.L.S., Secretary of the Ento- mological Society, &c., &c.	
On some Undescribed Species of <i>Lepidoptera</i> in the Society's Collection	1847, 58
DOWN and CONNOR, the Bishop of.	
On the Habits of a <i>Philantomba</i> Antelope (<i>Antilope philantomba</i> , Ogilby) whilst in confinement	1839, 27

	Page
DRUMMOND-HAY, Col. H. M., 42nd R.H., Corr. Memb.	
New Species of <i>Corvus</i> , discovered by	1846, 43
DUGMORE, Rev. H.	
Note respecting a <i>Sea-Eagle</i> (<i>Haliaetus albicilla</i> , Sav.), in the possession of Lieut.-Col. Mason, of Neeton Hall, near Swaffham, Norfolk	1836, 49
ELLIOTT, WALTER, F.Z.S.	
Notice of Eight Species of <i>Mice</i> and <i>Rats</i> collected by him in India	1835, 108
Letter from, accompanied by a number of Skins of Animals from the Neilgherry Hills and the Carnatic	1844, 81
ELLIS, H.	
On a Collection of Birds from Africa, presented by	1830-1, 92
EWER, WALTER.	
List of a Collection of Birds from India, presented by	1842, 92
Exhibition of Specimens presented by	1843, 35
EXTON, T. C., F.Z.S.	
Some account of a Hybrid Bird, between the Cock Pheasant (<i>Phasianus colchicus</i> , Linn.) and the Grey Hen (<i>Tetrao tetrix</i> , Linn.)	1835, 62
Notice of some Osteological Peculiarities in different Skeletons of the Genus <i>Sus</i>	1837, 23
Catalogue of a Collection of Birds from Malaya, with Descriptions of the New Species	1839, 100
FALCONER, HUGH, M.D., F.R.S., F.Z.S., and Captain CAUTLEY.	
Communication on the <i>Colossochelys atlas</i>	1844, 54
Conclusion of Paper on the <i>Colossochelys atlas</i>	1844, 84

FAYRER, Capt., R.N.

On the Migration of *Birds* between the Coasts of
Scotland and Ireland 1830-1, 145

Letter from, accompanied by two specimens of
Strix nyctea 1844, 19

FAYRER, R. J., Lieut., R.N.

Letter from, accompanying some specimens of the
Biche de Mer, or *Trepang* 1846, 67

FIENNES, Hon. TWISSELTON, F.Z.S.

On a Hybrid between a Male *Pintail* and a Common
Duck 1830-1, 158

FITTON, EDWARD.

Note on the *White-winged Crossbill* (*Loxia leucoptera*) 1845, 91

FOLLIOTT, G.

On a Collection of *Birds* from North America, presented by 1834, 14

FORBES, Professor EDWARD.

On the Species of *Nææia* inhabiting the Ægean Sea 1843, 75

FORRESTER, JOSEPH JAMES, K.C.V.V.

Letter from, with donation of specimens of Insects,
Echini, &c. 1844, 164

Letter from 1844, 167

Letter from, accompanying a donation of three specimens of *Salamandra maculosa*, Bp. 1845, 11

Donation of two Specimens of *Salamandra*, a Tree Frog, and a *Scolopendra cingulata* 1845, 18

FOX, G. T.

- Exhibition of a Specimen of the *Agama cornuta* of
Harlan 1840, 12

FOX, Mr.

- Exhibition of some Birds from Iceland 1839, 49

FRANKLIN, Major JAMES.

- Catalogue of *Birds* collected on the Ganges between
Calcutta and Benares, and in the Vindhyan Hills, be-
tween the latter place and Gwah Mundelah, on the
Neibudda, with Characters of the New Species 1830-1, 114

FRASER, LOUIS, Corr Memb.

- On a New Species of *Corythax* 1839, 34
Descriptions of two New Species of Birds from the
Island of Luzon (*Phænicophaps cumingi* and *Anas*
luzonica) 1839, 111
Characters of New Species of *Humming-birds* . . 1840, 14
On some New Species of the Genus *Agalorhynchus* . 1840, 22
On some New Species of Birds from the Collection
of the Earl of Derby 1840, 59
Letter from 1841, 97
Exhibition of New Species of Quadrupeds collected
at Fernando Po 1842, 124
On some New Species of Birds from Fernando Po 1842, 141
On some New Species of Birds collected in the Niger
Expedition 1842, 144
On two New Species of Birds from Western Africa
belonging to the Genera *Strix* and *Pittu* . . . 1842, 189
Exhibition of a Specimen of the *Galago senegalensis*
and Description of a New Species of *Shrew* from Fer-
nando Po. 1842, 200
On some New Species of Birds from Fernando Po. 1842, 141
On eight New Species of Birds from Western Africa 1843, 16

FRASER, LOUIS, CORR. MEMB. (*continued*).

On a New <i>Rhinolophus</i> and four New Species of <i>Birds</i> from Western Africa	1843, 25
On <i>Birds</i> from Western Africa	1843, 34
On <i>Cricetomys gambianus</i> and various Species of <i>Birds</i> from Western Africa	1843, 51
On two specimens of <i>Manis</i>	1843, 53
Description of <i>Perdix bonhami</i>	1843, 69
On the Collection of <i>Birds</i> brought to England by Mr Bridges	1843, 108
Descriptions of Three New Species of <i>Birds</i>	1844, 37
Exhibition of <i>Birds'</i> Skins presented by E. D. Dick- son, Esq., H. J. Ross, Esq., Corr. Memb., and Capt. Thomas Graves, R.N.	1844, 64
Description of <i>Lophyrus victoria</i>	1844, 136
On <i>Birds</i> from Chili, and Description of <i>Leptopus</i> <i>mitchelli</i>	1844, 157
Exhibition of two <i>Birds</i> from Chili	1845, 1
Exhibition of <i>Birds'</i> Skins, presented to the Society by Lieut -Col. Owen, K.C A., from Oporto	1845, 13
Descriptions of three New Species of <i>Birds</i> in the Society's Collection.. . . .	1845, 16

FREMELY, J., Lieut, R N.

Letters from	1839, { 57 169
Letters from	1840, { 131 153 180
Letter from	1842, 1
Exhibition of a Collection of <i>Fishes</i> from Brazil, presented by	1842, 9

FRESNAYE, LE BARON F. DE.

On the Situation which the Genus <i>Upupa</i> should occupy in the Classification of <i>Birds</i>	1840, 124
---	-----------

FRIEND, Lieut, M.C.

- On two New Species of *Mammalia* from New Holland, presented by 1830-1, 149

FRY, EDWARD.

- On the Osteology of the *Active Gibbon* (*Hylobates agilis*) 1846, 11
- On the Relation of the *Edentata* to the Reptiles, especially of the Armadillos to the Tortoises 1846, 72
- Note on the Circulation of the Blood of *Crocodilus lucius* 1847, 116

FULLER, AUGUSTUS ELLIOTT, F.Z.S.

- A letter relating to the Breeding of Woodcocks (*Scolopax rusticola*) in Sussex 1839, 111

FULLER, DEVEREUX.

- Report on certain experiments on the Feeding of Carnivorous Mammalia 1832, 49
- Report on the Period of Gestation of the Puma (*Felis concolor*) 1832, 62

FULLER, E, F.Z.S.

- Notice of the rearing of two Hybrids from a Barn-door Hen, having a cross from a Pheasant and a Pheasant Cock 1836, 84

GARNER, R.

- On the Anatomy of the *Lamellibranchiate Conchiferous Animals* 1836, 12

GASKOIN, J. S, F.Z.S.

- Descriptions of New Species of *Cypræa* 1835, 198
- On New Species of *Cypræa* 1843, 23
- Descriptions of three New Species of *Cypræa* 1846, 23

GEOFFROY, SAINT-HILAIRE.

- Reflections on Dr. Weatherhead's communication
respecting the *Ornithorhynchus* 1833, 15
- On the Abdominal Glands of the *Ornithorhynchus* 1833, 28
- New Observations on the Nature of the Abdominal
Glands of the *Ornithorhynchus* 1833, 91
- On the Structure and Use of the Monotrematic
Glands, and particularly on those Glands in the
Cetacea 1834, 26

GERVAIS, P, and JULES VERREAUX, Corr. Memb.

- On a New Genus of Marsupial Animals (*Tarsipes*
rostratus) 1842, 1
- (See also VERREAUX et GERVAIS)

GILBERT, JOHN.

- Letter from, describing the Habits of some Mam-
malia and Aves of Western Australia . . . 1844, 33
- Birds collected by 1844, { 55
103
- Death of 1846, 79

GLENCON, MAURICE, Gamekeeper to the Earl of Shannon.

- On a Hybrid Swan 1847, 97

GORDON, A.

- Letter begging the Society's acceptance of two Au-
stralian Quadrupeds, which have been described in
the Society's 'Proceedings' 1838, 149

GOSSE, PHILIP H.

- New Species of Land-shells, collected by . . . 1845, 137
- Brief Notes on the Habits of *Noctilio mastivus* . . 1847, 105

	Page
GOUDOT, M	•
Letter from, to C Telfair, Esq, on a remarkable Phenomenon observed in Madagascar	1833, 11
GOULD, JOHN, F R S., F L S., F Z S	
On a New Species of <i>Wagtail</i> (<i>Motacilla</i> , L.)	1832, 129
On a New Species of <i>Woodpecker</i> (<i>Picus</i> , L) .	1832, 139
On a Collection of <i>Birds</i> from the Orkneys .	1832, 189
On specimens of <i>Phasianus lineatus</i> , Lath., pre- sented by G. Swinton, Esq.	1833, 13
Characters of a New Species of Toucan (<i>Pteroglossus</i> <i>ulocomus</i>)	1833, 38
Characters of a New Genus of Insessorial Birds	1833, 57
On a specimen of Hornbill (<i>Buceros caratus</i> , Lath.) living in the Society's Gardens	1833, 61
Characters of three New Species of Toucan (<i>Ram- phastos</i> and <i>Pteroglossus</i>)	1833, 69
Characters of a New Species of Dove (<i>Columba prin- ceps</i> , Vig)	1833, 78
Characters of a New Species of <i>Malurus</i> , Vieill. .	1833, 106
Description of the Female of <i>Trogon pavoninus</i> , Spirx	1833, 107
Characters of a New Species of Toucan (<i>Ptero- glossus castaneotis</i>)	1833, 119
Characters of a New Species of <i>Woodpecker</i> (<i>Picus</i> <i>flaviventer</i>)	1833, 120
Characters of a New Species of <i>Lurula</i> , <i>novs</i> (<i>Eury- laimus lunatus</i>)	1833, 133
On a Collection of <i>Birds</i> from North America, pre- sented by Mr. Folliott	1834, 14
Characters of three New Species of <i>Trogon</i> in the Collection of the Society	1834, 25
Character of a New Species of <i>Plover</i> (<i>Vanellus</i> , L.), collected by Lieut. Allen in Western Africa	1834, 45

GOULD, JOHN, F.R.S., F.L.S., F.Z.S. (*continued*).

On a collection of <i>Birds</i> formed by Mr. Abbott in the neighbourhood of Trebizond	1834, 50
Characters of the Genera and Species of the Family <i>Ramphastidæ</i> , Vig.	1834, 72
On a Collection of <i>Birds</i> from Nepaul, presented by B. H. Hodgson, Esq.	1834, 115
On a second Collection of <i>Birds</i> from the neighbourhood of Trebizond	1834, 133
Characters of a New Species of Toucan	1834, 147
Exhibition of a living <i>Red-billed Toucan</i> (<i>Ramphastos erythrorhynchus</i> , Gm.)	1835, 21
Characters of several New Species of <i>Trogon</i>	1835, 29
Characters of a New Genus of <i>Merulidæ</i> (<i>Ianthocincta</i>)	1835, 47
On New Species of Toucans (<i>Ramphastidæ</i> , Vig.)	1835, 49
Catalogue, with Remarks, of some <i>Birds</i> from Trebizond.	1835, 90
Notice of a Collection of <i>Birds</i> from Travancore	1835, 92
Characters of New <i>Toucans</i> and <i>Aracaris</i> (<i>Ramphastidæ</i> , Vig.), with a Synoptic Table of the Species of the Family	1835, 156
Characters of several New Species of <i>Insectorial Birds</i> , including a New Genus (<i>Stenorhynchus</i>)	1835, 185
Characters of some New Species of <i>Birds</i> in the Society's Collection	1836, 5
On a New Genus of <i>Birds</i> , <i>Kittacincta</i>	1836, 7
Exhibition of <i>Trogon resplendens</i> and <i>Trogon parvulus</i>	1836, 12
Characters of some New <i>Birds</i> in the Society's Collection, including two New Genera, <i>Paradornis</i> and <i>Actinodrya</i>	1836, 17

GOULD, JOHN, F.R.S., F.L.S., F.Z.S. (*continued*).

Exhibition of <i>Birds</i> from North Africa, presented to the Society by Sir Thomas Reade, with other specimens sent by M. Temminck to Mr. Gould	1836,	59
Characters of two New Species of <i>Birds</i> constituting a New Genus, <i>Aplonis</i>	1836,	73
Characters of a New Species of <i>Ortyx</i> from Mexico and two New Species of <i>Zosterops</i> from New South Wales	1836,	75
Characters of some New Species of <i>Birds</i> belonging to the Genera <i>Tamatia</i> and <i>Cursorius</i>	1836,	80
Characters of some New Species of Birds from Swan River	1836,	85
Exhibition of <i>Birds</i> allied to the <i>European Wren</i> , with characters of new species	1836,	88
Characters of New Species of <i>Birds</i> from New South Wales	1836,	104
Characters of three New Species of <i>Strix</i>	1836,	140
Exhibition of the specimens figured in the first part of Mr. Gould's work, on the 'Australian Birds,' with characters of the new species	1836,	142
Remarks on a group of Ground Finches from Mr. Darwin's Collection, with characters of the new species	1837,	4
Exhibition of Australian Birds from his own Collection, and characters of new species	1837, {	7 88
Observations on the Raptorial Birds in Mr. Darwin's Collection, with characters of the new species	1837,	9
Exhibition of the Fissirostral Birds from Mr. Darwin's Collection, and characters of the new species	1837,	22
Characters of New Species of Australian <i>Birds</i>	1837,	24
On a New <i>Rhea</i> (<i>Rhea darwini</i>) from Mr. Darwin's Collection	1837,	35

GOULD, JOHN, F.R.S., F.L.S., F.Z.S. (*continued*).

On a New Species of <i>Ortyx</i> from the Collection of the late Mr. David Douglas, and a New Species of the Genus <i>Podargus</i> from Java	1837,	42
Exhibition of some rare European Birds received from M. Temminck	1837,	48
Remarks on the Common British Wagtail (<i>Motacilla yurrellii</i>)	1837,	{ 73 78
Exhibition of Mr. Darwin's Buds, and description of a new species of Wagtail (<i>Motacilla leucopsis</i>) from India	1837,	77
Characters of New Birds in the Society's Collection	1837,	79
Description of a New Goldfinch (<i>Carduelis burtoni</i>) from the Museum at Fort Pitt, Chatham . .	1837,	90
Observations on the Rapacious Birds of Australia and the adjacent Islands	1837,	96
Description of a New Genus (<i>Amblypterus</i>) among the <i>Caprimulgidae</i> , and characters of New Birds from Australia.	1837,	105
Observations upon a small collection of Birds from Erzeroum, with characters of the New Species	1837,	126
Characters of a New Grouse (<i>Lyrurus derbianus</i>) from the Collection of the Earl of Derby	1837,	132
Characters of a New Genus (<i>Seiocoins</i>) of Australian Birds	1837,	133
Characters of a large number of New Species of Australian Birds	1837,	138
On two New Species of Birds from Australia, belonging to the Genus <i>Philotis</i>	1838,	24
Letter from Van Diemen's Land, accompanied with descriptions of some new Australian Birds .	1839,	139
On Five New Species of Kangaroos	1840,	92
PROC. ZOOLOGICAL SOCIETY, 1830-17.		3

GOULD, JOHN, F.R.S., F.L.S., F.Z.S. (*continued*).

On the "Run" or Playing-house constructed by the Satin Bird (*Ptilonorhynchus holosericeus*), and on a similar structure formed by the *Chlamydera maculata* of Australia 1840, 94

On the Brush Turkey (*Talegalla latham*) of New South Wales 1840, 111

On some New Species of Australian Birds 1840, 113

On the Habits and Characters of *Leipoa ocellata*, a New Genus of Birds from Swan River, allied to the Brush Turkey of New South Wales 1840, 126

Descriptions of two New Species of Australian Birds 1840, 126

On two New Species of Kangaroos (*Macropus maculatus* and *M. brachyotis*) from Swan River 1840, 127

Descriptions of New Birds from Australia 1840, { 147
159
169

Observations on *Dasyurus maugei* and *D. viverrinus* of Geoffroy, and description of a New Species 1840, 151

Description of a New Species of *Hypsiprymnus* 1840, 178

Description of a New Species of *Himantopus* from New Zealand 1841, 8

On a New Species of *Hypsiprymnus* from King George's Sound 1841, 14

On the Habits of the Lyre-bird (*Menura superba*) 1841, 41

Exhibition of a Specimen of the *Apteryx australis* 1841, 70

Exhibition of Skulls of a New Species of Kangaroo 1841, 77

Descriptions of four New Species of Kangaroos 1841, 80

Characters of a New Species of Goose nearly allied to *Nettapus coronandellianus* 1841, 89

Characters of a New Genus and Species of *Anatidæ* 1841, 95

On a New Species of *Petrogale*,—*P. inornata* 1842, 5

On some New Species of Australian Mammals 1842, 10

On New Species of Birds from Australia 1842, 17

GOULD, JOHN, F.R.S., F.L.S., F.Z.S. (*continued*).

Characters of a New Species of <i>Perameles</i> , and a New Species of <i>Dasyurus</i>	1842, 41
On two New Species of Kangaroo (<i>Petrogale concinna</i> and <i>Halmaturus binoe</i>)	1842, 57
Characters of two New Species of Australian <i>Halcionidae</i>	1842, 72
On a New Species of Hawk belonging to the Genus <i>Elanus</i>	1842, 80
<i>Elanus scriptus</i> , Gould	1842, 80
On two New Genera of Buds belonging, one to the Family <i>Sylviidae</i> , and the other to the Family <i>Psittacidae</i>	1842, 111
On two New Species of Australian Birds belonging to the Genera <i>Astur</i> and <i>Lobivanellus</i>	1842, 113
Descriptions of thirty New Species of Buds from Australia	1842, 131
On a New Species of Parrot belonging to the Genus <i>Corypholus</i>	1842, 165
On various New Species of <i>Ortyx</i>	1842, 181
On two New Species of Birds, from the Collection formed by Captain Sir Edward Belcher, R.N., during the Voyage of H. M. S. 'Sulphur' (<i>Pteroglossus erythropygus</i> and <i>Pterocles personatus</i>)	1843, 15
On a New Australian Heron (<i>Ardea rectirostris</i>)	1843, 22
On the Habits of <i>Leipoa</i>	1843, 81
On a New Species of Kangaroo Rat	1843, 81
Descriptions of nine New Species of Birds collected during the recent Voyage of H.M.S. 'Sulphur'	1843, 103
On <i>Diomedea chlororhynchos</i>	1843, 107
Descriptions of four New Species of <i>Ortyx</i>	1843, 132
On some New Species of Toucans	1843, 147
Description of <i>Atrichia clamosa</i>	1844, 1

GOULD, JOHN, F R S , F.L.S., F.Z.S. (*continued*).

On New Species of Western Australian Birds	1844, 5
Descriptions of three New Species of <i>Halmaturus</i> and <i>Lagorchestes</i>	1844, 31
Exhibition of a series of Birds from Australia, col- lected by Mr. Gilbert and himself	1844, 55
Exhibition and characters of a number of Animals, &c , transmitted from Australia by Mr. Gilbert	1844, 103
Description of <i>Podiceps australis</i>	1844, 135
On three New Species of Birds from China , and on a small Mammal and New Grallatorial Bird from Western Australia	1845, 1
Descriptions of a New Trogon and seven New Birds from Australia	1845, 18
Descriptions of four New Species of Birds from Australia	1845, 62
Description of a New Tern	1845, 76
Descriptions of five New Species of Mammals	1845, 77
Descriptions of three New Species of Birds from Australia	1845, 80
On the Genus <i>Anous</i> , Leach	1845, 103
Descriptions of two New Birds from New South Wales	1845, 104
On a New Species of <i>Nyctibius</i>	1846, 1
Descriptions of eleven New Species of Australian Birds	1846, 18
Descriptions of three New Species of the Family of <i>Trochilidae</i>	1846, 44
Descriptions of six New Species of Birds	1846, 67
Letter addressed to, detailing the circumstances of the death of Mr. John Gilbert	1846, 79
Descriptions of two New Species of Australian Birds	1846, 83

GOULD, JOHN, F.R.S., F.L.S., F.Z.S. (*continued*).

On twenty New Species of <i>Trochilidae</i> or Humming-birds	1846, 85
Descriptions of three New Australian Birds	1846, 106
Descriptions of New Species of Australian Birds	1847, { 1 31
Drafts of an arrangement of the <i>Trochilidae</i> , with descriptions of some New Species	1847, { 7 16 94
Notes on some rare Birds from New Zealand and Australia .	1847, 50
On a New Species of <i>Apteryx</i>	1847, 93

GRANT, ROBERT EDMOND, M.D., F.R.S. L. & E.,
F.L.S., F.G.S., M.W.S., F.Z.S., Prof. Zool. &
Comp. Univ. Coll. Lond.

On the Nervous System of <i>Beroë pileus</i> , Lam., and on the Structure of its Cilia	1833, 8
On <i>Ianthina vulgaris</i> , Lam., and <i>Veella limbosa</i> , Lam	1833, 14
On a New Species of <i>Sepiola</i> (<i>Sepiola stenodactyla</i>) from the Mauritius, presented by C. Telfair, Esq.	1833, 42
On the Structure of the Heart and Distribution of the Blood-vessels of the large <i>Indian Tortoise</i> (<i>Testudo indica</i> , Linn.)	1833, 43
On the Cranium of the <i>Round-headed Grampus</i> (<i>Delphinus globiceps</i> , Cuv.)	1833, 65
On the Cloaca of the Female <i>Condor</i> (<i>Sarcorhamphus gryphus</i> , Dum.)	1833, 78
On the Anatomy of <i>Loligopsis guttata</i> , Grant, and <i>Sepiola vulgaris</i> , Leach	1833, 90

GRAY, G. R., F.L.S.

Letter from, containing Observations upon the Species of <i>Tetraogallus</i> .	1842, 105
On two New Genera of <i>Certhiæ</i>	1847, 6

GRAY, JOHN EDWARD, Ph D., F.R.S., F.L.S., F.R.G.S.,
F.Z.S., Keeper of the Zoological Collections at the
British Museum.

On the Identity of the *Ctenodactylus massoni*, Gray,
with the *Mus gundi*, Rothm. 1830-1, 50

On the Frequency of the *Natter-jack* of Pennant
(*Rana rubeta*, Linn.) on the Commons in the neigh-
bourhood of London . 1830-1, 61

On two Species of the Genus *Rhyachæa*, Cur. 1830-1, 62

On the *Vultur angolensis*, Lath 1830-1, 67

Characters of three New Genera, including two New
Species of *Mammalia* from China 1830-1, 94

Characters of a New Genus of *Freshwater Tortoise*
from China 1830-1, 106

Observations on the Animal (*Ocythoe*) found in
the Shells of the Genus *Argonauta* 1830-1, 107

Characters of a New Genus of *Mammalia*, and of a
New Genus and two New Species of *Lizards*, from
New Holland . 1832, 39

On the Specific Distinction of *Mus giganteus*,
Hardw., and *Mus setifer*, Horsf. . 1832, 40

On the Animal of the Genus *Antipathes* 1832, 41

On the Family of *Fireuridae* and its Generic Sub-
divisions, with an Enumeration of the Species of *Pa-
radoxurus*, and characters of several new ones . 1832, 63

Characters of several New Species of *Cypræa*, chiefly
collected by Mr. Cuming . . . 1832, 184

On the Reproduction of *Cirripeda* 1833, 115

On the Torpidity of some Marine *Gasteropodous*
Mollusca 1833, 116

On the Emission of a Glutinous Thread by the Ani-
mal of *Rissoa parva* 1833, 116

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Characters of a New Genus of Bats (*Brachyphylla*),
obtained by the Society from the collection of the late
Rev. Lansdown Guilding 1833, 122

Characters of a Species of *Bulbus* in the collection
of Mr. Adamson 1833, 123

Characters of a New Genus of Radiata (*Ganymeda*) 1834, 15

Note on the Conveyance from the Mauritius to
England of two living specimens of *Cerithium arma-*
tum, Brug. 1834, 22

Character of a New Species of Bat (*Rhinolophus*,
Geoff) from New Holland 1834, 53

Characters of several New Species of *Freshwater*
Tortoises (*Emys*) from India and China 1834, 53

Note on the *Cistudo beali*, Gray, referred to the
Genus *Emys* 1834, 54

Notice of Two Varieties of *Cistudo amboimensis*, Gray 1834, 54

Characters of New Species of Shells 1834, { 57
63

Characters of a New Genus of Mollusca (*Nanna*) 1834, 58

Enumciation of the Species of the Genus *Terebra*,
with Characters of many hitherto undescribed . . . 1834, 59

Characters of Two New Genera of Reptiles (*Geo-*
emyda and *Gehyra*) 1834, 99

Observations on the *Red Piper*, regarded as a Variety
of the Common Species (*Pipera beirs*, Daud) . . . 1834, 101

Arguments in favour of the parasitic Nature of the
Animals found in the Shells of the Genus *Argonauta*,
Linn. 1834, 120

Characters of two New Species of Sturgeon (*Acir-*
penser, Linn) 1834, 122

Characters of a New Genus of Reptiles (*Lialis*) from
New South Wales 1834, 134

Note on the *New Holland Ibis* of Dr. Latham . . 1834, 135

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Observations on two Species of Freshwater Tortoises 1834, 135

Characters of an Australian Toad (*Bombinator australis*) 1835, 57

On the Genera distinguishable in *Echinus*, Lam. . 1835, 57

Characters of a New Genus of Corals (*Nidalia*) 1835, 59

On the Coral known as the Glass Plant (*Hyalonema sieboldi*, Gray) 1835, 63

Characters of two New Genera of Corals (*Erina* and *Anthopora*) 1835, 85

Notice of a Collection of *Mice* and *Rats* formed in India by Mr. Elliott, of two New Species of *Partridges*; of several undescribed *Shells*, and of a *Coral* incrusting Shells 1835, 108

Memor on the Genus *Moschus*, Linnæus, with Descriptions of two New Species . . . 1836, 63

Observations upon the tufts of hair observable upon the posterior Legs of the Genus *Cervus*, as a character of that group, and as a means of subdividing it into natural sections 1836, 66

Characters of New Species of *Mammalia* in the Society's Collection, with remarks on the Dentition of the *Carnivora*, and upon the value of the characters used by M. Cuvier to separate the *plantigrade* from the *digitigrade Carnivora* 1836, 87

Remarks upon the Habits of the Cuckoo 1836, 104

On a Peculiarity in the Structure of the Ligament in some Bivalve Shells 1836, 104

Remarks upon a specimen of *Argonauta*, with an *Ocythoe* from the Cape of Good Hope 1836, 121

Exhibition of the Horn of a supposed New Species of Deer, with remarks upon the enlargement of the Eggs of *Buccinum undatum* 1837, 45

	Page
GRAY, JOHN EDWARD, Ph.D., F R S., &c. (<i>continued</i>)	
On a New Species of Paradoxure (<i>Paradoxurus derbianus</i>), with remarks on some <i>Mammalia</i> recently purchased by the British Museum, and characters of the New Species	1837, 67
Remarks on the Boring of <i>Patella</i> and <i>Pholas</i> , and exhibition of a drawing of a New Species of <i>Tetrapterus</i> (<i>T. hcrschellii</i>)	1837, 101
Revision of the Genus <i>Soerex</i> , Linn.	1837, 123
General Arrangement of the <i>Reptilia</i>	1837, 131
Description of a New Fox (<i>Vulpes dorsalis</i>) from Senegal, and exhibition of a very young specimen of the <i>Genetta senegalensis</i> , Geoff	1837, 132
Revised Arrangement of the Ophidians	1837, 135
On a New Species of Perameles	1838, 1
On two New Species of Bats, a New <i>Mamus</i> , and a Species of the Family <i>Hystriculæ</i>	1843, 20
On some Species of Bats from Jamaica	1843, 50
Exhibition of specimens of <i>Mammalia</i> from Coban, Central America	1843, 79
Description of a New Rat from South Australia	1847, 5
Characters of six New Genera of Bats not hitherto distinguished	1847, 14
An account of <i>Palolo</i> , with a description	1847, 17
Description of a New Species of <i>Amphioxus</i> from Borneo	1847, 35
Observations on the Skull of <i>Phascolumys combatus</i>	1847, 41
Description of a New Genus of <i>Emydæ</i>	1847, 55
On the Genera of the Family <i>Chitonidæ</i>	1847, { 63 126
Description of some New Genera and Species of <i>Asteriadæ</i>	1847, 72
On the Finner Whales, with a description of a New Species	1847, 88

	Page
GRAY, JOHN EDWARD, Ph.D, F.R.S, &c. (<i>continued</i>).	
Description of a New Lizard	1847, 96
Note on a Hybrid Swan . . .	1847, 97
On the Porcupines of the Older or Eastern Con- tinent, with descriptions of some New Species .	1847, { 97 128
Additional Observations on the Cetacea of the Bri- tish Islands	1847, 117
List of the Genera of Recent Mollusca, their Sy- nonyms and Types	1847, 129
GREEN, Capt.	
Note describing a specimen of the Barn-door Hen, which had assumed the Cock plumage . . .	1836, 49
GUISE, W. V.	
Letter from	1841, 72
GULLIVER, GEORGE, F.R.S., F.Z.S.	
Observations on the Muscular Fibres of the Œso- phagus and Heart in some of the Mammalia . . .	1839, 124
Notes on the Ova of <i>Distoma hepaticum</i> , and on cer- tain Corpuscles obtained from the Genera <i>Cysticercus</i>	1840, 30
Observations on the Blood-corpuscles of the Snowy Owl and Passenger Pigeon	1840, 42
On the Blood-corpuscles of the <i>Crocodylidae</i> .	1840, 131
On the Blood-corpuscles of the Common Para- doxus, <i>Paradoxurus bondar</i> , and some other allied species	1840, 154
Observations on the Blood-corpuscles of the Order <i>Feræ</i>	1841, 42
On the Blood-corpuscles of Marsupial Animals	1841, 49
Observations on the Muscular Fibres of the Œso- phagus and Heart in some of the Vertebrate Animals	1842, 63
Observations on the Semen and Seminal Tubes of Mammalia and Birds	1842, 95

GULLIVER, GEORGE, F.R.S., F.Z.S. (*continued*).

On the Blood corpuscles of the Ibex of Candia (<i>Capra caucasica</i> , Guld)	1842, 107
On the Blood-corpuscles of the British Ophidian Reptiles, and Observations on the Blood-corpuscles of other Oviparous <i>Vertebrata</i>	1842, 108
On the Blood-corpuscles of some of the <i>Struthionidæ</i>	1842, 110
Additional Measurements of the Blood-corpuscles or Red Particles of Mammalia and Birds	1842, 190
On the Blood-corpuscles of the Stanley Musk Deer	1843, 66
Additional Measurements of Blood-corpuscles of Mammalia and Aves, &c.	1844, 7
On the Blood-corpuscles of the <i>Bradypus didactylus</i> , &c.	1844, 95
Additional Measurements of the Blood-corpuscles of Mammalia and Aves	1844, 145
On the Size of the Red Corpuscles of the Blood in the Vertebrata, with copious Tables of Measurements	1845, 93
Note on the Spermatozoa of the Polar Bear (<i>Ursus maritimus</i>)	1846, 11
Note on the Size of the Blood-corpuscles of Birds, with Measurements by Dr. Davy of the Blood-cor- puscles of some Fishes and of a Humming-bird	1846, 26
Note on the Red Corpuscles of the Blood of the Memna Deer	1847, 13
Note on the Spermatozoa, and on the Elevator Muscles of the Penis, of the Indian Elephant	1847, 105

HALL, MARSHALL, M.D., F.Z.S.

On a particular Function of the Nervous System	1832, 190
Notes of Experiments on the Nerves in a Decapitated <i>Toad</i>	1834, 92

HALLAM, Col.

Letter on a singular Race of *Pigs* 1833, 16

HAMILTON, HAMILTON, H. E., H.B.M. Minister at Rio.

Letter announcing a donation of a Chilian Eagle.. 1837, 67

HANCOCK, J., M.D.

On the *Lantern-fly*, and some other *Insects* of Guiana 1834, 19

HANLEY, SYLVANUS.

Descriptions of four New Species of Bivalve Shells
belonging to the Genera *Solen*, *Psammobia*, and *Cy-
therea* 1842, 122

On five New Species of *Donax*, also a New Species
of *Mya* 1843, 5

On five New Species of *Solen* and *Mesodesma* . . . 1843, 101

Descriptions of New Species of *Mytilacea*, *Amphi-
desma*, and *Odostomia* 1844, 14

Descriptions of New Species of *Tellina*, collected
by H. Cuming, Esq. } 1844, { 59
140
146
164

Descriptions of New Species of *Cytherea* 1844, 109

Descriptions of New Species of *Cyrena*, *Venus*, and
Amphidesma 1844, 159

Descriptions of three New Species of Shells, be-
longing to the Genus *Artemis* 1845, 11

Descriptions of six New Species of *Donax*, in the
collection of H. Cuming, Esq. 1845, 14

Descriptions of two New Species of *Donax* 1845, 17

Descriptions of three New Species of Bivalve Shells
of the Genera *Cytherea* and *Venus* 1845, 21

Descriptions of New Species of *Ostrea*, in the col-
lection of Hugh Cuming, Esq. 1845, 105

HARDWICKE, Major-Gen. T., F.Z.S.

- Description of a New Species of the Genus *Numida*,
Linn., from Western Africa 1834, 52

HARLAN, Dr.

- On the Structure of the Heart, &c., in the *Pike-headed Alligator* (*Allygator mississippiensis*) 1833, 82
- On a New Species of *Meriones* (*M. microcephalus*) 1839, 1

HARRIS, Major W. S.

- On a New Species of Antelope 1838, 1
- Communication on the Natural History and Zoology
of Abyssinia 1844, 3

HARVEY, J. B., Corr. Memb.

- Notes on a Collection of *Shells* and *Crustacea*,
formed on the South Coast of Devonshire..... 1834, 28
- Notes on the Habits of *Caryophyllia smithii*, Biod. 1835, { 4
113
- Letters accompanying Collections of *Corallines*,
Fishes, &c., from the South Coast of Devon . } 1835, { 113
154
- On the Opercula of *Serpula tubularia* and *Vermilia*
triquetra, regarded by Turton as Species of *Patella*.. 1835, 128
- Note upon the Thickening of the Lip of *Rostellaria*
pes pelecani, Lam. 1836, 46
- Letter referring to a collection of Marine Produc-
tions, including a specimen of *Capros aper*, Lacép.,
and a new species of *Tubularia* (*T. gracilis*, Harv.),
collected on the South Coast of Devonshire, and pre-
sented by the Writer to the Society . . . 1836, 54
- Notice of the occurrence of four Specimens of *Ve-*
rella limbosa, Lam., on the Beach at Teignmouth . 1836, 79
- Exhibition of *Fossils* from Devonshire, and some
Species of *Ophiura* and *Asterias* from that coast 1836, 104

HARVEY, J. B., Corr. Memb. (*continued*).

Note respecting a Specimen of the <i>Electric Ray</i> caught at Teignmouth	1836, 109
Letter accompanying a donation of <i>Radiata</i> and Fish	1837, 79
Exhibition of some Specimens belonging to the Genera <i>Siphunculus</i> and <i>Asterias</i> , and notice of the occurrence of the Red-band Fish (<i>Cepola rubescens</i>) near Teignmouth	1838, 45
Vote of Thanks to	1838, 76
Exhibition of a Collection of Shells, Sponges, &c , presented by	1839, 172
Letters from	1841, { 72 97
Exhibition of two New Species of Marsupial Ani- mals, presented by	1842, 47
Letter from	1843, 123

HAY, E. W. A. DRUMMOND, Corr. Memb.

Letter accompanying a Present of several Living Animals from the Empire of Morocco	1830-1, 145
Characters of a New Species of <i>Antelope</i> , pre- sented by	1833, 1
Letter on several Subjects in Zoology	1833, 97

HAY, G. W. H.

Notes on a Collection of Birds from Tangiers	1840, 133
--	-----------

HEARNE, JOHN, F.Z.S.

Letter on various Zoological Subjects relating to the Island of Hayti	1834, 25
Letter accompanying a Present of several Living Animals from the Island of Hayti	1834, 110
Notice of a Collection of <i>Bird-skins</i> , formed by him in Hayti	1835, 105

HEARNE, JOHN, F.Z.S. (*continued*).

- Notice of a Specimen of *Solenodonta*, obtained by
him in Hayti 1835, 105

HEATH, J. M.

- On two Species of *Bats*, accompanying a large col-
lection of Birds from Madras, presented by 1830-1, 113

- Characters of a New Species of *Cat*, forming part
of a collection of *Mammalia*, *Birds*, and *Reptiles*
presented by 1833, 68

HEMING, —.

- Note on a Remarkable Dilatation at the Base of
the Lower Jaw and Upper Part of the Throat in the
Swift (*Cypselus apus*, Ill.) 1834, 92

HENNING, Lieut., R.N.

- Note addressed to Col. Sykes mentioning the cap-
ture of an *Albatross* by means of a hook 1836, 63

HERON, Sir ROBERT, Bart., M.P., F.Z.S.

- Notes on the Habits of the *Pea-fowl*; on a Change
of Colour in the Plumage of the Black Poland Cock;
and on the Longevity of two *Water Tortoises* 1835, 54

- Note on the History of a *Black Swan* 1835, 107

- Note on the Habits of the *Kangaroos* 1835, 187

- Extraordinary instance of want of Sagacity in a Dog 1835, 188

- Notes on the Breeding of *Curassows* at Stubton 1836, 1

- Notes relating to a young *Kangaroo* 1840, 59

- Notes relating to the Breeding of Gold-fishes 1841, 42

- Observations on the Eggs and Young of the *Rhea*, &c. 1841, 79

- Letters on the *Jerboas* which have produced young
in his collection 1844, 123

- Note on the Genus *Crax* 1846, 67

HILL, RICHARD, F.Z.S.

Letter from, relating to the Nests of the Birds of Jamaica	1841, 69
Letter, accompanied by a donation of Birds' Skins from Jamaica	1844, 1
Description of a Seal found on a Shoal, south of Jamaica	1846, 80

HINDS, RICHARD BRINSLEY, R.N.

On New Species of Shells collected by Capt. Sir Edward Belcher, R.N., C.B.	1843, 17
On New Species of <i>Triphoris</i> in the collection of H. Cuming, Esq.	1843, 22
Description of New Species of <i>Pleurotoma</i> , <i>Clavatu-</i> <i>tula</i> , and <i>Mangelia</i> from the collection of Sir Edward Belcher, R.N., C.B.	1843, 36
On New Species of <i>Cancellaria</i>	1843, 47
On New Species of <i>Corbula</i> and <i>Potamomya</i>	1843, 55
On New Species of <i>Neæra</i>	1843, 75
On New Species of <i>Nucula</i>	1843, 97
Descriptions of New Species of <i>Scalaria</i> and <i>Murex</i> , from the collection of Capt. Sir Edward Belcher, R.N., C.B.	1843, 124
On New Species of <i>Terebra</i>	1843, 149
Synopsis of the Genus <i>Terebra</i>	1843, 159
Descriptions of New Species of <i>Triton</i> , <i>Solarium</i> , and <i>Corbula</i>	1844, 21
Descriptions of <i>Marginellæ</i> collected during the voyage of H.M.S. 'Sulphur,' and by H. Cuming, Esq.	1844, 72
Descriptions of New Species of <i>Ringicula</i> and <i>Neæra</i> , from the cabinets of Sir E. Belcher and Hugh Cum- ing, Esq.	1844, 96
Description of a New <i>Solarium</i>	1844, 158

HODGKINSON, E.

- Account of a Specimen of *Gulo barbarus*, L., presented by..... 1830-1, 74

HODGSON, BRYAN HOUGHTON, Corr. Memb.

- Description and Characters of the *Chiru Antelope* (*Antelope hodgsoni*, Abel) 1830-1, 52

- Characters and Descriptions of New Species of *Mammalia* and *Birds* from Nepal 1832, 10

- Letter on various subjects in Zoology 1833, 105

- Characters of a New Species of *Perdix* 1833, 107

- Further Illustrations of the *Antelope hodgsoni*, Abel 1833, 110

- Description and Characters of the *wild Dog* of Nepal 1833, 111

- Letter in relation to a Collection of Living *Birds* forwarded by him from Nepal for the Society's Menagerie 1834, 9

- Letter on various Zoological Subjects, with Additional Observations on the *Chiru Antelope* (*Antelope hodgsonii*, Abel) 1834, 80

- Letter on the Distinction between the *Ghōrāl* (*Antelope goral*, Hardw.) and *Thār* (*Antelope thar*, Hodgs.) 1834, 85

- On the *Mammalia* of Nepal 1834, 95

- On the Characters of the *Jhāral* (*Capra jhāral*, Hodgs.) and of the *Nāhōr* (*Ovis nāhōr*, Hodgs.), with Observations on the Distinction between the Genera *Capra* and *Ovis* 1834, 107

- Notice of a Collection of *Birds* from Nepal, presented by 1834, 115

- Further Account of the *Chiru Antelope* (*Antelope hodgsoni*, Abel) 1835, 3

- On some *Scolopacidae* of Nepal 1836, 7

- On the Lachrymal Sinus in *Antelope thar*, and *Cervus aristotelis* 1836, 39

HODGSON, BRYAN HOUGHTON, Corr. Memb. (*continued*).

Notice of seven Species of <i>Vespertilionidæ</i> observed in the central region of Nepâl	1836, 46
Description of a New Species of <i>Cervus</i> (<i>C. barhaiya</i> , Hodgs.)	1836, 46
On Nepalese Birds	1845, 22
On a New Genus of <i>Suidæ</i> and a New Species of <i>Taxidea</i>	1847, 115

HOLDSWORTH, Rev. R.

On a Specimen of the Umbrina (<i>Sciæna aquila</i> , Cuv.) taken on the South Coast of Devon	1830-1, 112
--	-------------

HOPE, Rev. FREDERICK WILLIAM, F.Z.S.

Characters of several New Genera and Species of <i>Coleopterous Insects</i>	1833, 61
Observations on the Ravages of the <i>Limnoria tere-</i> <i>brans</i>	1838, 66
Monograph of W. S. MacLeay's Coleopterous Genus <i>Euchlora</i>	1839, 65
On the <i>Stenochoridæ</i>	1840, 46
Monograph on the Coleopterous Family <i>Phyllo-</i> <i>phoridæ</i>	1842, 73

HORSFIELD, THOMAS, M.D., F.Z.S., Keeper of the
Hon. East-India Company's Museum.

Observations on two Species of <i>Bats</i> from Madras, one of them new, presented by Mr. Heath	1830-1, 113
--	-------------

On the Specific Distinction of <i>Viverra rasse</i> , Horsf., and <i>Viverra indica</i> , Geoffr.	1832, 22
--	----------

Exhibition of Mr. McClelland's Collection of Indian Mammalia and Birds	1838, { 157 167
---	--------------------

Communication to the Society of Mr. McClelland's List of Mammalia and Birds collected in Assam	1839, 146
---	-----------

HOY, BARLOW.

On the *Hylurgus pumperda*, Lath. 1830-1, 126

HUNT, JAMES, Head Keeper of the Society's Menagerie.

Notes on the Changes of Plumage in several Species
of *Birds* in the Society's Gardens 1833, 9

Note on the Breeding of the *Passenger Pigeon* (*Ectopistes migratorius*, Swains.), in the Society's Menagerie 1833, 10

Note on the Breeding of the Otter in confinement 1847, 27

INGARFIELD, —.

Donation of a Specimen of *Cancer norvegicus* 1845, 13

JENKINS, F., Secretary to the Physical Committee of
the Asiatic Society.

Letter accompanying a Collection of Indian *Birds* 1830-1, 6

JENYNS, REV. LEONARD, M.A., F.L.S., F.G.S., F.Z.S.

On a Species of *Crested Wren* (*Regulus*) new to
England 1832, 139

On the Occurrence in England of the *Sorex remifer*,
Geoff. 1832, 139

JONAS, DR. J. H.

Descriptions of New Species of Shells belonging to
the Genera *Helix* and *Bulimus*, collected by Mr. Cum-
ing in the Philippine Islands. 1842, 188

Descriptions of New Species of Shells 1846, 34

Descriptions of two New Shells. 1846, 120

JONES, PROFESSOR RYMER, F.Z.S.

Notes on the Dissection of a *Tiger* (*Felis tigris*,
Linn.) 1834, 54
4*

JONES, Professor RYMER, F.Z.S. (*continued*).

Notes on the Dissection of an *Agouti* (*Dasyprocta aguti*, Ill.) 1834, 82

Notes on the Dissection of *Azara's Opossum* (*Didelphis azaræ*, Temm.) 1834, 101

JONES, T. W.

On the Mode of Closure of the Gill-apertures in the Tadpoles of *Batrachua* 1837, 38

KING, Capt. PHILIP PARKER, R.N., Corr. Memb.

Characters of New Genera and Species of *Birds* } 1830-1, { 14
from the Straits of Magellan } 29

Observations on Oceanic *Birds*, particularly those of the Genus *Diomedea*, Linn. 1834, 128

Note on some *Fishes* captured at Port Praya 1835, 119

Notes on several *Rodents* collected during a Survey of the Straits of Magalhaens 1835, 189

LAW, the Rev. EDWARD, M.A., Chaplain to the British Embassy at St. Petersburg, Corr. Memb.

Letter from 1839, 56

LAY, GEORGE TRADESCANT.

On the Habits of a Bird of Paradise (*Paradisea apoda*, Linn.) 1840, 13

Exhibition of a small Bird's Nest from Borneo, and Remarks on a Species of *Gobiocephalus* from the Sea of Japan 1840, 31

LEACH, W. E., M.D.

On a collection of Italian *Insects* presented by . 1830-1, 24

LEES, J. C.

On the Habits and Economy of a Species of *Glau-cus*, Forst. 1833, 51

LEONARD, M.

- Exhibition of two Pointer Dogs, in illustration of
his Observations on the Intelligence of these Animals 1841, 47

LESSON, R. P.

- Table of a Distribution of the Families of the *Aca-*
lepha, Cuv..... 1835, 2

LEWIS, E.

- Desultory Observations on subjects having relation
to Zoology 1840, 118

LHOTSKY, Dr.

- Exhibition of Drawings of Tasmanian Fishes ... 1839, 57
On Animal Tuition and Animal Hygiene 1841, 65

LINDSAY, HUGH HAMILTON, Corr. Memb.

- On a collection of *Birds* from Manilla, presented by 1830-1, 96

LODDIGES, GEORGE.

- Notice of a New Genus of *Trochilidæ* 1830-1, 12
Characters of four New Species of *Humming-birds*
(*Trochilus*, L.) from Popayan, in the collection of
Mr. Gould 1832, 6
Remarks upon Humming-birds.. . . . 1843, 122

LONG, H. L.

- On the Discovery of a Nest and Eggs of the Cross-
bill (*Loxia curvirostra*) near Farnham 1839, 60

LORD, W.

- On a Collection of *Birds* made in Shetland, and
presented by 1830-1, 150

LOWE, REV. RICHARD THOMAS, Corr. Memb.

List of a Collection of *Fishes* formed on the Coast
of Madeira, and presented to the Society 1832, 139

Remarks on the Nature of the Respiratory Organs
in certain Littoral *Mollusca* of Madeira 1833, 101

Letter accompanying a Series of the Land and
Freshwater *Shells* of Madeira, presented by 1833, 102

Letter on several Subjects in Zoology 1833, 102

Characters of a New Genus of *Fishes* 1833, 104

Characters of a New Genus and of several New
Species of *Fishes* from Madeira 1833, 142

Additional Observations on *Alepisaurus* 1835, 93

Synopsis of the *Fishes* of Madeira 1837, 37

Exhibition of some *Fishes* and *Crustacea* presented
by 1839, 56

Supplement to a Synopsis of the *Fishes* of Madeira 1839, 76

On New Species of *Fishes* from Madeira 1840, 36

On *Parthenia*, a New Genus of recent Marine Shells
or *Mollusks*, containing British Species 1840, 39

Letter from, relating to the *Ausoma curieri* of Risso 1840, 131

Description of a New Dorsibranchiate Gasteropod
discovered at Madeira 1842, 51

On the *Fishes* of Madeira 1843, { 81
97

Letter from, with specimens of Fish from Jamaica 1844, 95

Letter from, accompanying a specimen of *Zeus con-*
chifer, Lowe 1845, 103

Letter from, accompanying a specimen of *Lichia*
radigo, Cuv. & Val. 1846, 23

On a New Genus of the Family *Lophidæ* (les Pec-
torales *Pediculées*, Cuv.) discovered in Madeira . . 1846, 81

M^cCLELLAND, JOHN, M.D., Corr. Memb.

- On the Production of Isinglass from certain Indian
Fishes 1839, 116
- List of Mammalia and Birds collected in Assam .. 1839, 146
- Letters from 1841, { 9
42

MACKAY, R, Corr. Memb.

- Letter describing the Habits of a *Fulture* (*Fultur
papa*, Linn.) 1836, 107
- Letter from, relating to an Insect presented by him
to the Society 1839, 146

MACKENZIE, Sir F.

- On the Breeding of *Woodcocks* (*Scolopax rusticola*,
L.) in Scotland 1832, 133

MACLEAY, A.

- Letter from, on the Habits of the *Apteryx australis*,
Shaw 1835, 61

MACLEAY, WILLIAM SHARP, F.Z.S.

- Remarks tending to illustrate the Natural History
of Two Annulose Genera, namely, *Urania* of Fabricius,
and *Mygale* of Walckenaër 1834, 10

M^cNEILL, Sir JOHN, Corr. Memb.

- A Letter relating to a kind of Dog used by the
wandering tribes in Persia to guard their flocks . . 1839, 111
- Letter relating to Two Persian Deer, presented by
that gentleman to the Society 1840, 11

MANBY, Capt., R.N.

- Letter announcing the Stranding in Suffolk of an
enormous *Whale* (*Balæna physalus*, Linn) . . 1835, 119

MARTIN, WILLIAM CHARLES LINNÆUS.

Report on the Diseased Appearances of a <i>Beaver</i> (<i>Castor fiber</i> , Linn.)	1830-1, 12
On the Morbid Appearance of a <i>Lion</i> (<i>Felis leo</i> , L.)	1830-1, 28
On the Anatomy of the <i>Testudo indica</i> , L.	1830-1, 46
On the Anatomy of the <i>Ruffed Lemur</i> (<i>Lemur macaco</i> , L.)	1830-1, 58
On the Anatomy of the <i>Testudo græca</i> , L.	1830-1, 63
On the Existence of a Rudimentary Cæcum in certain <i>Tortoises</i>	1830-1, 74
On the Anatomy of the <i>Alligator Tortoise</i> (<i>Chelydra serpentina</i> , Schweig.)	1830-1, 129
On the Anatomy of a <i>Monitor</i>	1830-1, 137
On the Anatomy of the <i>Jaguar</i> (<i>Felis onça</i> , L.)..	1832, 7
Notes of the Dissection of a <i>Slender Loris</i> (<i>Loris gracilis</i> , Geoff.)	1833, 22
Notes of the Dissection of a <i>Squirrel Monkey</i> (<i>Calithrix sciureus</i> , Geoff.)	1833, 88
Notes of the Dissection of a <i>Pelan</i> , or <i>Fisher Marten</i> (<i>Mustela canadensis</i> , Schreb.)	1833, 97
Notes of the Dissection of a <i>Puma</i> (<i>Felis concolor</i> , Linn.)	1833, 120
Notes of the Dissection of a <i>Grison</i> (<i>Galictis vittata</i> , Bell)	1833, 140
Notes on the Anatomy of the <i>Rhea</i> (<i>Rhea americana</i> , Vieill.) and <i>Cassowary</i> (<i>Casuarius emeu</i> , Lath.)	1834, 9
On the Occurrence of Aneurism of the <i>Aorta</i> in the <i>Brown Coat</i> (<i>Nasua fusca</i> , F. Cuv.)	1834, 9
Notes on the Dissection of <i>Azara's Opossum</i> (<i>Didelphis azaræ</i> , Temm.) . . .	1834, 101
Notes on the Dissection of a <i>Mangue</i> (<i>Crossarchus obscurus</i> , F. Cuv.)	1834, 113

MARTIN, WILLIAM CHARLES LINNÆUS (*continued*).

Notes of a Dissection of the *Cape Hyrax* (*Hyrax capensis*, Pall.) 1835, 14

Notes of the Dissection of a *Red-backed Pelican* (*Pelecanus rufescens*, Gmel) 1835, 16

Notes of the Dissection of a *small Nocturnal Lemur* (*Microcebus murinus*, Geoff) 1835, 125

Notes of the Dissection of *Cocodilus leptorhynchus*, Benn. 1835, 129

Note on the Mode of Attachment of the *os furcatum* to the *sternum* in the *Pelican*, *Adjutant*, *Crane*, and *Heron* 1835, 155

Visceral and Osteological Anatomy of the *Coypus* (*Myopotamus coypus*, Comm.) 1835, 173

Notes on the Dissection of a *Vulpine Opossum* (*Phalangista vulpina*, Cuv.) 1836, 2

Notice of a rudimentary canine Tooth in a female of a species of *Deer* from South America 1836, 4

Notes on the Visceral and Osteological Anatomy of the *Cariama* (*Dicholophus cristatus*, Ill.) 1836, 29

Notes on the Anatomy of Buffon's *Touraco* (*Corythaix buffoni*, Vaill.) 1836, 32

Description of a New *Mammal* (*Cynictis melanurus*, Mart.) 1836, 55

Notes on the Anatomy of the *Koala* (*Phascolarctos fuscus*, Desm.) 1836, 109

Description of two Species of the Genus *Cercoleptes* 1836, 82

Description of a New Species of the Genus *Felis* 1836, 107

Description of the Osteology of the *Sea Otter* (*Enhydra marina*, Flem.) 1836, 59

Notes on the Dissection of the *Chilian Bush Rat* (*Octodon cumingi*, Benn) 1836, 70

MARTIN, WILLIAM CHARLES LINNÆUS (*continued*).

Observations on three Specimens of the Genus <i>Felis</i> presented to the Society by Charles Darwin, Esq., Corr. Memb. Z.S.	1837, 3
Observations upon a New Fox from Mr. Darwin's Collection (<i>Vulpes fulvipes</i>)	1837, 11
Observations on a Specimen of <i>Dasypus hybridus</i> , Desm., from Mr. Darwin's Collection	1837, 13
Notes on the Anatomy of the Proboscis Monkey (<i>Simia nasalis</i>)	1837, 70
Description of a New Bat (<i>Rhinolophus landeri</i>) from Fernando Po, and a New Hedgehog (<i>Erinaceus concolor</i>) from Trebizond	1837, 101
On a New Genus of Insectivorous Mammalia	1838, 17
On the Visceral Anatomy of the Spotted Cavy (<i>Cæ- logenyx subinger</i> , Cuv.)	1838, 54
On some Species of Chameleon from Fernando Po	1838, 63
On two Specimens of Saurian Reptiles sent to the Society by Mr. Cuming	1838, 68
On two New Species of Snakes	1838, 83
On some Snakes collected during the Euphrates Expedition	1838, 81
Observations on the Sooty and White-eyed Mon- keys (<i>Cercopithecus fuliginosus</i> and <i>C. æthiops</i>) . . .	1838, 117
Notes on the Habits of the Horned Screamer (<i>Pa- lamedea cornuta</i> , Linn.)	1842, 15

MAULE, HON. LAUDERDALE.

On the Habits and Economy of the <i>Ornithorhynchus</i>	1832, 145
---	-----------

MICHELLOTTI, Dr.

Letter from, requesting the Society's acceptance of a Collection of Fossil Shells from Italy.	1838, 167
--	-----------

MILLER, Mr.

- Report on the circumstances attending the Birth of
two Armadillos (*Dasypus sextinctus*, Linn.) .. 1830-1, 48

MOORE, E.

- Letters from 1841, { 24
89

MOORE, EDWARD LEE, Corr. Memb.

- Letter from, and exhibition of a young Harp Seal
(*Phoca grænlandica*, Muller), presented by 1842, 49

MOORE, Mrs.

- Note accompanying a living *Iacchus Monkey* (*Iacchus penicillatus*, Geoff.) 1835, 125

MULLER, Professor.

- Remarks on Dr. Smith's revision of the Linnean
Genus *Squalus* 1837, 86

MURRAY, The Hon. CHARLES AUGUSTUS, F.Z.S.

- Exhibition of Specimens presented by 1842, 91

NATTERER, Dr. JOHN.

- Letter to Mr. Gould describing a New Species of
Araçari (*Pteroglossus gouldi*) 1837, 44

NEWPORT, G.

- On some New Genera of the Class *Myriapoda* ... 1842, 177

OGILBY, ROBERT LESLIE.

- Lepus hibernicus*, presented by 1843, 75

OGILBY, WILLIAM, M.A., F.L.S., F.H.S., F.G.S.,

F.R.A.S., late Secretary to the Society.

- On the Identity of the *Ctenodactylus massoni*,
Gray, with the *Gundi Marmot* (*Mus gundi*, Rothm.) 1830-1, 50

OGILBY, WILLIAM, M.A., F.L.S., &c. (*continued*).

On two New Species of <i>Phalangista</i> , Cuv. . . .	1830-1, 135
On a New Species of Indian <i>Deer</i> (<i>Cervus</i> , Linn.)	1830-1, 136
On two New Species of <i>Mammalia</i> from New Hol- land.....	1830-1, 149
Characters of a New Species of <i>Antelope</i> (<i>Antelope ellipsiprymna</i>), from the collection of Mr. Steedman	1833, 47
Characters of a New Genus of <i>Carnivorous Mam- malia</i> , from the collection of Mr. Steedman.. . . .	1833, 48
Notice of a New Species of <i>Otter</i> from the North of Ireland	1834, 111
Descriptions of <i>Mammalia</i> and <i>Birds</i> from the Gambia	1835, 97
Remarks on some <i>Marsupials</i> from the interior of New South Wales	1835, 191
Observations upon the Opposable Power of the Thumb in certain <i>Mammals</i> , considered as a Zoological character, and on the natural affinities which subsist between the <i>Bimana</i> , <i>Quadruman</i> , and <i>Pedimana</i> .	1836, 25
Remarks upon the Lachrymal Sinus in the <i>Indian Antelope</i> (<i>Antelope cervicapra</i> , Pall) . .	1836, 38
Remarks upon the probable Identity of <i>Cynictis melanurus</i> , Mart., with a species noted by Boshman under the name of <i>Kolebog</i>	1836, 56
Remarks upon <i>Chironectes yapock</i> , Desm.	1836, 56
Remarks upon two <i>Antelopes</i> (<i>Koba</i> and <i>Kob</i> of Buffon)	1836, 102
Remarks upon <i>Canis himalaicus</i> , Ogilb.	1836, 103
Remarks upon some rare or undescribed <i>Ruminants</i> in the Society's Collection	1836, 119
On the Generic Characters of <i>Ruminants</i> . . .	1836, 131
On a New Gibbon (<i>Hylobates choromandus</i>) and a New Species of <i>Colobus</i> (<i>C. leucomeros</i>) . . .	1837, 68
Exhibition of the Skins of Two Species of the Genus <i>Kemas</i>	1837, 81

OGILBY, WILLIAM, M.A., F.L.S., &c. (*continued*).

On a New Phalanger (<i>Phalangista viverrina</i>) from Van Diemen's Land	1837, 131
On a Collection of Mammalia procured by Captain Alexander during his journey into the country of the Damaras, on the South-west Coast of Africa.	1838, 5
On a New Species of Galago	1838, 6
On a New Species of Kangaroo	1838, 23
On a New Species of Marsupial Animal found by Major Mitchell on the banks of the River Murray in New South Wales	1838, 25
Description of various Species of the Genus <i>Hypsignathus</i>	1838, 62
Remarks upon the Buirhal Sheep	1838, 79
On a New Species of Muntjac Deer from China	1838, 105
On a New Species of Monkey (<i>Papio melanotus</i>)	1839, 31
Exhibition of the Skull of an Elk from Nova Scotia	1839, 93
Observations on a Collection of Skins from Sierra Leone, exhibited by Mr. Gainett	1839, 94
On a New Species of Squirrel (<i>Sciurus variegatoides</i>) from the west coast of South America	1839, 117
Observations upon the Skull of <i>Cercopithecus aethiops</i> , Auct.	1840, 1
Monograph on the Hollow-horned Ruminants	1840, 4
On a New Species of Gibbon (<i>Hylobates leucogenys</i>)	1840, 20
Observations upon a Specimen of <i>Colobus temminckii</i> , presented to the Society by P. L. Strachan, Esq.	1840, 20
On a New Species of Antelope (<i>Antelope cuvieri</i>)	1840, 34
On a New Species of Musk Deer from Sierra Leone	1840, 35
Observations upon a small Australian Rodent exhibited by Mr. Gould, and supposed to be identical with the <i>Dipus mitchelli</i>	1840, 151

OGILBY, WILLIAM, M.A., F.L.S., &c (*continued*).

Description of a New Species of <i>Cercopithecus</i> (<i>C. tantalus</i>)	1841,	33
On two New Species of Baboon	1843,	10
Exhibition of <i>Syrrhaptes paradoxus</i> and five Mammals from the Altai Mountains of Siberia.. . . .	1845,	75

OGILBY, WILLIAM, H. B. M. Consul, Charleston.

Letter from	1841,	69
-----------------------	-------	----

OLIVE, JEREMIAH, F.Z.S.

* Donation of Birds' Skins from Australia	1845,	75
---	-------	----

OTLEY, —.

Extract of a Letter from, relating to the <i>ligamentum teres</i> in the Coy pou	1838,	118
--	-------	-----

OWEN, RICHARD, Professor, D.C.L., F.R.S., F.L.S.,
F.Z.S., &c., Superintendent of the Natural History Collections, British Museum.

On the Anatomy of the <i>Orang-Utan</i> (<i>Simia satyrus</i> , L)	1830-1,	4 9 28 67
On the Anatomy of the <i>Beaver</i> (<i>Castor fiber</i> , L.)	1830-1,	19
On the Anatomy of a Female <i>Suricate</i> (<i>Ryzæna tetradactyla</i> , Ill.)	1830-1,	39
On the Anatomy of a Male <i>Suricate</i>	1830-1,	51
On the Anatomy of the <i>Acouchy</i> (<i>Dasyprocta acouchy</i> , Ill.)	1830-1,	75
On the Anatomy of the <i>Thibet Bear</i> (<i>Ursus thibetanus</i> , F. Cuv.)	1830-1,	76
On the Anatomy of the <i>Gannet</i> (<i>Sula bassana</i>)	1830-1,	90
On the Anatomy of the <i>Sharp-nosed Crocodile</i> (<i>Crocodilus acutus</i> , Cuv.)	1830-1,	139 169

OWEN, RICHARD, Professor, D.C.L., &c. (*continued*).

On the Anatomy of the 9-banded Armadillo (*Dasy-
sypus peba*, Desm.) 1830-1, 141

On the Anatomy of the Seal (*Phoca vitulina*,
Linn.) 1830-1, 151

On the Anatomy of the Weasel-headed Armadillo
(*Dasypus sexcinctus*, Linn.) 1830-1, 154

On the Organs of Generation of the Female Kan-
garoo (*Macropus major*, Shaw)..... 1830-1, 159

On the Anatomy of the American Tapir (*Tapirus
americanus*, Gmel.) 1830-1, 161

Characters of some New Species of *Stomapodous*
Crustacea, collected by Mr. Cuming 1832, 5

On the Habits of the *Birgus latro*, Leach 1832, 17

On the Morbid Appearance of a Mandrill (*Cyno-
cephalus maimon*) 1832, 17

On the Anatomy of the *Cercopithecus albogularis*,
Sykes 1832, 18

On a Malformation of the Beak of *Psittacus eri-
thacus*, L. 1832, 23

On the Anatomy of the Animal of *Stilyfer astericola* 1832, 61

On the Anatomy of *Capromys furnieri*, Desm. . . 1832, 68

On the Peculiarities of the Skeleton of *Capromys
furnieri*, Desm., and *Dasyprocta acouchy*, F. Cuv... 1832, 100

On the Anatomy of two Species of Armadillo (*Da-
sypus*, L) 1832, 130

On the Osteology of the Weasel-headed Armadillo
Dasypus 6-cinctus, L) 1832, 134

On the Anatomy of the Flamingo (*Phænicopterus
ruber*, L.) 1832, 141

On the Mammary Gland of *Echidna hystrix*, Cuv. 1832, 179

On the Teeth of the Capybara (*Hydrochærus ca-
pybara*, Erxl.) 1832, 187

OWEN, RICHARD, Professor, D.C.L., &c. (*continued*).

On the Anatomy of the *Cape Hyrax* (*Hyrax capensis*, Schreb.) 1832, 202

On the Mammary Glands of the *Ornithorhynchus* 1833, { 30
95

On the Stomachs of two Species of *Semnopithecus*,
F. Cuv. 1833, 74

On the Anatomy of the *Concave Hornbill* (*Buceros cavatus*, Lath.) ... 1833, 102

On the Anatomy of the *Cheetah* (*Felis jubata*, Schreb.) .. 1833, 108

On the Anatomy of the *Brachiopoda* of Cuvier, and more especially of the Genera *Terebratula* and *Orbicula* 1833, 125

On the Period of Uterine Gestation, and the Condition of the New-born Fœtus in the *Kangaroo* (*Macropus major*, Shaw) 1833, 128

On the Distinguishing Peculiarities of the *Crania* of the *Lion* and *Tiger*..... 1834, 1

On the Anatomy of the *Purple-crested Touraco* (*Corythæx porphyreolopha*, Vig.) 1834, 3

On the Stomach of *Semnopithecus maurus*, F. Cuv. 1834, 6

On the Anatomy of the *Capybara* (*Hydrochærus capybara*, Erxl) 1834, 9

On the Anatomy of the *Calyptræidæ* 1834, 14

On the Structure of the Heart in the *Perennian-chuata Amphibia*..... 1834, 31

On the Young of the *Ornithorhynchus paradoxus*, Blum. 1834, 43

Description of a Recent *Clavagella* (*Clavagella lata*, Brod.) 1834, 111

Notes on the Anatomy of a New Species of *Kangaroo* (*Macropus parryi*, Benn.) 1834, 152

OWEN, RICHARD, Professor, D.C.L., &c. (*continued*).

Notes of a Dissection of a <i>Long-tailed Dasyurus</i> (<i>Dasyurus macrourus</i> , Geoff.)	1835, 7
Notes on the Anatomy of the <i>Red-backed Pelican</i> (<i>Pelecanus rufescens</i> , Gmel.)	1835, 9
Description of a Microscopic <i>Entozoon</i> infesting the Muscles of the Human Body (<i>Trichina spiralis</i>)	1835, 23
On the Anatomy of <i>Linguatula tænioides</i> , Cuv.	1835, 27
On the Comparative Osteology of the <i>Orang</i> and <i>Chimpanzee</i>	1835, 30
On the Anatomy of <i>Distoma clavatum</i> , Rud.	1835, 72
Remarks on the <i>Entozoa</i> , and on the Structural Dif- ferences existing among them; including Suggestions for their Distribution into other Classes; and a Cata- logue of the <i>Entozoa hominis</i>	1835, 73
Note descriptive of a Species of <i>Tape-worm</i> (<i>Tænia</i> <i>lamelligera</i> , Owen)	1835, 86
Notes on the Anatomy of the <i>Kinkajou</i> (<i>Cerco-</i> <i>leptes caudivolvulus</i> , Ill.)	1835, 119
Descriptions of some New or Rare <i>Cephalopoda</i> collected by Mr. George Bennett	1836, 19
On the Shell and Animal of <i>Argonauta hians</i> , Lam.	1836, 22
Remarks on the Secretion in the Lachrymal Sinus of the <i>Indian Antelope</i> (<i>Antelope cervicapra</i> , Pall.), with a tabular view of the relations between the habits and habitats of the several species of <i>Antelopes</i> and their suborbital, maxillary, post-auditory, and inguinal glands	1836, 36
On the Morbid Appearance observed in the Dis- section of the <i>Chimpanzee</i> (<i>Simia troglodytes</i> , Linn.)	1836, 41
Notes on the Anatomy of the <i>Wombat</i> (<i>Phasco-</i> <i>lomys wombat</i> , Per.)	1836, 49
Reference to Hunter's Opinion respecting the Pro- ductive Powers of <i>Hybrids</i>	1836, 85

	Page
OWEN, RICHARD, Professor, D.C.L., &c. (<i>continued</i>).	
On a New <i>Orang</i> (<i>Simia morio</i>)	1836, 91
Anatomical Descriptions of two Species of <i>Entozoa</i> , from the Stomach of a <i>Tiger</i> (<i>Felis tigris</i> , Linn), one of which forms a New Genus, <i>Gnathostoma</i>	1836, 123
Dissection of the Head of the Turkey Buzzard and that of the Common Turkey	1837, 34
On the Structure of the Shell of the Water Clam (<i>Spondylus varius</i>)	1837, 63
Remarks upon the <i>Cranium</i> of an Oran Utan (<i>Simia wurmbi</i>)	1837, 82
Exhibition of a Fœtal Kangaroo, proving the exist- ence of an Allantois	1837, 82
Remark respecting the Mode of Reparation of the Shell of the Argonaut	1837, 84
Notes on the Anatomy of the Nubian Giraffe	1838, { 6 20
Observations on the Genus <i>Menopoma</i>	1838, 15
On the Anatomy of the Dugong	1838, 28
Description of the Organs of Deglutition in the Gi- raffe	1838, 47
On the Anatomy of the Apteryx (<i>Apteryx australis</i> , Shaw)	1838, { 48 71 105
On the Osteology of the Marsupialia	1838, 120
On the Dentition of the Koala (<i>Lapurus cinereus</i> , Goldf.)	1838, 154
Outlines of a Classification of the Marsupialia	1839, 5
On the Paper Nautilus (<i>Argonauta argo</i>)	1839, 35
Notes on the Birth of the Giraffe at the Society's Menagerie	1839, 108
On the Bone of an unknown Struthious Bird from New Zealand	1839, 169

OWEN, RICHARD, Professor, D.C.L., &c. (*continued*).

On the Anatomy of the Biscacha (<i>Lagostomus trichodactylus</i> , Brookes)	1839, 175
On the Skeleton of the <i>Talegalla lathamii</i>	1840, 112
Description of a New Genus and Species of Sponge	1841, 3
Description of the Stomach of the <i>Colobus ursinus</i> , Ogilby	1841, 84
Monograph on the <i>Apteryx australis</i> , including its Myology	1842, 22
Observations upon a Specimen of the Pearly Nautilus (<i>Nautilus pompilius</i>) obtained by Capt. Belcher, R.N., at Amboina	1842, 143
On the Anatomy of <i>Lithedaphus longirostris</i> , Owen	1842, 147
On the Anatomy of <i>Pholadomya candida</i>	1842, 150
On the Remains of a Gigantic Struthious Bird of New Zealand (<i>Dinornis novæ-zealandiæ</i>)	1843, 8
Letter from, substituting the name of <i>Dinornis</i> for that of <i>Megalornis</i>	1843, 19
Notes on the Dissection of a Female Orang-utan (<i>Simia satyrus</i> , Linn)	1843, 123
Second Memoir on the <i>Dinornis</i>	1843, 141
On the Existence of Marsupial Bones only in a very rudimentary state in <i>Thylacinus</i>	1843, 148
Observations on the Living <i>Echidna</i> , exhibited at the Menagerie of the Society in May 1845	1845, 80
On the Existence of two Species of Wombat (<i>Phascolomys</i>)	1845, 82
On the Dissection of a Female Chimpanzee (<i>Troglodytes niger</i>)	1846, 2
Memoir on the <i>Dinornis</i> , Part 2	1846, 46
Observations on the Skull and on the Osteology of the Foot of the Dodo (<i>Didus ineptus</i>)	1846, 51

PALMEDO, A. P.

- Note on the Breeding together of the *Moufflon* and
Domestic Sheep 1832, 9

PARKINSON, J.

- Letter from, accompanying a Communication from
 Mr. Commissary-General Coffin, relating to the
 Habits of the Woodcock 1841, 79

PARRY, Capt. Sir E. W., R.N.

- On a New Species of *Kangaroo* (*Macropus parryi*,
 Benn.), presented by 1834, 151
- Note on the Habits of the *Brush-tailed Kangaroo*
 (*Macropus penicillatus*, Gray) 1835, 1

PATON, WALTER.

- Letter accompanying a Donation to the Museum of
 an Indian Fowl 1836, 81

PERCY, Professor.

- On the Management of various Species of Monkeys
 in confinement 1844, 81

PETIT DE LA SAUSSAYE, M.

- Descriptions of New Species of Shells belonging to
 the Genus *Auricula*, collected by H. Cuming, Esq. 1842, 201
 (See also SAUSSAYE, PETIT DE LA.)

PFEIFFER, Dr. LOUIS.

- Descriptions of New Species of Shells belonging to
 the Genera *Helix* and *Bulimus*, collected by H. Cum-
 ing, Esq., in the Philippine Islands 1842, 84
- Descriptions of New Species of Shells, collected by
 Hugh Cuming, Esq., in the Philippine Islands 1842, 150
- Descriptions of some New Species of *Helicidae*, col-
 lected by Mr. Bridges in the northern parts of Chile 1842, 186

PFEIFFER, DR. LOUIS (*continued*).

Descriptions of New Species of *Helix* and a New
Glandina in the collection of Hugh Cuming, Esq. 1845, 38

Descriptions of New Species of Land-shells, from the
collection of Hugh Cuming, Esq. 1845, 43

Descriptions of twenty-two New Species of Land-
shells in the collection of Hugh Cuming, Esq. . . . 1845, 63

Description of a New Species of *Amphipeplea* 1845, 68

Descriptions of twenty-two New Species of *Helix* . 1845, 71

Remarks on the Genus *Achatinella*, Swainson, and
Descriptions of six New Species from the collection of
Hugh Cuming, Esq. 1845, 89

Descriptions of fourteen New Species of *Helix*, from
the collection of Hugh Cuming, Esq. . . . 1845, 123

Descriptions of thirty-six New Species of *Helix*, from
the collection of Hugh Cuming, Esq. 1845, 126

Descriptions of New Species of Land-shells from
Jamaica, collected by Mr. Gosse 1845, 137

Descriptions of thirty New Species of *Helicea*, be-
longing to the collection of Hugh Cuming, Esq. 1846, 28

Descriptions of twenty New Species of *Helicea*, in
the collection of Hugh Cuming, Esq. 1846, 37

Descriptions of nine New Species of *Helicea*, col-
lected by Hugh Cuming, Esq 1846, 41

Descriptions of thirty-eight New Species of Land-
shells 1846, 109

On New Species of *Helicea* . 1847, 228

PHILIPPI, DR.

Descriptions of a New Species of *Trochus*, and of
eighteen New Species of *Littorina*, in the collection
of Hugh Cuming, Esq. 1845, 138

POEY, DR. FELIPE, CORR. MEMB.

- Letter relating to Two Specimens of *Capromys*
fournieri, presented by him to the Society 1838, 167
 Letter from 1841, 63

POINTER, H.

- Various Specimens presented by, exhibited 1842, 197

PONTET, —, JUN.

- Donation of a Skin of a *Boa Constrictor* 1845, 43

POOLE, P.

- Letter accompanying a Collection of *Mammalia*,
Birds, and *Reptiles*, obtained in the Travancore country } 1835, { 66
 } 92

PORTER, —.

- Exhibition of a Specimen of the *Gymnotus electricus* 1838, 110

PORTER, SIR R. KER.

- On the *Tapir* (*Tapirus americanus*, Gmel.) . . . 1830-1, 94
 On the *Ant Bear* (*Myrmecophaga jubata*, Linn) 1830-1, 149
 Letter on several Zoological Subjects 1833, 114
 Letter on the Characters and Habits of a Specimen
 of the *Pithecia sagulata*, presented by him to the
 Society 1834, 41
 Letter on various Zoological Subjects 1834, 113

POWER, MADAME.

- Letter relating to some Packages of Specimens for-
 forwarded to the Society 1840, 33

POWIS, W. L.

- Characters of New Species of *Shells* collected by
 Mr. Cuming 1835, 94

PRICHARD, —.

On the Crania of the Laplanders and Finlanders .. 1844, 129

PRINSEP, J.

Letter accompanying a List of Zoological Specimens
forwarded by B. H. Hodgson, Esq. 1833, 102

READ, C. R.

Letter accompanying a Donation of Birds' Skins
from Singapore 1837, 15

READ, W. H. RUDSTON, F.Z.S.

Note on the Habits of the *Cape Hyrax* (*Hyrax
capensis*, Pall.) 1835, 13

READE, Sir THOMAS, H.B.M. Agent and Consul-General
at Tunis, Corr. Memb.

Letter from 1839, 169

RECLUZ, C. A.

Descriptions of various Species of *Navicella*, col-
lected by Hugh Cuming, Esq., in the Philippine
Islands 1842, 154

Descriptions of New Species of *Nerites*, collected
by H. Cuming, Esq., in the Philippine Islands . . . 1842, 168

On New Species of *Nerita* 1843, 71

Descriptions of New Species of the Genus *Natica*,
discovered by H. Cuming, Esq... .. 1843, 136

Descriptions of New Species of *Natica*, *Navicella*,
Neritina, *Nerita*, in the collection of Hugh Cuming,
Esq.. 1843, 197

Description de quelques nouvelles Nérîtes Fluviales
du Cabinet de H. Cuming, Esq. 1845, 119

Description d'une nouvelle espèce de *Conorulus* . 1845, 122

REEVE, LOVELL A., F.L.S., F.Z.S.

Characters of two Species of <i>Shells</i> (<i>Cypræa sub- viridis</i> and <i>Lucina rugifera</i>)	1835, 68
Classification of the <i>Lepadæ</i> and Conchiferous Mol- lusca	1841, 72
Description of a New Species of <i>Corbis</i> , a Genus of Acephalous Mollusks of the Family <i>Nymphæacea</i> ..	1841, 85
Characters of a New Species of <i>Mitra</i> , a Genus of Pectinibranchiate Mollusks of the Family <i>Columellata</i>	1841, 93
On <i>Lingula</i> , a Genus of Brachiopodous Mollusks.	1841, 97
Monograph of <i>Crassatella</i> , a Genus of Acephalous Mollusks	1842, 42
Descriptions of New Species of Shells, principally from the collection of Hugh Cuming, Esq	1842, 49
Descriptions of four New Species of <i>Achatina</i> .	1842, 55
Monograph of the Genus <i>Tornatella</i>	1842, 58
Descriptions of two New Species of <i>Oniscia</i> , a Genus of Pectinibranchiate Mollusks . . .	1842, 91
Descriptions of New Species of <i>Delphinula</i> , a Genus of Pectinibranchiate Mollusks of the Family <i>Turbi- nacea</i>	1842, 102
On a New Species of the Genus <i>Murex</i>	1842, 104
On the Genus <i>Phorus</i> , a group of Agglutinating Mollusks of the Family <i>Turbinacea</i>	1842, 160
Descriptions of New Species of Shells belonging to the Genera <i>Trochus</i> and <i>Turbo</i>	1842, 184
Descriptions of New Species of Shells figured in the 'Conchologia Systematica'	1842, 197
Descriptions of four New Species of <i>Conus</i> . . .	1843, 12
On New Species of <i>Pleurotoma</i> , <i>Pectunculus</i> , &c.	1843, 31
On New Species of <i>Cyclostoma</i>	1843, 46
On New Species of <i>Conus</i> and <i>Pectunculus</i>	1843, 79
Descriptions of New Species of <i>Delphinula</i> .	1843, 141

	Page
REEVE, LOVELL A., F.L.S., F.Z.S. (<i>continued</i>).	
Description of a New Volute (<i>Voluta reticulata</i>)	1843, 144
On New Species of <i>Conus</i> , <i>Pleurotoma</i> , <i>Pectunculus</i> , and <i>Cardita</i>	1843, 168
Descriptions of seven New Species of <i>Glauconome</i> .	1844, 19
Descriptions of thirty-three New Species of <i>Arca</i> .	1844, 39
Monograph of the Genus <i>Myadora</i>	1844, 91
Descriptions of New Species of <i>Triton</i> , collected chiefly by Hugh Cuming, Esq.	1844, 110
Descriptions of New Species of <i>Arca</i> , from the cabinet of Hugh Cuming, Esq.	1844, 123
Descriptions of New Species of <i>Ranella</i>	1844, 136
Descriptions of New Species of <i>Mitra</i> and <i>Cardium</i>	1844, 167
Descriptions of eighty-nine New Species of <i>Mitra</i> , chiefly from the collection of Hugh Cuming, Esq.	1845, 45
Descriptions of New Species of <i>Murex</i>	1845, 85
Descriptions of New Species of Shells	1845, 108
On the Growth and Re-calcification of the Shell in <i>Cypræa</i>	1845, 133
On New Species of <i>Pleurotoma</i>	1846, 3
Description of two New Species of <i>Cypræa</i>	1846, 23
Descriptions of forty New Species of <i>Haliotis</i> , from the collection of H. Cuming, Esq.	1846, 53
Descriptions of fifty-four New Species of <i>Mangelia</i> , from the collection of Hugh Cuming, Esq.	1846, 59
Descriptions of New Species of Shells, collected in the Eastern Archipelago	1847, 24

REEVES, JOHN, F.Z.S.

Notice of a Living Specimen of the <i>Phasianus</i> <i>reeresii</i> , Hardw. and Gray (<i>Phasianus veneratus</i> , Temm.), presented by	1830-1, 77
---	------------

REID, JAMES.

Anatomical Description of the <i>Patagonian Penguin</i> (<i>Aptenodytes patachonica</i> , Forst.)	1835, 132
Description of a New Species of the Genus <i>Perameles</i> (<i>P. lagotis</i>)	1836, 129
Notes on several Quadrapeds in Mr. Darwin's Col- lection	1837, 4
On a New Species of Monkey (<i>Semnopithecus ob- scurus</i>)	1837, 14

RENDALL, —.

Account of some <i>Mammalia</i> and <i>Birds</i> brought from the Gambia by	1835, 97
--	----------

RICHARDSON, Sir JOHN, M.D.

Birds and Mammalia collected during the last Arctic Land Expedition under Sir John Franklin	1830-1, 132
Account of a Collection of Fishes from Port Arthur, Van Diemen's Land	1839, 95
On some New Species of Fishes from Australia	1840, 25
On some New or little-known Fishes from the Au- stralian Seas	1841, 21

ROBERTSON, Capt. C.

Letter containing an Account of the Capture of a Peregrine Falcon on board the ship <i>Exmouth</i> , on her passage from Bengal to London	1838, 77
---	----------

ROLLE, Lady, F.Z.S.

Note on the Rearing of a <i>Jacchus Monkey</i> (<i>Jac- chus penicillatus</i> , Geoff.)	1835, 21
--	----------

ROSS, H. J. (See DICKSON and ROSS.)

Letters from	1842, { 1 177
------------------------	------------------

ROSS, H. J., and E. D. DICKSON.

Numerous Specimens presented by, exhibited 1842, 197

RUPPELL, EDWARD, M.D., For. Memb.

Description of a New Genus of *Pectinibranchiata*
Gasteropodous Mollusca (Leptoconchus) 1834, 105

Memoir on a New Species of *Sword-fish (Histio-*
phorus immaculatus) 1835, 187

On the Existence of Canine Teeth in an *Abyssinian*
Antelope (A. montana, Rupp.) 1836, 3

Notice of the *Phytotoma tridactyla* of Abyssinia . 1837, 50

On two New Species of *Chizærhæus* from Abyssinia 1842, 8

SABINE, JOSEPH, F.Z.S.

Address on Opening the Business of the First Meet-
ing 1833, 1

Notice of a Hybrid between the *Common Pheasant*
(*Phasianus colchicus*, Linn.) and the *Grey Hen (Te-*
trao tetrix, Linn.) 1834, 52

SAFFRON WALDEN MUSEUM, Board of Management of
the.

Letter from 1839, 57

SAUSSAYE, PETIT DE LA.

Description of New Species of Shells in the Cabinet
of H. Cuming, Esq 1843, 2
(See also PETIT DE LA SAUSSAYE.)

SAVI, Prof. GAETANO, For. Memb.

Letter accompanying a Series of his Works, and a
Collection of most of the New Animals described in
them 1833, 113

SAYERS, Lieut. H. K.

On the Habits of the Chimpanzee 1839, 28

	Page
SCHOMBURGK, Sir ROBERT HERRMAN, Ph.D., H.B.M. Consul, Bangkok, Siam.	
Remarks on the Greater Ant-bear (<i>Myrmecophaga jubata</i>)	1839, 21
SELLS, W.	
On the Habits of the <i>Vultur aura</i>	1837, 33
SEVERN, Dr.	
Exhibition of a Species of <i>Balistes</i> from New Zea- land	1839, 129
SHANNON, Earl of.	
A Hybrid Swan on his Lordship's Estate.	1847, 97
SHARPE, D.	
On the Luminous Appearance of the Ocean	1830-I, 24
SHAW, ALEXANDER N., F.Z.S.	
Letters from	1842, { 10 177
SHELLEY, Lady.	
Letter from, relating to the Manners, whilst in con- finement, of a Black Spider Monkey (<i>Ateles ater</i>)	1839, 169
SHORT, T. K.	
Remarks upon the Habits of <i>Apteryx australis</i> , Shaw	1837, 24
SIBBALD, Dr., Corr. Memb.	
Characters of New Species of <i>Fishes</i> from Ceylon, presented by	1832, 182
SMEE, Capt. W.	
On the <i>Maneless Lion</i> of Guzerat	1833, 140

SMITH, SIR ANDREW, M.D., K.C.B., F.R.S., F.Z.S.

Letter accompanying a Collection of <i>Fishes</i> from South Africa	1830-1,	11
Notice of a Collection of <i>Birds</i> , <i>Land-shells</i> , and <i>Corals</i> , presented by	1832,	1
Letter on several Subjects in Zoology	1833,	45
Letter on the Zoology of South Africa	1834,	25
Exhibition of the Drawings made during his Expe- dition into the Interior of South Africa	1837,	49
Exhibition of some small Quadrupeds collected in South Africa	1837,	69
Revision of the Groups included in the Linnean Genus <i>Squalus</i>	1837,	85

SMITH, Capt. C.

Letter from	1840,	62
-----------------------	-------	----

SMITH, G.

Exhibition of some Birds preserved by a peculiar Fluid	1839,	65
---	-------	----

SMITH, Lieut. T.

Extract from his Journal relating to the Burrhal Sheep	1838,	79
---	-------	----

SMITH, W.

Notice of the Capture of an <i>Arctic Fox</i> (<i>Canis la- gopus</i> , L.) on an Iceberg	1832,	189
Note on the Animal of the <i>Argonauta argo</i> , Linn.	1835,	125

SOWERBY, G. B.

Characters of New Species of <i>Mollusca</i> and <i>Con- chifera</i> , collected by Mr. Cuming	1832,	<div style="display: inline-block; vertical-align: middle;"> <div style="display: flex; align-items: center;"> <div style="font-size: 3em; margin-right: 5px;">{</div> <div> 25 50 104 113 173 194 </div> </div> </div>
--	-------	---

		Page
SOWERBY, G. B. (<i>continued</i>).		
Characters of New Species of <i>Mollusca</i> and <i>Conchifera</i> , collected by Mr. Cuming	} 1833,	16
		34
		54
		70
		82
		134
Characters of New Genera and Species of <i>Mollusca</i> and <i>Conchifera</i> , collected by Mr. Cuming	} 1834,	6
		17
		21
		46
		68
		87
		123
Characters of three Species of the Genus <i>Bulinus</i> , Lam., brought to England by Mr. Miller	1834,	141
Characters of and Observations on New Genera and Species of <i>Mollusca</i> and <i>Conchifera</i> , collected by Mr. Cuming	} 1835,	4
		21
		41
		49
		84
		93
		109
Descriptions of Shells collected by H. Cuming, Esq., in the Philippine Islands	} 1840,	87
		96
		116
		135
		167
Descriptions of New Species of Shells, collected by H. Cuming, Esq., in the Philippine Islands	} 1841,	1
		19
		24
		39
On Species of <i>Helix</i> collected by H. Cuming, Esq., in the Philippine Islands	1841,	17
Descriptions of New Species of Shells belonging to the Genus <i>Cyclostoma</i> , collected by H. Cuming, Esq., in the Philippine Islands	1842,	80
Description of New Species of Shells of the Genus <i>Cyclostoma</i>	} 1843,	29
		59
Descriptions of New Species of <i>Columbella</i> , from the collection of Hugh Cuming, Esq.	1844,	48
Description of six New Species of <i>Voluta</i>	1844,	149

SOWERBY, G. B. (*continued*).

Descriptions of thirteen New Species of *Brachiopoda* 1846, 91

Descriptions of New Species of *Marginella* . . . 1846, 95

SOWERBY, G. B., Jun.

On some New Species of the Genus *Cardium*, chiefly
from the collection of H. Cuming, Esq . . . 1840, 105

Descriptions of some New Species of *Murex*, prin-
cipally from the collection of H. Cuming, Esq. 1840, 137

Descriptions of eight New Species of the Genus *Ra-
nella* 1841, 51

Descriptions of several New Species of *Chitones*,
brought by H. Cuming, Esq., from the Philippine
Islands. 1841, 61

Descriptions of nine Species of the Genus *Pupina* 1841, 101

Descriptions of four Species of the Genus *Chiton*,
brought by H. Cuming, Esq., from the Philippine
Islands. 1841, 103

Descriptions of some New Species of *Helicinæ*, in
the collection of H. Cuming, Esq. 1842, 6

Descriptions of two New Species of Shells belonging
to the Genus *Strombus*, collected by H. Cuming, Esq. 1842, 143

Descriptions of New Species of the Genus *Pecten*,
figured in Sowerby's 'Thesaurus Conchyliorum' 1842, 163

On a New Species of the Genus *Rostellaria* 1842, 165

Descriptions of New Species of *Lima* 1843, 23

Descriptions of New Species of *Scalaria*, collected
by Hugh Cuming, Esq 1844, 10

Continuation of Descriptions of *Scalaria* . 1844, 26

Descriptions of several New Species of *Spondylus* 1847, 86

SPOONER, —.

On the Accumulation of Fat in Animals 1830-1, 164

SPOONER, — (*continued*).

Notes on the post-mortem Examination of a <i>Dromedary</i> (<i>Camelus dromedarius</i> , Linn.) . . .	1832, 126
Notes of the post-mortem Examination of a <i>M'hor</i> <i>Antelope</i> (<i>Antelope m'hor</i> , Benn.) . . .	1833, 2
Remarks on the post-mortem Appearance of a <i>Moose</i> <i>Deer</i> (<i>Cervus alces</i> , Linn.)	1833, 46

STAIR, Rev. J. B.

An Account of <i>Palolo</i> , a Sea Worm eaten in the Navigator Islands	1847, 17
--	----------

STANGER, Dr.

Exhibition of various Reptiles and Fishes, presented by	1842, 47
--	----------

STARK, JAMES, M.D.

On the Occurrence of the <i>Edible Frog</i> (<i>Rana esculenta</i> , Linn.) in the neighbourhood of Edinburgh . .	1833, 88
On the Changes of Colour in various <i>Fishes</i> , in consequence of their being kept in Water contained in Vessels of different Colours	1833, 88
On <i>Tetrao medius</i>	1845, 13

STEEDMAN, A.

On a Specimen of the <i>Manis temminckii</i> , Smuts., forming part of the Collection of	1834, 81
--	----------

STODDART, Capt.

Observations on several <i>Birds</i> , forming part of the Collection of the Naval and Military Museum	1834, 52
--	----------

STRACHAN, F.

Letter referring to the <i>Chimpanzee</i> and <i>Hippopotamus</i>	1838, 66
---	----------

STRACHAN, P. L.

Letter from, respecting some <i>Reptiles</i> sent by him	
from Sierra Leone	1835, 61
Letter from	1839, 57
Specimens presented by	1840, 20

STRICKLAND, ARTHUR.

On a Species of <i>Puffin</i> (<i>Puffinus</i> , Ray) new to Great Britain	1832, 128
---	-----------

STRICKLAND, HUGH E., M.A., F.Z.S.

Last of <i>Birds</i> noticed in Asia Minor in the winter of 1835 and in the spring of 1836	1836, 97
Exhibition of a Skin of a variety of the <i>Common Fox</i> (<i>Canis vulpes</i> , Linn), from Smyrna, and a specimen of the <i>Argonanta</i> , brought to Mr. Strickland with the animal alive	1836, 102
On some New Genera of Birds	1841, 27
Account of the Birds in the Chinese Collection exhibited at Hyde Park Corner	1842, 166
On the Evidence of the Former Existence of Struthious Birds distinct from the <i>Dodo</i> , in the Islands near the Mauritius	1844, 77
Descriptions of New Species of Birds brought from Western Africa by Mr L. Fraser	1844, 99
Exhibition of a New Species of <i>Corvus</i> , discovered by Col H M. Drummond, 42nd R H.	1846, 43
Notes on certain Species of Birds from Malacca	1846, 99

STUTCHBURY, S

Description of a New Sponge from Barbadoes	1841, 86
--	----------

SWAINSON, WILLIAM.

Observations on the Analogies of the <i>Mitranæ</i>	1835, 197
PROC. ZOOL. SOC INDEX, 1830-47.	6

SWEETING, R. H.

- Notes relating to a Female Rorqual Whale (*Balaenoptera boops* of authors) 1840, 11

SWINTON, GEORGE, Corr. Memb.

- Letter accompanying a *Dugong* (*Halicore dugong*, Ill.), presented by 1830-1, 113

- Notice of a *Lineated Pheasant* (*Phasianus lineatus*, Lath.), presented by 1832, 193

SYKES, Lieut.-Col. WILLIAM HENRY, M.P., F.R.S.,

F.L.S., F.G.S., M.R.I.A., M.R.A.S., F.Z.S.

- Catalogue of the *Mammalia* of Dukhun (Deccan); with Observations on their Habits, &c., and Characters of New Species 1830-1, 99

- Characters of a New Species of *Monkey* (*Semnopithecus?*) 1830-1, 105

- Catalogue of *Birds* observed in the Dukhun . . . 1832, { 77
149

- Characters of two New Species of the Genus *Mus*, L., collected by 1832, 121

- On the *Fætus* of a *Panther*, exhibiting all the markings of the Adult Animal 1833, 49

- On a Remarkable Instance of affectionate Attachment in the *Common Hyæna* (*Hyæna vulgaris*, Cuv.) 1833, 76

- On the Power of Leaping to a considerable Height, possessed by the *Loligo sagittata*, Lam. 1833, 90

- Notice of the Perforation of Lead Pipes by the Teeth of *Rats* 1834, 54

- On the Nest and Eggs of the *Lonchura cheet*, Sykes, and of the *Orthotomus bennetti*, Sykes . . . 1834, 140

- On the *Quails* and *Hempod* of India 1835, 55

- On some *Birds* of the Cape of Good Hope, identical with those of India 1835, 62

SYKES, Lieut.-Col W. H., M.P., &c (*continued*).

On the Identity of the Wild Ass of Cutch and Indus with the Dzeggetai	1837, 91
Observations on the <i>Canis jubatus</i> and some Skins of the <i>Felis pardina</i>	1838, 111
On the Calandra Lark	1838, 113
On the Fishes of the Deccan	1838, 157

TELFAIR, CHARLES, CORR. Memb.

Account of a Collection of <i>Birds</i> from the Mauritius, presented by	1830-1, 41
Account of a Collection of Fishes from the Mauritius, presented by	1830-1, $\left\{ \begin{array}{l} 59 \\ 61 \\ 126 \\ 165 \end{array} \right.$
Letter on several Subjects relative to the Zoology of the Mauritius and Madagascar	1830-1, 89
Characters of a New Genus of <i>Lemuridæ</i> , presented by	1832, 20
Characters of New Species of <i>Fishes</i> , presented by	1832, 184
Letter from M. Goudot on a remarkable Phenomenon observed in Madagascar, communicated by	1833, 11
Letter on the Bones of the <i>Dodo</i> (<i>Didus ineptus</i> , Linn.), and other Zoological Subjects	1833, 31
Letter accompanying a present of a New Quadruped from Madagascar	1833, 46
Letter accompanying a present of a Fossil Inferior Pharyngeal Bone of a gigantic Species of <i>Scarus</i>	1833, 52
Letter on the History of a living Specimen of the Indian Tortoise (<i>Testudo indica</i> , Linn.), presented by General Sir Charles Colville	1833, 81
Letter on the <i>Sokmah</i> , an undescribed Species of <i>Tenrec</i> ? (<i>Centenes</i> , Illig)	1833, 81

TEMMINCK, C. J.

- Extract of a Letter relating to *Colobus fuliginosus*
and *Macacus speciosus* 1839, 49

TEMPLETON, R.

- Descriptions of a few *Invertebrated Animals* obtained at the Isle of France 1835, 111

TEMPLETON, Dr., Roy. Artill.

- Communication, accompanied with Drawings of
Indian species of *Semnopithecus* 1844, 1
- On some varieties of Monkeys of Ceylon (*Cercopithecus pileatus* and *Loris gracilis*) 1844, 3
- Description of *Megascolex cæruleus* 1844, 89
- Letter from 1845, 11

TRIBAUT, M.

- Letter relating to the Capture of the *Giraffes* 1836, 9

THOMSON, T. S.

- Notes on the Habits of the *Bassaris astuta* 1842, 10

THOMPSON, Dr. J. B.

- On a Specimen of Chameleon 1843, 123
- On some Forms of Malignant Disease in the Inferior
Animals 1843, 147

THOMPSON, J. V.

- On the Metamorphosis of *Crustacea* 1830-1, 17

THOMPSON, W.

- On the Occurrence of the Young of the *Arctic Tern*
(*Sterna arctica*, Temm.) in the North of Ireland 1833, 33
- On the Occurrence of the *Black-headed Gull* (*Larus capistratus*, Temm.) in the North of Ireland 1833, 33

THOMPSON, W. (*continued*).

On the Immature Specimen of the <i>Long-tailed Manis</i> (<i>Manis tetradactyla</i> , Linn.), from Sierra Leone . . .	1834,	28
Notice of the <i>Cuckoo</i> (<i>Cuculus canorus</i> , Linn.) .	1834,	29
Catalogue of <i>Birds</i> new to the Irish Fauna .	1834,	29
Notice of some Additions to the British Fauna	1835,	77
On some <i>Vertebrata</i> new to the Irish Fauna	1835,	78
On some rare Irish <i>Birds</i>	1835,	82
On the <i>Herring-Gull</i> of the North of Ireland .	1835,	83
Notes relating to the Natural History of Ireland, with a Description of a New Genus of Fishes (<i>Echiodon</i>)	1837,	52
On the <i>Larus capistratus</i>	1845,	68

THURSFIELD, R.

Account of a Hybrid between the <i>Hare</i> and the <i>Rabbit</i>	1830-1,	66
--	---------	----

TOMES, —.

Exhibition of a Female Specimen of the Bimacu- lated Duck (<i>Anas glocitans</i>)	1846,	121
--	-------	-----

TRIPP, H.

On the Provision made by a Male <i>Hawk</i> , after the Destruction of its Female, for the Nourishment of their Young	1832,	62
---	-------	----

TURNER, H. N., Jun.

Observations on the Distinction between the Cer- vical and Dorsal Vertebrae in the Class <i>Mammalia</i> . .	1847,	110
---	-------	-----

UNITED SERVICE MUSEUM.

Note from the Secretary accompanying several <i>Birds</i>	1835,	4
---	-------	---

VAN DER HOEVEN, Prof. M.

On a large Species of Salamander from Japan .	1838,	25
---	-------	----

VAUGHAN, PETTY, F.Z S.

Letter from 1840, 20

VERREAUX, M. JULES, Corr. Memb., and M. GERVAIS.

On a New Genus of Marsupial Animals (*Tarsipes*
rostratus) 1842, 1
(See also GERVAIS et VERREAUX.)

VIGNE, G T.

Letter from, relating to a collection of Birds formed
in Thibet and Cashmere 1841, 6

VIGORS, N. A., Secretary to the Society.

Observations on the Genus *Ortyx*, with Characters
of two New Species 1830-1, 2

Observations on a Collection of <i>Birds</i> from the Himalayan Mountains, with Characters of New Genera and Species	1830-1, {	<div style="display: inline-block; vertical-align: middle; text-align: right; padding-right: 10px;">7 22 35 41 54 170</div>
--	-----------	---

Characters of a New Species of *Humming-bird*. 1830-1, 12

Characters of a New Species of *Ground Parrakeet*
(*Platycercus*, Vig) 1830-1, 23

Characters of the *Phasianus lineatus*, Lath. MSS. 1830-1, 24

On the Absence of the *os furcatorum* in some of
the Groups of the *Psittacidae* 1830-1, 36

On a Collection of *Birds* from the Mauritius, pre-
sented by Mr. Telfair, with Characters of a New
Species of *Spoonbill* (*Platalea*, L.) 1830-1, 41

On a New Species of *Owl* (*Strax*, L.) from New
Holland 1830-1, 60

On a New Species of *Cockatoo* (*Ptyctolophus*,
Vieill.) 1830-1, 61

VIGORS, N. A., Secretary to the Society (*continued*).

On the Habits and Economy of the *Frigate-bird*
(*Tachypetes aquilus*, Vieill.) 1830-1, 62

On a Collection of *Birds* from Africa, presented by
H. Ellis, Esq., with Characters of New Species . 1830-1, 92

On a Collection of *Birds* from the South of Europe,
presented by Capt. Cook 1830-1, 96

On a Collection of *Birds* from Manilla, presented
by H. H. Lindsay, Esq., with Characters of New
Species. 1830-1, 96

Characters of several New Species of *Birds*, collected
by Mr. Cuming in Chili and Mexico 1832, 3

On a New Species of *Barnacle Goose* (*Bernicla
sandvicensis*) from the Sandwich Islands, presented
by Lady Glengall 1833, 65

On a Collection of Skins of *Birds* from California . 1833, 65

Characters of a new and singular Form among the
Tinamous (*Tinamotis pentlandi*, Vig.) . . . 1836, 79

Characters of two New *Parrots* in the Society's
Collection (*Psittacus angustus* and *P. guildingii*, Vig.) 1836, 80

Remarks upon the Productive Powers of Female
Hybrids 1836, 84

Observations upon a Collection of *Birds* from the
West Coast of South America 1839, 115

WAGNER, Professor RUDOLPH.

On the Blood-globules of the *Proteus anguinus* . 1837, 107

Observations on the Generative System of some of
the Lower Animals. 1839, 177

WARDROP, J.

Letter from, relating to a Fowl in which the Spur
had been engrafted on the Head 1840, 131

WARRINGTON, Col. HANMER, H.B.M. Agent and Consul-General at Tripoli, Corr. Memb.

Letter from	1839, { 56 130
Exhibition of some Skins of Quadrupeds and Birds, presented by	1839, 171

WATERHOUSE, GEORGE ROBERT, F Z.S.

Description of a New Genus (<i>Myrmecobius</i>) of <i>Mammiferous Animals</i> from New Holland, probably belonging to the <i>Marsupial</i> type	1836, 69
On a second Specimen of <i>Myrmecobius</i>	1836, 131
Characters of New Species of the Genus <i>Mus</i> , from the collection of Mr. Darwin	1837, { 15 27
Characters of two New Genera of <i>Rodentia</i> (<i>Reithrodon</i> and <i>Abrocoma</i>), from Mr. Darwin's Collection	1837, 29
Characters of some New Species of the Genera <i>Mus</i> and <i>Phascogale</i>	1837, 75
Characters of a New <i>Galago</i> (<i>G. allen</i>) and a New <i>Pteromys</i> (<i>P. horsfieldii</i>), in the Society's Collection	1837, 87
Description of a New Species of Kangaroo (<i>Macropus bennetti</i>) and a Mouse (<i>Mus subspinosus</i>) from the Cape of Good Hope	1837, 103
On a New Species of Squirrel	1838, 19
On a New Species of the Genus <i>Delphinus</i>	1838, 23
On two New Species of Mammalia, from the Society's Collection, belonging to the Genera <i>Gerbillus</i> and <i>Herpestes</i>	1838, 55
On some New Species of Mammalia from Fernando Po	1838, 57
On some Skins of two Species of Monkeys from Sierra Leone	1838, 61
On a New Species of Hare from North America	1838, 103
On the Flying Lemurs (<i>Galeopithecus</i>)	1838, 119
On the Dentition of the Flying Opossums	1838, 149

WATERHOUSE, GEORGE ROBERT, F.Z.S. (*continued*).

On the Skull and Dentition of the American Badger (<i>Meles labradoria</i>)	1838, 153
Description of a New Species of Hamster (<i>Cricetus auratus</i>)	1839, 57
Description of a New Species of Lark from China (<i>Alda sinensis</i>)	1839, 60
On the Crania of the Rodents belonging to the Families <i>Cavidae</i> and <i>Chinchillidae</i>	1839, 61
On a New Genus of Rodents from the Philippine Islands (<i>Phlæomys cumingi</i>)	1839, 107
Description of a New Species of Toucan (<i>Ptero- glossus nigrirostris</i>)	1839, 111
Description of a New Species of Squirrel (<i>Sciurus philippinensis</i>) from the Philippine Islands	1839, 117
On the Differences observable in the Skulls of two Species of Squirrel, usually confounded under the name <i>Sciurus palmarum</i>	1839, 118
On the Skulls and Dentition of the <i>Carnivora</i>	1839, 135
Observations upon an Insect presented to the Society by R. Mackay, Esq.	1839, 146
On the Geographical Distribution of the <i>Rodentia</i>	1839, 172
On a New Genus of the Family <i>Muridae</i> and Order <i>Rodentia</i>	1840, 1
On a New Species of Squirrel (<i>Sciurus dimidiatus</i>)	1840, 21
Description of two New Species of Birds from the Society's Collection	1840, 182
Description of a New Species of Hare from Thibet	1841, 7
Observations upon some Monkey Skins from Fer- nando Po	1841, 71
On a New Genus of Rodents allied to the Genera <i>Poephagomys</i> , <i>Ctenomys</i> , &c.	1841, 89

WATERHOUSE, GEORGE ROBERT, F.Z.S. (*continued*).

Description of some New Coleopterous Insects from
the Southern Parts of South America, collected by C.
Darwin, Esq., and T. Bridges, Esq. 1841, 105

On two New Species of Marsupial Animals from
South Australia 1842, 47

Observations of some Species of Mammalia from
Borneo 1842, 114

Descriptions of New Species of Quadrupeds collected
by Mr. Fraser at Fernando Po 1842, 124

Descriptions of two New Species of the Genus *Mus* 1842, 145

On various Species of Bats collected by Hugh Cum-
ing, Esq., in the Philippine Islands . . . 1843, 66

On a New Species of *Megaderma* 1843, 69

On various Skins of Mammalia from Chile, with
Notes relating to them, by Mr. Thomas Bridges . . 1844, 153

On New Species of Bats collected in the Philippine
Islands, and presented to the Society by Hugh Cum-
ing, Esq. 1845, 3

Description of a New Mammal from Bolivia (*Hesperomys boliviensis*) 1846, 8

WATTS, G. B.

Letter relating to a Collection of Specimens intended
for the Society's Museum 1838, 149

WEATHERHEAD, Dr.

On the Habits and Economy of the *Ornithorhynchus* 1832, 145

On two young Specimens of *Ornithorhynchus* . 1834, 22

WEAVER, Mr.

Exhibition and donation of Rare Insects 1844, 163

WEISSENBORN, Dr.

Letter relating to the Habits of the Hamster (*Cricetus vulgaris*) 1837, 50

Letter from, relating to the nearly naked marks observed on the hips of the Common Hamster (*Cricetus vulgaris*) 1839, 59

Letter from, relating to a Pigeon destitute of Organs of Vision, and accompanying a present of some specimens of the Common Hamster (*Cricetus vulgaris*, Auct.) 1839, 175

WESTWOOD, J. O.

On *Nyctteriðia*, a Genus of Wingless Insects 1834, 135

Characters of New Genera and Species of *Hymenopterous Insects* } 1835, { 51
68

Characters of some New Coleopterous Insects belonging to the Family of Sacred Beetles 1837, 12

Characters of New Insects from Manilla 1837, 127

Monograph on the Genus *Nematoptera* 1841, 9

Descriptions of some Coleopterous Insects from Tropical Africa belonging to the Section *Heteromera* 1841, 66

On various Coleopterous Insects from Western Africa belonging to the Section *Heteromera* 1842, 117

WHITE, ADAM, F.L.S.

Descriptions of New *Crustacea* from the Eastern Seas 1847, 56

Descriptions of some New Species of *Crustacea* in the Collection of the British Museum } 1847, { 84
118

WHITE, ANTHONY.

Letter from, on the Dissection of *Felis leo* 1844, 54

WILLIAMS, P. B.

- Exhibition of some Specimens of White Bait (*Clupea alba*) from some rivers in North Wales 1839, 94

WILLIAMS, W., Lieut. R.A.

- Account of a Wasp's Nest presented to the Society by the Governor of Ceylon. 1838, 167

WILLIAMSON, W.

- Account of a Specimen of the *Garrulous Roller* (*Coracias garrula*, Linn.) shot near Scarborough... 1833, 88

WILLIAMSON, W. C.

- Notes on the Appearance of Rare *Birds* in the vicinity of Scarborough 1836, 76

WILLICH, CHARLES M.

- Letter from, calling the attention of the Society to M. Gannal's method of preserving Animal Substances 1843, 135

WILLSHIRE, W.

- On the *Dub* of the Arabs (*Uromastix acanthinurus*, Bell) 1833, 16
- On the *M'hor* Antelope (*Antelope mhor*, Benn.) 1833, 77
- On the Method of Dressing Skins practised in Morocco 1833, 77
- Letter accompanying an *Aoudad* (*Ovis tragelaphus*, Geoff.) 1835, 41
- Letter accompanying a Donation of an *Aoudad* (*Ovis tragelaphus*) 1844, 95

WOODS, H.

- On the Claw of the Tip of the Tail of the *Lion* (*Felis leo*, L.) 1832, 146

WOOLER, W. A.

Account of a *Wild Dog* from the Mahabliishwar Hills 1833, 113

WRAY, JOHN.

Present of some Specimens of Quadrupeds from
Minas Geraes 1839, 75

WYLLIE, JAMES.

Donation of Fish from the Hot Springs of *Thermopylæ* 1845, 17

WYLLIE, JOHN.

On the Peculiar Structure of the Branchial Appendages in one of the Indian *Siluridæ* 1840, 34

YARRELL, WILLIAM, Secretary to the Society.

On the Preservation of *White Bait* (*Clupea alba*, Yarr.) alive 1830-1, 13

On the Morbid Appearances of a *Reindeer* (*Cervus tarandus*, Linn.) 1830-1, 14

On the Occurrence of the *Sylvia tithys*, Scop., in England 1830-1, 18

On the Assumption of the Male Plumage by the Female of the common *Game Fowl* 1830-1, 22

On the Anatomy of the *Cereopsis novæ-hollandiæ*, Lath., and on the Relation between the *Natatores* and *Grallatores* 1830-1, 25

On the Sexual Organs of a Hybrid *Pheasant* . . 1830-1, 27

On the Specific Identity of the *Gardenian* and Night Herons (*Ardea gardeni* and *Nycticorax*) 1830-1, 27

On the Anatomy of the *Chinchilla* (*Chinchilla lanigera*) 1830-1, 31

On the *Trachea* of the *Red-knobbed Curassow* (*Craz yarrellii*, Benn.) 1830-1, 33

	Page
YARRELL, WILLIAM, Secretary to the Society (<i>continued</i>).	
Characters of a New Species of <i>Herring</i> (<i>Clupea</i> , L.)	1830-1, 34
On the Occurrence of several North-American Birds in England	1830-1, 35
On the Anatomy of the Lesser American Flying Squirrel (<i>Pteromys volucella</i> , Cuv.)	1830-1, 38
On the Anatomy, &c., of the <i>Ctenodactylus masoni</i> , Gray (<i>Mus gundi</i> , Rothm.)	1830-1, 48
On the Sterno-tracheal Muscles in the Razor-billed Curassow (<i>Ourax mitis</i> , Cuv.)	1830-1, 59
On the Distinctive Characters of the <i>Tetrao medius</i> , Temm. (<i>Tetrao hybridus</i> , Lach.)	1830-1, 73
On Two Species of <i>Entozoa</i> found in the Eel	1830-1, 132
On the Generation of <i>Eels</i> and <i>Lampreys</i>	1830-1, 132
On the Brown-headed Gull (<i>Larus capistratus</i> , Temm.)	1830-1, 151
On the Anatomy of the Conger Eel (<i>Conger vulgaris</i> , Cuv.), and on the Differences between the Conger and Freshwater Eels	1830-1, 159
On a Hybrid bred by the Society between a Muscovy Drake (<i>Anas moschata</i>) and a Common Duck (<i>Anas boschas</i>)	1832, 100
On two Species of <i>Mammalia</i> new to Britain, one of them also new to Science	1832, 109
On the Tracheæ of the <i>Penelope guan</i> , Temm., and the <i>Anas magellanica</i> , Auct.	1833, 3
On the Laws that regulate the Changes of Plumage in Birds	1833, { 9 56
Description, with additional Particulars, of the <i>Apteryx australis</i> , Shaw	1833, { 24 80
On the Woolly and Hairy Penguins (<i>Aptenodytes</i> , Forst.) of Dr. Latham	1833, 33

YARRELL, WILLIAM, Secretary to the Society (*continued*).

On the Identity of the <i>Woolly Penguin</i> of Dr. Latham with the <i>Aptenodytes patagonica</i> , Gmel.	1833, 65
Characters of the <i>Irish Hare</i> , a New Species of the Genus <i>Lepus</i> , Linn.	1833, 88
On the Deficiency of Teeth in the <i>Hairless Egyptian</i> Variety of the <i>Dog</i>	1833, 113
On the Anal Pouch of the Male Fishes in certain Species of the Genus <i>Syngnathus</i> , Linn.	1834, 118
Explanation of the Mode of Union after Fracture of the Processes of the <i>Vertebræ</i> of a <i>Sole</i> (<i>Solea vulgaris</i> , Cuv.)	1835, 57
Note on the <i>Trachea</i> of the <i>Stanley Crane</i> (<i>Anthropoides paradiseus</i> , Bechst.)	1835, 132
Note on the Foetal Pouch of the Male <i>Needle Pipefish</i> (<i>Syngnathus acus</i> , Linn.)	1835, 183
Notes on the Economy of an <i>Insect</i> destructive to Turnips (<i>Athalia centifoliæ</i> , Leach)	1835, 183
Notice of the <i>Dottrell</i> (<i>Charadrius morinellus</i> , Linn.) breeding at Skiddaw, and of the <i>Grey Snipe</i> (<i>Macroramphus griseus</i> , Leach), having been obtained near Carlisle	1836, 1
Exhibition of part of Mr. Yarrell's collection of British <i>Fish</i> , with observations upon the method made use of in preparing them	1836, 47
Remarks upon the Productiveness of <i>Hybrids</i>	1836, 84
Notice of a Large <i>Carp</i> taken at the Mere near Payne's Hill in Surrey	1836, 109
Exhibition of a Quill, filled with a species of <i>Pediculus</i> , from the wing of a Harpy Eagle	1837, 127
Exhibition of a very large White Bait	1837, 127
Exhibition of a Hybrid Pheasant	1837, 135
On a New Species of Swan	1838, 19
On the Occurrence of the Anchovy in the Thames	1838, 66

YARRELL, WILLIAM, Secretary to the Society (*continued*).

Exhibition of the Plates of the First Part of Sir W. Jardine's Work on Scottish <i>Salmonidæ</i>	1839, 123
Exhibition of a Specimen of the Eagle Ray (<i>Mylobatis aquila</i> , Auct.) found on the shore of Berwick Bay	1839, 145
Exhibition of some Specimens of the Portuguese Man-of-War (<i>Physalia pelagica</i> , Auct.) from the Coast of Devonshire	1839, 171
Note relating to the Snow-Bunting	1840, 59
Exhibition of a British Specimen of the <i>Motacilla</i> <i>alba</i> , Linn.	1841, 47
On the Trachea of a Male Spur-winged Goose, <i>Anser gambensis</i> and <i>Oenanalopex gambensis</i> of authors	1841, 70
Exhibition of some Plates of a New Work on the Mammalia of North America, by M. Audubon and Dr. Bachman	1842, 176
On a Specimen of <i>Puffinus obscurus</i>	1843, 70
Exhibition of three Specimens of <i>Rana esculenta</i> , from Foulmire, Cambridgeshire, presented to the So- ciety by F. Bond, Esq.	1844, 109
Note on the Herring (<i>Clupea harengus</i>)	1845, 91
Descriptions of the Eggs of some of the Birds of Chile	1847, 51

INDEX OF SPECIES

DESCRIBED AND REFERRED TO

1830-47.

	Page		Page
<i>Abramys buggenhaghi</i>	1837, 56	<i>Acanthochites</i>	1847, { 66
<i>Abrocoma</i>	{ 1837, 30		69
<i>bennettii</i>	1844, 156	<i>fascicularis</i>	1847, 70
<i>cuvieri</i>	1837, 31	<i>garnoti</i>	1847, 70
<i>Abrothrix</i>	1837, 32	<i>hastatus</i>	1847, 70
<i>arenicola</i>	1837, 21	<i>hirundiniformis</i>	1847, 70
<i>brachiotis</i>	1837, 21	<i>lesueurii</i>	1847, 70
<i>canescens</i>	1837, 21	<i>polychetus</i>	1847, 70
<i>longipilis</i>	1837, 21	<i>roseus</i>	1847, 70
<i>micropus</i>	1837, 21	<i>scaber</i>	1847, 70
<i>obscurus</i>	1837, 21	<i>strigatus</i>	1847, 70
<i>olivaceus</i>	1837, 21	<i>violaceus</i>	1847, 70
<i>xanthorhinus</i>	1837, 21	<i>Acanthochiton</i>	1847, 69
<i>Acanthagenys</i>	1837, 152	<i>Acanthochitus</i>	1847, 69
<i>rufogularis</i>	1837, 153	<i>Acantholabrus imbrica-</i>	{ 1839, 86
<i>Acanthogenys rufogularis</i>	1839, 113	<i>tus</i>	{ 1843, 87
<i>Acanthidium</i>	1839, 91	<i>Acanthonyx petiverii</i>	1835, 173
<i>calceus</i>	{ 1839, 92	<i>Acanthopleura</i>	1847, { 65
<i>pusillum</i>	{ 1843, 93		67
	{ 1839, 91	<i>bicolor</i>	1847, 67
	{ 1843, 93	<i>brevispinosa</i>	1847, 68
<i>Acanthion cuvieri</i>	1847, { 102	<i>gigas</i>	1847, 68
	{ 103	<i>hennahi</i>	1847, 67
<i>daubentonii</i>	1847, 93	<i>magnifica</i>	1847, 68
<i>flemingii</i>	1847, 103	<i>nobilis</i>	1847, 68
<i>hodgsonii</i>	1847, { 101	<i>owenii</i>	1847, 68
	{ 103	<i>peruviana</i>	1847, 67
<i>javanicum</i>	1847, { 102	<i>picea</i>	1847, 68
	{ 103	<i>spinigera</i>	1847, 68
<i>Acanthiza albifrons</i>	1837, 143	<i>spinosa</i>	1847, 68
<i>apicalis</i>	1847, 81	<i>truncata</i>	1847, 68
<i>diemenensis</i>	{ 1837, 146	<i>watsonii</i>	1847, 68
	{ 1847, 32	<i>Acanthorhynchus</i>	1837, 24
<i>ewingii</i>	1847, 32	<i>dubius</i>	1837, 25
<i>frontalis</i>	1837, 143	<i>supercilliosus</i>	1837, 24
<i>inornata</i>	1840, 171	<i>Acanthurus blochii</i>	1835, 207
<i>lineatus</i>	1837, 146	<i>desjardinii</i>	1835, 207
<i>magnirostris</i>	1837, 146	<i>kingii</i>	1835, 119
<i>pusilla</i>	1847, 32	<i>leucosternon</i>	1832, 183
<i>pyrrhopygia</i>	1842, 155	<i>ruppellii</i>	1835, 207
<i>uropygialis</i>	1837, 146	<i>Acanthylis bicolor</i>	1844, 99
		<i>Accentor</i>	1845, 34

	Page		Page
<i>Accentor cacharensis</i> ..	1845, 34	<i>Achatinella tristis</i>	1845, 89
<i>immaculatus</i>	1845, 34	<i>turritella</i>	1845, 89
<i>nipalensis</i>	1845, 34	<i>ventulus</i>	1845, 89
<i>strophiatius</i> ..	1845, 34	<i>Acipenser cataphractus</i> ..	1834, 122
<i>Accipiter dukhunensis</i> ..	1832, 70	<i>sinensis</i>	1834, 122
<i>dussumieri</i>	1832, 79	<i>sturio</i>	1846, 27
<i>fringillarius</i>	{ 1839, 130	<i>Acontastes</i>	1837, 119
{ 1841, 6		<i>Acridotheres cristatellus</i> ..	1842, 167
<i>fringilloides</i>	1847, 38	<i>dauricus</i>	1842, 167
<i>nisus</i>	1842, 92	<i>ialla</i>	1842, 167
<i>pennsylvanicus</i>	1847, 37	<i>malabaricus</i>	1842, 167
<i>torquatus</i>	1837, 98	<i>sericeus</i>	1842, 167
<i>Achatina</i> —?	1845, 11	<i>tristis</i>	1842, 168
<i>aberrans</i> ..	1845, 138	<i>Actinia sanguineo-punc-</i>	
<i>adamsi</i> ..	1845, 138	<i>tata</i>	1835, 111
<i>bulimoides</i>	1846, 116	<i>Actinodura</i>	1836, 17
<i>columnaris</i>	1845, 138	<i>egertoni</i>	1836, 18
<i>costulata</i>	1845, 75	<i>Adioristus</i> ..	1841, 124
<i>cylindracea</i>	1846, 31	<i>angustatus</i>	1841, 125
<i>dactylus</i>	1832, 32	<i>conspersus</i>	1841, 125
<i>dysoni</i>	1846, 32	<i>punctulatus</i>	1841, 124
<i>erecta</i>	1842, 124	<i>simplex</i>	1841, 126
<i>fusiformis</i>	1845, 75	<i>subdenudatus</i> ..	1841, 126
<i>gossesi</i> ..	1845, 138	<i>Ægalitis</i> ? <i>canus</i> ...	1837, 154
<i>kransii</i>	1842, 55	<i>nigrofrons</i>	1839, 114
<i>lactea</i> ..	1842, 55	<i>Ægitalus flammiceps</i> ..	1835, 153
<i>lamarckiana</i> ..	1846, 115	<i>Ægotheles leucogaster</i> ..	1844, 106
<i>latrei</i> ..	1845, 138	<i>lunulata</i>	1839, 113
<i>papyracea</i> ..	1845, 74	<i>Æthiops</i>	1841, 30
<i>picta</i>	1842, 56	<i>canicapillus</i> ..	1841, 30
<i>rangiana</i> ..	1846, 115	<i>Agama cornuta</i> ...	1840, 12
<i>reticulata</i>	1845, 74	<i>Agapornis</i> ? <i>malaccensis</i> ..	1846, 103
<i>sandwicensis</i> ..	1846, 32	<i>Agelaius chopi</i>	1841, 94
<i>semisculpta</i> ..	1845, 74	<i>curaceus</i>	1843, 113
<i>tincta</i> ..	1842, 55	<i>gubernator</i>	1837, 110
(<i>Glandina</i>) <i>isabellina</i> ..	1846, 32	<i>phoeniceus</i>	1837, 111
{ <i>ludoni</i> ..	1846, 116	<i>tricolor</i>	1837, 111
{ <i>sowerbyana</i> ..	1846, 32	<i>Agenerosus childreni</i> ..	1838, 165
{ <i>tortillana</i> ..	1846, 32	<i>Aglaja brasiliensis</i>	1837, 122
<i>Achatinella</i>	1845, 89	<i>chilensis</i>	1832, 3
<i>acuta</i>	1845, 89	<i>nigrocincta</i>	1837, 121
<i>brevis</i>	1845, 90	<i>punctata</i>	1837, 122
<i>bulimoides</i> ..	1845, 89	<i>schranksii</i>	1837, 122
<i>clara</i> ..	1845, 90	<i>Agonostomus</i>	1830-1, 166
<i>corneola</i> ..	1845, 90	<i>tefarii</i> ..	1830-1, 166
<i>gravida</i> ..	1845, 90	<i>Agriolrhinus bonapartei</i> ..	1840, 22
<i>livida</i> ..	1845, 89	<i>humeralis</i> ..	1840, 22
<i>lugubris</i>	1845, 89	<i>olivaceus</i>	1840, 22
<i>luteola</i>	1845, 90	<i>personatus</i>	1840, 23
<i>perversa</i>	1845, 89	<i>Agriopus peruvianus</i> ..	1832, 6
<i>pica</i>	1845, 89	<i>unicolor</i>	1835, 116
<i>picta</i> ..	1845, 90	<i>Agriornis gutturalis</i> ..	1843, 111
<i>pulcherrima</i> ..	1845, 89	<i>leucurus</i> ..	1841, 94
<i>pyramis</i> ..	1845, 90	<i>maritimus</i> ..	1843, 111
<i>radiata</i> ..	1845, 89	<i>Aguas</i> ..	1847, 15
<i>rohri</i> ..	1846, 38	<i>Agrocercus niger</i> ..	1838, 2
<i>rosea</i>	1845, 89	<i>Ailurus fulgens</i>	1834, 96
<i>tæniolata</i>	1846, 38	<i>Aix galericulata</i>	1842, 166

	Page		Page
<i>Akera bullata</i>	1847, 19	<i>Aleuterus paragaudatus</i> .	1840, 28
<i>Alauda alpestris</i>	1830-1, 35	<i>spilomelanurus</i>	1840, 28
<i>arbores</i>	1837, 126	<i>Allactaga</i>	1836, 141
<i>arvensis</i>	1830, 131	<i>arundinis</i>	1836, 142
<i>brachydactyla</i>	1834, 133	<i>Alligator</i> — ?	1842, 72
<i>calandra</i>	1830, 120	<i>mississippiensis</i>	1833, 82
<i>chendoora</i>	1842, 104	<i>Alope</i>	1847, 123
<i>cristata</i>	1844, 66	<i>palpalis</i>	1847, 124
<i>deva</i>	1839, 120	<i>Alopecias superciliosus</i> .	1840, 39
<i>dukhnunensis</i>	1844, 66	<i>Alosa immaculata</i>	1835, 92
<i>gulgula</i>	1837, 126	<i>senegalensis</i>	1830-1, 147
<i>penicillata</i>	1838, 113	<i>Aluna aphrodite</i>	1847, 124
<i>sinensis</i>	1839, 120	<i>Alysa</i>	1839, 87
<i>Alca impennis</i>	1830-1, 119	<i>loricata</i>	1839, 87
<i>torda</i>	1844, 66	<i>Amadina acuticauda</i>	1839, 143
<i>Alcedo alcyon</i>	1832, 92	<i>annulosa</i>	1846, 103
<i>bengalensis</i>	1832, 93	<i>bicolor</i>	1839, 143
<i>cærulea</i>	1830-1, 110	<i>castanotis</i>	1842, 145
<i>erithaca</i>	1832, 92	<i>cincta</i>	1836, 105
<i>guttatus</i>	1837, 126	<i>gouldiae</i>	1836, 105
<i>ispida</i>	1839, 120	<i>malacca</i>	1844, 5
<i>leucocephala</i>	1839, 60	<i>modesta</i>	1842, 167
<i>purpurea</i>	1835, 79	<i>oryzivora</i>	1836, 105
<i>rudis</i>	1837, 122	<i>pectoralis</i>	1842, 167
<i>smyrnensis</i>	1837, 122	<i>poensis</i>	1840, 127
<i>torquata</i>	1847, 38	<i>punctularia</i>	1842, 145
<i>Alces</i>	1830-1, 110	<i>ruficauda</i>	1842, 167
<i>Alcopus rufifrons</i>	1832, 84	<i>Ambassis barlovi</i>	1836, 106
<i>Alcyone diemenensis</i>	1839, 156	<i>Amblypterus</i>	1838, 153
<i>pulchra</i>	1841, 6	<i>anomalus</i>	1837, 105
<i>Alcyonium</i>	1842, 92	<i>Ambulatoria</i>	1837, 105
<i>Alectorides</i>	1839, 101	<i>centurio</i>	1839, 9
<i>Alepisaurus</i>	1839, 156	<i>Ametrida</i>	1847, 15
<i>ferox</i>	1842, 92	<i>vestita</i>	1847, 15
<i>Aleuterus ayraud</i>	1839, 101	<i>Amicula</i>	1847, 66
<i>maculosus</i>	1839, 156	<i>vestita</i>	1847, 69
	1841, 6	<i>Ammocetes branchialis</i> .	1847, 69
	1841, 94	<i>Ammodytes tobianus</i> . .	1835, 82
	1836, 135	<i>Amphibia</i>	1837, 58
	1845, 24	<i>Amphibola obvoluta</i> . .	1845, 102
	1846, 19	<i>Amphidesma</i>	1846, 35
	1846, 19	<i>australe</i>	1844, 159
	1839, 178	<i>carnicolor</i>	1832, 200
	1845, 101	<i>corrugatum</i>	1844, 162
	1833, 104	<i>ellipticum</i>	1832, 200
	1833, 104	<i>formosus</i>	1832, 199
	1835, 93	<i>læve</i>	1832, 199
	1840, 28	<i>lenticulare</i>	1832, 200
	1840, 28	<i>pallidum</i>	1832, 199
		<i>pulchrum</i>	1832, 57
		<i>punctatum</i>	1832, 200
		<i>purpurascens</i>	1832, 199
		<i>roseum</i>	1832, 199
		<i>ruptum</i>	1832, 199
		<i>scabrum</i>	1844, 17
		<i>zebuense</i>	1844, 17
		<i>Amphioxus belcheri</i> . .	1847, 35

	Page		Page
<i>Amphioxus lanceolatus</i> .. 1847,	35	<i>Anatina truncata</i>	1844, 91
<i>Amphipeplea cumingiana</i> 1845,	68	<i>Anatinæ</i>	1847, 40
<i>Amphiprion chrysogas-</i>		<i>Ancistrosoma</i>	1835, 18
<i>ter</i>	1830-1, 165	<i>klugii</i>	1835, 18
<i>fusciventer</i> 1830-1,	166	<i>Ancylus obliquus</i> ..	1832, 202
<i>Amphisorex</i>	1837, 124	<i>Andropadus gracilirostris</i>	1844, 101
<i>ciliatus</i>	1837, 125	<i>latirostris</i>	1844, 100
<i>hermani</i>	1837, 125	<i>Anguilla</i>	1837, 37
<i>palustris</i>	1837, 125	<i>acutirostris</i> ..	1830-1, 133
<i>pennanti</i>	1837, 125	<i>australis</i>	1841, 22
<i>Ampullacera</i>	1846, 35	<i>elphinstonei</i>	1838, 165
<i>Ampullaria</i> ——— ^p	1845, 11	<i>latirostris</i>	1830-1, 133
<i>Amytis macrourus</i> ..	1847, 2	<i>latirostris</i>	1830-1, 159
<i>striatus</i>	1847, 2	1837, 58	
<i>texilis</i>	1847, 2	<i>maurtiana</i>	1830-1, 128
<i>Anampses lineolatus</i> ..	1835, 208	<i>vulgaris</i>	1842, 72
<i>Anarrhichas lupus</i> ..	1835, 80	<i>Anguis fragilis</i>	1842, 71
<i>Anas arcuata</i>	1830-1, 125	<i>australis</i>	1835, 111
<i>bahamensis</i>	1843, 119	<i>luteus</i>	1835, 111
<i>boschas</i>	1834, 51	<i>Anodon gibbum</i>	1842, 124
<i>chalconotera</i>	1839, 134	<i>parishii</i>	1834, 57
<i>chiloensis</i>	1830-1, 15	<i>penicillatus</i>	1834, 57
<i>clypeata</i>	1842, 94	<i>porcifer</i>	1834, 58
<i>coromandeliana</i> ..	1847, 40	<i>Anodontyra</i>	1835, 71
<i>crecca</i>	1830-1, 125	<i>tricolor</i>	1835, 71
<i>dominica</i>	1847, 40	<i>Anomala</i>	1839, 67
<i>fistularis</i>	1847, 40	<i>Anomalurus</i>	1842, 124
<i>fretensis</i>	1830-1, 15	<i>fraseri</i>	1842, 124
<i>fuligula</i>	1834, 134	<i>Anomia naviformis</i> ..	1846, 121
<i>galericulata</i>	1833, 10	<i>Anomiepsis</i>	1837, 13
<i>glucitans</i>	1842, 71	<i>dioscridis</i>	1837, 13
<i>jamaicensis</i>	1842, 196	<i>sterquilinus</i>	1837, 13
<i>luzonica</i>	1846, 121	<i>Anops</i>	1833, 99
<i>magellanica</i>	1847, 40	<i>kingii</i>	1833, 99
<i>marmorata</i>	1830, 112	<i>Anoura geoffroyi</i>	1847, 115
<i>naevosa</i>	1833, 3	<i>Anous</i> ——— ^p	1844, 36
<i>occidua</i>	1836, 59	<i>cinereus</i>	1845, 103
<i>pœclorhyncha</i>	1840, 177	<i>leucocapillus</i>	1845, 103
<i>querquedula</i>	1830-1, 35	<i>melanops</i>	1845, 103
<i>rafflesi</i>	1842, 93	<i>niger</i>	1845, 103
<i>rutilla</i>	1834, 134	<i>parvulus</i>	1845, 104
<i>specularis</i>	1843, 118	<i>stolidus</i>	1844, 35
<i>spinosa</i>	1847, 54	<i>tenuirostris</i> ..	1845, 103
<i>sponsa</i>	1834, 52	<i>Anser albifrons</i>	1845, 104
<i>strepera</i>	1843, 119	<i>brachyrhynchus</i> ..	1839, 3
<i>superciliosa</i>	1847, 40	<i>cinereus</i>	1842, 167
<i>terra leeuwin</i> ..	1830-1, 35	<i>gambensis</i>	1839, 124
<i>Anastomus typus</i> ..	1832, 160	<i>gambensis</i>	1841, 70
<i>Anatina costata</i> ..	1832, 168	<i>gambensis</i>	1832, 167
<i>longirostris</i> ..	1839, 114	<i>griseus</i>	1830-1, 27
<i>prismatica</i> ..	1830-1, 26	<i>indicus</i>	1830-1, 125
		<i>indicus</i>	1830-1, 173
		<i>inornatus</i>	1842, 93
			1830-1, 15

	Page		Page
<i>Anser melanopterus</i>	1843, 118	<i>Antelope forfex</i>	1836, 103
<i>melanotos</i>	1830-1, 125	<i>goral</i>	{ 1833, 105
<i>phoenicopus</i>	1830, 3	{ 1834, 85	
<i>segetum</i>	1830, 2	{ 1834, 99	
<i>Anthelephila</i>	1833, 63	<i>gutturosa</i>	{ 1840, 10
<i>Anthenea</i>	1847, 77	{ 1830-1, 52	
<i>chinensis</i>	1847, 77	{ 1832, 14	
<i>granuhfera</i>	1847, 77	<i>hodgsoni</i>	{ 1833, 110
<i>tuberculosa</i>	1847, 77	{ 1834, 80	
<i>Anthicus cyaneus</i>	1833, 63	{ 1835, 3	
<i>Anthochaia lunulata</i>	1837, 153	<i>kob</i>	1836, 102
<i>mellivora</i>	1837, 153	<i>koba</i>	1836, 102
<i>rufogularis</i>	1830, 113	<i>kornigum</i>	1836, 103
<i>Anthopsis</i>	1835, 85	<i>leucoryx</i>	{ 1833, 77
<i>cucullata</i>	1835, 86	{ 1833, 97	
<i>elegans</i>	1835, 86	{ 1840, 8	
<i>Anthreptes flavigaster</i>	1839, 105	<i>mhorr</i>	1833, 2
<i>modesta</i>	1839, 105	<i>montana</i>	1836, 3
<i>Anthropoides paradi-</i> { 1835, 132		<i>nanguer</i>	1833, 2
<i>seus</i>	{ 1836, 30	{ 1833, 60	
<i>pavoninus</i>	1833, 118	{ 1841, 97	
<i>regulorum</i>	1833, 118	{ 1842, 129	
<i>virgo</i>	1842, 71	<i>palmata</i>	1836, 121
<i>Anthus agilis</i>	1832, 91	<i>personata</i>	1833, 45
<i>aquaticus</i>	1834, 30	{ 1836, 121	
<i>arboreus</i>	1839, 120	<i>philantomba</i>	{ 1830, 27
<i>chendoola</i>	1842, 92	{ 1830-1, 37	
<i>coriendera</i>	1843, 112	<i>picta</i>	{ 1830-1, 105
<i>fuliginosus</i>	1837, 150	{ 1842, 97	
<i>gouldii</i>	1843, 27	<i>pygaiga</i>	1833, 45
<i>malayensis</i>	1839, 104	<i>saiga</i>	1841, 70
<i>pratensis</i>	{ 1835, 90	{ 1833, 3	
{ 1844, 66		<i>scripta</i>	{ 1841, 123
<i>rufescens</i>	1839, 120	{ 1834, 85	
<i>Antigonia</i>	1843, 85	<i>sumatrensis</i>	{ 1836, 121
<i>capros</i>	1843, 86	{ 1833, 105	
<i>Antelope</i>	{ 1836, 137	<i>thar</i>	{ 1834, 85
<i>addra</i>	{ 1840, 5	{ 1834, 99	
<i>adenota</i>	1833, 2	<i>Antipathes dichotoma</i>	1832, 41
<i>bennettii</i>	1836, 103	<i>spinalis</i>	1832, 42
{ 1830-1, 104		<i>Aphanopus</i>	1839, 79
{ 1833, 114		<i>carbo</i>	1839, 79
<i>bubalina</i>	{ 1832, 12	<i>Aphriza townsendi</i>	1841, 157
{ 1833, 105		<i>Aphrophora goudoti</i>	1833, 12
<i>bubalis</i>	{ 64	<i>Apistes marmoratus</i>	1839, 97
{ 70		<i>Aploa</i>	1833, 61
{ 1830-1, 104		<i>picta</i>	1833, 61
{ 1833, 12		<i>Aplodactylus arctidens</i>	1839, 96
<i>cervicapra</i>	{ 1834, 99	<i>Aplonis</i>	1836, 73
{ 1836, 34		<i>fusca</i>	1836, 73
{ 1840, 7		<i>marginata</i>	1836, 73
<i>chickara</i>	1834, 99	<i>Aplurus simplex</i>	1839, 78
<i>chiru</i>	1840, 10	<i>Apodontis</i>	1830-1, 169
<i>cuvieri</i>	1840, 34	<i>Apogon teneiopterus</i>	1835, 206
<i>dorcas</i>	1840, 7	<i>vittiger</i>	1833, 32
<i>duraucehi</i>	1834, 85	<i>Apolectus</i>	1830-1, 146
<i>ellipsiprymna</i>	1833, 47	<i>minimus</i>	1830-1, 146
<i>euryceus</i>	1836, 120		

	Page		Page
<i>Apolectus immunis</i> .. 1830-1,	169	<i>Arca cœlata</i>	1844, 123
<i>maculatus</i> 1830-1,	146	<i>cardiformis</i>	1833, 22
	169	<i>cepoïdes</i>	1841, 47
<i>Aprosmictus</i>	1842, 111	<i>chalcanthum</i>	1844, 44
<i>erythropterus</i>	1842, 112	<i>cistula</i>	1844, 41
<i>scapulatus</i>	1842, 112	<i>clathrata</i>	1844, 44
<i>Aprosterna</i>	1839, 67	<i>cometa</i>	1844, 127
<i>Aptenodytes</i>	1833, 33	<i>compacta</i>	1844, 41
<i>minor</i>	1844, 58	<i>concinna</i>	1833, 20
	1833, 33	<i>contraria</i>	1844, 45
<i>patachonica</i>	1833, 65	<i>cornea</i>	1844, 40
	1834, 34	<i>crebricostata</i>	1844, 46
	1835, 132	<i>crenata</i>	1844, 45
<i>undina</i>	1844, 57	<i>cunealis</i>	1844, 124
<i>Apteryx</i>	1843, 8	<i>cuneata</i>	1844, 42
	1833, 24	<i>cymbæformis</i>	1844, 41
	1833, 80		47
	1835, 61	<i>disparilis</i>	1844, 46
	1837, 24	<i>donaciformis</i>	1844, 125
	1838, 48	<i>emarginata</i>	1833, 20
	1838, 71	<i>fasciata</i>	1844, 125
<i>australis</i>	1838, 105	<i>ferruginea</i>	1844, 43
	1839, 63	<i>formosa</i>	1833, 20
	1841, 70	<i>galactodes</i>	1842, 124
	1842, 22	<i>gambiensis</i>	1844, 42
	1846, 49	<i>gibbosa</i>	1844, 40
	1847, 51	<i>globosa</i>	1844, 45
	1847, 93	<i>gubernaculum</i>	1844, 40
	1847, 94	<i>hankeyana</i>	1844, 47
<i>owenii</i>	1847, 93	<i>hians</i>	1844, 47
	94	<i>holoserica</i>	1844, 39
<i>Aquila bifasciata</i>	1832, 79	<i>imbricata</i>	1844, 126
<i>bonelli</i>	1841, 6	<i>inæquivalvis</i>	1844, 45
<i>choka</i>	1833, 45	<i>incongrua</i>	1844, 45
<i>chrysaëtos</i>	1832, 79	<i>inflata</i>	1844, 41
	1842, 93	<i>japonica</i>	1844, 42
<i>fucosa</i>	1837, 96	<i>labiata</i>	1833, 21
<i>morphnoides</i>	1840, 161	<i>labiosa</i>	1833, 21
<i>pennata</i>	1834, 50	<i>lacerata</i>	1844, 124
<i>verreauxii</i>	1833, 45	<i>lactea</i>	1844, 127
<i>vindhiana</i>	1830-1, 114	<i>lateralis</i>	1844, 127
	1842, 92	<i>lima</i>	1844, 125
<i>vulturina</i>	1833, 45	<i>loricata</i>	1844, 46
<i>Aracana reevesii</i>	1841, 22	<i>luzonica</i>	1844, 44
<i>Arachnothera inornata</i> ..	1830, 167	<i>maculosa</i>	1844, 40
<i>Aramus scolopaceus</i> .. .	1847, 40	<i>minuta</i>	1844, 127
<i>Arbacia</i>	1835, 58	<i>modiolæformis</i> ..	1844, 124
<i>Arborophila sphenura</i> ..	1842, 166	<i>multicostata</i>	1833, 21
<i>Arca ambigua</i>	1844, 47	<i>mutabilis</i>	1844, 124
<i>angicostata</i>	1844, 46	<i>myristica</i>	1844, 43
<i>anomala</i>	1844, 39	<i>navicella</i>	1844, 127
<i>antiquata</i>	1844, 43	<i>nox</i>	1844, 126
<i>auriculata</i>	1833, 20	<i>nux</i>	1833, 19
<i>biangulata</i>	1833, 21	<i>obesa</i>	1833, 21
<i>brasiliana</i>	1844, 45	<i>obliqua</i>	1844, 43
<i>brevifrons</i>	1833, 22	<i>obtusa</i>	1844, 123
<i>bullata</i>	1844, 125	<i>occlusa</i>	1844, 47
	126	<i>ocellata</i>	1844, 125

	Page		Page
<i>Arca olivacea</i>	1844, 127	<i>Ardea ludoviciana</i>	1847, 39
<i>ovata</i>	1844, 44	<i>major</i> ..	1843, 116
<i>pertusa</i>	1844, 41	<i>malaccensis</i>	1832, 158
<i>pilula</i>	1844, { 39	<i>minuta</i>	1844, 10
<i>pulchella</i>	1844, { 40	<i>nigrirostris</i> ..	1832, 158
<i>pusilla</i>	1844, 128	<i>nycticorax</i> ...	1830-1, 27
<i>quadrilatera</i> ...	1833, 22	<i>purpurea</i>	{ 1830-1, 123
<i>radiata</i>	1844, 43	{ 1834, 30
<i>reversa</i>	{ 1833, 20	<i>rectirostris</i>	1843, 22
.....	{ 1844, 46	<i>speciosa</i> ...	1830-1, 123
<i>rotundicostata</i> ...	1844, 44	<i>thula</i>	1843, 116
<i>rufescens</i>	1844, 45	<i>torra</i>	1830-1, 123
<i>scapha</i>	1844, 40	<i>virescens</i>	1847, 39
<i>sculptilis</i>	1844, 128	(Herodias) <i>picata</i> ..	1845, 62
<i>secticostata</i>	1844, 43	<i>Ardeola exilis</i>	1845, 1
<i>setigera</i>	1844, 124	<i>Argala olivacea</i>	1847, 97
<i>striata</i>	1844, 128	<i>Argonauta</i>	1837, { 45
<i>symmetrica</i>	1844, { 127	{ 84
.....	{ 128	<i>argo</i>	{ 1834, 120
<i>tenebrica</i>	1844, 126	{ 1835, 125
<i>tenella</i>	1844, 124	{ 1830, 102
<i>tuberculosa</i>	1833, 19	{ 1839, 35
<i>vellicata</i>	1844, 42	<i>hans</i>	{ 1834, 120
<i>virescens</i>	1844, 124	{ 1836, 22
<i>volucris</i>	1844, 126	<i>rufa</i> ..	1836, 23
<i>zebuensis</i>	1844, 128	<i>Argus giganteus</i>	1842, 168
<i>Arctibeus jamaicensis</i> .	1843, 50	<i>Argyrius</i>	1843, 86
<i>Arctibius floresu</i> . . .	1847, 115	<i>Arremon giganteus</i> ..	1837, 117
<i>Arctomys empetra</i>	1844, 8	<i>Artamus albigentris</i> . .	1847, 31
<i>Arctonyx collaris</i>	1842, { 97	<i>cinereus</i> ..	1847, 31
.....	{ 191	<i>leucopygialis</i> ..	1842, 17
<i>Ardea alba</i>	{ 1839, 122	<i>leucorhynchos</i>	1830, 158
<i>asha</i>	{ 1847, 39	<i>Artemis sculpta</i>	1845, 12
.....	{ 1832, 157	<i>simplex</i> ...	1845, 11
<i>caboga</i>	{ 1830-1, 124	<i>subquadrata</i>	1845, 11
.....	{ 1832, 158	<i>Arvicola agrestis</i>	1832, 109
<i>candidissima</i>	1847, 139	<i>amphibia</i>	1842, { 64
.....	{ 1832, 158	{ 70
<i>cinerea</i>	{ 1841, 7	<i>indica</i>	1835, 108
.....	{ 1842, 71	<i>riparia</i>	1832, 109
.....	{ 1844, 66	<i>Ascomys mexicanus</i>	1841, 60
<i>cinnamomea</i>	1832, 159	<i>Asio brachyotus</i>	1842, 168
<i>cocci</i>	1843, 116	<i>Asphalax zokar</i>	1845, 76
<i>cœrulea</i>	1847, 39	<i>Aspidobranchia</i>	1839, 178
<i>comata</i> ..	1844, 67	<i>Aspidophorus europæus</i> .	1835, 80
<i>cyancephala</i>	1843, 116	<i>Assiminea</i> ...	1834, 90
.....	{ 1832, 157	<i>Astacus zelandicus</i>	1847, 123
<i>egretta</i>	{ 1834, 15	<i>Asterias cumingii</i>	1847, 73
<i>exilis</i>	1847, 39	<i>discoidea</i>	1847, 74
<i>gardeni</i>	1830-1, 27	<i>equestris</i>	1847, 76
.....	{ 1832, 157	<i>gibbosus</i> ..	1847, 81
<i>garzetta</i>	{ 1834, 133	<i>glacialis</i> ...	1847, 72
.....	{ 1844, 67	<i>granifera</i> ..	1847, 82
<i>grayii</i>	1832, 158	<i>granularis</i> ..	1847, 78
<i>herodias</i>	1847, 39	<i>helanthus</i> . . .	1847, 73
<i>javanica</i>	1832, 158	<i>multiradiata</i> ..	1847, 73
		<i>ocellifera</i> ..	1847, 82
		<i>pentagonula</i> . . .	1847, 77

	Page		Page
<i>Asterias polaris</i>	1847, 72	<i>Aulacodus swinderianus</i>	1841, 97
<i>pulvillus</i>	1847, 81	<i>Aulacorhynchus</i>	1834, 147
<i>schmideliana</i>	1847, 74	<i>derbianus</i>	1835, 49
<i>Asteriscus coccineus</i> ..	1847, 82	<i>hæmatopygus</i>	1834, 147
<i>Asteroderma coryphæ-</i>		<i>prasinus</i>	1835, 49
<i>noides</i>	1840, 37	<i>sulcatus</i>	1834, 147
<i>Asterodiscus</i>	1847, 75		1835, 49
<i>elegans</i>	1847, 75		1834, 147
<i>Asthenurus rufiventris</i> .	1837, 120		1835, 49
<i>Astroderma coryphæ-</i>		<i>Aulopus</i>	1843, { 88
<i>noides</i>	1843, 83	<i>cuvierii</i>	1843, { 89
<i>plumbeum</i>	1843, 83	<i>Aurelia</i>	1839, 178
<i>Astrogonium granularis</i> .	1847, 78	<i>Auricula bifasciata</i>	1842, 61
<i>inequale</i>	1847, 79	<i>ceylonica</i>	1842, 202
<i>milhare</i>	1847, 79	<i>doliolum</i>	1842, 201
<i>paxillosum</i>	1847, 79	<i>puriformis</i>	1842, 202
<i>tuberculatum</i>	1847, 79	<i>pulchella</i>	1842, 202
<i>Astur approximans</i> ..	1837, 98	<i>reclusiana</i>	1842, 201
<i>cruentus</i>	1842, 113	<i>tornatelliformis</i> ..	1842, 201
<i>fasciatus</i>	1837, 98	<i>Avicula margaritifera</i> ..	1843, 196
<i>hyder</i>	{ 1832, 79		
<i>raii</i>	{ 1842, 92	<i>Bagrus lonah</i>	1838, 164
<i>unicinctus</i>	1837, 99	<i>yarrelli</i>	1838, 163
<i>Asturina burtoni</i> ..	1843, 109	<i>Balanus cranchi</i> ..	1833, 115
<i>gibbosa</i>	1847, 74	<i>Balæna boops</i>	{ 96
<i>Ateles ater</i>	1839, 169	<i>minor borealis</i> ..	1847, 118
<i>frontalis</i>	1830-1, 38	<i>mysticetus</i>	{ 1837, 42
<i>Aterica barce</i>	1847, 59	<i>physalus</i>	{ 1847, 118
<i>Ateuchus adamastor</i> ..	1837, 12	<i>rostra</i>	{ 1835, 119
<i>Athalia centifoliæ</i>	1835, 183	<i>rostrata</i>	{ 1847, 90
<i>Athene cuculoides</i>	{ 1839, 155	<i>Balænoptera antiquorum</i>	1847, 90
<i>cunicularia</i>	1841, 6	<i>boops</i>	1840, 11
<i>erythropterus</i>	1843, 109	<i>rostrata</i>	{ 88
<i>ferox</i>	{ 1837, 99	<i>rostrata</i>	{ 90
<i>fortis</i>	{ 1837, 141		{ 118
<i>leucopsis</i>	{ 1839, 113	<i>Balistes auromargina-</i>	
<i>malaccensis</i>	1837, 99	<i>tus</i>	1830-1, 168
<i>marmorata</i>	1846, 99	<i>lima</i>	1830-1, 168
<i>rufa</i>	1846, 18	<i>mitis</i>	1830-1, 169
<i>scutulata</i>	1846, 18	<i>Barbus khudree</i>	1838, 159
<i>strenua</i>	1846, 99	<i>kelus</i>	1838, 159
	{ 1837, 99	<i>mussullah</i>	1838, 159
<i>Atherina affinis</i>	1830-1, 103	<i>rostrata</i>	{ 1839, 137
<i>presbyter</i>	1835, 80	<i>rostrata</i>	{ 1841, 44
<i>punctata</i>	1832, 184	<i>Bassarid astuta</i> ..	{ 1841, 60
<i>Atherura africana</i> ..	1847, 104	<i>rostrata</i>	{ 1842, 10
<i>fasciculata</i>	1847, 104	<i>Bathargus damarensis</i> .	1838, 5
<i>Atrichia clamosa</i> ..	1844, 2	<i>Bathyrhynchus breviros-</i>	
<i>Attagis gayi</i>	{ 1844, 157	<i>tris</i>	1839, 164
<i>gayi</i>	{ 1847, 29	<i>Batrachia</i>	1837, 38
<i>Auchenia</i>	1836, 134	<i>Belidea ariel</i>	1842, 11
<i>paco</i>	1842, 64	<i>Belone gracilis</i> ..	1839, 86
<i>Aulacodus</i>	1830-1, 111	<i>grau</i>	1838, 163
<i>swinderianus</i> ..	1830-1, 111	<i>platyura</i>	1830-1, 168
		<i>Bermula sandvicensis</i> ..	1833, 65

	Page		Page
<i>Bernicla sandvicensis</i> ..	1834, 43	<i>Brachypternus leucogenys</i>	1841, 6
	1834, 81	<i>plumifera</i>	1837, 137
<i>Bernicle</i>	1840, 33	<i>Brachypteryx acutirostris</i>	1846, 103
<i>Beroe pileus</i>	1833, 8	<i>albogularis</i>	1846, 103
	1837, 1	<i>horsfieldii</i> ..	1830-1, 11
<i>Beryx decadactylus</i> ..	1839, 76	<i>nigrocapitata</i> ..	1839, 103
<i>splendens</i>	1833, 142	<i>nigrogularis</i>	1846, 103
	1839, 77	<i>sepiaria</i>	1846, 103
<i>Bettongia campestris</i> ..	1843, 81	<i>Brachypus gularis</i> ..	1835, 186
<i>Bifrontia</i>	1844, 24		1844, 93
<i>Burgus latro</i>	1832, 17		1844, 95
<i>Blarina</i>	1837, 124	<i>Bradypus didactylus</i> ..	1844, 96
<i>talpoides</i>	1837, 124		1844, 146
<i>Blenius artedi</i>	1839, 83		1845, 93
<i>gattouguini</i>	1839, 83		1845, 98
<i>palmicornis</i>	1839, 83		1833, 99
	1843, 86	<i>tridactylus</i>	1844, 167
<i>parvicornis</i>	1839, 83		1847, 111
	1843, 86		1847, 114
<i>pholis</i>	1835, 80	<i>Brama longipinnus</i>	1843, 82
<i>strigatus</i>	1839, 83		83
	1843, 86	<i>raii</i>	1839, 82
<i>triglodes</i> ..	1839, 83		1843, 82
	1843, 87	<i>Brosimius</i>	1843, 91
<i>Blepharis</i>	1843, 86	<i>Bubalus</i>	1836, 139
<i>Boa constrictor</i> ..	1845, 43	<i>Bubo virginianus</i> ...	1843, 110
<i>Bombinator australis</i> ..	1835, 57	<i>Buccinum aciculatum</i> ..	1843, 165
	1836, 139	<i>acus</i>	1843, 168
<i>Bos</i> ..	1840, 5	<i>australe</i>	1843, 168
	1830-1, 105	<i>bellangeri</i> ..	1843, 168
<i>bubalus</i>	1834, 90	<i>bifasciatum</i> ..	1843, 168
	1836, 139	<i>candidum</i>	1843, 165
<i>frontalis</i>	1842, 192	<i>catenatum</i>	1835, 94
<i>grunniens</i>	1834, 99	<i>chlorostoma</i>	1844, 48
	1830-1, 105	<i>cinereum</i>	1843, 165
<i>taurus</i>	1834, 99	<i>commaculatum</i> ..	1843, 163
	1839, 127	<i>concinnum</i>	1843, 168
<i>sylhetanus</i>	1844, 145	<i>crenulatum</i>	1843, 160
<i>Boschas crecca</i> ..	1847, 40	<i>cumingii</i>	1835, 94
<i>discors</i>	1847, 40	<i>dimidiatum</i> ..	1843, 160
<i>occidentalis</i>	1847, 40	<i>duplicatum</i>	1843, 161
<i>fera</i> ..	1847, 40	<i>elegans</i>	1842, 199
<i>Boselaphus oreas</i> ..	1842, 147	<i>felinum</i> ..	1843, 160
<i>Botaurus cinnamomeus</i>	1830-1, 124	<i>ferrugineum</i>	1843, 160
<i>minor</i>	1847, 40	<i>fuscatum</i>	1843, 166
<i>minutus</i>	1834, 30	<i>geminum</i>	1843, 168
	1832, 159	<i>hastatum</i>	1843, 161
	1834, 51	<i>hecticum</i>	1843, 168
<i>stellaris</i>	1842, 93	<i>lanceatum</i>	1843, 165
	1842, 94	<i>lineolatum</i>	1843, 168
	1844, 67	<i>maculatum</i>	1843, 159
<i>Brachyglossa atipos</i> ..	1844, 164	<i>modestum</i>	1835, 94
<i>Brachylophus hemipodius</i>	1841, 31	<i>monile</i> ..	1843, 168
<i>Brachyotus</i>	1837, 11	<i>murinum</i> ..	1843, 168
<i>galapagoensis</i> ..	1837, 10	<i>pertusum</i>	1843, 161
<i>Brachyphylla</i> ...	1833, 122	<i>phallus</i>	1843, 168
<i>cavernarum</i> ..	1833, 123	<i>politum</i>	1843, 168
<i>Brachypternus</i> ..	1841, 31		

	Page		Page
<i>Buluus vittatus</i>	1832, 31	<i>Callochiton eravidus</i> ..	1847, 126
<i>Bulla ficus</i>	1847, 18	<i>laevis</i>	1847, 126
<i>resiliens</i>	1847, 19	<i>Callomys aureus</i>	1833, 59
<i>smaragdina</i>	1847, 18	<i>viscacia</i>	1830-1, 33
<i>Bulla vittata</i>	1843, 168	<i>Callothynechus tasmanius</i>	1840, 29
<i>Bungarus lividus</i>	1839, 32	<i>Callyntra vicina</i>	1841, 120
<i>Buteo</i> —?	1837, 114	<i>Calodera</i>	1836, 145
<i>bacha</i>	1830-1, { 114	<i>maculata</i>	1836, 106
<i>borealis</i>	1847, 37	<i>Caloenas ciuenta</i>	1842, 168
<i>erythronotus</i>	1843, 109	<i>Calomys</i>	1837, 21
<i>holospilus</i>	1830-1, { 96	<i>bimaculatus</i>	1837, 21
<i>leucocephalus</i>	1845, 37	<i>elegans</i>	1837, 21
<i>melanosternon</i>	1840, 162	<i>gracilipes</i>	1837, 21
<i>plumipes</i>	1845, 37	<i>Calosoma orientale</i>	1833, 61
<i>varius</i>	1837, 10	<i>Calostegia</i>	1842, 117
<i>ventralis</i>	1837, 10	<i>purpuripennis</i>	1842, 117
<i>vulgaris</i>	{ 1834, 50	<i>Calothorax cyanopogon</i> .	1847, 11
<i>Byssoarca alternata</i>	1833, 17	<i>Calyptomena viridis</i> . . .	1839, 102
<i>decussata</i>	1873, 18	<i>Calyptorhynchus baudinii</i>	1837, 151
<i>divaricata</i>	1833, 18	<i>funereus</i>	1837, 151
<i>illota</i>	1833, 18	<i>macrorhynchus</i>	1842, 138
<i>lithodomus</i>	1833, 16	<i>naso</i>	1836, 106
<i>lurida</i>	1833, 19	<i>xanthonotus</i>	1837, 151
<i>maculata</i>	1833, 17	<i>Calyptrea alienata</i>	1834, 40
<i>mutabilis</i>	1833, 17	<i>cepacea</i>	1834, 35
<i>pacifica</i>	1833, 17	<i>cinerea</i>	1842, 50
<i>parva</i>	1833, 19	<i>conica</i>	1834, 38
<i>pusilla</i>	{ 1833, 18	<i>cornea</i>	1834, 35
<i>solida</i>	1833, 18	<i>corrugata</i>	1834, 35
<i>truncata</i>	1833, 19	<i>dilatata</i>	1834, 38
<i>velata</i>	1833, 18	<i>dorsata</i>	1834, 38
<i>Cacatua sanguinea</i>	1842, 138	<i>echinus</i>	1834, 39
<i>Cactornis</i>	1837, { 6	<i>excavata</i>	1834, 40
<i>assimilis</i>	1837, 7	<i>foliacea</i>	1834, 38
<i>inornatus</i>	1843, 104	<i>hispida</i>	1834, 37
<i>scandens</i>	1837, 7	<i>hystrix</i>	1834, 39
<i>Cœreba cyanea</i>	1837, 118	<i>imbricata</i>	1834, 36
<i>Calamanthus</i>	1837, 150	<i>incurva</i>	1834, 40
<i>Calamaria monticola</i> . . .	1839, 50	<i>lessonii</i>	1834, 39
<i>sagittaria</i>	1839, 49	<i>lichen</i>	1834, 37
<i>Calamoherpe longirostris</i>	1845, 20	<i>lignaria</i>	1834, 36
<i>Calidris arenaria</i>	{ 1834, 15	<i>maculata</i>	1834, 37
<i>Callanthias</i>	1839, 76	<i>mamillaris</i>	1834, 38
<i>paradiseus</i>	1839, 76	<i>marginalis</i>	1834, 40
<i>Calliderma</i>	1847, 76	<i>pallida</i>	1834, 39
<i>dixonii</i>	1847, 76	<i>radiata</i>	1834, 36
<i>emma</i>	1847, 77	<i>rudis</i>	1834, 35
<i>Callionymus dracunculus</i>	1835, 81	<i>serrata</i>	1834, 37
<i>Calliope</i>	1836, 138	<i>sordida</i>	1834, 37
<i>Calliplepla venusta</i>	1846, 70	<i>squama</i>	1834, 40
<i>Callithrix sciureus</i>	1833, 88	<i>striata</i>	1834, 38
		<i>strigata</i>	1834, 39
		<i>tenuis</i>	1834, 36
		<i>unguiformis</i>	1834, 39
		<i>unguis</i>	1834, 37
		<i>varia</i>	1834, 35
		<i>Camarhynchus</i>	1837, { 6
			49

	Page		Page
<i>Camarhynchus crassirostris</i>	1837, 6	<i>Cancer irroratus</i>	1835, 87
<i>psittacula</i>	1837, 6	<i>longipes</i>	1835, 87
<i>Camelopardalis</i>	1836, 134	<i>norvegicus</i>	1845, 13
	1836, 9	<i>pagurus</i>	1835, 88
	1838, 6		1834, 97
<i>giraffa</i>	1838, 20	<i>Canis</i> — ?	1841, 42
	1838, 47		1841, 43
	1839, 108		1839, 125
	1840, 7	<i>argentatus</i>	1841, 44
<i>Camelus</i>	1836, 133		1842, 69
<i>bactrianus</i>	1842, 191	<i>aureus</i>	1830-1, 101
	1843, 50		1841, 44
	1830-1, 104	<i>azarae</i>	1841, 93
	1832, 126		1841, 96
<i>dromedarius</i>	1842, 64		1844, 153
	1842, 69	<i>bengalensis</i>	1834, 97
	1842, 98		1844, 7
<i>sivalensis</i>	1844, 88	<i>caama</i>	1837, 132
<i>Campephaga leucomela</i>	1837, 143	<i>cinereo-argenteus</i>	1844, 7
<i>Campylonyx</i>	1835, 52	<i>dingo</i>	1841, 44
<i>ampuliciformis</i>	1835, 52		1830-1, 100
<i>Cancellaria acuminata</i>	1832, 53	<i>dukhnesis</i>	1832, 15
<i>antiquata</i>	1843, 49		1833, 133
<i>bicolor</i>	1843, 48		1834, 97
<i>brevis</i>	1832, 52		1835, 188
<i>buccinoides</i>	1832, 54		1839, 125
<i>bulbulus</i>	1832, 55	<i>familiaris</i>	1841, 9
<i>bullata</i>	1832, 51		1841, 44
<i>candida</i>	1843, 47		1842, 68
<i>cassidiformis</i>	1832, 53		1842, 69
<i>chrysostoma</i>	1832, 54		1842, 97
<i>clavata</i>	1832, 52	<i>, var. ægyptius</i>	1833, 113
<i>corrugata</i>	1843, 48	<i>, var. australasie</i>	1839, 125
<i>cremata</i>	1843, 48	<i>fulvipes</i>	1844, 153
<i>decussata</i>	1832, 55		1846, 8
<i>elata</i>	1843, 48	<i>fulvus</i>	1841, 44
<i>funiculata</i>	1843, 48	<i>himalaicus</i>	1836, 163
<i>gemmulata</i>	1832, 55	<i>indicus</i>	1834, 97
<i>goniostoma</i>	1832, 51	<i>jubatus</i>	1838, 111
<i>hæmastoma</i>	1832, 54	<i>kokree</i>	1830-1, 101
<i>indentata</i>	1832, 54		1832, 189
<i>lamellosa</i>	1843, 49	<i>lagopus</i>	1841, 44
<i>mitriformis</i>	1832, 51		1842, 69
<i>obesa</i>	1832, 52	<i>latrans</i>	1833, 97
<i>ovata</i>	1832, 53		1834, 97
<i>pulchra</i>	1832, 50	<i>lupus</i>	1841, 44
	1832, 53		1842, 63
<i>rigida</i>	1843, 49		1842, 69
<i>solida</i>	1832, 50	<i>magellanicus</i>	1844, 153
<i>tessellata</i>	1832, 51	<i>megalotis</i>	1838, 5
<i>trigonostoma</i>	1843, 49	<i>mesomelas</i>	1841, 44
<i>tuberculosa</i>	1832, 51	<i>pallipes</i>	1830-1, 101
<i>uniplicata</i>	1832, 173		1833, 111
<i>urceolata</i>	1843, 47		1833, 113
<i>ventricosa</i>	1843, 47	<i>primævus</i>	1833, 119
<i>Cancer dentatus</i>	1835, 87		1833, 133
<i>edwardsi</i>	1835, 87		1834, 97
		<i>vulpes</i>	1839, 125

	Page		Page
<i>Canis vulpes</i>	{ 1841, 44 1842, 69	<i>Carcharias</i> (Prionodon)	
<i>Canthapleura</i>	1817, 67	<i>henlei</i>	1843, 93
<i>Capito albifrons</i> . . .	1832, 3	(—) <i>melanopterus</i>	1843, 93
<i>cyanocollis</i>	1839, 165	(—) <i>obscurus</i> ..	1843, 93
<i>macrodaetylus</i>	1837, 119	<i>Cardinalis phoenixceus</i> ..	1837, 111
<i>Capra</i>	{ 1836, 137 1840, 5	<i>sinuatus</i>	1837, 111
<i>ægagrus</i>	1833, 105	<i>Cardita affinis</i>	1832, 195
<i>caucasica</i>	{ 1842, 107 1842, 192	<i>angisulcata</i>	1843, 193
1844, 8		<i>borealis</i>	1843, 194
1830-1, 105		<i>canaliculata</i>	1843, 193
1839, 127		<i>cardioides</i>	1843, 194
1842, 70		<i>compressa</i>	1843, 194
1842, 97		<i>cuvieri</i>	1832, 55
1842, 107		<i>distorta</i>	1843, 192
1844, 8		<i>fabula</i>	1843, 195
<i>hircus</i>	{ 1842, 97 1842, 107 1844, 8	<i>flabellum</i>	1843, 194
<i>jharal</i>	1834, { 99 106	<i>gibbosa</i>	1843, 192
<i>Caprea</i>	1836, 135	<i>gubernaculum</i> . . .	1843, 191
<i>Capreolus</i>	1836, 136	<i>lacunosa</i>	1843, 193
<i>Capricornis</i>	1836, 139	<i>laticostata</i>	1832, 195
<i>Caprimulgus albogularis</i>	1837, 142	<i>marmorea</i>	1843, 191
<i>albonotatus</i>	1846, 99	<i>muricata</i>	1832, 195
<i>americanus</i>	1847, 38	<i>naviformis</i>	1843, 194
<i>asiaticus</i>	{ 1830-1, 116 1832, 83	<i>nitida</i>	1843, 192
1841, 6		<i>nodulosa</i>	1843, 194
1837, 22		<i>ovalis</i>	1843, 193
<i>bifasciatus</i>	{ 1841, 94 1843, 110	<i>pectunculus</i>	1843, 192
<i>carolinensis</i>	1847, 38	<i>pica</i>	1843, 191
<i>guttatus</i>	1837, 142	<i>radiata</i>	1832, 195
<i>jamaicensis</i>	1847, 38	<i>radula</i>	1843, 191
<i>macrotis</i>	1830-1, 97	<i>semen</i>	1843, 193
<i>macrurus</i>	1846, 99	<i>senegalensis</i>	1843, 192
<i>mahrattensis</i> . . .	1832, 83	<i>spurca</i>	1832, 195
<i>monticolus</i>	{ 1830-1, 116 1832, 83	<i>tegulata</i>	1843, 194
1837, 89		<i>trapezia</i>	1843, 194
1837, 22		<i>tricolor</i>	1832, 194
<i>vociferus</i>	1837, 119	<i>tumida</i>	1832, 56
<i>Capromys fourrieri</i> . .	1832, { 68 100	<i>varia</i>	1832, 56
1833, 114		<i>volucris</i>	1843, 192
<i>Capros aper</i>	{ 1836, 54 1843, 85	<i>Cardium alternatum</i> . . .	1840, 108
<i>Capsa altior</i>	1832, 196	<i>arcticum</i>	1840, 106
<i>Caranx luna</i>	1843, 84	<i>aspersum</i>	1833, 85
<i>Carbo cormoranus</i> . .	1833, 10	<i>assimile</i>	1844, 169
<i>fuscicollis</i>	1830-1, 125	<i>attenuatum</i>	1840, 109
1839, 90		<i>australe</i>	1840, 105
<i>Carcharias falcipennis</i> .	{ 1843, 93 1830-1, 148	<i>australiense</i>	1844, 168
<i>fissidens</i>	1840, 38	<i>bechei</i>	1847, 25
<i>microps</i>	{ 1843, 93 1843, 93	<i>consors</i>	{ 1833, 85 1844, 168
<i>sorrnh.</i>	1843, 93	<i>cumingii</i>	1833, 82
		<i>donaciforme</i>	1844, 168
		<i>elatum</i>	1833, 84
		<i>elenense</i>	1840, 109
		<i>enode</i>	1840, 108
		<i>exasperatum</i> . . .	1840, 106
		<i>fornicatum</i> . . .	1840, 110
		<i>foveolatum</i>	1840, 111
		<i>fragile</i>	1840, 111

	Page		Page
<i>Cardium hystrix</i>	1844, 168	<i>Castor fiber</i>	1844, 9
<i>imbricatum</i>	1840, 110	<i>Casuaris emeu</i>	1834, 9
<i>impolitum</i>	1840, 107	<i>galeatus</i>	1846, 26
<i>incarnatum</i>	1844, 167	<i>Cathartes atratus</i>	1843, 108
<i>isocardia</i>	1844, 168	<i>aura</i>	1847, 37
<i>laticostatum</i>	1833, 85	<i>iota</i>	1843, 108
<i>lyratum</i>	1840, 109	<i>monachus</i>	1847, 52
<i>maculosum</i>	1833, 85	<i>edwardi</i>	1843, 51
<i>mindanense</i>	1844, 167	<i>Catulus</i>	1837, 85
<i>multipunctatum</i> ..	1833, 84	<i>pantherinus</i>	1837, 85
<i>multispinosum</i> ...	1840, 106	<i>poroderma</i>	1837, 85
<i>multistriatum</i> ...	1833, 85	<i>submaculatus</i>	1837, 85
<i>obovale</i>	1833, 84	<i>variegatus</i>	1837, 85
<i>orbis</i>	1833, 83	<i>Caulodromus</i>	1847, 6
<i>oviputamen</i>	1844, 168	<i>gracei</i>	1847, 6
<i>oxygonum</i>	1840, 107	<i>cutleri</i>	1830-1, 20
<i>panamense</i>	1833, 85	<i>patachonica</i>	1839, 126
<i>parvum</i>	1840, 110	<i>Cavia cobiata</i>	1842, 70
<i>paucicostatum</i> ...	1840, 106	<i>edwardi</i>	1846, 8
<i>planicostatum</i> ...	1833, 83	<i>cutleri</i>	1835, 191
<i>procerum</i>	1833, 83	<i>patachonica</i>	1830-1, 57
<i>ringiculum</i>	1840, 106	<i>Cebalepyris canus</i> ..	1830-1, 117
<i>rubicundum</i>	1844, 169	<i>fimbriatus</i>	1832, 87
<i>senticosum</i>	1833, 84	<i>humeralis</i>	1830-1, 117
<i>serratum</i>	1844, 168	<i>Cebus</i>	1832, 86
<i>siculum</i>	1840, 106	<i>capucinus</i>	1837, 143
<i>sinense</i>	1840, 105	<i>Cecidoses</i>	1844, 81
<i>striatum</i>	1840, 105	<i>eremita</i>	1839, 123
<i>subelongatum</i>	1840, 108	<i>Cenchrus cenchroides</i> ..	1842, 68
<i>subretusum</i>	1844, 169	<i>Centenes</i>	1835, 19
<i>subrugosum</i>	1840, 110	<i>setosus</i>	1835, 19
<i>subrugosum</i>	1840, 108	<i>spinosus</i>	1837, 97
<i>unicolor</i>	1840, 107	<i>Centrina nigra</i>	1839, 113
<i>unimaculatum</i>	1833, 84	<i>p nigra</i>	1833, 81
<i>variegatum</i>	1840, 107	<i>Centriscus gracilis</i> ..	1839, 86
<i>vitellinum</i>	1844, 168	<i>Centrolophus crassus</i> ..	1839, 82
<i>Carduelis burtoni</i> ...	1837, 90	<i>morio</i>	1839, 81
<i>caniceps</i>	1830-1, 23	<i>ovalis</i>	1839, 82
<i>communis</i>	1834, 51	<i>pompilus</i>	1839, 81
<i>mexicana</i>	1847, 38	<i>Centronotus</i>	1843, 128
<i>sinica</i>	1842, 168	<i>Centrophorus calceus</i> ..	1843, 93
<i>spinoides</i>	1830-1, 44	<i>Centropistis salar</i>	1839, 95
<i>virginianus</i>	1837, 111	<i>Centropus cinkeer</i>	1842, 92
<i>Carocolla globosa</i> ...	1832, 30	<i>lepidus</i>	1839, 166
<i>novæ-hollandiæ</i> ...	1834, 67	<i>philippensis</i> ..	1830-1, 121
<i>quadridentata</i> ...	1832, 30	<i>rectunguis</i>	1832, 98
<i>stoddartii</i>	1834, 65	<i>senegalensis</i> ..	1839, 166
<i>Carpophaga</i>	1839, 12	<i>rectunguis</i>	1842, 92
<i>Caryophyllia smithii</i> ..	1834, 28	<i>senegalensis</i> ..	1846, 104
<i>Cassius</i> ——— ^p	1835, 4	<i>Centrotus bifolatus</i> ..	1843, 53
<i>nigerrimus</i>	1835, 113	<i>horrificus</i>	1837, 130
<i>solitarius</i>	1837, 115		
<i>(Ocyalus) popayanus</i> ..	1840, 183		
<i>Cassiopeia</i>	1839, 178		
<i>Castor fiber</i>	1830-1, 12		
	19		

	Page		Page
<i>Chaetodon festivus</i> ..	1833, 117	<i>Charadrius himantopus</i> ..	1834, 134
<i>flavescens</i> ..	1830-1, 61	<i>macropterus</i> ..	1841, 33
<i>guttatissimus</i> ..	1832, 133	<i>melodus</i> ..	1847, 39
<i>lunula</i> ..	1830-1, 61	<i>minor</i> ..	1839, 122
<i>strigangulus</i> ..	1830-1, 61		1839, 134
<i>vittatus</i> ..	1830-1, 61		1842, 91
<i>xanthocephalus</i> ..	1842, 182		1844, 30
<i>zoster</i> ..	1830-1, 61		1846, 1
<i>Chaetomys</i> ..	1843, 21	<i>morinellus</i> ..	1839, 122
<i>Chaetura bicolor</i> ..	1844, 99		1847, 39
<i>Chalcitella</i> ..	1845, 70	<i>nesogallus</i> ..	1835, 204
<i>evanioides</i> ..	1845, 70	<i>nigricans</i> ..	1839, 114
<i>Chalcites osculans</i> ..	1847, 32	<i>pectoralis</i> ..	1841, 33
<i>Chama</i> ..	1846, 117	<i>philippensis</i> ..	1842, 166
<i>appressa</i> ..	1846, 119	<i>pileatus</i> ..	1841, 33
<i>brassica</i> ..	1846, 119		1842, 166
<i>cardiiformis</i> ..	1846, 119		1843, 56
<i>cistula</i> ..	1846, 118	<i>pluvialis</i> ..	1844, 134
<i>corrugata</i> ..	1834, 150		1844, 67
<i>echinata</i> ..	1834, 150		1847, 39
<i>exigua</i> ..	1846, 117	<i>rubecola</i> ..	1843, 118
<i>fimbriata</i> ..	1846, 117	<i>sempalmatus</i> ..	1847, 39
<i>fragum</i> ..	1846, 117	<i>tricolor</i> ..	1841, 33
<i>frondosa</i> ..	1834, 148	<i>virginianus</i> ..	1839, 107
<i>imbicata</i> ..	1834, 149		1843, 118
<i>janus</i> ..	1846, 119	<i>vociferus</i> ..	1847, 39
<i>jukesii</i> ..	1846, 120	<i>Charaxes castor</i> ..	1847, 61
<i>lingua-felis</i> ..	1846, 118	<i>phraotes</i> ..	1847, 60
<i>lobata</i> ..	1834, 149	<i>Chauliastur strepera</i> ..	1839, 134
<i>pacifica</i> ..	1834, 149	<i>Chauliodes</i> ..	1843, 83
<i>panamensis</i> ..	1846, 117	<i>strepera</i> ..	1842, 93
<i>pellis-phoca</i> ..	1846, 118		94
<i>pellucida</i> ..	1834, 149	<i>Chauliodus streperus</i> ..	1834, 30
<i>pretexta</i> ..	1846, 117		1847, 40
<i>producta</i> ..	1834, 150	<i>Chaunax</i> ..	1846, 81
<i>rubea</i> ..	1846, 120	<i>pictus</i> ..	1846, 81
<i>ruppelli</i> ..	1846, 119	<i>Cheilos commersonii</i> ..	1830-1, 167
<i>sarda</i> ..	1846, 120	<i>punctatus</i> ..	1830-1, 167
<i>sordida</i> ..	1834, 151	<i>Cheilodactylus carponemus</i> ..	1839, 97
<i>spinosa</i> ..	1834, 150	<i>gibbosus</i> ..	1841, 21
<i>tumulosa</i> ..	1846, 118	<i>Chenoneutes bicornis</i> ..	1839, 84
<i>variegata</i> ..	1846, 118	<i>yapock</i> ..	1839, 56
<i>venosa</i> ..	1846, 119		1839, 11
<i>Chamaeleo bibroni</i> ..	1838, 65	<i>Chela alkootee</i> ..	1838, 161
<i>cristatus</i> ..	1838, 63	<i>balooke</i> ..	1838, 160
<i>oweni</i> ..	1834, 45	<i>jorah</i> ..	1838, 160
<i>verrucosus</i> ..	1833, 133	<i>oweni</i> ..	1838, 160
<i>Chamaeleon</i> ..	1844, 163	<i>teekanee</i> ..	1838, 161
<i>Champsia fissipes</i> ..	1842, 110	<i>Cheledorynx</i> ..	1845, 32
<i>Charadrius</i> ..	1841, 32	<i>chrysoschistos</i> ..	1845, 32
<i>albicapillus</i> ..	1841, 33	<i>Chelones</i> ..	1845, 100
<i>apricarius</i> ..	1847, 39	<i>Cheloma mydas</i> ..	1834, 92
<i>bilobus</i> ..	1841, 33	<i>Chelydra serpentina</i> ..	1830-1, 129
<i>brissomi</i> ..	1841, 33	<i>Chenalopex gambensis</i> ..	1841, 70
<i>gallinaceus</i> ..	1841, 33	<i>Chelonelytra</i> ..	1843, 20
<i>hiaticula</i> ..	1844, 15	<i>fuliginosus</i> ..	1843, 20
<i>hiaticula</i> ..	1844, 67	<i>macleayi</i> ..	1843, 20
<i>hiaticuloides</i> ..	1830-1, 125		

	Page		Page
Chinchilla	1833, 59	Cluton echinatus . . .	1847, { 66
aurea?	1833, 59	echinites	1847, { 68
lanigera	{ 1830-1, 31	elenensis.	1832, 27
lanigera	{ 1833, 59	elegans	1847, 67
lanigera	{ 1840, 8	emersonii	1847, 69
Chione	1844, 110	evanidus	1847, { 66
Chironectes yapock ..	{ 1830, 56	excavatus	1847, { 126
Chironectes yapock ..	{ 1830, 11	exiguus	1832, 104
Chiroscelis bifeneſtra .	1841, 66	fasciatus	1847, 66
bifeneſtrella	1841, 66	fascicularis	1847, 70
digitata	1841, 66	fastigiatus	1847, 67
passaloides	1841, 66	floccatus	1841, 104
Cliton	{ 1830, 177	furmosus	1847, 25
acutirostratus	{ 1847, 65	foveolatus	1847, 66
alatus	{ 1847, 67	fremblcii	{ 1832, 28
alatus	{ 1847, 25	fuliginatus	{ 1847, 68
alatus	{ 1841, 61	fulminatus	1847, 24
albidus	{ 1847, 127	fulvus	1847, 67
albidus	{ 1847, 68	gambardi	1847, 67
albolineatus	1847, 68	gambardi	1847, 68
allus	1847, 127	garnoti	1847, 70
allus	{ 64	gigas	{ 1847, 64
amniculatus	1847, { 69	glaucus	{ 1832, 25
articulatus	{ 1832, 59	goodallii	{ 1847, 66
articulatus	{ 1847, 66	graniferus	{ 1832, 104
aillus	1847, 127	granosus	{ 1847, 67
atratus	1847, 67	granulosus	1847, 66
australis	1847, 66	grayii	{ 1832, 57
barnesii	1847, { 26	grayii	{ 1847, 67
barnesii	{ 66	hanleyi	1847, 127
bicolor	1847, 67	hastatus	1847, 70
bipunctatus	1832, 104	hennahi	1847, 67
biradiatus	1843, 102	hundsii	1847, 69
biremosus	1847, 68	hirtosus	1847, 68
bistriatus	1847, 66	hirtosus	{ 1832, 59
blauvillii	{ 1842, 27	hurudiniiformis ..	{ 1847, 25
blauvillii	{ 1847, 25	hookeri	{ 1847, 70
boweni	1847, { 66	hookeri	1847, 70
boweni	{ 127	incisus	{ 1841, 61
brevispinosus	1847, 68	incisus	{ 1847, 68
cajetanus	1847, 127	indicus	1847, 67
carnichaelia	1847, 68	janeirensis	{ 1832, 27
castaneus	1847, 67	janeirensis	{ 1843, 102
catenulatus	1832, 104	janeirensis	{ 1832, 59
catenulatus	{ 1832, 58	laevigatus	{ 1847, 66
chiloensis	{ 1847, 67	laevigatus	{ 1847, 67
cmercus	1847, 127	laevis	{ 1847, 67
coarctatus	1841, 62	laevis	{ 126
columbrensis	1832, 58	laqueatus	1841, 104
coquimbensis	1847, 69	latus	1847, 67
corallinus	1847, { 67	leachii	1847, 69
corallinus	{ 126	le-neurii	1847, 70
coreanicus	1847, 24	limaciformis	1832, 26
costatus	1847, 68		
crenulatus	1832, 27		
cumingii	1847, 66		
discors	1847, 126		
dispar	1832, 58		

	Page		Page
<i>Chiton limaciformis</i>	1847, 127	<i>Chiton textilis</i>	1847, 127
<i>lineolatus</i>	1847, 67	<i>truncatus</i>	1841, 61
<i>longicymba</i>	1847, 127	<i>tuberculiferus</i>	1847, 68
<i>luridus</i>	1832, 26	<i>tumescens</i>	1847, 69
<i>luzonensis</i>	1841, 104	<i>undulatus</i>	1847, 68
<i>lyelli</i>	1832, 26	<i>vermicularis</i>	1847, 70
<i>lyriatus</i>	1847, 66	<i>vestitus</i>	1847, 69
<i>magdalenensis</i>	1847, 127	<i>violaceus</i>	1847, 70
<i>magnificus</i>	1847, 68	<i>virgulatus</i>	1847, 66
<i>marmoratus</i>	1847, 66	<i>viridis</i>	1847, 66
<i>marmoreus</i>	1847, 67	<i>watsonii</i>	1847, 67
<i>monticularis</i>	1847, 69	<i>zelandica</i>	1847, 70
<i>niger</i>	1847, 69	<i>Chitonella</i>	1847, 70
<i>obscurus</i>	1847, 66	<i>Chitonellus</i>	1847, 66
<i>olivaceus</i>	1847, 66	<i>laevis</i>	1847, 70
<i>patulus</i>	1847, 66	<i>latus</i>	1847, 70
<i>peruvianus</i>	1847, 67	<i>striatus</i>	1847, 70
<i>petasus</i>	1847, 25	<i>stringatus</i>	1847, 70
<i>piceus</i>	1847, 68	<i>Chitoniscus</i>	1847, 70
<i>polii</i>	1847, 66	<i>Chizarrhis leucogaster</i>	1842, 9
<i>polychetus</i>	1847, 70	<i>personata</i>	1842, 8
<i>porosus</i>	1847, 69	<i>Chlaenius sykesii</i>	1833, 61
<i>pulexrimus</i>	1841, 103	<i>Chloephaga magellanica</i>	1843, 118
<i>punctulatus</i>	1832, 58	<i>Chloropsis</i>	1845, 24
<i>punctulatus</i>	1847, 126	<i>aurifrons</i>	(1830-1, 122)
<i>pusillus</i>	1832, 57	<i>chrysogaster</i>	1839, 167
<i>pusio</i>	1832, 105	<i>malabaricus</i>	1839, 102
<i>raripilosus</i>	1847, 68	<i>sonneratii</i>	1839, 102
<i>retusus</i>	1832, 28	<i>Chlorospiza xanthogram-</i>	
<i>roseus</i>	1832, 58	<i>ma</i>	1841, 94
<i>roseus</i>	1847, 70	<i>Chondrostoma boggut</i>	1838, 160
<i>ruber</i>	1847, 67	<i>fulungee</i>	1838, 160
<i>rugulatus</i>	1832, 58	<i>kawrus</i>	1838, 160
<i>scaber</i>	1847, 70	<i>mullya</i>	1838, 160
<i>scabrinculus</i>	1832, 28	<i>wattanah</i>	1838, 160
<i>septemvalvis</i>	1847, 126	<i>Chorinus acanthonotus</i>	1847, 119
<i>setiger</i>	1847, 68	<i>aculeatus</i>	1847, 120
<i>setosus</i>	1832, 27	<i>Chourika alpina</i>	1842, 105
<i>setosus</i>	1847, 68	<i>Chroicocephalus cyroce-</i>	
<i>siculus</i>	1847, 66	<i>phalum</i>	1843, 119
<i>simpsoni</i>	1847, 69	<i>Chromis tema</i>	1830-1, 112
<i>sitkensis</i>	1847, 69	<i>Chrossorhinus</i>	1837, 86
<i>solea</i>	1847, 67	<i>Chrysochloris</i>	1834, 25
<i>sparus</i>	1847, 67	<i>damarensis</i>	1837, 69
<i>spiniferus</i>	1847, 68	<i>Chrysometris campestris</i>	1843, 112
<i>spiniger</i>	1841, 61	<i>magellanicus</i>	1843, 113
<i>spinigerus</i>	1847, 68	<i>Chrysomotus miniatus</i>	1839, 106
<i>spinosus</i>	1847, 68	<i>tiga</i>	1839, 106
<i>squamosus</i>	1847, 66	<i>Chrysopilus squamatus</i>	1841, 6
<i>stokesii</i>	1832, 25	<i>Cithomicola</i>	1847, 35
<i>stokesii</i>	1847, 66	<i>Cicada clarisona</i>	1834, 20
<i>stramineus</i>	1832, 104	<i>Cicinnurus regius</i>	1842, 166
<i>striatus</i>	1847, 66	<i>Cicoma alba</i>	1842, 94
<i>subfuscus</i>	1832, 26		
<i>sulcatus</i>	1847, 66		
<i>swainsoni</i>	1832, 27		

	Page		Page
<i>Ciconia argala</i>	1832, 160	<i>Circus megaspilus</i>	1837, 10
<i>leucocephala</i>	1832, 159	<i>melanoleucus</i> ..	{ 1830-1, 115
<i>maguari</i> ..	1843, 116	{ 1839, 154	
<i>notha</i> ..	1842, 94	{ 1832, 80	
<i>pyllus</i>	1843, 116	{ 1837, 48	
<i>Cilathora</i>	1845, 22	<i>pallidus</i>	{ 1830, 130
<i>Cinclidia</i>	1837, 136	{ 1842, 92	
<i>punctata</i>	1837, 137	{ 1830-1, 115	
<i>Cincloramphus</i>	1837, 150	{ 1837, 99	
<i>cantatoris</i>	1842, 135	{ 1839, 130	
<i>Cmelosoma</i> ..	1830-1, 55	<i>rufus</i>	{ 1842, 92
<i>capistratum</i>	1830-1, 56	{ 1842, 93	
<i>castanotus</i>	1840, 113	{ 1844, 64	
<i>cinnamomeus</i> ..	1846, 68	<i>rutilans</i>	1847, 38
<i>erythrocephalum</i> }	1830-1, 171	<i>teesa</i>	1830-1, 115
{ 1835, 48		<i>variegatus</i>	1832, 81
<i>leuculophum</i>	1830-1, 173	<i>Cirrus</i> ..	1844, 24
{ 176		<i>Cistudo amboinensis</i> ..	1834, 54
<i>lineatum</i>	1830-1, 50	<i>beali</i> ..	1834, 54
<i>ocellatum</i>	{ 1830-1, 55	<i>trifasciata</i> ..	1834, 110
{ 1835, 48		<i>Citellus xanthopygma</i> ..	1835, 90
<i>variegatum</i>	{ 1830-1, 56	<i>Clangula vulgaris</i> ..	1834, 134
{ 1835, 48		<i>Clausilia aculeus</i>	1842, 124
<i>Cinclus aquaticus</i>	{ 1834, 51	<i>pluviatilis</i>	1842, 124
<i>pallasii</i>	{ 1839, 120	<i>Clavagella aperta</i>	1834, 115
{ 54		<i>australis</i>	1834, 115
<i>unicolor</i>	1830-1, 173	<i>elongata</i>	1834, 116
<i>Cinnyris affinis</i>	1839, 101	<i>lata</i>	{ 1834, 111
<i>aceamensis</i>	1839, 167	{ 1834, 116	
<i>carrucaria</i>	1832, 98	<i>melitensis</i>	1834, 116
<i>concolor</i>	1832, 99	<i>rapa</i> ..	1834, 115
<i>gouldiae</i>	1830-1, 44	<i>Clavatulæ</i> ..	1843, 38
<i>javanicus</i>	1839, 101	<i>albicans</i>	1843, 43
<i>labecula</i>	1839, 167	<i>amabilis</i>	1843, 40
<i>lepida</i>	1832, 98	<i>argillacea</i>	1843, 40
<i>mahrattensis</i>	{ 1832, 99	<i>aspera</i> ..	1843, 40
{ 1835, 62		<i>bella</i>	1843, 41
<i>minima</i>	1832, 99	<i>candida</i> ..	1843, 42
<i>orientalis</i>	1830-1, 122	<i>cincta</i>	1843, 38
<i>vigorsii</i>	1832, 98	<i>cineraria</i>	1843, 40
<i>Circæus brachydactylus</i> ..	1832, 78	<i>celata</i> ..	1843, 42
<i>lus</i> ..	{ 1842, 92	<i>crebricostata</i>	1843, 41
<i>pectoralis</i>	1833, 45	<i>crenularis</i>	1843, 38
<i>thoracicus</i>	1833, 45	<i>debilis</i>	1843, 39
<i>Circæ scripta</i>	1844, 109	<i>dentifera</i>	1843, 44
<i>Circus aeruginosus</i> ..	1834, 50	<i>donata</i> ..	1843, 43
<i>affinis</i>	1837, 90	<i>duplicata</i>	1843, 38
<i>americanus</i>	1847, 37	<i>ericea</i>	1843, 39
<i>assimilis</i>	1837, 141	<i>felina</i>	1843, 42
<i>cinereus</i>	{ 1834, 51	<i>fimbriata</i>	1843, 43
{ 1842, 93		<i>flammea</i>	1843, 42
<i>cinereus</i>	1843, 100	<i>flavidula</i>	1843, 38
<i>cyaneus</i>	{ 1830-1, 115	<i>fulva</i>	1843, 44
{ 1834, 50		<i>glumacea</i>	1843, 44
{ 1842, 93		<i>impressa</i>	1843, 44
<i>jardinei</i>	1837, 99	<i>læta</i>	1843, 41
{ 141		<i>luctuosa</i>	1843, 40
		<i>merita</i>	1843, 42

	Page		Page
<i>Clavatulula metula</i>	1843, 44	<i>Coccothraustes ictorioides</i> 1841,	6
<i>micans</i>	1843, 43	<i>melanurus</i>	1842, 167
<i>militaris</i>	1843, 38	<i>olivaceus</i>	1842, 144
<i>mutica</i>	1843, 43	<i>rosea</i>	1845, 36
<i>neglecta</i>	1843, 45	<i>vulgaris</i>	1830, 132
<i>nitens</i>	1843, 41	<i>Coccyzus americanus</i> ..	1835, 84
<i>occata</i>	1843, 41	<i>cayanus</i>	1837, 115
<i>papularis</i>	1843, 42	<i>ferrugineus</i>	1843, 105
<i>pardalis</i>	1843, 42	<i>Coelogenys subniger</i> ..	1838, 54
<i>plumbea</i>	1843, 41	<i>Colaptes auratus</i>	1837, 109
<i>polita</i>	1843, 43	<i>chilensis</i>	1847, 39
<i>pudica</i>	1843, 41	<i>fernandinae</i>	1841, 94
<i>pyramus</i>	1843, 42	<i>rubricatus</i>	1837, 109
<i>quisqualis</i>	1843, 44	<i>rupicola</i>	1847, 29
<i>rara</i>	1843, 39	<i>superciliosus</i>	1847, 39
<i>regida</i>	1843, 45	<i>Colliris femorata</i>	1837, 127
<i>retusa</i>	1843, 44	<i>Collocalia ariel</i>	1842, 132
<i>robusta</i>	1843, 39	<i>Colluricincla brunnea</i> ..	1840, 164
<i>rubida</i>	1843, 40	<i>fusca</i>	1836, 6
<i>rubiginosa</i>	1843, 43	<i>parvula</i>	1845, 62
<i>scalaris</i>	1843, 39	<i>rufiventris</i>	1840, 164
<i>sculpta</i>	1843, 39	<i>rufogaster</i>	1845, 80
<i>sinensis</i>	1843, 39	<i>Collurio</i>	1830-1, 42
<i>spicata</i>	1843, 39	<i>erythronotus</i> ..	1830-1, 42
<i>spurea</i>	1843, 39	<i>excubitor</i>	1830-1, 117
<i>tessellata</i>	1843, 44	<i>hardwickii</i>	1832, 86
<i>textilis</i>	1843, 43	<i>lahtora</i>	1832, 86
<i>Cleodora</i>	1844, 163	<i>meridionalis</i>	1830-1, 96
<i>cuspidata</i>	1837, 51	<i>minor</i>	1839, 119
<i>Climacteris erythroptis</i> ..	1840, 148	<i>nigriceps</i>	1830-1, 117
<i>melanotus</i>	1846, 106	<i>smithi</i>	1839, 168
<i>melanura</i>	1842, 138	<i>tephronotus</i>	1830-1, 43
<i>rufa</i>	1840, 149	<i>Colobus ferrugineus</i>	1832, 122
<i>Clithon</i>	1842, 172	<i>ferruginosus</i>	1835, 99
<i>Clivina castanea</i>	1845, 120	<i>fuliginosus</i>	1835, 97
<i>alba</i>	1837, 128	<i>guereza</i>	1835, 99
<i>alosa</i>	1830-1, 13	<i>leucomeros</i>	1837, 99
<i>delicatula</i>	1837, 127	<i>moorei</i>	1841, 97
<i>fallax</i>	1839, 94	<i>pennantii</i>	1838, 57
<i>harengus</i>	1839, 94	<i>polycomus</i>	1841, 71
<i>laticostata</i>	1830-1, 34	<i>satanas</i>	1832, 122
<i>leachii</i>	1830-1, 34	<i>satanas</i>	1835, 98
<i>mauritanica</i>	1843, 90	<i>satanas</i>	1839, 94
<i>sprattus</i>	1843, 90	<i>satanas</i>	1841, 84
<i>Cobitis maya</i>	1833, 32	<i>satanas</i>	1838, 58
<i>moorei</i>	1837, 61	<i>satanas</i>	1841, 71
<i>ruppelli</i>	1838, 162		
<i>tania</i>	1838, 162		
<i>Coccothraustes bona-</i>	1837, 59		
<i>partei</i>	1837, 111		
<i>chloris</i>	1839, 132		
<i>chrysopheplus</i>	1832, 4		
<i>ictorioides</i>	1830-1, 8		

	Page		Page
<i>Colobus temminckii</i> ..	{ 1832, 122 1835, 99 1840, 20 1835, 98 1838, 61 1839, 94 1841, 84 1841, 97	<i>Columba mystacea</i>	{ 1834, 110 1844, 10 1832, 150 1839, 132 1839, 107 1834, 110 1847, 38 1833, 78 1830-1, 122 1832, 150 1840, 43 1834, 52 1847, 39 1830-1, 122 1832, 150 1840, 44 1839, 107 1847, { 37 39
<i>ursinus</i>		<i>oenas</i>	
<i>Colossochelys atlas</i> . . .	1844, { 54 84 85	<i>olax</i>	
<i>Coluber berus</i>	1842, 110	<i>passerina</i>	
<i>bipunctatus</i>	1839, 52	<i>princeps</i>	
<i>cantori</i>	1833, 83	<i>risoria</i>	
<i>chesnei</i>	1838, 81	<i>rufina</i>	
<i>cliffordii</i>	1838, 81	<i>spiloptera</i>	
<i>curvirostris</i>	1839, 51	<i>sylvestris</i>	
<i>dhumna</i>	1839, 51	<i>tigrina</i>	
<i>monticolus</i>	1839, 52	<i>turtur</i>	
<i>porphyraceus</i>	1839, 51	<i>vernans</i>	
<i>quadri-fasciatus</i> . . .	1839, 51	<i>zenaida</i>	
<i>reticularis</i>	1839, 51	(Peristera) histio-	
<i>sanguiventer</i>	1839, 52	<i>mea</i>	1840, 114
<i>Columba armillaris</i> . . .	1834, 110	<i>Columbella achatina</i> .	1844, 50
<i>aunta</i>	1837, 114	<i>angularis</i>	1832, 118
<i>boliviana</i>	{ 1841, 95 1843, 115	<i>a-persa</i>	1844, 49
<i>cambayensis</i> ..	{ 1830-1, 122 1832, 150	<i>atomella</i>	1844, 53
<i>caribbaea</i>	1847, { 39 40	<i>atramentaria</i> . . .	1844, 51
<i>carolinensis</i>	1847, { 38 40	<i>bucanalifera</i>	1832, 113
<i>cynocephala</i>	1847, 38	<i>blanda</i>	1844, 51
<i>domestica</i>	1842, 71	<i>broderipii</i>	1844, 53
<i>fitzroyii</i>	{ 1830-1, 15 1844, 115	<i>buccinoides</i>	1832, 114
<i>flaviostris</i>	1847, 113	<i>castanea</i>	1832, 118
<i>hodgeoni</i>	1832, 16	<i>catenata</i>	1844, 52
<i>humilis</i>	{ 1830-1, 122 1832, 150	<i>chlorostoma</i>	1844, 48
<i>inornata</i>	1847, 37	<i>coniformis</i>	1844, 49
<i>jamaicensis</i>	1847, 39	<i>coronata</i>	1832, 114
<i>jambu</i>	1839, 107	<i>costellata</i>	1832, 118
<i>javanica</i>	1839, 107	<i>decussata</i>	1844, 51
<i>leucocephala</i> ..	{ 1844, 10 1847, 38	<i>dichroa</i>	1844, 50
<i>leuconota</i>	{ 1830-1, 23 1841, 6	<i>dormitor</i>	1844, 53
<i>leucoptera</i>	1847, 39	<i>dor-ata</i>	1832, 120
<i>liva</i>	1842, 99	<i>ducclosiana</i>	1844, 48
<i>martinica</i>	1847, 59	<i>elegans</i>	1832, 114
<i>meena</i>	1832, 149	<i>fabula</i>	1844, 50
<i>migratoria</i>	{ 1840, 41 1842, 111	<i>fluctuata</i>	1832, 115
<i>minuta</i>	1847, 39	<i>fulva</i>	1832, 115
<i>montana</i>	{ 1842, 195 1847, 39	<i>fuscata</i>	1832, 117
		<i>gibberula</i>	1832, 115
		<i>gundingu</i>	1844, 53
		<i>guttata</i>	1832, 118 1844, 50
		<i>haemastoma</i>	1832, 116
		<i>hapiformis</i>	1832, 113
		<i>impolita</i>	1844, 51
		<i>jaspidea</i>	1844, 50
		<i>krausen</i>	1844, 53
		<i>lanceolata</i>	1832, 116
		<i>ligula</i>	1844, 49
		<i>livida</i>	1832, 117

	Page		Page
<i>Columbella lyrata</i>	1832, 114	<i>Conus adamsonii</i>	1836, 44
<i>maculosa</i>	1832, 116	<i>armatus</i>	1843, 179
<i>major</i>	1832, 119	<i>algonensis</i>	1834, 18
<i>maura</i>	1832, 117	<i>ambiguus</i>	1843, 177
<i>mendicaria</i>	1832, 117	<i>aplustre</i>	1843, 171
<i>miser</i>	1844, 50	<i>archiepiscopus</i>	1843, 173
<i>monilifera</i>	1844, 53	<i>richon</i>	1833, 54
<i>nigricans</i>	1844, 52	<i>attenuatus</i>	1843, 189
<i>notopunctata</i>	1832, 117	<i>auleus</i>	1834, 18
<i>nivea</i>	1844, 51	<i>boticus</i>	1843, 174
<i>obscura</i>	1844, 49	<i>broderipii</i>	1843, 179
<i>obtusa</i>	1832, 117	<i>brunneus</i>	1834, 18
<i>parva</i>	1844, 52	<i>bulbus</i>	1843, 171
<i>philippinaram</i>	1842, 109	<i>buxeus</i>	1843, 180
<i>pocilla</i>	1844, 48	<i>canonicus</i>	1843, 172
<i>procera</i>	1832, 119	<i>castus</i>	1843, 180
<i>puella</i>	1844, 52	<i>clerm</i>	1843, 175
<i>pulcherrima</i>	1842, 113	<i>coceus</i>	1843, 174
<i>pusilla</i>	1844, 53	<i>columba</i>	1843, 176
<i>pygmaea</i>	1832, 119	<i>concinus</i>	1833, 53
<i>pyrostoma</i>	1832, 116	<i>conspersus</i>	1843, 180
<i>recurva</i>	1832, 115	<i>crepusculum</i>	1843, 178
<i>rudis</i>	1844, 48	<i>cuneolus</i>	1843, 173
<i>rugosa</i>	1832, 115	<i>daucus</i>	1843, 181
<i>maculosa</i>	1844, 51	<i>dehayesi</i>	1843, 168
<i>scalarno</i>	1832, 116	<i>diadema</i>	1834, 19
<i>splendilula</i>	1844, 49	<i>elongatus</i>	1843, 170
<i>spinea</i>	1832, 113	<i>epistomum</i>	1843, 174
<i>subulata</i>	1844, 52	<i>e.y'ntensis</i>	1843, 175
<i>suffusa</i>	1844, 52	<i>exaratus</i>	1843, 176
<i>sulcosa</i>	1832, 118	<i>ferrugatus</i>	1834, 19
<i>ticaronis</i>	1844, 51	<i>fervus</i>	1843, 79
<i>turrita</i>	1832, 115	<i>geographus</i>	1833, 55
<i>umbrata</i>	1832, 114	<i>gladiator</i>	1833, 55
<i>unicolor</i>	1832, 119	<i>grayi</i>	1843, 179
<i>unifasciata</i>	1842, 114	<i>gruneri</i>	1843, 175
<i>varia</i>	1832, 116	<i>guinaicus</i>	1843, 179
<i>varians</i>	1832, 118	<i>incarnatus</i>	1843, 174
<i>venusta</i>	1844, 49	<i>in-criptus</i>	1843, 171
<i>versicolor</i>	1832, 119	<i>intermedius</i>	1843, 168
<i>vulpeada</i>	1844, 50	<i>iodostoma</i>	1843, 170
<i>Columbina strepitans</i>	1843, 115	<i>janus</i>	1843, 170
<i>Columba coronatus</i>	1844, 136	<i>lacteus</i>	1843, 173
<i>Columbus arcticus</i>	1835, 90	<i>lautus</i>	1843, 179
<i>Cometes</i>	1837, 54	<i>lentiginosus</i>	1843, 177
<i>phaon</i>	1847, 31	<i>lignarius</i>	1843, 13
<i>sappho</i>	1847, 31	<i>lnatus</i>	1843, 181
<i>Conger flavipennatus</i>	1830-1, 168	<i>lividus</i>	1843, 178
<i>savanna</i>	1830-1, 135	<i>luteus</i>	1833, 53
<i>vulgaris</i>	1830-1, 158	<i>luzonius</i>	1834, 18
<i>Conoelix virgo</i>	1835, 197	<i>magnificus</i>	1843, 13
<i>Conovulus cumingianus</i>	1845, 122	<i>mahogani</i>	1843, 169
<i>Conurus cyanolyctos</i>	1843, 114	<i>martiniensis</i>	1843, 173
<i>Conus</i>	1843, 168	<i>mercator</i>	1843, 173
<i>aculeiformis</i>	1843, 176	<i>metcalhi</i>	1843, 171
		<i>ruinutu</i>	1843, 179

	Page		Page
<i>Coronella pulchra</i>	1838, 82	<i>Coturnix communis</i>	1842, 168
<i>violacea</i>	1839, 50	<i>coromandelica</i> ..	1830-1, 123
<i>Corsira</i>	1837, 123	<i>dactylsonans</i> ..	{ 1830-1, 123
<i>fosteri</i>	1837, 124	}	1832, 152
<i>talpoides</i>	1837, 124	<i>erythrorhyncha</i> ..	1832, 153
<i>temlyas</i>	1843, 70	<i>falklandica</i>	1830-1, 3
<i>tropicalis</i>	1843, 70	<i>pectoralis</i>	{ 1837, 8
<i>vulgaris</i>	1837, 124	}	1839, 114
<i>Corvus balicassius</i> . .	1839, 153	<i>pental</i>	1832, 153
<i>cacaloti</i>	1837, 115	}	1834, 34
<i>collaris</i>	1846, 43	}	1835, 205
<i>corax</i>	{ 1837, 115	<i>sinensis</i>	{ 1839, 107
<i>cornix</i>	1839, 133	}	1841, 6
<i>corone</i>	{ 1830-1, 120	<i>textilis</i>	1832, 152
<i>culminatus</i>	1834, 15	<i>Cracticus argenteus</i> ..	1840, 126
<i>culminatus</i>	{ 1832, 96	<i>fuliginosus</i>	1836, 106
<i>culminatus</i>	1842, 92	<i>hypoleucus</i>	{ 1836, 100
<i>cuvirostris</i>	1836, 18	}	1839, 113
<i>frugilegus</i>	{ 1839, 133	<i>Cranchia bonelliana</i> ..	1836, 20
<i>frugilegus</i>	1842, 70	<i>cardioptera</i>	1836, 20
<i>frugilegus</i>	{ 1842, 98	<i>minima</i>	1836, 20
<i>frugilegus</i>	1842, 193	<i>scabra</i>	1836, 20
<i>jamaicensis</i>	1847, 38	<i>Crassatella antillarum</i> .	1842, 44
<i>monedula</i>	{ 1834, 133	<i>castanea</i>	1842, 42
<i>monedula</i>	1839, 133	<i>coniana</i>	1842, 45
<i>monedula</i>	{ 1842, 70	<i>corbuloides</i> ...	1842, 45
<i>monedula</i>	1846, 43	<i>decipennis</i>	1842, 42
<i>nobilis</i>	{ 1837, 70	<i>divaricata</i>	1842, 45
<i>ossifragus</i>	1847, 38	<i>donacina</i>	1842, 43
<i>pastinator</i>	1845, 1	<i>gibbosa</i>	{ 1832, 56
<i>pectoralis</i>	1836, 18	}	1842, 45
<i>pica</i>	1842, { 70	<i>jubar</i>	1842, 44
<i>splendens</i>	1832, 96	<i>kingicola</i>	1842, 42
<i>Coryphaena equisetus</i> ..	1839, 81	<i>lapidea</i>	1842, 43
<i>hippurus</i>	1839, 80	<i>ornata</i>	1842, 46
<i>nortoniana</i>	1839, 80	<i>pulchra</i>	1842, 43
<i>velifera</i>	1843, 83	<i>radiata</i>	1842, 45
<i>Coryphilus dryas</i>	{ 1842, 165	<i>rostrata</i>	1842, 44
<i>dryas</i>	1843, 103	<i>subradiata</i>	1842, 45
<i>Corythaix buffoni</i>	{ 1834, 110	<i>sulcata</i>	1842, { 43
<i>buffoni</i>	1836, 32	}	44
<i>porphyreolopha</i> .	{ 1830-1, 93	<i>triquetra</i>	1842, 46
<i>porphyreolopha</i> .	1833, 106	<i>undulata</i>	{ 1832, 56
<i>macrorhynchus</i> ...	1839, 34	}	1842, 44
<i>Cossypha poensis</i>	1844, 100	<i>ziczac</i>	1842, 45
<i>reclamator</i>	1844, 100	<i>Crataenonyx</i>	1839, 104
<i>Cottus bubalis</i>	1835, 80	<i>ator</i>	{ 1839, 104
<i>gobio</i>	1842, 72	}	1846, 100
<i>scorpius</i>	1835, 80	<i>flava</i>	1839, 104
<i>Coturnix argoondah</i> ...	1832, 153	<i>Crax</i>	1846, 67
<i>austalis</i>	1839, 114	<i>rubra</i>	1836, 1
<i>canbiensis</i>	1842, 92	<i>yarrellii</i>	1830-1, 33
<i>chinensis</i>	1842, 167	<i>Crenilabrus</i>	1835, 206
<i>communis</i>	1842, 167	<i>n. s.</i>	1835, 206
		<i>anthroides</i>	1830-1, 167
		<i>caninus</i>	1839, 84
		<i>cornubicus</i>	{ 1837, 57
			50

	Page		Page
<i>Crenilabrus cornubiensis</i> 1835,	81	<i>Cryptoprocta</i>	1833, 46
<i>frenatus</i> 1835,	91	<i>ferox</i>	{ 1833, 46
<i>gibbus</i> 1837,	59		{ 1831, 13
<i>luscus</i> { 1839,	84	<i>Cryptospira</i>	1841, 76
<i>microstoma</i> 1843,	87	<i>Otenodactylus massoni</i> 1830-1,	48
<i>multidentatus</i> 1837,	55	<i>Otenolabrus iris</i>	1840, 37
<i>rupestris</i> 1837,	57	<i>Otenomys brasiliensis</i> . .	1846, 8
<i>tinca</i> 1837, {	57	<i>magellanicus</i>	1835, 190
<i>trutta</i> 1833,	143	<i>Cubiceps</i>	1843, 82
<i>Cricetomys gambianus</i> . {	1840,	<i>Cuculæa granulosa</i> . .	1846, 34
<i>Cricetus accedula</i>	1843, 51		{ 1830-1, 121
<i>auratus</i> 1839,	122		{ 1832, 98
<i>vulgaris</i> {	1839,		{ 1834, 29
<i>Criniger</i> 1841,	57		{ 1839, 133
<i>gularis</i> {	1837,	<i>Cuculus canorus</i>	{ 1842, 71
<i>Ornithagra bievirostris</i> .	50		{ 1842, 94
<i>Crocidura major</i> . . .	1839,		{ 1842, 99
<i>moschatus</i>	59		{ 1842, 195
<i>poensis</i>	101		{ 1844, 66
<i>poliogaster</i>	1846, 101	<i>carolinensis</i>	1847, 38
<i>rufa</i> {	1843,	<i>chlorocephalus</i>	1839, 105
<i>Crocodylus acutus</i> . .	1847, 53	<i>dumetorum</i>	1845, 19
<i>cataphractus</i>	1837, 125	<i>fugax</i> {	1830-1, 121
<i>leptorhynchus</i>	125		{ 1832, 98
<i>longirostris</i>	1837, 125	<i>himalayanus</i>	1830-1, 172
<i>lucius</i> {	1842, 200	<i>insperatus</i>	1845, 19
<i>vulgaris</i>	1837, 125	<i>micropterus</i>	{ 1837, 187
<i>Crossarchus obscurus</i> .	1830-1, 139		{ 1841, 6
<i>Crossopus</i> {	1830-1, 169	<i>optatus</i>	{ 1842, 94
<i>daubentonii</i>	1834, 110	<i>pluvialis</i>	1845, 18
<i>Crotophaga ani</i>	1842, 110	<i>rubiculus</i>	1847, 39
<i>sulcirostra</i>	1834, 110		1843, 52
<i>Cryptacus martin</i>	1842, 110	<i>sonnerati</i> {	1830-1, 121
<i>Cryptobranchus japoni-</i>	1847, 116		{ 1846, 104
<i>cus</i>	1833, 81	<i>sparveriondes</i> . .	1830-1, 173
<i>Cryptochiton</i>	1833, 81	<i>vetula</i>	1847, 30
<i>annulatus</i>	1847, 65	<i>Culcita</i>	1847, 74
<i>Cryptoconchus</i>	69	<i>pentangularis</i> . . .	1847, 74
<i>larvæformis</i>	66	<i>schmideliana</i>	1847, 74
<i>porosus</i>	69	<i>Cuningia</i>	1833, 34
<i>Cryptolopha porocephala</i> 1839,	157	<i>coarctata</i>	1833, 34
<i>Cryptonyx coronatus</i> . .	1837, 126	<i>lanellosa</i>	1833, 34
<i>ferrugineus</i>	1847, 38	<i>mutica</i>	1833, 34
<i>Cryptoplax</i>	1837, 115	<i>trigonalis</i>	1833, 35
<i>Cryptopodia dorsalis</i> . .	1837, 119		{ 1834, 31
<i>fornicata</i>	1838, 25	<i>Curruca atricapilla</i> . .	{ 1835, 90
	65		{ 1839, 140
	69		{ 1835, 90
	66	<i>cinerea</i>	{ 1839, 131
	70		{ 1844, 65
	70	<i>melanocephala</i> . . .	1844, 65
	69	<i>orphea</i>	1844, 65
<i>Cryptolopha porocephala</i> 1839,	157		{ 1830-1, 124
<i>Cryptonyx coronatus</i> . .	1839, 106	<i>Cursorius asiaticus</i> . .	{ 1832, 165
<i>ferrugineus</i>	1846, 105		{ 1835, 62
<i>Cryptoplax</i>	1847, 70	<i>coromandelicus</i> . . .	1842, 92
<i>Cryptopodia dorsalis</i> . .	1847, 84	<i>isabellinus</i>	{ 1844, 66
<i>fornicata</i>	1847, 84		{ 1853, 153

	Page		Page
<i>Cursorius rufus</i>	1836, 81	<i>Cyclostoma substriatum</i>	1843, 61
<i>Cuspidaria</i>	1843, 76	<i>succineum</i>	1832, 32
<i>Cyanocorax coronatus</i> ..	1837, { 109	<i>suturale</i>	1843, 29
<i>Cyanopterus fretensis</i> ..	1844, 115	<i>tigrinum</i>	1843, 30
<i>Cyanotis ommicolor</i> ..	1843, 157	<i>translucidum</i> ..	1843, 29
<i>Cyanurus bullocki</i>	1837, 112	<i>tuba</i>	1842, 83
<i>Cyclemys</i>	1834, 53	<i>validum</i>	1842, 82
<i>orbiculata</i>	1834, 17	<i>Cygnopsis cygnoides</i> ..	1842, 166
<i>Cyclostoma acuminatum</i> ..	1843, 65	<i>Cygnus anatoides</i>	1830-1, 15
<i>acutummarginatum</i> ..	1842, 80	<i>atratus</i>	1835, 107
<i>altum</i>	1842, 84	<i>immutabilis</i>	1839, 114
<i>aquilum</i>	1843, 61	<i>nigricollis</i>	1843, 118
<i>atricapillum</i>	1843, 64	<i>Cylindrella gossei</i> ..	1847, 54
<i>brasiliense</i>	1843, 29	<i>sowerbyana</i>	1845, 137
<i>canaliferum</i>	1842, 81	<i>Cyllene</i>	1846, 116
<i>calhatum</i>	1843, 65	<i>Cyllene</i>	1844, 152
<i>cincinnum</i>	1843, 60	<i>Cylydrorhinus angulatus</i>	1841, 127
<i>clathratulum</i>	1843, 30	<i>Cymba</i>	1844, 150
<i>concinnum</i>	1843, 61	<i>Cymba rhynchus cuculla-</i>	
<i>corrugatum</i>	1843, 30	<i>tus</i>	1839, 101
<i>cumingii</i>	1832, 32	<i>nasutus</i>	1839, 101
<i>fibula</i>	1843, 62	<i>Cynanthus minimus</i> ..	1847, 39
<i>flavum</i>	1832, 59	<i>polytnus</i>	1847, 39
<i>fulvescens</i>	1843, 63	<i>Cymetis</i>	1833, 48
<i>giganteum</i>	1843, 30	<i>melanurus</i>	1836, 56
<i>goniostoma</i>	1843, 64	<i>ogilbii</i>	1838, 5
<i>helicoides</i>	1843, 65	<i>steedmanni</i>	1833, 49
<i>immaculatum</i>	1843, 63	<i>Cynocephalus</i>	1843, 10
<i>insigne</i>	1843, 62	<i>anubis</i>	1844, 81
<i>irroratum</i>	1843, 61	<i>choras</i>	1830, 128
<i>laeve</i>	1843, 63	<i>hamadryas</i>	1843, 10
<i>linguiferum</i>	1843, 31	<i>leucophaeus</i>	1843, 12
<i>lingulatum</i>	1843, 64	<i>papio</i>	1847, 110
<i>listeri</i>	1843, 31	<i>sphinx</i>	1841, 97
<i>luteostoma</i>	1843, 62	<i>sphinx</i>	1843, 10
<i>luzonicum</i>	1842, 80	<i>thoth</i>	1843, 11
<i>maculosum</i>	1843, 66	<i>Cynogale</i>	1836, 88
<i>minus</i>	1843, 65	<i>bennettii</i>	1836, 88
<i>minutissimum</i> ..	1832, 32	<i>Cypraea</i>	1845, 133
<i>mucronatum</i> ..	1843, 63	<i>acutidentata</i>	1846, 23
<i>nitidum</i>	1843, 60	<i>arctica</i>	1835, 201
<i>panayense</i>	1843, 62	<i>beckii</i>	1844, 28
<i>parvum</i>	1843, 66	<i>broderipii</i>	1835, 203
<i>perplexum</i>	1843, 63	<i>bullata</i>	1832, 186
<i>philippinarum</i> ..	1842, 83	<i>candidula</i>	1834, 28
<i>pileus</i>	1843, 31	<i>contaminata</i>	1835, 200
<i>plebeium</i>	1843, 60	<i>cumingii</i>	1832, 186
<i>pupiniforme</i>	1842, 84	<i>formosa</i>	1832, 185
<i>pusillum</i>	1843, 50	<i>gaskomii</i>	1835, 198
<i>rufescens</i>	1843, 60	<i>goodalli</i>	1846, 22
<i>rugulosum</i>	1843, 29	<i>leucostoma</i>	1832, 184
<i>semistriatum</i>	1843, 29	<i>maugeri</i>	1843, 23
<i>semisulcatum</i>	1843, 62	<i>mus</i>	1832, 185
<i>spurcum</i>	1843, 60	<i>pacifica</i>	1843, 25
<i>stanforthi</i>	1842, 82	<i>pediculus</i>	1832, 185
<i>stramineum</i>	1843, 46		1834, 28

	Page		Page
<i>Cypraea pediculus</i> , var.		<i>Cyrena rotundata</i>	1844, 160
<i>labiosa</i>	1835, 202	<i>sordida</i>	1844, 159
<i>pellucidula</i>	1840, 23	<i>Cysticercus</i>	1837, 42
<i>pisum</i>	1840, 24	<i>cellulosus</i>	1840, 31
<i>producta</i>	1835, 200	<i>exilis</i>	1835, 205
<i>pulicaria</i>	1840, 23	<i>Cysticola campestris</i> ..	1845, 20
<i>pulla</i>	1846, 24	<i>isura</i>	1847, 1
<i>rubescens</i>	1832, 185	<i>lineocapilla</i>	1847, 1
<i>rubinicolor</i>	1835, 190	<i>ruficeps</i>	1837, 150
<i>saulæ</i>	1843, 23	<i>Cytherca</i>	1844, 109
<i>subviridis</i>	1835, 68	<i>affinis</i>	1835, 45
<i>vesicularis</i>	1835, 203	<i>alternata</i>	1835, 45
<i>Cypricardia</i>	1843, 105	<i>argentea</i>	1844, 110
<i>coralliophaga</i>	1843, 106	<i>argentina</i>	1835, 46
<i>decussata</i>	1843, 105	<i>concinna</i>	1835, 23
<i>guinæa</i>	1843, 106	<i>cor</i>	1844, 110
<i>incarnata</i>	1843, 105	<i>dione</i>	1835, 45
<i>laminata</i>	1843, 106	<i>effosa</i>	1842, 123
<i>obesa</i>	1843, 106	<i>excavata</i>	1842, 123
<i>serrata</i>	1843, 105	<i>hindsii</i>	1844, 110
<i>solenoides</i>	1843, 106	<i>inconspicua</i>	1835, 47
<i>vellicata</i>	1843, 105	<i>lreta</i>	1844, 109
<i>Cyprinus abramioides</i> ..	1838, 158	<i>lubrica</i>	1835, 44
<i>auratus</i>	1835, 54	<i>modesta</i>	1835, 47
<i>barbus</i>	1842, 72	<i>obliquata</i>	1844, 109
<i>buggenhagii</i>	1837, 56	<i>ovum</i>	1845, 21
<i>carpio</i>	1836, 109	<i>pallescens</i>	1835, 47
<i>cephalus</i>	1842, 72	<i>panosa</i>	1835, 47
<i>mauritanus</i>	1830-1, 167	<i>pectinata</i>	1835, 47
<i>morar</i>	1838, 161	<i>pellucida</i>	1844, 109
<i>nukta</i>	1838, 159	<i>philippinarum</i>	1844, 110
<i>potail</i>	1838, 159	<i>planulata</i>	1835, 46
<i>ticto</i>	1838, 162	<i>plebeia</i>	1844, 109
<i>Cypselurus pulchellus</i> ..	1840, 38	<i>radiata</i>	1835, 23
<i>Cypselus affinis</i>	1830-1, 116	<i>squalida</i>	1835, 23
<i>alpinus</i>	1832, 88	<i>tortuosa</i>	1835, 45
<i>alpinus</i>	1846, 90	<i>unicolor</i>	1835, 23
<i>alpinus</i>	1832, 130	<i>varians</i>	1844, 109
<i>alpinus</i>	1834, 29	<i>vulnerata</i>	1835, 46
<i>alpinus</i>	1834, 92	<i>Dacelo gigantea</i>	1839, 113
<i>alpinus</i>	1842, 71	<i>lessoni</i>	1830-1, 97
<i>alpinus</i>	1842, 99	<i>lindsayi</i>	1830-1, 97
<i>alpinus</i>	1842, 101	<i>pulchella</i>	1839, 101
<i>alpinus</i>	1842, 195	<i>Dactylocalyx pumiceus</i> ..	1841, 87
<i>australis</i>	1839, 141	<i>Dafila acuta</i>	1842, 93
<i>murinus</i>	1839, 119	<i>caudacuta</i>	1839, 184
<i>palmarum</i>	1830-1, 116	<i>pyrogaster</i>	1844, 157
<i>parvus</i>	1844, 99	<i>urophasianus</i>	1841, 95
<i>Cyrena</i>	1844, 64	<i>urophasianus</i>	1844, 157
<i>carolinensis</i>	1844, 159	<i>Dajaus diemensis</i>	1840, 25
<i>keraudreni</i>	1844, 160	<i>Daption capensis</i>	1843, 119
<i>obesa</i>	1844, 160	<i>Dascyllus unicolor</i> ..	1830-1, 127
<i>philippinarum</i>	1844, 159	<i>Dasyornis brunneus</i>	1837, 150
<i>placens</i>	1844, 160	<i>longirostris</i>	1840, 170
<i>radiata</i>	1844, 159		
	160		

	Page		Page
<i>Dasyornis striatus</i>	1839, 143	<i>Delphinula varicosa</i>	1843, 142
<i>Dasyprocta acouchy</i> ...	1832, 100	<i>Delphinus fitzroyi</i> ...	1838, 23
<i>acuschy</i>	1830-1, { 6	<i>gangeticus</i>	1847, 88
<i>aguti</i>	1834, 75	<i>globiceps</i>	1833, 65
<i>aurata</i>	1842, { 82	<i>leucopleurus</i>	1847, 117
<i>Dasyopus</i>	1846, 64	<i>phocæna</i>	1842, { 64
<i>hybridus</i>	1837, 70	<i>tursio</i> ..	1847, 117
<i>minutus</i>	1837, 13	<i>Dendrobilax earli</i> ..	1847, 123
<i>peba</i>	{ 1830-1, 141	<i>Dendrocitta</i>	1833, 57
<i>6-cinctus</i>	{ 1832, 130	<i>frontalis</i>	1839, 163
<i>sexcinctus</i>	{ 1837, 13	<i>leucogaster</i>	1837, 80
<i>villosus</i> ..	{ 1846, 72	<i>leucogastra</i>	1833, 57
<i>Dasyurus</i>	1839, 7	<i>rufigaster</i>	1837, 80
<i>geoffroni</i>	1840, 151	<i>sinensis</i>	1842, 92
<i>hallucatus</i>	1842, 41	<i>vagabunda</i>	{ 1839, 164
<i>macrourus</i>	1835, 7	<i>Dendrocolaptes</i>	1840, 125
<i>macrurus</i>	1838, { 120	<i>albogularis</i>	1830-1, 30
<i>maugeri</i>	{ 1838, 120	<i>procurvus</i>	1847, 30
<i>ursinus</i>	{ 1838, 147	<i>Dendrocops platyrostris</i>	1837, 120
<i>viverrinus</i>	{ 1840, 151	<i>Dendrocopus himalaya-</i>	
<i>Dealephila elpenor</i> ..	1844, 164	<i>nus</i>	1841, 6
<i>euphorbiæ</i> ...	1844, 164	<i>sordidus</i> ...	1846, 104
<i>Delphinula</i>	1844, 25	<i>Dendrodramus leucoster-</i>	
<i>aculeata</i>	1842, 103	<i>non</i> ..	1843, 112
<i>adamantina</i>	1843, 142	<i>Dendromys</i>	{ 1834, 25
<i>cidaris</i>	1843, 143	<i>maurici</i>	{ 1837, 29
<i>clathrata</i>	1843, 143	<i>maurici</i>	{ 1833, 10
<i>cobiyensis</i>	1843, 143	<i>Dendronessa sponsa</i> ..	{ 1847, 40
<i>depressa</i>	1843, 142	<i>Dendrophis boii</i>	1839, 53
<i>discoidea</i>	1843, 142	<i>Dentalium longitarsum</i>	1842, 197
<i>evoluta</i>	1843, 142	<i>perpusillum</i>	1832, 29
<i>formosa</i>	1842, 103	<i>quadrangulare</i>	1832, 29
<i>imperialis</i> ..	1842, 102	<i>splendidum</i>	1832, 29
<i>incisa</i>	1842, 103	<i>tesseragonum</i> ...	1832, 29
<i>melanacantha</i>	1842, 102	<i>Dentex lycogenys</i> ...	1830-1, 127
<i>muricata</i>	1843, 142	<i>rivulatus</i>	1835, 91
<i>peronii</i>	1843, 142	<i>Dermatemys</i>	1847, 55
<i>scalaroides</i>	1843, 141	<i>mawii</i> ..	1847, 56
<i>sydereæ</i>	1843, 143	<i>Dermestes lardarius</i> ..	1844, 36
<i>tyrna</i>	1842, 102	<i>Diacoæ angulus</i>	1830-1, 127
		<i>spilura</i>	1832, 182
		<i>Diagramma sibbaldi</i> ...	1832, 182
		<i>Diamma</i>	1835, 53
		<i>bicolor</i>	1835, 53
		<i>Diana semilunata</i>	1843, 84
		<i>Diaphasia</i>	1843, 92
		<i>acus</i>	1843, 92
		<i>Dicæum cantillans</i>	1839, 105
		<i>chrysorrhæum</i>	1846, 100
		<i>cruentata</i>	1839, 105
		<i>erythronotum</i>	1839, 167
		<i>ignicapilla</i>	1839, 105
		<i>saccharina</i>	1839, 105
		<i>Dicholophus cristatus</i> ..	1836, 29
		<i>Dicrurus æneus</i>	1839, 158
		<i>affinis</i>	1846, 102

	Page		Page
<i>Dicrurus balcassius</i> ..	{ 1832, 86 1839, 158 1846, 102	<i>Dinornis (Palapteryx)</i>	
<i>bracteatus</i>	1842, 132	<i>dromoides</i>	1846, 47
<i>cærulescens</i>	1832, 86	<i>Diodon hystrix</i>	1840, 38
<i>grandis</i>	1839, 158	<i>nychthemerus</i>	1840, 30
<i>malabaricus</i>	1846, 102	<i>reticulatus</i>	1843, 93
<i>rangoonensis</i> ..	{ 1839, 158 1846, 102	<i>rivulatus</i>	1843, 93
<i>retifer</i>	1846, 102	<i>tigrinus</i>	1843, 93
<i>Didelphys</i>	{ 1839, 11 1843, 132 1844, 101	<i>Diomedea cauta</i>	1840, 177
<i>azaræ</i>	1846, 9	<i>chlororhynchos</i> ..	1839, 140
<i>breviceps</i>	1833, 40	<i>chlororhynchos</i> ..	1834, 128
<i>californica</i> ..	1833, 40	<i>culminata</i>	1843, 107
<i>elegans</i>	{ 1843, 132 1844, 154	<i>exulans</i>	{ 1833, 78 1834, 151 1839, 140
<i>hortensis</i>	1837, 4	<i>fuliginosa</i>	{ 1834, 128 1839, 140
<i>neptus</i>	1843, 145	<i>spadicea</i>	1834, 128
<i>philander</i> ..	{ 1838, 120 1847, 147	<i>Diplodactylus</i>	1832, 40
<i>quica</i>	1843, 79	<i>vittatus</i>	1832, 40
<i>virginiana</i>	{ 1838, 120 1838, 147 1841, 49	<i>Diplopterus guira</i>	1843, 121
<i>Didus ineptus</i> ...	{ 1832, 111 1833, 31 1846, 51	<i>Dipsas ferruginea</i> ..	1839, 53
<i>solitarius</i> ...	1844, 77	<i>monticola</i>	1839, 53
<i>Digenea</i>	1845, 26	<i>Diptata lusitama</i>	1841, 10
<i>leucomelanura</i> ..	1845, 26	<i>Dipus</i>	1836, 141
<i>tricolor</i>	1845, 26	<i>ægyptius</i>	1842, 192
<i>Diglossa carbonaria</i> ..	1847, 29	<i>jaculus</i>	1845, 76
<i>mystacalis</i>	1847, 29	<i>maximus</i>	1830-1, 33
<i>mystacea</i>	1847, 29	<i>mittchellii</i>	1840, 151
<i>sittoides</i>	1847, 29	<i>Dirhinus mauritanus</i> ..	1835, 69
<i>Dimorpha</i>	1845, 25	<i>Dissosternum</i>	1833, 64
<i>moniliger</i>	1845, 26	<i>Distoma clavatum</i> ..	1835, 72
<i>rubrocyanea</i> ..	1845, 26	<i>hepaticum</i> ...	{ 1835, 205 1840, 30
<i>strophiatea</i>	1845, 26	<i>Doclea calcitrapa</i> ..	1847, 56
<i>Dinornis</i> ..	{ 1846, 46 48	<i>Dolichonyx oryzivorus</i> ..	1847, 38
<i>casuarinus</i>	1846, 47	<i>Donacina</i> ..	1844, 71
<i>crassus</i>	1846, 47	<i>Donacola flavipræmna</i> ..	1845, 80
<i>curtus</i>	1846, 47	<i>Donax asper</i>	1845, 14
<i>dudiformis</i> ..	{ 1843, 144 1846, 49	<i>assimilis</i>	1845, 17
<i>dromæoides</i> ..	{ 1843, 145 1843, 145	<i>carinata</i>	1843, 5
<i>giganteus</i> ..	{ 1846, 46 1846, 46	<i>culter</i>	1845, 14
<i>ingens</i> ..	1846, 46	<i>dentifera</i>	1843, 6
<i>novæ-zealandiæ</i> ..	1843, 8	<i>gracilis</i>	1845, 15
<i>otidiformis</i>	{ 1843, 145 1846, 49	<i>lubricus</i>	1845, 17
<i>struthoides</i>	{ 1843, 144 1843, 145 1846, 46	<i>navicula</i>	1845, 15
		<i>pulchella</i>	1843, 6
		<i>punctato-striata</i> ..	1843, 5
		<i>semisulcata</i> ..	1843, 5
		<i>sordidus</i> ..	1845, 15
		<i>ticaomcus</i>	1845, 14
		<i>Doryfera</i>	1847, 95
		<i>Dorylus orientalis</i> ..	1835, 72
		<i>Dosma</i>	1844, 162
		<i>Dromaius novæ-hollan-</i> <i>diæ</i> ..	{ 1842, 141 1846, 49
		<i>Dromiceus australis</i> ..	1846, 49
		<i>Dromicia concinna</i> ..	1845, 2
		<i>Drymodes</i>	1840, 170

	Page		Page
<i>Drymodes brunneopygia</i>	1840, 170	<i>Elaps nigromaculatus</i>	1839, 33
<i>Drymoica lateralis</i>	1843, 16	<i>Elasmatina cumingiana</i>	1843, 2
<i>mentalis</i>	1843, 16	<i>globosa</i>	1843, 3
<i>rufa</i>	1843, 17	<i>reclusiana</i>	1843, 2
<i>ruficapilla</i>	1843, 16	<i>subulata</i>	1843, 2
<i>rufogularis</i>	1843, 17	<i>Elater flabellicornis</i>	1842, 73
<i>strangei</i>	1843, 16	<i>gigas</i>	1842, 73
<i>uropygialis</i>	1843, 17	<i>mucronatus</i>	1842, 76
<i>Dules caudavittatus</i>	1832, 112	<i>Eleotris mauritanus</i>	1830-1, 166
<i>Eburna japonica</i>	1842, 200	{ 1834, 98	
<i>monilis</i>	1843, 168	{ 1839, 150	
<i>Echeneis</i>	1835, 205	<i>Elephas indicus</i>	{ 1844, 96
<i>brachyptera</i>	1839, 89	{ 1845, 93	
<i>jacobæa</i>	1839, 89	{ 1845, 97	
<i>lunata</i>	1830-1, 134	<i>Emarginula conoidea</i>	1842, 50
<i>pallida</i>	1839, 89	<i>Emberiza</i>	1846, 35
<i>remora</i>	1839, 89	<i>baghaira</i>	1830-1, 119
<i>vittata</i>	1839, 89	<i>bengalensis</i>	1830-1, 119
<i>Echidna hystrix</i>	{ 1832, 179	{ 1834, 133	
{ 1834, 23		<i>cia</i>	{ 1830, 132
{ 1845, 80		<i>cinerea</i>	{ 1836, 99
<i>Echini</i>	1844, 164	{ 1839, 132	
<i>Echinometra</i>	1835, 59	{ 1842, 99	
<i>Echinops</i>	1838, 17	{ 1830-1, 35	
<i>telfairi</i>	1838, 17	{ 1830-1, 119	
<i>Echinorhynchus tereticol-</i>		{ 1832, 93	
<i>lis</i>	1830-1, 132	{ 1842, 92	
<i>Echinus</i>	1835, 58	<i>erythrophthalma</i>	1834, 81
<i>atratus</i>	1835, 59	<i>gangica</i>	1830-1, 119
<i>esculentus</i>	1835, 59	{ 1832, 93	
<i>excavatus</i>	1835, 59	{ 1830, 132	
<i>petaliferus</i>	1835, 58	<i>lesbia</i>	1837, 48
<i>pustulosus</i>	1835, 58	<i>luctuosa</i>	1841, 94
<i>ventricosus</i>	1835, 59	<i>luteocephala</i>	1843, 113
<i>Echiodon</i>	1837, 55	<i>melanocephala</i>	1832, 93
<i>drummondii</i>	1837, 55	{ 1834, 51	
<i>Echiostoma</i>	1843, 87	{ 1839, 121	
<i>barbatum</i>	1843, 88	<i>nivalis</i>	1840, 59
<i>Echymys</i>	1844, 150	<i>omops</i>	1845, 35
<i>Edentula</i>	1844, 144	<i>quadricolor</i>	1832, 94
<i>Edolus cærulescens</i>	1830-1, 117	<i>subcostata</i>	1832, 93
<i>chrishna</i>	1836, 5	<i>Emblema</i>	1842, 17
{ 1836, 5		<i>picta</i>	1842, 17
<i>grandis</i>	{ 1839, 158	<i>Emys</i>	1835, 54
{ 1830, 5		<i>beali</i>	{ 1834, 54
<i>rangoonensis</i>	{ 1830, 158	{ 1834, 110	
{ 1830, 158		<i>caspiæ</i>	1830-1, 107
<i>viridescens</i>	1836, 6	<i>concentrica</i>	1830-1, 74
<i>Egretta leuca</i>	1837, 114	<i>dhori</i>	1834, 17
<i>Elanus dispar</i>	1843, 109	<i>nigricans</i>	1834, 53
{ 1830-1, 115		<i>orbiculata</i>	1834, 17
<i>melanopterus</i>	{ 1837, 99	{ 1834, 54	
{ 1842, 92		{ 1834, 135	
<i>notatus</i>	{ 1837, 99	<i>reevesii</i>	1834, 110
{ 1841, 99		{ 1834, 53	
<i>Elaps bungaroides</i>	1839, 33	{ 1834, 110	
<i>flaviceps</i>	1839, 33	<i>spengleri</i>	1834, 100
<i>furcatus</i>	1839, 34	<i>spinosa</i>	1834, 100

	Page		Page
<i>Emys tectum</i>	1844, 85	<i>Eriopus aline</i>	1847, 17
<i>tentoria</i>	1834, 54	<i>cupreovenstris</i> ...	1847, 17
<i>Engraulus neso-gallicus</i> 1830-1,	168	<i>derbyi</i>	1847, 17
<i>Enhydra marina</i>	1836, 50	<i>mosquera</i>	1847, 17
<i>Emecurus maculatus</i> . { 1830-1, 9		<i>vestitus</i>	1847, 17
1841, 6		<i>Erismatura ferruginea</i> ..	1843, 110
1842, 92		<i>Erpormis</i>	1845, 23
<i>scouleri</i>	1830-1, 174	<i>xanthochlora</i> ...	1845, 23
<i>Enoplochiton</i>	1847, { 65	<i>Errina</i>	1835, 85
<i>niger</i>	1847, 60	<i>Erycina cuspidata</i>	1843, 76
<i>Enoplosom</i>	1843, 85	<i>Erythaca rubecula</i>	1830, { 120
<i>Entomoderes erebi</i>	1841, 121	1842, 112	
<i>Entomophaga</i>	1830, 8	<i>Erythrodryas</i>	1842, 112
<i>Entomophila</i>	1837, 154	<i>rhodinogaster</i>	1842, 112
<i>albogularis</i>	1842, 137	<i>rosea</i>	1842, 112
<i>picta</i>	1837, 154	<i>Erythrogonyx</i>	1837, 155
<i>rufogularis</i>	1842, 137	<i>cinctus</i>	1837, 155
<i>Entomyza albipennis</i> ..	1840, 100	<i>Erythrospiza frontalis</i> ..	1837, 112
<i>Eopsaltria griseogularis</i> ..	1837, 144	<i>Eryx</i>	1837, 135
<i>leucogaster</i>	1846, 19	<i>Esoc</i>	1843, 88
<i>parvula</i>	1837, 144	<i>Estrilda rufopicta</i> . . .	1843, 27
<i>Ephemera coa</i>	1841, 9	<i>Etheria</i>	1837, 64
<i>Ephippiphora</i>	1847, 124	<i>Euchlora</i>	1830, 67
<i>kroyeri</i>	1847, 124	<i>aerea</i>	1830, 73
<i>Ephthianura</i>	1837, 148	<i>albopilosa</i>	1830, 70
<i>aureifrons</i>	1837, 148	<i>aureola</i>	1830, 73
<i>tricolor</i>	1840, 159	<i>bicolor</i>	1830, 70
<i>Epialtus dentatus</i>	1835, 173	<i>cantoni</i>	1830, 73
<i>marginatus</i>	1835, 173	<i>chalcites</i>	1830, 75
<i>Epibulus insidiator</i> ...	1833, 117	<i>chrysea</i>	1830, 75
<i>Epimachus</i>	1840, 124	<i>cicatricos</i>	1830, 74
<i>Epipedonota affinis</i> ..	1841, 118	<i>costata</i>	1830, 73
<i>bonariensis</i>	1841, 110	<i>cupripes</i>	1830, 68
<i>ebenina</i>	1841, 118	<i>dalmanni</i>	1830, 75
<i>erythropus</i>	1841, 119	<i>de-haanni</i>	1830, 71
<i>lata</i>	1841, 110	<i>dimidiata</i>	1830, 71
<i>rugosa</i>	1841, 117	<i>femorialis</i>	1830, 71
<i>Equula</i>	1843, 86	<i>grandis</i>	1830, 69
<i>Equus asinus</i>	1830-1, 104	<i>irrorulla</i>	1830, 74
1830-1, 104		<i>japonica</i>	1830, 75
<i>caballus</i>	{ 1830, 120	<i>jurmi</i>	1830, 68
1842, 60		<i>macleayana</i>	1830, 69
1837, 91		<i>martini</i>	1830, 70
<i>hemionus</i>	{ 1840, 33	<i>perplexa</i>	1830, 70
1840, 33		<i>puligera</i>	1830, 75
<i>zebra</i>	1840, 33	1830, 60	
<i>Erethizon dorsatum</i> ...	1844, 9	<i>sieboldi</i>	1830, { 72
<i>Erinaceus capensis</i> ..	1830-1, 11	1830, 60	
<i>concolor</i>	1837, 103	<i>smaragdina</i>	1830, 75
1837, 102		<i>splendens</i>	1830, 74
1841, 44		<i>strigata</i>	1830, 72
<i>europæus</i>	{ 1842, 63	<i>subcærulea</i>	1830, 72
1842, 68		<i>sulcata</i>	1830, 72
1842, 96		<i>trivittata</i>	1830, 74
<i>frontalis</i>	1832, 193	<i>viridis</i>	1830, 68
<i>grayi</i>	1832, 124	<i>Eudromia</i>	1840, 9
<i>spatangus</i>	1832, 123	<i>elegans</i>	1843, 116
<i>Eriopus</i>	1847, 16	<i>Eudromias</i>	1841, 32
		<i>australis</i>	1840, 174

	Page		Page
<i>Eudromias elegans</i>	1847, 28		
<i>Eudynamys orientalis</i>	1830-1, 122	<i>Falco berigora</i>	1837, 97
<i>lis</i>	1832, 97		1837, 140
<i>sirkee</i>	1842, 92		1839, 113
	1830-1, 122	<i>biarmicus</i>	1833, 45
<i>Eulabeornis castaneoven-</i>		<i>brunneus</i>	1841, 6
<i>tris</i>	1844, 56	<i>brunneus</i>	1837, 139
<i>Eulima</i>	1840, 39	<i>cenchroides</i>	1837, 98
<i>acuta</i>	1834, 8		1839, 113
<i>anglica</i>	1834, 8	<i>chicquera</i>	1830-1, 114
<i>articulata</i>	1834, 8		1830-1, 173
<i>brevis</i>	1834, 7		1832, 80
<i>brunnea</i>	1834, 7		1841, 6
<i>elegantissima</i>	1840, 41		1842, 92
<i>hastata</i>	1834, 7	<i>chicqueroides</i>	1833, 45
<i>imbricata</i>	1834, 7	<i>ecaudatus</i>	1833, 45
<i>interrupta</i>	1834, 7	<i>femoralis</i>	1845, 109
<i>labiosa</i>	1834, 7	<i>frontatus</i>	1837, 139
<i>lineata</i>	1834, 8	<i>gymnogenys</i>	1833, 45
<i>major</i>	1834, 7	<i>hypoleucos</i>	1840, 162
<i>marmorata</i>	1834, 7	<i>interstinctus</i>	1830, 154
<i>pusilla</i>	1834, 8	<i>lanarius</i>	1835, 109
<i>splendidula</i>	1834, 6	<i>melanogenys</i>	1837, 139
<i>subangulata</i>	1834, 8		1839, 113
<i>varians</i>	1834, 8	<i>peregrinus</i>	1837, 97
<i>Euomphalus</i>	1844, 24		1842, 93
<i>Eupetes macrocercus</i>	1846, 102	<i>radiatus</i>	1837, 98
<i>Euphema aurantia</i>	1840, 148	<i>rapax</i>	1833, 45
<i>petrophila</i>	1840, 148		1832, 139
<i>splendida</i>	1840, 147	<i>rufipes</i>	1834, 51
<i>Euphonia cæruleocepha-</i>			1835, 78
<i>la</i>	1837, 113	<i>sparveroides</i>	1847, 38
<i>hirundinacea</i>	1837, 117	<i>subuteo</i>	1830-1, 114
<i>violacea</i>	1837, 117		1839, 130
<i>Euplectella aspergillum</i>	1841, 3	<i>tinnunculoides</i>	1830-1, 96
<i>Euplectes rufo-velatus</i>	1842, 142		1830-1, 114
<i>Euplocamus ignitus</i>	1842, 131		1832, 80
<i>nychthemerus</i>	1842, 166	<i>tinnunculus</i>	1834, 133
<i>Eurostopodus</i>	1837, 142		1835, 62
<i>Eurycephalus nigripes</i>	1837, 129		1839, 119
<i>Eurylamus corydon</i>	1839, 101		1842, 93
<i>cucullatus</i>	1839, 101	<i>Falcunculus flavigulus</i>	1837, 144
<i>dalhousii</i>	1835, 154	<i>gutturalis</i>	1837, 144
<i>lunatus</i>	1839, 156		1837, 144
<i>psittacinus</i>	1839, 156	<i>leucogaster</i>	1837, 144
<i>(Crossodera) dal-</i>		<i>Fasciolaria clava</i>	1846, 35
<i>housæ</i>	1839, 156	<i>granosa</i>	1832, 33
<i>Euryotis</i>	1837, 29	<i>Felis bengalensis</i>	1844, 7
<i>Eurypodius latreillii</i>	1835, 169		1839, 126
<i>Eurystomus cyanocollis</i>	1839, 101	<i>caracal</i>	1841, 44
<i>Exocetus pinnatibarbatus</i>	1830-1, 146		1842, 69
		<i>catus</i>	1832, 12
			1839, 125
		<i>cervaria</i>	1841, 44
			1842, 69
<i>Fœnus australis</i>	1835, 51	<i>chaus</i>	1830-1, 102
<i>Falco æsalon</i>	1839, 119		1830-1, 153
<i>anatum</i>	1843, 109	<i>concolor</i>	1833, 120
<i>bacha</i>	1830-1, 170		1841, 44

	Page		Page
<i>Felis concolor</i>	1842, 69	<i>Felis unicolor</i>	1842, 119
	1842, 63	<i>venatica</i>	1830-1, 102
<i>diardi</i>	1836, 107		1833, 68
<i>darwinii</i>	1837, 4	<i>viverrinus</i>	1834, 97
	1841, 44	<i>Fierasfer</i>	1843, 92
<i>domestica</i>	1842, 69	<i>Fissurella æqualis</i>	1834, 127
	1842, 97		1834, 125
	1842, 191	<i>aspera</i>	1834, 127
	1830-1, 102	<i>asperella</i>	1834, 127
<i>jubata</i>	1833, 108	<i>hiradiata</i>	1834, 124
	1834, 97	<i>chemnitzii</i>	1834, 126
	1841, 44	<i>chilensis</i>	1834, 124
	1842, 64	<i>clypeus</i>	1834, 128
	1842, 69	<i>crenifera</i>	1834, 128
	1830-1, 28	<i>fulvescens</i>	1834, 127
	1832, 146	<i>grandis</i>	1834, 123
	1834, 1	<i>inæqualis</i>	1834, 126
<i>leo</i>	1841, 44	<i>lata</i>	1834, 124
	1842, 63	<i>latimarginata</i>	1834, 126
	1842, 69	<i>limbata</i>	1834, 123
	1842, 97	<i>macrotrema</i>	1834, 125
	1844, 54	<i>maxima</i>	1834, 123
<i>, var. gooprattensis</i>	1833, 140	<i>microtrema</i>	1834, 125
	1830-1, 102	<i>mutabilis</i>	1834, 127
	1832, 148	<i>nigrita</i>	1834, 127
<i>leopardus</i>	1833, 49	<i>nigropunctata</i>	1834, 125
	1834, 97	<i>obscura</i>	1834, 125
	1839, 126	<i>oriens</i>	1834, 124
	1841, 44	<i>panamensis</i>	1834, 127
	1842, 69	<i>pica</i>	1834, 126
<i>lynx</i>	1839, 126	<i>pulchra</i>	1834, 124
<i>marmorata</i>	1836, 107	<i>ruppellii</i>	1834, 123
	1840, 62	<i>trapezina</i>	1834, 126
<i>melanura</i>	1844, 128	<i>virescens</i>	1834, 125
<i>moormensis</i>	1832, 10	<i>Fluvicola cyanirostris</i> ..	1843, 120
	1834, 97	<i>Forficula tarsata</i>	1837, 129
<i>nepalensis</i>	1832, 12	<i>Francolinus perlatus</i> ..	1842, 167
	1834, 97		1830-1, 122
<i>onça</i>	1832, 7	<i>ponticerianus</i> ..	1832, 154
<i>pajeros</i> ..	1837, 3		1842, 92
<i>pardalis</i>	1832, 9	<i>spadiceus</i>	1832, 154
	1841, 44		1830-1, 123
<i>pardina</i> ..	1838, 113	<i>vulgaris</i>	1841, 6
<i>pardus</i> ..	1830-1, 102		1842, 92
	1834, 97		1841, 6
<i>rutilus</i> ..	1842, 130	<i>Fregilus graculus</i> ..	1842, 92
<i>serval</i> ..	1841, 44		1842, 93
<i>servalina</i> ..	1839, 94	<i>Fringilla alaudina</i> ..	1843, 113
	1830-1, 102	<i>amandava</i>	1830-1, 119
	1833, 105	<i>bicolor</i>	1847, 38
	1834, 1	<i>canariensis</i>	1844, 1
<i>tigris</i> ..	1834, 54	<i>chloris</i> ...	1842, 71
	1834, 96		1839, 132
	1836, 123	<i>coelebs</i> ...	1842, 99
	1839, 150	<i>crucigera</i>	1832, 94
	1841, 44	<i>cyanea</i>	1842, 194
<i>torquata</i> ..	1830-1, 102	<i>duca</i> ..	1843, 113
<i>uncia</i>	1837, 67		

	Page		Page
<i>Fringilla diuca</i>	1847, 53	<i>Gadella gracilis</i>	1843, 91
*	{ 1830-1, 96	<i>Gadus callarias</i>	1837, 57
<i>domestica</i>	{ 1842, 71	<i>minutus</i>	1837, 57
	{ 1842, 98	<i>Galago alleni</i>	1837, 87
	{ 1842, 99	<i>senegalensis</i>	{ 1834, 45
<i>flavicollis</i>	1830-1, 120		{ 1842, 201
<i>formosa</i>	1830-1, 120	<i>Galbula tombacea</i>	1837, 120
<i>fruticeti</i>	1843, 113	<i>Galeopithecus</i>	1838, 67
<i>gayi</i>	{ 1841, 94	<i>philippinensis</i>	1838, 119
<i>jamaicensis</i>	{ 1843, 113	<i>temminckii</i>	1838, 119
<i>kawariba</i>	1847, 38	<i>Galictis</i>	1837, 45
<i>lepada</i>	1842, 168	<i>allamandi</i>	1837, 45
<i>leuconota</i>	1847, 38		{ 1833, 140
<i>malabaria</i>	{ 1832, 95		{ 1837, 46
<i>manjar</i>	{ 1842, 92	<i>vittata</i>	{ 1839, 75
<i>montifringilla</i>	1830-1, 120		{ 1841, 44
<i>nisoria</i>	1839, 163		{ 1846, 8
<i>nisoria</i>	1839, 132	<i>Gallichthys</i>	1843, 86
<i>nivalis</i>	1832, 94	<i>Gallinago heterura</i>	1830, 8
<i>noctis</i>	{ 1837, 126		{ 1832, 163
<i>rhodopepla</i>	{ 1839, 121	<i>media</i>	{ 1835, 62
<i>rodochroa</i>	1847, 38		{ 1836, 8
<i>rodopepla</i>	1845, 36	<i>minima</i>	1832, 163
<i>rodopepla</i>	{ 1830-1, 23	<i>nemoricola</i>	1836, 8
<i>sanguinea</i>	{ 1845, 36	<i>solitaria</i>	1836, 8
<i>savanna</i>	1830-1, 23	<i>stenurus</i>	1842, 92
<i>serinus</i>	{ 1837, 127		{ 1839, 133
<i>tristis</i>	{ 1839, 121	<i>Gallinula chloropus</i>	{ 1842, 71
<i>zena</i>	1847, 38		{ 1842, 167
<i>Fulgora apicalis</i>	1836, 59		{ 1844, 67
<i>lanternaria</i>	1834, 81	<i>crassirostris</i>	{ 1843, 118
<i>(Hotinus) sultana</i> ..	{ 1847, 38		{ 1847, 54
<i>Fulica ater</i>	1847, 38	<i>galatea</i>	1847, 40
<i>atra</i>	1847, 38	<i>gularis</i>	1842, 167
<i>australis</i>	1837, 130	<i>javanica</i>	1832, 164
<i>galeata</i>	1834, 19	<i>martinica</i>	1847, 40
	1847, 83		{ 1839, 107
<i>Fuligula cristata</i>	1845, 13	<i>phoenicura</i>	{ 1842, 167
	{ 1832, 165		{ 1842, 168
	{ 1830, 122	<i>tenebrosa</i>	1846, 20
<i>ferina</i>	1845, 2	<i>ventralis</i>	1836, 85
<i>feruoides</i>	{ 1843, 118	<i>Gallus banlaya</i>	1842, 167
<i>marila</i>	{ 1847, 54	<i>crispus</i>	{ 1832, 152
<i>nyroca</i>	{ 1832, 170		{ 1832, 152
	{ 1842, 98	<i>domesticus</i>	{ 1835, 54
	{ 1842, 94		{ 1842, 71
	{ 1842, 167		{ 1842, 111
	{ 1847, 40	<i>giganteus</i>	{ 1832, 151
	{ 1842, 94		{ 1835, 92
<i>ferina</i>	1847, 49	<i>morio</i>	1832, 162
<i>feruoides</i>	1847, 48	<i>sonneratii</i>	1832, 151
<i>marila</i>	1847, 40	<i>Ganerea</i>	1847, 83
<i>nyroca</i>	{ 1841, 7	<i>falklandica</i>	1847, 83
	{ 1842, 94	<i>Ganymeda</i>	1834, 15
	{ 1832, 169	<i>pulchella</i>	1834, 16
<i>rufina</i>	{ 1842, 93		{ 1830-1, 7
	{ 1842, 94	<i>Garrulus bispecularis</i> ..	{ 1842, 92
<i>Fusus pagodus</i>	1843, 185	<i>cristatus</i>	1834, 41
<i>scalarinus</i>	1843, 168		9*

	Page		Page
<i>Garrulus cristatus</i>	1844, 9	<i>Geospiza magnirostris</i> ..	1837, 5
	{ 1842, 70	<i>nebulosa</i>	1837, 5
<i>glandarius</i>	{ 1842, 193	<i>parvula</i>	1837, 6
	{ 1845, 13	<i>strenua</i>	1837, 5
<i>lanceolatus</i>	{ 1830-1, 7	<i>Gerbillus</i>	1836, 141
	{ 1841, 6	<i>curvieri</i>	1838, 56
<i>melanocephalus</i> ..	{ 1842, 92	<i>Gerre plumieri</i>	1843, 86
	{ 1839, 132	<i>Gerygone chloronotus</i> ..	1842, 133
<i>striatus</i>	{ 1830-1, 7	<i>levigaster</i>	1842, 133
	{ 1842, 92	<i>magnirostris</i>	1842, 133
<i>Gasterosteus brachycen-</i>		<i>Ginglymostoma</i>	1837, 85
<i>trus</i>	1837, 58	<i>Glandina arcuata</i>	1845, 138
<i>Gastrochaena brevis</i> ..	1834, 21	<i>curvilabris</i>	1845, 137
<i>hyalina</i>	1834, 22	<i>jamaicensis</i>	1845, 137
<i>ovata</i>	1834, 21	<i>monilifera</i>	1845, 75
<i>rugulosa</i>	1834, 22	<i>nigricans</i>	1845, 75
<i>truncata</i>	1834, 21	<i>obtusa</i>	1845, 42
<i>Gavia fusca</i>	1845, 103	<i>Glareola cinerea</i>	1843, 26
<i>Gazella</i>	1836, 137	<i>lactea</i>	1843, 26
<i>Gebia hirtifrons</i>	1847, 122	<i>lumbata</i>	{ 1839, 121
<i>Gehya</i>	1834, 100		{ 1833, 53
<i>pacifica</i>	1834, 100	<i>torquata</i>	1843, 20
<i>Gelasimus bellator</i> ..	1847, 84	<i>Glaucanome angulata</i> ..	1844, 21
<i>crassipes</i>	1847, 84	<i>cerea</i>	1844, 21
<i>cultrimanus</i>	1847, 84	<i>corrugata</i>	1844, 20
<i>porcellanus</i>	1847, 85	<i>curta</i>	1844, 20
<i>Genetta poensis</i>	1838, 59	<i>radiata</i>	1844, 20
<i>senegalensis</i>	1837, 132	<i>rugosa</i>	1844, 19
<i>vulgata</i>	1845, 11	<i>straminea</i>	1844, 20
<i>Geocichla rubecula</i> ..	1839, 161	<i>virens</i>	{ 1844, 18
<i>rubicola</i>	1836, 7		{ 19, 51
<i>Geocolaptes terrestris</i> ..	1837, 109	<i>Glaucus</i>	1833, 51
<i>Geoemyda</i>	1834, 100	<i>hexapterygius</i>	1836, 113
<i>spengleri</i>	1834, 100	<i>Globocephalus srieval</i> ..	1847, 118
	{ 110, 110	<i>Glossophaga caudifer</i> ..	1847, 15
<i>spinosa</i>	1834, 135	<i>Glyciphila albifrons</i> ..	1840, 160
<i>Geomelania</i>	1845, 45	<i>fasciata</i>	1842, 137
<i>jamaicensis</i>	1845, 45	<i>ocularis</i>	1837, 154
<i>Geopelia placida</i>	1844, 55	<i>subocularis</i>	1837, 154
<i>tranquilla</i>	1844, 56	<i>Gnathodon</i>	1836, 104
<i>Geophaps</i>	1842, 19	<i>Gnathostoma</i>	1836, 125
<i>plumifera</i>	1842, 19	<i>spinigerum</i>	1836, 125
<i>Geophilus</i>	1842, 177	<i>Gobiocephalus</i>	1840, 31
<i>ferrugineus</i>	1842, 177	<i>Gobius bipunctatus</i> ..	1837, 62
<i>longicornis</i>	1842, 180	<i>britannicus</i>	{ 1837, 61
<i>maxillaris</i>	1842, 177		{ 63, 106
<i>walckenaeri</i>	1842, 181	<i>coalitus</i>	1830-1, 84
<i>Geositta cunicularia</i> ..	{ 1841, 94	<i>ephippiatus</i>	1839, 62
(<i>Furnarius</i>) <i>cunicu-</i>	{ 1847, 53	<i>geniporus</i>	1837, 62
<i>laria</i>	1843, 111	<i>kurpah</i>	1838, 158
<i>Geospiza</i>	1837, 49	<i>maderensis</i>	1839, 84
<i>dentirostris</i>	1837, 6	<i>niger</i>	{ 1836, 80
<i>dubia</i>	1837, 6		{ 1837, 61
<i>fortis</i>	1837, 5	<i>ruthensparii</i>	1839, 83
<i>fuliginosa</i>	1837, 5	<i>ruthensparii</i>	1837, 61
		<i>semicinctus</i>	1833, 32
		<i>sordidus</i>	1836, 91
		<i>Gonatnotus</i>	1847, 57

	Page		Page
<i>Halictis janus</i>	1846, 58	<i>Helicina similis</i>	1842, 8
<i>japonica</i>	1846, 54	<i>stratula</i>	1842, 6
<i>lauta</i>	1846, 58	<i>trochiformis</i>	1842, 7
<i>multiperforata</i>	1846, 55	<i>Helicites</i>	1844, 24
<i>nebulata</i>	1846, 57	<i>Helicophanta falconeri</i> ..	1834, 63
<i>papulata</i>	1846, 58	<i>magnifica</i>	1834, 63
<i>pertusa</i>	1846, 56	<i>Helictis</i>	1830-1, 94
<i>planilirata</i>	1846, 56	<i>moschata</i>	1830-1, 94
<i>pustulata</i>	1846, 58	<i>Helioecantharus</i>	1837, 12
<i>reticulata</i>	1846, 57	<i>Helix</i> — ?	1845, 11
<i>rosacea</i>	1846, 56	<i>acuminata</i>	1841, 39
<i>rubiginosa</i>	1846, 56	<i>acutumargo</i>	1845, 40
<i>rugosa</i>	1846, 56	<i>adamsii</i>	1845, 66
<i>scutulum</i>	1846, 57	<i>albaensis</i>	1840, 100
<i>semistrata</i>	1846, 57	<i>albocincta</i>	1845, 123
<i>sieboldi</i>	1846, 55	<i>amona</i>	1845, 65
<i>speciosa</i>	1846, 57	<i>andicola</i>	1845, 129
<i>spiculata</i>	1846, 57	<i>annulata</i>	1840, 135
<i>splendens</i>	1846, 54	<i>arctispira</i>	1846, 41
<i>squamata</i>	1846, 55	<i>arcuata</i>	1846, 110
<i>stomatiasformis</i>	1846, 57	<i>aulacospira</i>	1846, 37
<i>tayloriana</i>	1846, 56	<i>aurata</i>	1840, 100
<i>tuberculata</i>	1846, 54	<i>bahamensis</i>	1845, 66
<i>viridis</i>	1846, 56	<i>bainbridgii</i>	1845, 44
<i>zealandica</i>	1846, 57	<i>balteata</i>	1840, 136
<i>ziczac</i>	1846, 55	<i>barclayana</i>	1846, 110
<i>Halmaturus</i> ..	1839, 17	<i>beckiana</i>	1842, 87
<i>agilis</i> ..	1841, 81	<i>belcheri</i>	1845, 128
<i>billardieri</i> ..	1844, 146	<i>bermudensis</i>	1845, 67
<i>binoe</i>	1842, 58	<i>biangulata</i>	1845, 40
<i>dama</i>	1844, 33	<i>bihneata</i>	1845, 128
<i>derbyanus</i>	1841, 50	<i>bohollensis</i>	1845, 123
<i>houtmanni</i>	1844, 31	<i>brevicens</i>	1841, 25
<i>mameatus</i>	1844, 35	<i>bronni</i>	1845, 131
<i>thetidis</i>	1844, 33	<i>brugueriana</i>	1845, 44
<i>Hamadryas</i> ..	1838, 73	<i>brunnea</i>	1841, 40
<i>ophiophagus</i> ..	{ 1838, 73	<i>bulia</i>	1842, 151
	{ 1839, 32	<i>buschi</i>	1845, 123
<i>Hapale jacchus</i> ..	1844, 82	<i>butleri</i>	1842, 87
<i>Hapalotis albipes</i> ..	1844, 104	<i>campanula</i>	1845, 65
<i>longicaudata</i>	1844, 104	<i>campbelli</i>	1834, 65
<i>murinus</i>	1845, 78	<i>candaharica</i> ..	1846, 37
<i>Harpactes diardii</i>	1839, 101	<i>carbonaria</i>	1842, 86
<i>duvauceli</i>	1839, 101	<i>caucasica</i>	1845, 131
<i>Harpiprion cayanensis</i> ..	1843, 117	<i>ceratodes</i>	1845, 128
<i>Helaretos malayanus</i> ..	{ 1834, 96	<i>chemnitziana</i> ..	1845, 43
	{ 1842, 191	<i>chlorochroa</i>	1841, 2
<i>Heliasis axillaris</i> ..	1830-1, 128	<i>chrysocheilus</i> ..	1841, 3
<i>Helicea</i>	{ 28	<i>cicatricosa</i>	1834, 67
	{ 37	<i>cincinniformis</i> ..	1841, 17
<i>Helicina acutissima</i> ..	1842, 6	<i>cincinnus</i>	1840, 98
<i>agglutinans</i>	1842, 7	<i>cinerascens</i>	1845, 64
<i>guadaloupensis</i>	1842, 8	<i>cocomelos</i>	1840, 107
<i>lazarus</i>	1842, 7	<i>cochliodes</i>	1842, 151
<i>maxima</i>	1842, 6	<i>codonodes</i>	1846, 112
<i>minuta</i>	1842, 7	<i>codringtoni</i>	1834, 67
<i>parva</i>	1842, 8	<i>columbaria</i>	1841, 19
<i>polita</i>	1842, 7	<i>concinna</i>	1841, 20

	Page		Page
<i>Helix conspersula</i>	1845, 124	<i>Helix hindsi</i>	1845, 132
<i>constricta</i>	1845, 39	<i>horizontalis</i>	1845, 40
<i>cracherodii</i>	1834, 67	<i>ilocoensis</i>	1840, 116
<i>crassilabris</i>	1846, 111	<i>incei</i>	1845, 126
<i>cretata</i>	1841, 23	<i>incompta</i>	1840, 103
<i>crispata</i>	1834, 64	<i>induta</i>	1845, 128
<i>cromyodes</i>	1842, 150	<i>insculpta</i>	1845, 129
<i>cryptica</i>	1841, 22	<i>interrupta</i>	1834, 90
<i>cunningii</i>	1842, 88	<i>intorta</i>	1840, 163
<i>cunninghami</i>	1834, 64	<i>involuta</i>	1845, 65
<i>curta</i>	1841, 20	<i>jacksoniensis</i>	1834, 65
<i>cyathellus</i>	1846, 41	<i>janus</i>	1842, 87
<i>cyathus</i>	1845, 123	<i>jenynsi</i>	1845, 131
<i>decipiens</i>	1840, 96	<i>jonasi</i>	1845, 126
<i>decollata</i>	1837, 63	<i>kungi</i>	1845, 125
<i>decora</i>	1845, 89	<i>knysnaensis</i>	1845, 131
<i>dictyodes</i>	1846, 111	<i>kochi</i>	1845, 127
<i>dilatata</i>	1845, 42	<i>labiata</i>	1845, 65
<i>dimera</i>	1845, 126	<i>languida</i>	1842, 150
<i>doholium</i>	1846, 41	<i>latitans</i>	1841, 23
<i>dubiosa</i>	1845, 123	<i>leptogramma</i>	1845, 127
<i>euryomphala</i>	1845, 71	<i>leucophaea</i>	1841, 18
<i>excentrica</i>	1845, 41	<i>lignaria</i>	1846, 111
<i>eximia</i>	1845, 41	<i>ligulata</i>	1834, 67
<i>fenestrata</i>	1840, 137	<i>lindoni</i>	1846, 109
<i>fidelis</i>	1834, 67	<i>linnaeana</i>	1845, 43
<i>filaris</i>	1845, 38	<i>lorata</i>	1845, 89
<i>filicosta</i>	1845, 73	<i>lucidella</i>	1846, 41
<i>filocincta</i>	1845, 124	<i>luteola</i>	1845, 90
<i>fodiens</i>	1845, 39	<i>luzonica</i>	1842, 85
<i>forbesii</i>	1845, 71	<i>mackensiana</i>	1842, 87
<i>fragilis</i>	1841, 40	<i>maderaspata</i>	1834, 67
<i>fraseri</i>	1834, 64	<i>marmorella</i>	1845, 125
<i>fulgens</i>	1841, 3	<i>martiniana</i>	1845, 44
<i>fulvida</i>	1842, 87	<i>matruelis</i>	1841, 24
<i>galactites</i>	1841, 2	<i>meretrix</i>	1841, 20
<i>gallinula</i>	1845, 40	<i>metaformis</i>	1841, 3
<i>gillberti</i>	1845, 127	<i>metcalfi</i>	1845, 66
<i>gmelniana</i>	1845, 43	<i>micans</i>	1845, 71
<i>gossei</i>	1846, 37	<i>mighelsiana</i>	1846, 110
<i>gouldi</i>	1845, 124	<i>mindanaensis</i>	1842, 85
<i>gradata</i>	1846, 110	<i>mirabilis</i>	1841, 2
<i>grandis</i>	1845, 43	<i>modesta</i>	1841, 39
<i>granifera</i>	1834, 68	<i>monile</i>	1832, 29
<i>gravida</i>	1845, 90	<i>monochroa</i>	1841, 1
<i>griffithi</i>	1845, 127	<i>montfortiana</i>	1846, 33
<i>gruneri</i>	1845, 63	<i>monticula</i>	1840, 107
<i>gummata</i>	1841, 25	<i>moriciandi</i>	1842, 86
<i>hanleyi</i>	1845, 65	<i>neogranatensis</i>	1845, 64
<i>harfordii</i>	1840, 123	<i>mlagirica</i>	1845, 130
<i>hartmanni</i>	1845, 125	<i>nitida</i>	1834, 65
<i>hartwegi</i>	1845, 126	<i>norrisii</i>	1842, 85
<i>hedenborgi</i>	1845, 132	<i>nystiana</i>	1845, 130
<i>helicophantoides</i>	1845, 125	<i>oblonga</i>	1841, 40
<i>hians</i>	1845, 130	<i>obtusa</i>	1845, 38
<i>himalayana</i>	1834, 67	<i>okeniana</i>	1845, 63
	91	<i>omphalodes</i>	1845, 64

	Page		Page
<i>Helix opalinus</i>	1840, 98	<i>Helix tristis</i>	1845, { 63
orthostoma	1845, 124	tumida	1845, 130
pachygastra	1834, 68	turbinoidea	1840, 123
pachystyla	1845, 71	turbo	1845, 64
pan	1841, 23	turritella	1845, 89
papillata	1845, 129	unica	1842, 151
paradoxa	1845, 39	unicolor	1845, 64
pelodes	1845, 126	valtoni	1842, 49
pemphigodes	1846, 130	variolosa	1845, 128
pennantiana	1845, 67	velutina	1841, 25
phillipi	1834, 65	ventrosula	1845, 131
phloiodes	1842, 151	vulpina	1845, 89
planissima	1845, 72	zeus	1842, 188
platyodon	1845, 132	zonifera	1842, 85
ponderosa	1845, 38	zonites	1845, 127
porphyria	1842, 87	(Carocolla) dealbata	1841, 45
pratensis	1845, 132	(—) dryope	1841, 37
ptychodes	1845, 137	(—) listeri	1841, 37
pulcherrima	1841, 16	(—) panayensis	1842, 80
pyramidalis	1841, 39	(—) papyracea	1841, 36
radama	1834, 64	(—) parmula	1841, 38
radiella	1845, 125	(—) reginae	1841, 36
radula	1845, 40	(—) rota	1841, 45
ravida	1842, 124	(—) semigranosa	1841, 26
rectangula	1845, 130	(—) squijorensis	1841, 38
retifera	1845, 73	(—) therates	1841, 38
retusa	1845, 132	(—) virgo	1841, 44
reeveana	1846, 42	(—) zebulensis	1841, 46
reevi	1841, 34	(Cochilogenia) collo-	
rhombostoma	1845, 72	des	1840, 102
rissoana	1846, 110	(—) florida	1840, 87
roissiana	1840, 101	(—) hydrophana	1840, 88
rubicunda	1845, 72	(—) ignobilis	1840, 102
sagittifera	1842, 86	(—) polychroa	1840, 87
samarensis	1842, 87	(—) pulcherrima	1840, 90
saulire	1845, 72	(—) tenera	1840, 102
schroeteriana	1845, 44	(Cochlostyla) daph-	
semiglobosa	1845, 38	nis	1840, 180
sepulchralis	1834, 64	(—) faunus	1840, 180
setiger	1841, 25	(—) oormorpha	1840, 103
sinartensis	1845, 120	(—) orbitulus	1840, 103
spectabilis	1845, 41	(—) sarcinosa	1840, 121
spengleriana	1846, 111	(—) satyrus	1840, 181
sphaerica	1841, 20	(—) ticaonica	1840, 165
sphaerion	1841, 2	(Helicostyla) adusta	1840, 89
spirazona	1845, 89	(—) arata	1840, 89
spirulata	1845, 129	(—) brachyodon	1840, 89
splendidula	1845, 128	(—) cepoides	1840, 88
stabilis	1840, 104	<i>Helops dentatus</i>	1842, 122
stenostoma	1846, 28	punctatus	1842, 118
strigilis	1845, 124	<i>Helotarsus ecaudatus</i>	1833, 45
suborbiculata	1842, 88	<i>Hemichelidon</i>	1845, 32
succinea	1845, 39	ferruginea	1845, 32
suturalis	1846, 37	fuliginosa	1845, 32
swansonii	1846, 28	<i>Hemicircus badius</i>	1839, 106
tenuis	1845, 41	brunneus	1839, 106
tephrodes	1842, 151	concretus	1846, 104
trigonostoma	1845, 41		

	Page		Page
<i>Hemicircus rubiginosus</i> .	1846, 104		
<i>tristis</i>	1839, 106		
<i>Hemigalea zebra</i>	1842, 114		
<i>Hemipodius atrogularis</i> {	1839, 107	<i>Himantopus melanop-</i>	1832, 166
<i>castanotus</i>	1846, 105	<i>nopterus</i>	1834, 30
<i>dussumieri</i>	1839, 145		1835, 62
{ 1830-1, 123			1837, 26
{ 1832, 155			1839, 122
{ 1834, 34			1842, 94
<i>melanogaster</i>	1837, 7		1844, 67
<i>melanotus</i>	1837, 8		1847, 39
<i>pugnax</i>	1832, 155	<i>nigricollis</i>	1843, 117
<i>pyrrhothorax</i>	1840, 150	<i>novæ zelandiæ</i>	1841, 8
<i>scintillans</i>	1845, 62	<i>Hinnulus</i>	1836, 136
<i>tagoor</i>	1832, 155	<i>Hipparchia melampus</i> .	1844, 163
<i>tagour</i>	1839, 107	<i>Hippocampus brevirostris</i>	1837, 58
<i>velox</i>	1840, 150	<i>Hipponyx barbata</i> . . .	1835, 5
<i>Hemipus</i>	1845, 32	<i>mitrula</i>	1835, 5
<i>picæcolor</i>	1845, 33	<i>radiata</i>	1835, 5
<i>Hemiscyllium</i>	1837, 86	<i>subrufa</i>	1835, 5
<i>Hemochus monoceros</i> 1830-1, 61		<i>Hippopotamus amphibius</i>	1839, 76
<i>Herbstia edwardsii</i> 1835, 170		<i>Hirundo</i> — P	1847, 38
<i>Herodias galatea</i>	1843, 116	<i>albicollis</i>	1847, 38
<i>garzetta</i>	1842, 93	<i>brevicaudata</i>	1839, 156
<i>leuce</i>	1843, 116	<i>brevirostris</i>	1839, 155
<i>Herpestes</i>	1841, 42	<i>concolor</i>	1832, 83
<i>brachyurus</i>	1836, 88	{ 1837, 22	
<i>fasciatus</i>	1835, 101	<i>erythropygia</i>	1832, 83
<i>fusca</i>	1838, 55	<i>filicaudata</i>	1830-1, 115
<i>gambianus</i>	1835, 102	{ 1832, 83	
<i>griseus</i>	1830-1, 101	{ 1842, 92	
{ 1834, 96		<i>frontalis</i>	1837, 22
{ 1841, 44		<i>fulva</i>	1847, 37
<i>javanicus</i>	1834, 110	{ 1832, 83	
{ 1841, 44		<i>jewan</i>	1839, 155
<i>melanurus</i>	1838, 5	<i>klecho</i>	1830-1, 115
<i>mongos</i>	1835, 101	<i>leucopygia</i>	1843, 110
<i>pharaonis</i>	1830-1, 145	<i>leucosoma</i>	1843, 51
<i>smithi</i>	1841, 44	<i>leucosternus</i>	1840, 172
<i>vittacollis</i>	1835, 67	<i>melanogaster</i>	1847, 38
<i>Herpetodryas prionotus</i> .	1839, 52	<i>neoxina</i>	1842, 131
<i>punctifer</i>	1838, 84	{ 1830-1, 116	
<i>Herpetotheres cachinnans</i>	1837, 114	<i>riparia</i>	1842, 92
<i>Hesperomys boliviensis</i> .	1846, 9	{ 1842, 93	
<i>megalonyx</i>	1844, 154	{ 1839, 130	
<i>Heteromys desmaresti-</i>		<i>rustica</i>	1842, 93
<i>ana</i>	1843, 79	<i>tapera</i>	1847, 38
<i>Heterura</i>	1845, 33	<i>thalassinus</i>	1847, 38
<i>sylvana</i>	1845, 33	<i>Histiophorus immacula-</i>	
<i>Hiaticula</i>	1841, 32	<i>tus</i>	1835, 187
<i>bifasciata</i>	1843, 118	<i>Holacanthus</i>	1835, 205
<i>Hierax erythrogenys</i> .	1830-1, 96	<i>xanthurus</i>	1832, 183
<i>Himantopus leucocephalus</i>	1837, 26	<i>Holothuria edulis</i> . . .	1846, 67
<i>melanopterus</i>	1830-1, 125	<i>tubulosa</i>	1839, 177
		<i>Homalopsis olivaceus</i> .	1839, 55
		<i>Hoplopterus</i>	1841, 32
		<i>Hoplostethus mediterraneus</i>	1839, 77
		<i>Horeites</i>	1845, 30
		<i>pollicaris</i>	1845, 30
		<i>schistilatus</i>	1845, 30

	Page		Page
Horornis	1845, 31	Hypsipetes psaroides . .	{ 1839, 159
flaviventris	1845, 31		{ 1842, 92
fortipes	1845, 31		{ 1839, 16
fulgiventris	1845, 31	Hypsiprymnus	{ 1843, 73
fulviventrtris	1845, 31	cuniculus	1838, 63
Hosia flavescens	1847, 78	formosus	1838, 62
spinulosa	1847, 78	gilbertii	1841, 14
Hotinus clavatus	1847, 83	melanotis	1838, 62
pyrorhynchus	1847, 83	murinus	1838, 63
Hurriah sanguiventer . .	1839, 52		{ 62
	{ 42	myosurus	1838, { 120
Hyaena	1841, { 43		{ 147
crocota	1841, 44	phillippi	1838, 62
villosa	1833, 45	platyops	1844, 103
	{ 1830-1, 102		{ 1830-1, 149
vulgaris	{ 1833, 45	setosus	{ 1838, 62
	{ 1841, 44		{ 1844, 9
Hyalonema	1835, 65	ursinus	1838, { 120
sieboldi	1835, 65		{ 147
Hyas edwardsii	1835, 171		{ 1832, 202
Hyastenus	1847, 56	Hyrax capensis	{ 1835, 13
sehæ	1847, 57		{ 1835, 14
Hydrobates lobatus . . .	1834, 19	Hystrix alophus	1847, 123
Hydrochelidon fluviatilis	1842, 140	brevispinosus	1847, 102
	{ 1832, 187		{ 1833, 106
Hydrochoerus capybara {	1834, 9		{ 1842, 192
	{ 1844, 96		{ 1847, 98
Hydrophasianus sinensis	1842, 167	cristata	{ 1847, 99
Hydrosorex	1837, 123		{ 1847, 100
Hylacola	1842, 135		{ 1847, 101
cauta	1842, 135		{ 1847, 102
Hylactes	1830-1, 15		{ 1847, 103
tarnii	1830-1, 15	fasciculata	1847, { 98
Hylobates	1846, 11		{ 104
agilis	1846, 11	hernitorostris	1847, 98
choromandus	1837, 69	hirsutirostris	1847, 99
concolor	1846, 15	hodgsoni	1847, 123
hoolook	1839, 148		{ 1830-1, 103
lar	1846, 15	leucurus	{ 1834, 97
	{ 1840, 20		{ 1847, 100
leucogenys	{ 1841, 63		{ 1847, 101
Hylotis	1839, 178	macroura	1847, 104
Hylurgus piniperda . .	1830-1, 126	subspinosus	1843, 21
Hymenotes	1837, 129		
angularis	1837, 130	Iacchus penicillatus . . .	1835, { 21
rhombea	1837, 130		{ 125
Hyperoodon latifrons . .	1847, 118	Ianthina exigua	1835, 82
Hypobranchiæa	1847, 23	vulgaris	1833, 14
fusca	1847, 24	Ianthocincta	1835, 47
Hypophthalmus goong-			{ 1835, 187
waree	1838, 163	albogularis	{ 1842, 92
taakree	1838, 163	canora	1842, 167
	{ 1830-1, 43	chrysoptera	1835, 48
Hypsipetes	{ 1845, 24	erythrocephala	{ 1835, 48
ganeesa	1832, 86		{ 1842, 92
gracilis	1839, 159	gularis	1839, 159
m ^c clellandii	1839, 159	leucocephala	1842, 92
psaroides	1830-1, 43	lunaris	1839, 160

	Page		Page
<i>Ianthocincla ocellata</i> ..	1835, 48	<i>Iphthinus hypocrita</i> ...	1842, 119
<i>pectoralis</i>	{ 1835, 186	<i>Irena cyanogastra</i>	1830-1, 97
<i>rufogularis</i>	1839, 160	<i>puella</i>	1839, { 102
<i>squamata</i>	1835, 48		1860
<i>variegata</i>	{ 1835, 48	<i>Isacantha</i>	1833, 68
<i>Ibidorhyncha</i>	{ 1835, 48	<i>rhinotoides</i>	1833, 68
<i>struthersu</i>	1841, 6	<i>Ischnochiton</i>	1847, 126
<i>Ibis alba</i>	1830-1, 174	<i>alatus</i>	1847, 127
<i>erythrorhyncha</i> ..	1830-1, 174	<i>limaciformis</i>	1847, 127
	1847, 39	<i>magdahensis</i>	1847, 127
	1837, 127	<i>textilis</i>	1847, 127
	{ 1832, 161	<i>Ispida bicincta</i> ..	1843, 51
	1832, 162	<i>Isturus amboinensis</i> ..	1838, 68
<i>falcinellus</i>	1839, 122	<i>Iulus seychellarum</i> ...	1835, 206
	{ 1841, 7	<i>Ixalus</i>	1836, 135
	1842, 94	<i>probaton</i>	{ 1836, 119
— <i>ordi</i>	1844, 67		1840, 13
<i>ignea</i>	1843, 117	<i>Ixops</i>	1845, 24
<i>papillosa</i>	1832, 161	<i>Ixos atriceps</i>	1846, 101
	1832, 162		{ 1830-1, 118
<i>religiosa</i>	{ 1832, 160	<i>cafer</i>	{ 1832, 88
	1833, 133		1839, 161
	1837, 106		1842, 92
<i>ruber</i>	1844, 10	<i>fulicatus</i>	{ 1830-1, 118
<i>rubra</i>	1847, 39		1832, 89
<i>strictipennis</i> ..	1837, 106	<i>jocosus</i>	{ 1830-1, 118
<i>versicolor</i>	1847, 38		1832, 88
<i>Icteria velasquesi</i> ..	1837, 117	<i>leucogenys</i> ..	1841, 6
<i>viridis</i>	1837, { 111	<i>leucotis</i>	{ 1836, 6
	117		1842, 92
<i>Icterus</i> —	1837, 116	<i>metallicus</i>	1846, 101
<i>baltimore</i>	1837, 116	<i>monticola</i>	1839, 160
<i>baritus</i>	1847, 38	<i>phæcephalus</i> ..	1846, 101
<i>bonana</i>	1847, 38	<i>Ixulus</i>	1845, 23
<i>bonariensis</i>	1837, 116		
<i>brasiliensis</i>	1847, 38	<i>Julis aygula</i>	1830-1, 128
<i>cucullatus</i>	1847, 38	<i>bicatenatus</i> ..	1830-1, 167
<i>dominicensis</i> ..	{ 1837, 110	<i>cuvieri</i>	1830-1, 128
	1847, 38	<i>melanura</i>	1839, 85
<i>leucopteryx</i>	1847, 108	<i>porphyrocephalus</i> ..	1832, 183
<i>mexicanus</i>	{ 1837, 110	<i>ruppelli</i>	1830-1, 128
	1847, 38	<i>scapularis</i> ..	1830-1, 167
<i>parisorum</i>	1837, 110	<i>speciosa</i>	1839, 85
<i>spurius</i>	1837, 116	<i>strigiventer</i> ..	1832, 184
<i>thilius</i>	{ 1843, 113	<i>unimaculata</i>	1840, 37
	1847, 53	<i>zeylonicus</i>	1832, 183
<i>versicolor</i>	1847, 38		
<i>Ictides albifrons</i>	1834, 96	<i>Katharina</i>	1847, { 65
<i>Ieracidea</i>	1837, 140	<i>douglasæ</i>	1847, 69
<i>occidentalis</i>	1844, 105	<i>tunicata</i>	1847, 69
	{ 71	<i>Kemas</i>	1836, 138
<i>Iguana cyclura</i> ..	1842, { 72		{ 1837, 81
	72	<i>hylocrius</i> ..	{ 1841, 63
<i>Iguanodon</i>	1844, 54	<i>Kerodon kingii</i> ...	1835, 190
<i>Indri breviceaudatus</i> ..	1847, 110	<i>Ketupa javanensis</i> ...	1834, 110
	{ 1830-1, 118		{ 1832, 82
<i>Iora scapularis</i> ..	1839, 104		1842, 92
<i>tiphia</i> ..	1832, 89		
<i>Iphthinus guineensis</i> .	1842, 119		

	Page		Page
<i>Kitta venatorius</i>	1839, 164	<i>Lampris lauta</i>	1839, 80
<i>Kittacincla</i>	1836, 7	<i>Lampromorpha amethy-</i>	
<i>macrourus</i>	1839, 103	<i>stina</i>	1830-1, 98
<i>Labrus axillaris</i>	1830-1, 166	<i>chalconepla</i>	1830-1, 92
<i>fucicola</i>	1840, 26	<i>Lamprotornis chalybeus</i> .	1839, 103
<i>laticlavus</i>	1839, 99	<i>chrysonotus</i>	1843, 52
<i>leucosticticus</i>	1830-1, 166	<i>spilopterus</i>	1830-1, 35
<i>lineatus</i>	1837, 58		1839, 163
	1830-1, 17		1842, 92
<i>maculatus</i>	1830-1, 34	<i>Languria nepalensis</i> . . .	1833, 61
	1835, 81	<i>Larus</i>	1830-1, 42
	1837, 58	<i>ardesiacus</i>	1837, 112
<i>psittaculus</i>	1840, 26	<i>borealis</i>	1837, 112
<i>psittacus</i>	1837, 58	<i>collurio</i>	1834, 51
<i>reticulatus</i>	1839, 84		1839, 131
<i>spilonotus</i>	1835, 207	<i>cristatus</i>	1840, 102
<i>tetracus</i>	1840, 25	<i>erythronotus</i>	1842, 167
<i>variabilis</i>	1837, 59	<i>erythropterus</i>	1830-1, 22
<i>variegatus</i>	1835, 81		1830-1, 117
<i>Labyrinthodon</i>	1844, 54	<i>excubitor</i>	1837, 112
<i>Lacerta sedura</i>	1834, 101		1842, 111
	1832, 112		1844, 64
<i>agilis</i>	1834, 101	<i>ferrugiceps</i>	1840, 102
<i>vivipara</i>	1834, 101	<i>italicus</i>	1837, 112
<i>Lagenorhynchus leu-</i>	1847, 117	<i>karu</i>	1837, 143
<i>copleurus</i>	1847, 118	<i>lucionensis</i>	1842, 167
<i>Lagomys nepalensis</i> . . .	1845, 13		1840, 102
<i>Lagopus ferrugineus</i> . . .	1844, 37	<i>ludovicianus</i>	1837, 112
<i>Lagorchestes albigulis</i> . .	1844, 33	<i>magnirostris</i>	1840, 102
<i>conspicillatus</i>	1841, 81	<i>melanotis</i>	1840, 102
<i>hirsutus</i>	1844, 33	<i>meridionalis</i>	1830-1, 96
<i>Lagostomus</i>	1833, 59	<i>minor</i>	1837, 126
	1830-1, 33	<i>musciapoides</i>	1830-1, 117
<i>trichodactylus</i>	1833, 59		1832, 86
	1837, 4	<i>phoeniceus</i>	1840, 102
	1839, 175	<i>rufus</i>	1844, 65
<i>Lagotis</i>	1833, 58	<i>strigatus</i>	1839, 103
	1833, 59		1840, 102
<i>cuvieri</i>	1835, 67	<i>superciliosus</i>	1840, 102
	1844, 154	<i>Larus argentatoides</i> . . .	1835, 83
	1846, 7		1833, 10
<i>pallipes</i>	1836, 67		1833, 56
	1843, 132	<i>argentatus</i>	1835, 83
<i>Lambrus lamelliger</i> . . .	1847, 58		1839, 135
<i>turriger</i>	1847, 58		1845, 13
<i>Lamia crux nigra</i>	1833, 64		1847, 40
<i>pulchellator</i>	1837, 123	<i>atricilla</i>	1847, 40
<i>roylii</i>	1833, 64	<i>audubonii</i>	1837, 48
<i>Lamna cornubica</i>	1839, 91	<i>brachyrhynchus</i>	1843, 106
<i>Lampornis aurescens</i> . . .	1846, 88	<i>bridgesii</i>	1845, 16
<i>cyanopterus</i>	1846, 88		1835, 90
<i>fulviventeris</i>	1846, 88		1842, 196
<i>graminea</i>	1847, 40		1830-1, 151
<i>mango</i>	1847, 39	<i>capistratus</i>	1833, 33
	40		1845, 68
<i>Lampris</i>	1843, 84	<i>dominicans</i>	1843, 119
		<i>fuscus</i>	1833, 10
			1835, 90

	Page		Page
<i>Larus parasiticus</i>	1847, 40	<i>Lepus cuniculus</i>	{ 1842, 70
{ 1833, 10		{ 1842, 98	
<i>ridibundus</i>	{ 1835, 90	<i>douglasii</i>	{ 1836, 88
{ 1839, 135		<i>hibernicus</i>	{ 1833, 88
{ 1845, 68		{ 1843, 75	
<i>sabini</i>	1835, 83	<i>hispidus</i>	1839, 152
<i>Latris</i>	1839, 99	<i>longicaudata</i> ..	1836, 88
<i>hecateia</i>	1839, 98	<i>nigricaudatus</i> ..	1833, 41
<i>Leiodomus vittata</i>	1843, 168	<i>nigricollis</i> ..	{ 1830-1, 103
<i>Leiothrix lepida</i>	1839, 162	{ 1834, 97	
<i>ornata</i>	1839, 162	<i>tibetanus</i>	1841, 7
<i>signata</i>	1839, 162	{ 1839, 152	
<i>sinensis</i>	1842, 168	{ 1840, 1	
<i>Leipoa</i>	{ 1840, 126	<i>tamidus</i>	{ 1842, 70
<i>ocellata</i>	{ 1843, 81	{ 1842, 192	
<i>Leirus</i>	1840, 126	<i>Lerista</i>	1833, 99
<i>bennettii</i>	1833, 143	<i>lineata</i>	1833, 90
{ 1839, 82		<i>Lerne sprattæ</i> ..	1844, 38
<i>Leistes humeralis</i> ..	1847, 38	<i>Lerneonema monilaris</i> ..	1844, 38
{ 1839, 128		<i>Lesbia gracilis</i> ..	1846, 86
<i>Lemur albifrons</i> ..	1842, 68	<i>smaragdina</i>	1846, 85
<i>macaco</i> ..	1830-1, 58	<i>Lestris parasiticus</i>	{ 1832, 189
<i>niger</i> ..	1833, 68	{ 1834, 31	
<i>potto</i> ..	1830-1, 109	<i>pomarhinus</i>	{ 1830-1, 151
<i>rufifrons</i> ..	1833, 106	{ 1835, 79	
<i>Lepades</i> ..	1841, 74	<i>richardsoni</i>	1832, 189
<i>Lepadogaster bimacula-</i>		<i>Leucaria littoralis</i> ..	1844, 163
<i>tus</i>	1835, 82	<i>Leuciscus</i> — . . .	1845, 17
<i>cornubiensis</i>	1835, 81	<i>chitul</i>	1838, 161
<i>zebrinus</i> ..	1839, 88	<i>lancastriensis</i> .	1837, 59
<i>Lepas</i>	1847, 66	<i>morar</i> ..	1838, 161
<i>Lepidogenys subcristatus</i> ..	1837, 140	<i>phoxinus</i>	1833, 88
<i>Lepidoleprus australis</i> ..	1839, 100	<i>sandkhol</i> ..	1838, 161
<i>ceolrhynchus</i>	1843, 92	<i>zeylonicus</i> ..	1832, 184
<i>Lepidopleurus</i> ..	1847, 66	<i>Leucostacte griseogenys</i> ..	1843, 104
<i>cajetanus</i>	1847, 127	<i>tephrocotis</i>	1843, 104
<i>Lepisosteus</i> , sp. nov....	1834, 119	<i>Lialis</i>	1834, 134
<i>Leptocephalus morrisii</i> ..	1835, 82	<i>burtonis</i>	1834, 134
<i>Leptochiton</i> ..	1847, 127	<i>Libellula bimaculata</i> .	1833, 118
<i>cajetanus</i>	1847, 127	<i>himbata</i>	1833, 118
<i>cuneus</i> ..	1847, 127	<i>semihyalina</i> ..	1833, 118
<i>hanleyi</i> ..	1847, 127	<i>Libinia rostrata</i> ..	1835, 169
<i>Leptoconchus</i> ..	1834, 105	<i>Lachenops</i> ..	1843, 120
<i>Leptodactylus</i> ..	1844, 157	<i>erythropterus</i> ..	1843, 110
<i>Leptonyx weddellii</i> ..	1847, 118	<i>perspicillata</i>	1843, 110
<i>Leptophila rufaxilla</i> ..	1837, 113	<i>Lachia vadigo</i> ..	1846, 23
<i>Leptophyllus</i> ..	1842, 79	<i>Lacmetis pastinator</i>	1840, 175
<i>stracham</i> ..	1842, 78	<i>Lagnus tenuis</i>	1834, 66
<i>Leptopodia sagittaria</i> ..	1835, 169	<i>Lama</i>	1843, 23
<i>Leptopus mitchellii</i> ..	1844, 157	<i>angulata</i>	1843, 23
<i>Leptosomus afer</i>	{ 1830-1, 121	<i>bullata</i> ..	1843, 23
{ 1832, 97		<i>cumingi</i> ..	1843, 23
<i>Lepus</i> , sp. nov. . . .	1834, 97	<i>fragilis</i>	1843, 23
<i>bachmani</i> ..	1838, 103	<i>loscombii</i>	1843, 23
<i>californica</i>	1836, 88	<i>Limnoria terebrans</i> ..	1838, 66
<i>cuniculus</i>	{ 1837, 53	<i>Limosa glottoides</i>	{ 1832, 163
{ 1839, 126		{ 1835, 62	
		<i>horsfieldii</i>	1832, 163

<i>Limosa hudsonica</i>	1843, 118	<i>Lobivanellus</i>	1841, 32
	{ 1833, 56	<i>personatus</i>	1842, 113
<i>melanura</i>	{ 1830, 122	<i>Loligo coralliflora</i>	1836, 21
	{ 1842, 94	<i>laticeps</i>	1836, 20
	{ 1844, 67	<i>peali</i>	1836, *21
<i>melanuroides</i>	1846, 84	<i>sagittata</i>	1833, 90
<i>rufa</i>	1842, 94	<i>Loligopsis guttata</i>	1833, 90
<i>terek</i>	1837, 48	<i>Lonchura</i>	1832, 94
<i>Linaria amandava</i>	1832, 93		{ 1832, 95
<i>cannabinna</i>	1837, 126	<i>cheet</i>	{ 1834, 148
<i>montana</i>	1839, 121		{ 1830, 163
<i>Linguatula tænioides</i> ..	1835, 27	<i>leuconota</i>	1832, 95
<i>Lingula audebardii</i>	1833, { 125	<i>melanocephala</i>	1839, 163
	{ 127	<i>nisoria</i>	1832, 94
<i>compressa</i>	1841, 100	<i>quadricolor</i>	1832, 94
<i>ovalis</i>	1841, 100	<i>Londra</i>	1838, 114
<i>semen</i>	1833, 125	<i>Lophius piscatorius</i>	1839, 145
<i>tumidula</i>	1841, 100	<i>Lophophorus impey-</i> { 1830-1, 173	
<i>Linkia bifasciatus</i> ..	1847, 73	<i>anus</i>	{ 1833, 102
<i>brownii</i>	1847, 73		{ 1841, 6
<i>typus</i>	1847, 73	<i>nigelli</i>	1842, 105
<i>unifasciatus</i>	1847, 73	<i>Lophornis ornatus</i>	1847, 96
<i>Linsang gracilis</i>	1842, 114	<i>reginæ</i>	1847, 95
<i>Lothrix sinensis</i>	1842, 168		{ 1846, 89
	{ 120	<i>regulus</i>	{ 1847, 96
<i>Lipurus cinereus</i>	1838, { 134	<i>Lophotes</i>	1837, 140
	{ 147	<i>Lophurus</i>	1847, 66
<i>Listroderes apicalis</i>	1841, 123	<i>Lophyrus victoriæ</i>	1844, 136
<i>costirostris</i>	1841, 122	<i>Loranthus tetrandrus</i> ..	1843, 115
<i>pilosus</i>	1841, 122	<i>Loris</i>	1844, 89
<i>robustus</i>	1841, 122	<i>gracilis</i>	{ 1833, 22
<i>subcostatus</i>	1841, 121		{ 1844, 4
<i>Lithedaphus longirostris</i>	1842, 147	<i>Lorius superbus</i>	1845, 16
<i>Lithodomus canaliferus</i> .	1844, 16	<i>Loxia</i>	1845, 35
<i>plumula</i>	1844, 17	<i>cærulea</i>	1844, 10
<i>Littorina aberrans</i>	1845, 142	<i>cardinalis</i>	1834, 81
<i>articulata</i>	1845, 141	<i>coccothraustes</i>	1842, 195
<i>aspera</i>	1845, 139	<i>cucullata</i>	1834, 81
<i>cingulata</i>	1845, 142		{ 1834, 15
<i>conica</i>	1845, 141	<i>curvirostra</i>	{ 1830, 60
<i>debilis</i>	1845, 140	<i>enucleator</i>	1842, 194
<i>glabrata</i>	1845, 140	<i>himalayana</i>	1845, 35
<i>intermedia</i>	1845, 141	<i>javensis</i>	1842, 111
<i>lævis</i>	1845, 140	<i>leucoptera</i>	1845, 91
<i>lemniscata</i>	1845, 139	<i>Loxonema</i>	1843, 167
<i>modesta</i>	1845, 141	<i>Lucanus serratus</i>	1833, 63
<i>pallescens</i>	1845, 142	<i>downesii</i>	1833, 63
<i>petræa</i>	1833, 116	<i>Lucina rugifera</i>	1835, 68
<i>picta</i>	1845, 139	<i>Lutra, sp. nov.</i>	1834, 97
<i>porcata</i>	1845, 139	<i>chilensis</i>	1832, 1
<i>punctata</i>	1845, 141	<i>nair</i>	1830-1, 100
<i>rudis</i>	1833, 116	<i>poensis</i>	1836, 60
<i>sayi</i>	1845, 140	<i>roensis</i>	1834, 111
<i>sieboldii</i>	1845, 142	<i>vittata</i>	{ 1837, 46
<i>sitkana</i>	1845, 140		{ 1839, 125
<i>strigata</i>	1845, 141	<i>vulgaris</i>	{ 1841, 44
<i>sulculosa</i>	1845, 142		{ 1842, 69
<i>tenuis</i>	1845, 141	<i>Luvarus imperialis</i>	1843, 84

	Page		Page
<i>Lycan tricolor</i>	1841, 44	<i>Macropus penicillatus</i> ..	1838, 147
<i>Lycodon atro-purpureus</i> ..	1839, 50	<i>rufiventer</i>	1838, 23
<i>subfuscus</i>	1839, 50	<i>uulabatus</i>	1837, 103
<i>Lymnea plicatula</i>	1842, 124	<i>unguifer</i>	1840, 93
<i>Lyonisia brevifrons</i>	1834, 88	(<i>Halmaturus</i>) <i>mani-</i>	
<i>picta</i>	1834, 88	<i>catus</i>	1840, 127
<i>Lyrops</i>	1833, 63	(<i>Petrogale</i>) <i>brachy-</i>	
<i>chrysophthalmus</i> ..	1833, 63	<i>otis</i> ..	1840, 128
<i>Lyrurus derbianus</i>	1837, 132	(—) <i>robustus</i> ..	1840, 92
<i>Macacus assamensis</i>	1839, 148	<i>Macroramphus griseus</i> ..	1836, 1
<i>cynomolgus</i>	1834, 9	<i>Macroscelides</i>	1837, 69
<i>innuus</i>	1842, 68	<i>alexandri</i>	1838, 5
<i>radiatus</i>	{ 1830-1, 99	<i>melanotis</i>	1838, 5
1834, 96		<i>rupestris</i> ..	1830-1, 11
<i>rhesus</i>	{ 1839, 128	<i>Macroteleia</i>	1835, 70
1842, 68		<i>cleonymoides</i> ..	1835, 71
<i>sinicus</i>	1844, 3	<i>Macrotis</i>	1843, 50
<i>speciosus</i> ..	1839, 49	<i>Macrotus</i>	1843, 21
<i>Machærota ensifera</i>	1837, 130	<i>waterhousei</i>	1843, 21
<i>Macrocerus militaris</i> ..	1837, 109	<i>Macrourus atlanticus</i> ..	{ 1839, 88
<i>Macroglossus minimus</i> ..	1843, 67	1843, 92	
<i>Macronota tetraspilota</i> ..	1833, 62	<i>lævis</i>	1843, 92
<i>Macronyx flavigaster</i> ..	1843, 51	1839, 88	
<i>Macrophyllum</i>	1843, 20	<i>rupestris</i>	{ 1843, 92
<i>Macropus</i>	1839, 16	1843, 91	
1837, 103		<i>serratus</i>	1843, 91
1838, 120		<i>Mactra sprengleri</i>	1836, 104
1838, 147		<i>Mactroides</i>	1844, 110
<i>bennettii</i>	{ 1841, 50	<i>Madoqua</i>	1836, 137
1842, 64		<i>Magilus</i>	1837, 63
1842, 70		<i>Malacocercus striatus</i> ..	1842, 92
<i>brunii</i>	1838, 120	<i>Malacopteron</i>	1839, 102
<i>eugenii</i>	1835, 192	<i>aureum</i>	1846, 101
<i>frænatus</i>	1840, 92	<i>cinereus</i>	1839, 103
<i>fuliginosus</i>	1835, 187	<i>macroductylum</i> ..	1846, 103
<i>gracilis</i>	1844, 103	<i>magnum</i>	1839, 103
<i>laniger</i>	1841, 14	<i>olivaceum</i> ..	1846, 103
<i>leporides</i>	1840, 93	<i>squamatum</i>	1846, 103
<i>lunatus</i>	{ 1840, 93	<i>Malurus acaciæ</i>	1844, 66
1844, 103		<i>cruentatus</i>	1839, 143
1830-1, 159		<i>cyaneus</i>	1837, 143
1833, 82		<i>longicaudus</i>	1837, 143
1833, 128		<i>melanotus</i>	1840, 163
<i>major</i> ..	{ 1835, 187	<i>pectoralis</i> ..	1833, 106
1837, 82		<i>pulcherrimus</i> ..	1844, 106
1838, 120		<i>Mangelia</i>	{ 1843, 45
1838, 147		1846, 59	
<i>melanops</i> ..	1842, 10	<i>abyssicola</i> ..	1846, 62
<i>ocydromus</i>	1844, 146	<i>angulata</i> ..	1846, 64
1834, 151		<i>antillarum</i> ..	1846, 59
<i>parryi</i>	{ 1834, 152	<i>stricta</i>	1846, 64
1835, 1		<i>badia</i> ..	1846, 64
1835, 1		<i>balteata</i>	1846, 64
<i>penicillatus</i> ...	{ 1836, 41	<i>bicolor</i>	1846, 62
1838, 120		<i>capillacea</i> ..	1846, 60
		<i>casta</i> ..	1846, 64
		<i>castanea</i> ..	1846, 63
		<i>cavernosa</i> ..	1846, 60
		<i>celebensis</i>	1843, 46

	Page		Page
<i>Mangeha cinnamomea</i> ..	1843, 45	<i>Manis tetradactyla</i>	1843, 53
<i>cincta</i> ..	1846, 65	<i>Mareca americana</i> ...	1847, 40
<i>columbelloides</i>	1846, 62	<i>awsuree</i>	1832, 168
<i>conohelicoides</i>	1846, 62	<i>chiloensis</i>	1843, 119
<i>coronata</i>	1843, 45	<i>fistularis</i>	1832, 168
<i>cylindrica</i>	1846, 60	<i>penelope</i> ..	1842, { 93 94 108
<i>derehcta</i>	1846, 64	<i>pæcolorhyncha</i>	1832, 168
<i>digitalis</i> ..	1846, 65	(Anas) <i>penelope</i> ..	1845, 13
<i>elegans</i> ..	1846, 63	<i>Marginella albo-cincta</i> ..	1846, 96
<i>funebria</i>	1846, 62	<i>australis</i>	1844, 75
<i>funiculata</i>	1846, 60	<i>avena</i>	1844, 75
<i>fusiformis</i>	1846, 61	<i>belcheri</i>	1844, 73
<i>gibbosa</i> ..	1846, 61	<i>blanda</i>	1844, 76
<i>goodalii</i>	1843, 45	<i>cærulescens</i>	1844, 74
<i>gracilis</i>	1846, 60	<i>cleryi</i> ..	1844, 73
<i>hornbeckii</i>	1846, 63	<i>constricta</i> ..	1844, 74
<i>interrupta</i>	1846, 61	<i>crassilabrum</i> ...	1846, 96
<i>lamellata</i>	1846, 60	<i>curta</i> ..	1832, 105
<i>lineata</i> ..	1846, 63	<i>cypiceola</i>	1832, 57
<i>livida</i> ..	1846, 62	<i>faba</i> ..	1846, 96
<i>lyra</i> ..	1846, 59	<i>fauna</i> ..	1846, 96
<i>lyrica</i> ..	1846, 61	<i>frumentum</i>	1832, 57
<i>maculata</i>	1846, 61	<i>fusca</i> ..	1846, 95
<i>marginelloides</i> ..	1846, 60	<i>fusiformis</i> ..	1844, 75
<i>marmorosa</i>	1846, 64	<i>imbricata</i>	1844, 76
<i>nana</i> ..	1846, 65	<i>interrupta</i> ..	1844, 76
<i>novæ-hollandiæ</i> ..	1846, 62	<i>livida</i> ..	1844, 73
<i>obeliscus</i> ..	1846, 64	<i>maculosa</i>	1844, 76
<i>oryza</i> ..	1843, 46	<i>multilineata</i>	1846, 96
<i>pallida</i> ..	1846, 63	<i>muralis</i>	1844, 76
<i>pellucida</i> ..	1846, 64	<i>musica</i> ..	1844, 73
<i>pessulata</i> ..	1846, 63	<i>nivosa</i>	1844, 74
<i>planilabrum</i> ..	1846, 63	<i>nodata</i> ..	1844, 73
<i>pulchella</i> ..	1846, 61	<i>piperata</i> ..	1844, 72
<i>pura</i> ..	1846, 64	<i>prunosa</i> ..	1844, 74
<i>pusilla</i> ..	1846, 63	<i>prunum</i>	1844, 74
<i>reticulata</i>	1846, 61	<i>pseudo-faba</i>	1846, 96
<i>rigida</i>	1846, 63	<i>sagittata</i>	1844, 76
<i>sicula</i> ..	1846, 59	<i>sapotilla</i> ..	1844, 74
<i>solida</i>	1846, 64	<i>scripta</i>	1844, 73
<i>stromboides</i>	1846, 63	<i>similis</i>	1846, 97
<i>tenebrosa</i>	1846, 62	<i>tænata</i> ..	1810, 96
<i>turricula</i>	1846, 62	<i>tricincta</i>	1844, 76
<i>vexillum</i>	1846, 59	<i>vara</i> ..	1846, 97
<i>vittata</i>	{ 1843, 45 1846, 60	<i>vitrea</i>	1844, 75
<i>zebuensis</i> ..	1846, 65	(Volvarina) <i>nitida</i> ..	1844, 75
<i>zonata</i> ..	1846, 61	<i>Martes laniger</i> ..	1834, 97
<i>Mangusta auropunctata</i> ..	1839, 150	<i>Mastacembelus armatus</i> ..	1838, 158
<i>Mams, sp. nov.</i> ..	{ 1834, 98 1843, 20	<i>Mastodon elephantoides</i> ..	1844, 88
<i>brachyura</i>	1839, 153	<i>Mazama</i> ..	1836, 137
<i>multiscutata</i>	{ 1843, 22 53	<i>Mecistocephalus</i> ..	1842, 178
<i>pentadactylus</i> ..	1830-1, 104	<i>ferrugineus</i>	1842, 179
<i>temminckii</i> ..	1834, 81	<i>guldinigi</i> ..	1842, 179
<i>tetradactyla</i>	{ 1834, 28 1843, 22	<i>maxillaris</i>	1842, 179
		<i>punctifrons</i>	1842, 179
		<i>punctilabrum</i>	1842, 179

	Page		Page
Medusa	1837, 2	Mephitis nasuta	1838, 39
aurita	1839, 178	Merganetta	1841, 95
Megacantha	1842, 121	armata	{ 1841, 95 1843, 119
tenebrosa	1842, 122	Mergus melanoleucos	1834, 30
Megaderma	1843, 69	{ 1834, 30 1834, 30
frons	1835, 101	Mergus albellus	{ 1834, 134 1842, 93
lyra	{ 1830-1, 113 1843, 69	orientalis	1845, 1
philippinensis	1843, 69	Merna dichroa	1835, 54
trifolium	1843, 69	dimidiata	1835, 54
Megalopterus	1845, 103	klugii	1835, 53
Megalorhynchus	1839, 106	lateilhi	1835, 54
spinosus	1839, 106	millefolia	1835, 53
Megalornis	1843, 10	rufiventris	1835, 54
Megalosaurus	1844, 54	spinolæ	1835, 53
Megalurus cruralis	1837, 150	Memones	1836, 142
palustris	1842, 92	microcephalus	1839, 1
ruficeps	1832, 91	opimus	1845, 76
Megapodius tumulus	1842, 20	Merlucius ambiguus	1840, 37
Megapteron longimanus	1847, { 88 89 92	esculentus	1840, 38
Megascolex cæruleus	1844, 89	sinuatus	1840, 38
Melanerpes formicivorus	1837, 109	vulgaris	{ 1840, 37 1843, 90
meropirostris	1837, 120	Meropachys	1840, 52
Melania	1840, 39	macleanii	1840, 52
—	1845, 11	tristis	1840, 53
arcuata	1843, 167	Merops apiaster	{ 1839, 119 1841, 6
campanellæ	1840, 41	javanicus	1839, 101
cancellata	1842, 124	philippinus	{ 1830-1, 115 1842, 92 1842, 167
pallida	1840, 42	{ 1830-1, 115 1832, 82
rufa	1840, 41	viridis	{ 1842, 92 1842, 167
scalaris	1840, 42	Merria	1843, 136
Melanochlora affinis	1846, 100	cancellata	1843, 136
sumatrana	1846, 100	Merula castanea	1835, 185
Meleagris gallopavo	1832, 151	dommicus	1847, 38
.	{ 1833, 42 1838, 153	fusca	1847, 38
Males labradoria	1838, 153	jamaicensis	1847, 38
taxus	1835, 80	leucophthalma	1847, 38
vulgaris	1841, 44	minor	1847, 38
Meliphaga	1840, 125	mustelinus	1847, 38
australasiana	1837, 152	nestor	1835, 186
inornata	1837, 152	rubripes	1847, 38
longirostris	1846, 83	vulgaris	1839, 140
mysticalis	1840, 161	Mesodesma complana-	
novæ-hollandiæ	1839, 113	tum	1843, 102
pennicillata	1836, 143	ornata	1842, 46
sericea	{ 1836, 144 1837, 152	planum	1843, 102
sericeola	1837, 152	triquetrum	1843, 101
Melithreptus melanoce-		Metallonotus denticol-	
phalus	1845, 62	lus	1841, 67
Mellivora capensis	1844, 145	Metallura	1847, 94
Melo	1844, 150	Metapelma	1835, 69
Melophus lathamii	{ 1842, 167 168		
Menura superba	{ 1839, 141 1841, 41		

	Page		Page
<i>Metapelma spectabilis</i> ..	1835, 69	<i>Mitra affinis</i> ..	1844, 186
<i>Metopius</i> ..	1843, 89	<i>alveolus</i> ..	1845, 61
<i>typhlops</i> ..	1843, 90	<i>amabilis</i> ..	1845, 53
<i>Microcebus murinus</i> ..	1835, 125	<i>amanda</i> ..	1845, 59
<i>Microceca</i> ..	1840, 172	<i>analogica</i> ..	1845, 56
<i>assimilis</i> ..	1840, 172	<i>ancillides</i> ..	1835, 193
<i>flavescens</i> ..	1842, 132	<i>anthracina</i> ..	1844, 179
<i>Micropogon aurovirens</i> ..	1837, 120	<i>armiger</i> ..	1845, 55
<i>flavicolle</i> ..	1837, 120	<i>armillata</i> ..	1845, 58
<i>Micropterus patachoni-</i>		<i>articulata</i> ..	1845, 56
<i>cus</i> ..	1830-1, 15	<i>astricta</i> ..	1844, 184
<i>Microsternus</i> ..	1835, 88	<i>auriculoides</i> ..	1845, 43
<i>depressus</i> ..	1835, 88	<i>avenacea</i> ..	1845, 49
<i>gibbosus</i> ..	1835, 88	<i>badia</i> ..	1844, 181
<i>Microstoma</i> ..	1843, 88	<i>balteolata</i> ..	1844, 171
<i>Microtarsus</i> ..	1839, 102	<i>bilineata</i> ..	1845, 56
<i>melanoleucus</i> ..	1839, 102	<i>brumalis</i> ..	1845, 54
<i>Micrura squamata</i> ..	1845, 24	<i>bulmoides</i> ..	1845, 46
<i>Midas rosalia</i> ..	1834, 110	<i>cadaverosa</i> ..	1844, 181
<i>rufimanus</i> ..	1833, 106	<i>cælata</i> ..	1845, 51
<i>Millepora alcicornis</i> ..	1835, 86	<i>cærulea</i> ..	1844, 176
<i>digitata</i> ..	1835, 86	<i>caliginosa</i> ..	1844, 177
<i>Milvago megalopterus</i> ..	1844, 157	<i>callosa</i> ..	1845, 50
<i>pezoporos</i> ..	1843, 109	<i>candida</i> ..	1845, 60
<i>pezoporos</i> ..	1847, 52	<i>carnicolor</i> ..	1844, 181
<i>Milvus affinis</i> ..	1837, 140	<i>cavea</i> ..	1844, 180
<i>ater</i> ..	1839, 119	<i>chalybeia</i> ..	1844, 172
<i>atterimus</i> ..	1837, 99	<i>chelonia</i> ..	1845, 55
<i>cheele</i> ..	1842, 92	<i>choava</i> ..	1844, 178
<i>cheele</i> ..	1832, 81	<i>chrysalis</i> ..	1844, 185
<i>govinda</i> ..	1835, 62	<i>chrysostoma</i> ..	1835, 194
<i>govinda</i> ..	1839, 155	<i>cimelium</i> ..	1845, 51
<i>isurus</i> ..	1837, 90	<i>cineracea</i> ..	1845, 57
<i>isurus</i> ..	1837, 140	<i>circulata</i> ..	1844, 177
<i>novæ-hollandiæ</i> ..	1837, 99	<i>cithara</i> ..	1845, 40
<i>Mimela</i> ..	1839, 67	<i>citrona</i> ..	1844, 187
<i>Mimon</i> ..	1847, 14	<i>coccinea</i> ..	1844, 171
<i>bennettii</i> ..	1847, 14	<i>colligena</i> ..	1845, 46
<i>megalotis</i> ..	1847, 14	<i>concentrica</i> ..	1844, 177
<i>Mimus thenca</i> ..	1843, 111	<i>conciuna</i> ..	1844, 186
<i>tricaudatus</i> ..	1843, 120	<i>consanguinea</i> ..	1845, 48
<i>Mirafra assernica</i> ..	1839, 162	<i>corallina</i> ..	1845, 61
<i>flavicollis</i> ..	1839, 163	<i>cornacea</i> ..	1845, 47
<i>horsfieldii</i> ..	1847, 1	<i>crebrilhrata</i> ..	1844, 174
<i>javanica</i> ..	1830-1, 119	<i>crebrilhrata</i> ..	1844, 175
<i>javanica</i> ..	1847, 2	<i>cremans</i> ..	1845, 48
<i>phoenicura</i> ..	1830-1, 119	<i>crenulata</i> ..	1844, 184
<i>phoenicura</i> ..	1832, 93	<i>crocata</i> ..	1844, 186
<i>Mithrax denticulatus</i> ..	1835, 172	<i>crocea</i> ..	1845, 50
<i>nodosus</i> ..	1835, 171	<i>cucumerina</i> ..	1844, 184
<i>pygmaeus</i> ..	1835, 172	<i>cucumerina</i> ..	1844, 186
<i>rostratus</i> ..	1835, 171	<i>cunningii</i> ..	1844, 173
<i>ursus</i> ..	1835, 171	<i>cylindracea</i> ..	1844, 175
<i>Mitra</i> ..	1844, 167	<i>dædala</i> ..	1845, 54
<i>abbatis</i> ..	1844, 180	<i>dechloris</i> ..	1844, 170
<i>acupicta</i> ..	1844, 174	<i>decora</i> ..	1845, 47
<i>ægra</i> ..	1845, 50		
<i>æthiops</i> ..	1845, 60		

	Page		Page
Mitra decurtata	1844, 180	Mitra lynformis	1844, 161
dennisoni	1844, 169	maculosa	1844, 183
deshayesi	1844, 182	mæsta	1845, 59
discoloria	1845, 46	maura	1835, 193
duplichrata	1845, 46	mica	1845, 58
ebenus	1844, 175	micans	1845, 55
effusa	1835, 193	militaris	1845, 48
elegans	1845, 47	milium	1845, 50
exasperata	1844, 181	mirifica	1845, 53
exilis	1845, 58	modesta	1845, 50
fastigium	1845, 45	mucronata	1844, 177
ferruginea	1844, 183	mutabilis	1845, 47
fešta	1845, 56	nanus	1844, 185
flammigera	1844, 182	nebulosa	1835, 193
flavescens	1844, 186	norrisi	1844, 169
floccata	1844, 170	nucleola	1844, 184
forticostata	1845, 48	nympha	1845, 50
fulgetrum	1844, 176	obeliscus	1844, 175
fulgurita	1844, 172	obesa	1844, 174
fulva	1835, 193	oleacea	1844, 175
fulvescens	1835, 193	pacifica	1845, 52
funerea	1844, 176	patula	1845, 61
funiculata	1844, 177	paupercola	1844, 185
gausapata	1845, 59	pecuhans	1845, 57
glabra	1844, 171	pellis-serpentis	1844, 172
glandiformis	1845, 57	peregra	1844, 184
glans	1844, 184	pica	1845, 49
gracilis	1844, 170	pinguis	1845, 57
græia	1845, 60	planhrata	1844, 184
granata	1845, 52	phcata	1844, {171
granatina	1844, 170		175
gratiosa	1845, 53		174
gruneri	1844, 177	polita	1844, {175
hebes	1845, 55		175
hundsii	1844, 181	porphyritica	1844, 185
hustrio	1844, 179	pretiosa	1844, 176
ignobilis	1844, 180	proscissa	1844, 183
impressa	1844, 178	pruinosa	1844, 182
incarnata	1845, 56	puella	1845, 53
inermis	1845, 54		179
infausta	1845, 60	pulchella	1844, {180
infecta	1844, 173		175
inquinata	1844, 170	pullata	1844, 175
	173	purpurata	1845, 53
intellhrata	1844, {182	radius	1845, 57
		recurva	1845, 56
lacryma	1845, 51	retusa	1844, 185
lacunosa	1844, 172	rhodia	1845, 46
latruncularia	1844, 181	roborea	1845, 57
lauta	1845, 49	robusta	1844, 179
leucodesma	1845, 49	rosacea	1845, 59
lignaria	1844, 172	rosea	1844, 174
limata	1845, 58	rotundilrata	1844, 183
livida	1844, 178	rubiginosa	1844, 173
loricata	1844, 182	rubritincta	1844, 179
lota	1845, 48		171
lubens	1845, 61	rupicola	1844, {172
lucida	1845, 51		172
luculenta	1845, 49	ruppellii	1844, 183
		rustica	1845, 60
		sculptilis	1845, 55

	Page		Page
Mitra semen	1845, 50	Modiola sulcata	1844, 15
senegalensis	1844, 177	Molossus ater .. .	1847, 115
smensis .. .	1844, 181	Molothrus niger .. .	1843, 121
solandri .. .	1844, 182	Monacanthus hystrix ..	1834, 121
solida .. .	1844, 170	rudis .. .	1840, 27
solidula	1844, 178	setifer .. .	1830-1, 112
speciosa .. .	1844, 180	Monitor .. .	1830-1, 137
spicata .. .	1845, 55	Monoceros acuminatum ..	1835, 50
stamforthii .. .	1841, 93	citrinum .. .	1835, 51
subulata .. .	1844, 174	costatum .. .	1835, 50
sulcata .. .	1844, 177	crassilabrum	1835, 49
suturata .. .	1845, 54	cymatum .. .	1835, 50
swainsoni .. .	1835, 193	globulus	1835, 50
telescopium .. .	1844, 180	imbricatum .. .	1835, 49
terebrans .. .	1835, 196	lugubre .. .	1835, 49
testacea .. .	1835, 193	punctulatum .. .	1835, 49
ticaonica .. .	1844, 183	unicarinatum .. .	1835, 49
tornata .. .	1845, 52	Monodon monoceros .. .	1847, 118
tornatelloides	1845, 58	Monodonta seminigra ..	1845, 89
tristis .. .	1835, 194	Monophyllus leachi .. .	1847, 15
tuberosa .. .	1845, 48	Monopterus .. .	1837, 38
tumida .. .	1844, 171	Mopaha .. .	1847, 65
turben .. .	1844, 187	blainvilli .. .	1847, 69
turgida .. .	1845, 52	hindsii .. .	1847, 69
turriger .. .	1845, 51	simpsoni .. .	1847, 69
tusa .. .	1845, 54	Mora mediterranea .. .	1843, 89
typha .. .	1845, 52	Morphnus cristatellus ..	1842, 91
undulosa .. .	1844, 185	Moschus .. .	1836, 92
ustulata .. .	1844, 174	americanus .. .	1836, 135
variabilis .. .	1844, 180	aquaticus .. .	1840, 35
variata .. .	1844, 175	delicatulus .. .	1841, 63
variegata	1844, 186	fulviventer .. .	1841, 68
venustula .. .	1844, 186	griffithi .. .	1836, 66
verrucosa .. .	1845, 47	javanicus .. .	1836, 65
virgata .. .	1844, 185	kanchil .. .	1836, 66
vultuosa .. .	1845, 52	meminna .. .	1842, 108
woldomarii .. .	1844, 179	moschiferus .. .	1843, 66
zebuensis	1844, 173	pygmæus .. .	1845, 94
zelotypa .. .	1845, 60	stanleyanus	1845, 97
ziervogeliana .. .	1844, 178	Modacilla alba	1836, 64
	179		1830-1, 104
Mixonis .. .	1845, 23		1836, 63
ruficeps .. .	1845, 23		1847, 13
Modiola arcuatula ..	1844, 16		1836, 63
brachata .. .	1844, 15		1836, 66
discrepans .. .	1844, 16		1836, 65
metcalfei .. .	1844, 14		1843, 66
modiolus .. .	1844, 15		1844, 7
oweni .. .	1844, 16		1845, 94
philippinarum .. .	1844, 15		1845, 97
senhousia .. .	1842, 124		1837, 74
sordida .. .	1844, 16		1837, 78
striatula .. .	1844, 14		1839, 120
strigata .. .	1844, 15		1841, 47
subramosa	1844, 14		1842, 71

	Page		Page
<i>Motacilla alba</i>	1842, { 92	<i>Murex cyclostoma</i>	1840, 146
<i>cinerea</i>	1832, 130	<i>digitatus</i>	1840, 146
<i>dukhumensis</i>	1832, 91	<i>dipsacus</i>	1832, 194
<i>flava</i>	{ 1830-1, 119	<i>elegans</i>	1840, 140
<i>leucopsis</i>	1832, 129	<i>emarginatus</i>	{ 1840, 143
<i>lugubris</i>	1837, 78	<i>erosus</i>	{ 1843, 128
<i>melanocephala</i>	1841, 6	<i>eurypteron</i>	1832, 174
<i>neglecta</i>	1835, 90	<i>exiguus</i>	1845, 109
<i>picata</i>	{ 1832, 129	<i>falcatus</i>	1832, 175
<i>variegata</i>	1844, 66	<i>fasciatus</i>	1840, 145
<i>yarrellii</i>	1830-1, 119	<i>festivus</i>	1840, 144
<i>Motella</i>	{ 1832, 91	<i>formosus</i>	1843, 127
<i>glauca</i>	1839, 161	<i>foveolatus</i>	1840, 139
<i>mustela</i>	1837, 78	<i>fumculatus</i>	1843, 127
<i>Mouhnsia nunezii</i>	1843, 91	<i>gambiensis</i>	1845, 88
<i>Mouretia peruviana</i>	1837, 57	<i>gravidus</i>	1845, 88
<i>reticulata</i>	1837, 57	<i>hamatus</i>	1843, 128
<i>stellata</i>	1841, 101	<i>horridus</i>	1843, 128
<i>Mugil auratus</i>	1835, 6	<i>humilis</i>	1832, 176
<i>cephalus</i>	1835, 6	<i>incisus</i>	1832, 175
<i>chelo</i>	1843, 86	<i>inermis</i>	1832, 176
<i>maderensis</i>	{ 1837, 57	<i>lappa</i>	1840, 146
<i>Mulina</i>	1843, 86	<i>lugubris</i>	1832, 177
<i>donaciformis</i>	1839, 82	<i>maculatus</i>	1832, 175
<i>Mullus surmuletus</i>	1843, 86	<i>margariticola</i>	1845, 108
<i>Mungos? vitticollis</i>	{ 1843, 86	<i>martinianus</i>	1832, 177
<i>Muræna</i>	1839, 82	<i>maurus</i>	1845, 88
<i>fimbriata</i>	1843, 86	<i>megacerus</i>	1832, 174
<i>molendinarius</i>	1836, 104	<i>messoricus</i>	1840, 145
<i>Murex alabaster</i>	1843, 102	<i>mundanaensis</i>	1840, 137
<i>ambiguus</i>	1846, 27	<i>monoceros</i>	1840, 139
<i>ananas</i>	1835, 103	<i>motacilla</i>	{ 1840, 143
<i>antillarum</i>	{ 1835, 205	<i>nigrescens</i>	1843, 128
<i>balteatus</i>	206	<i>nigrispinosus</i>	1840, 138
<i>banksii</i>	1830-1, 168	<i>nitidus</i>	1845, 88
<i>belcheri</i>	1833, 32	<i>noduliferus</i>	1832, 176
<i>bellus</i>	1845, 86	<i>nucleus</i>	1840, 147
<i>bipinnatus</i>	1845, 86	<i>nuttali</i>	1832, 175
<i>breviculus</i>	1843, 127	<i>oculatus</i>	1843, 128
<i>buxeus</i>	1843, 126	<i>osseus</i>	1840, 137
<i>californicus</i>	1840, 140	<i>oxyacantha</i>	1845, 86
<i>canaliferus</i>	1840, 140	<i>pallidus</i>	1845, 87
<i>cancellatus</i>	1843, 127	<i>palmiferus</i>	1832, 176
<i>capensis</i>	{ 1840, 143	<i>pellucidus</i>	1832, 194
<i>carduus</i>	1843, 127	<i>peritus</i>	1840, 142
<i>cirrosus</i>	1832, 175	<i>peruvianus</i>	1845, 87
<i>corrugatus</i>	1843, 128	<i>pinniger</i>	1843, 129
<i>crassivaricosa</i>	1840, 142	<i>pistachia</i>	{ 1832, 174
<i>crispus</i>	1845, 86	<i>pleurotomoides</i>	1843, 127
<i>crocatus</i>	1832, 176	<i>plicatus</i>	1845, 109
	1845, 108	<i>placiferus</i>	1840, 139
		<i>princeps</i>	1840, 138
		<i>pudoricolor</i>	1832, 175
		<i>pumilus</i>	1845, 108
			1832, 175

	Page		Page
<i>Murex radicatus</i>	1843, 128	<i>Mus gundi</i>	1830-1, 48
<i>rectirostris</i>	1840, 138	<i>hayi</i>	1837, 76
<i>recurvirostris</i>	1832, 174	<i>hibernicus</i>	1837, 52
<i>rosarium</i>	1843, 127	<i>hirsutus</i>	1842, 12
<i>rubescens</i>	1832, 174	<i>latipes</i>	1835, 89
<i>rubiginosus</i>	1845, 86	<i>lincolatus</i>	1845, 77
<i>rusticus</i>	1845, 108	<i>longicaudatus</i> ...	1832, 2
<i>saulii</i>	1840, 141		1843, 129
<i>scabrosus</i>	1840, 140	<i>longipilis</i>	1837, 16
<i>similis</i>	1840, 140		1843, 129
<i>sinensis</i>	1845, 85	<i>magellanicus</i>	1835, 191
<i>squamosus</i>	1832, 176	<i>maurus</i>	1837, 20
<i>stamforthi</i>	1842, 104	<i>messorius</i>	1844, 8
<i>steeriae</i>	1845, 85	<i>micropus</i>	1837, 17
<i>tetragonus</i>	1832, 174		1830-1, 103
<i>torrefactus</i>	1840, 141	<i>musculus</i>	1832, 41
<i>trialatus</i>	1840, 143		1834, 98
<i>triformis</i>	1845, 87		1830, 122
<i>tumulosus</i>	1840, 144		1842, 98
<i>turratus</i>	1845, 108	<i>nasutus</i>	1837, 16
<i>varicosus</i>	1840, 145	<i>novae-hollandiae</i> .	1842, 146
<i>varius</i>	1840, 144	<i>obscurus</i>	1837, 16
<i>vibex</i>	1832, 175		1832, 121
<i>vittatus</i>	1832, 176	<i>oleraceus</i>	1835, 108
<i>Muricanthus</i>	1843, 128	<i>olivaceus</i>	1837, 16
<i>Muricites costatus</i> ..	1843, 167	<i>pencilatus</i>	1842, 12
<i>Mus abbottii</i>	1837, 77		1832, 121
<i>accedula</i>	1839, 122	<i>platythrix</i>	1835, 108
<i>albocinerus</i>	1845, 78		1830-1, 20
<i>alleni</i>	1837, 77	<i>rattus</i>	1834, 98
<i>arenicola</i>	1837, 18		1837, 53
<i>barbarus</i>	1830-1, 145	<i>setifer</i>	1832, 40
<i>bimaculatus</i>	1837, 18	<i>subspinosus</i>	1837, 104
<i>brachyotus</i>	1837, 17	<i>sumatrensis</i> ...	1830-1, 95
<i>brevirostris</i>	1837, 19		1832, 41
<i>cahirinus</i>	1837, 105	<i>sylvaticus</i>	1844, 105
<i>canescens</i>	1837, 17	<i>tazamaca</i>	1843, 79
<i>castaneus</i>	1842, 145	<i>taguina</i>	1843, 79
<i>coypus</i>	1843, 120	<i>tunidus</i>	1837, 15
<i>cricetus</i>	1837, 50	<i>vellerosus</i>	1847, 5
<i>cyanus</i>	1843, 131	<i>xanthopygus</i>	1837, 28
<i>darwini</i>	1837, 28	<i>xanthorinus</i>	1837, 17
	1844, 154	<i>Muscicapa albicollis</i>	1844, 64
	1830-1, 103	<i>banyumas</i>	1830-1, 116
	1834, 98		1832, 85
<i>decumanus</i>	1839, 126	<i>cæruleocephala</i> . .	1832, 85
	1842, 70	<i>capitalis</i>	1839, 157
	1842, 98	<i>crinita</i>	1847, 38
	1843, 51	<i>ferox</i>	1847, 38
<i>delicatulus</i>	1842, 13	<i>fraseri</i>	1844, 101
<i>elegans</i>	1837, 19	<i>fusca</i>	1847, 38
<i>flavescens</i>	1837, 19		1839, 131
<i>fuscipes</i>	1847, 6	<i>grisola</i>	1844, 64
<i>giganteus</i>	1830-1, 103	<i>latirostris</i>	1844, 102
	1832, 40	<i>leucocilla</i>	1841, 29
<i>gracilicaudatus</i>	1845, 77	<i>leucura</i>	1845, 26
<i>gracilipes</i>	1837, 19	<i>luctuosa</i>	1839, 131
<i>griseo-flavus</i>	1837, 28	<i>melanops</i>	1830-1, 171

	Page		Page
<i>Muscicapa melanops</i> ..	{ 1832, 85	<i>Myadora oblonga</i>	1844, 93
<i>nitida</i> ..	{ 1839, 157	<i>ovata</i> ..	1844, 92
<i>occipitalis</i> ..	{ 1830-1, 116	<i>pandoræformis</i>	1844, 93
<i>picata</i> ..	{ 1830-1, 97	<i>plana</i>	1844, { 92
<i>poonensis</i> ..	{ 1832, 85	<i>striata</i> ..	1844, { 93
<i>ruticilla</i> ..	{ 1832, 85	<i>fincta</i> ...	1844, { 92
<i>virens</i> ...	{ 1847, 38	<i>trigona</i>	1844, 92
<i>Muscipeta atrocaudata</i>	1839, 102	<i>Mycteria australis</i> ..	1830-1, 123
<i>brevirostris</i> .	{ 1830-1, 43	<i>Mygale avicularia</i>	1834, 11
<i>castanea</i> ..	{ 1839, 156	<i>moschata</i> ..	1845, 76
<i>flammea</i> ..	{ 1841, 6	<i>Myiagra</i> ..	1846, 101
<i>indica</i> ..	{ 1832, 85	<i>latirostris</i> ..	1840, 172
<i>paradisea</i> ..	{ 1832, 84	<i>nitida</i>	1837, 142
<i>paradisi</i>	{ 1839, 102	<i>pectoralis</i>	1846, 101
<i>peregrina</i>	{ 1830-1, 116	<i>pyrrhoptera</i> ..	1846, 101
<i>plumosa</i> .	{ 1830-1, 173	<i>Myiobius albiceps</i> ..	1843, 110
<i>princeps</i> . .	{ 1832, 85	<i>parvirostris</i> ..	1843, 110
<i>smithii</i> ..	{ 1846, 101	<i>Myletes allenii</i> . . .	1834, 45
<i>tricolor</i> ..	{ 1830-1, 22	<i>hasselquistii</i> . .	1834, 45
<i>Muscisaxicola mentalis</i>	1839, 156	<i>Myliobatus aquila</i> ..	1839, 145
<i>nigra</i> ..	1843, 34	<i>Myophonus horsfieldi</i>	1830-1, 35
<i>rufivertex</i> ..	1843, 4	<i>temminckii</i>	{ 1830-1, 171
<i>Muscisylvia</i> ..	1843, 112	<i>temminckii</i>	{ 1832, 15
<i>leucura</i> ..	1843, 112	<i>temminckii</i>	{ 1842, 92
<i>Muscivora tyrannus</i>	{ 1841, 94	<i>temminckii</i>	{ 1835, 173
<i>Mustela altaica</i> . . .	{ 1843, 112	<i>temminckii</i>	{ 1835, 182
<i>canadensis</i> ..	{ 1845, 27	<i>temminckii</i>	{ 1838, 118
<i>erminea</i>	{ 1845, 27	<i>temminckii</i>	{ 1843, 129
<i>flavigula</i> ...	1843, 120	<i>temminckii</i>	{ 1844, 96
<i>frenata</i>	1845, 76	<i>temminckii</i>	{ 1844, 154
<i>furo</i> ..	{ 1832, 189	<i>Myosorex</i> ..	1837, 123
<i>galera</i> .	{ 1833, 97	<i>varius</i> ..	1837, 124
<i>putoria</i> ..	{ 64	<i>Myrmecobius</i> ..	{ 1836, 69
<i>putorius</i>	{ 69	<i>Myrmecobius</i> ..	{ 1839, 9
<i>vulgaris</i>	{ 97	<i>Myrmecobius</i> ..	{ 1843, 148
<i>zorilla</i>	{ 191	<i>Myrmecobius</i> ..	{ 1836, 69
<i>Mya rostrata</i> ..	1834, 97	<i>Myrmecobius</i> ..	{ 1836, 132
<i>semistriata</i> ...	1843, 79	<i>Myrmecobius</i> ..	{ 1838, 120
<i>Myadora</i>	1841, 44	<i>Myrmecobius</i> ..	{ 1838, 147
<i>brevis</i> ...	1830-1, 57	<i>Myrmecobius</i> ..	{ 1838, 149
<i>crassa</i> ..	1837, 46	<i>Myrmecophaga ju-</i>	1830-1, 149
<i>curvata</i> ..	{ 1834, 97	<i>bata</i> ...	{ 1839, 21
<i>erminea</i>	{ 1842, 64	<i>Myrmecophaga</i> ..	1840, 74
<i>flavigula</i> ...	{ 1847, 111	<i>Myrmecophaga</i> ..	1838, 165
<i>frenata</i>	{ 64	<i>Myrmecophaga</i> ..	1844, 14
<i>furo</i> ..	{ 69	<i>Myrmecophaga</i> ..	1844, 17
<i>galera</i> .	{ 97	<i>Myrmecophaga</i> ..	1839, 143
<i>putoria</i> ..	{ 89	<i>Myrmecophaga</i> ..	1839, 144
<i>putorius</i>	{ 89	<i>Myrmecophaga</i> ..	1840, 159
<i>vulgaris</i>	{ 44	<i>Myrmecophaga</i> ..	1830, 144
<i>zorilla</i>	{ 76	<i>Myrmecophaga</i> ..	1842, 136
<i>Mya rostrata</i> ..	1843, 6	<i>Myrmecophaga</i> ..	1840, 170
<i>semistriata</i> ...	1844, 91	<i>Myrmecophaga</i> ..	1839, 32
<i>Myadora</i>	1844, 93	<i>Myrmecophaga</i> ..	1839, 32
<i>brevis</i> ...	1844, 92	<i>Myrmecophaga</i> ..	1839, 32
<i>crassa</i> ..	1844, 93	<i>Myrmecophaga</i> ..	1839, 32
<i>curvata</i> ..	1844, 93	<i>Myrmecophaga</i> ..	1839, 32

	Page		Page
Nanina	1834, { 58	Natica broderipiana	1843, { 205
citrina	1834, 58	burasienensis	1843, 212
clairvillia	1834, 58	caurena	1843, 207
exilis	1834, 58	collei	1843, 206
javanensis	1834, 58	cruentata	1843, 212
juliana	1834, 58	cunungiana	1843, 210
monozonalis	1834, 58	dulna	1843, 209
nemorensis	1834, 58	elenae	1843, 205
striata	1834, 59	euzona	1843, 204
vitrinoides	1834, 58	fanel	1843, { 206
Nanodes elegans	1837, 25	flemingiana	1843, 209
undulatus	1839, 113	fulgurans	1843, 206
Narcine tasmaniensis	{ 1840, 29	fuscata	1843, 210
.	{ 1841, 22	gallapagosa	1843, 213
Natica	1843, 130	gambica	1843, 207
blainvilleana	1843, 141	gualteriana	1843, 208
cidaris	1843, 137	margaritacea	1843, 137
cumingiana	1843, 139	marochiensis	1843, 207
deshayesi	1843, 138	maura	1843, 214
distans	1843, 140	orientalis	1843, 205
glaberrima	1843, 136	panamaensis	1843, 208
granulosa	1843, 140	pavimentum	1843, 208
guerini	1843, 139	picta	1843, 204
lamellosa	1843, 137	powisiana	1843, 210
ligata	1843, 138	pranus	1843, 213
margaritacea	1843, 137	pyriformis	1843, 211
orbigniana	1843, 140	raynoldiana	1843, 212
petiti	1843, 138	salangoensis	1843, 211
quoyi	1843, 137	samarensis	1843, 214
rosea	1843, 140	sebae	1843, 214
sigaretiformis	{ 1843, 137	simiae	1843, 214
.	{ 141	straminea	1843, 211
striata	1843, 137	sulphurea	1843, 211
sulcata	1843, 137	uberina	1843, 210
tuberosissima	1843, 136	violacea	1843, 211
Nasalis recurvus	1837, 71	zanzebarica	1843, 213
Nassa	1844, 121	zebra	1843, 204
complanata	1835, 90	Natrix torquata	{ 1842, 101
concinna	1835, 95	{ 109
dentifera	1835, 95	Nauclerus abbreviatus	1840, 36
exilis	1835, 95	Nautilus	1837, 63
festiva	1835, 95	ponipilius	{ 1839, 123
nodifera	1835, 95	{ 1842, 143
pallida	1835, 90	Navicella	1843, 197
scabriscula	1835, 96	clypeolum	1842, 157
.	{ 1834, 9	cookii	1843, 197
Nasua fusca	{ 1839, 127	cumingiana	1842, 157
.	{ 1841, 44	entrecastauxi	1842, 159
.	{ 1842, 68	janelli	1842, 154
rufa	{ 1839, 128	la perousei	1843, 197
.	{ 1841, 44	lineata	{ 1842, 158
Natica	1843, 204	{ 1843, 198
amethystina	1843, 211	luzonica	1842, 156
arachnoidea	1843, 211	suborbicularis	1842, 155
areolata	{ 1843, 204	tessellata	1842, 158
.	{ 206	variabilis	1842, 155
aurantia	1843, 211		

	Page		Page
<i>Nesera</i>	1844, { 62	<i>Nemoptera coa</i>	1841, 10
<i>abbreviata</i>	1843, 75	<i>costata</i>	1841, 13
<i>attenuata</i>	1843, 75	<i>dilatata</i>	1841, 11
<i>casta</i>	1843, 77	<i>extensa</i>	1841, 11
<i>chinensis</i>	1843, 76	<i>halterata</i>	1841, { 11
<i>cochlearis</i>	1844, 98	<i>latipennis</i>	1841, 12
<i>concinna</i>	1843, 77	<i>lusitanica</i>	1841, 10
<i>costata</i>	1843, 77	<i>pallida</i>	1841, 12
<i>costellata</i>	1843, { 77	<i>setacea</i>	1841, 13
<i>cuspidata</i>	1843, { 75	<i>sinuata</i>	1841, 10
— (<i>olivi</i>)	1843, 76	<i>Nemopteryx africana</i> . .	1841, 12
<i>didyma</i>	1843, 78	<i>Nemura</i>	1845, 27
<i>elegans</i>	1843, 76	<i>cyanura</i>	1845, 27
<i>gouldiana</i>	1843, 77	<i>flavohyacea</i>	1845, 27
<i>hyalina</i>	1843, 76	<i>ruflatus</i>	1845, 27
<i>iridescent</i>	1843, 78	<i>Neomorpha</i>	1835, 145
<i>lata</i>	1843, 79	<i>acutirostris</i>	1836, 145
<i>lyrata</i>	1844, 97	<i>crassirostris</i>	1836, 145
<i>opalina</i>	1843, 78	<i>Neophron niger</i>	1843, 51
<i>philippinensis</i>	1843, 78	<i>percnopterus</i>	1832, 73
<i>rosea</i>	1843, 78	<i>percnopterus</i>	1842, 92
<i>singaporensis</i>	1843, 77	<i>Nephila clavipes</i>	1834, 12
<i>tenuis</i>	1844, 97	<i>Nerita</i>	1842, 168
<i>trigona</i>	1843, 78	<i>afra</i>	1843, 198
<i>Necrophileophagus</i>	1842, 180	<i>africana</i>	1843, 198
<i>longicornis</i>	1842, 180	<i>angulosa</i>	1842, 173
<i>Nectarinia borbomica</i> . . .	1835, 205	<i>apiata</i>	1843, 72
<i>flavigaster</i>	1843, 104	<i>asperulata</i>	1842, 169
<i>Nemadactylus</i>	1839, 98	<i>aurantia</i>	1843, 200
<i>concinuus</i>	1839, 97	<i>beaniana</i>	1843, 200
<i>Nematoptera africana</i> . . .	1841, 12	<i>bicanaliculata</i>	1842, 171
<i>alba</i>	1841, 13	<i>bicolor</i>	1842, 172
<i>angulata</i>	1841, 12	<i>brasilhana</i>	1843, 200
<i>aristata</i>	1841, 13	<i>brasilhana</i>	1843, 199
<i>bacillaris</i>	1841, 12	<i>cancellata</i>	1843, 136
<i>barbara</i>	1841, 11	<i>celata</i>	1845, 120
<i>bipennis</i>	1841, 10	<i>circumvoluta</i>	1842, 173
<i>capillaris</i>	1841, 13	<i>columbaria</i>	1845, 121
<i>coqueberti</i>	1841, 10	<i>columbaria</i>	1842, 170
<i>costalis</i>	1841, 12	<i>crepidularia</i>	1843, 198
<i>dilatata</i>	1841, 11	<i>crepidularia</i>	1845, 119
<i>extensa</i>	1841, 11	<i>cuprina</i>	1843, 72
<i>filipennis</i>	1841, 13	<i>dingii</i>	1845, 121
<i>forskallii</i>	1841, 11	<i>domingensis</i>	1845, 122
<i>latipennis</i>	1841, 12	<i>donovana</i>	1842, 175
<i>olivieri</i>	1841, 13	<i>donovana</i>	1843, 73
<i>pallida</i>	1841, 11	<i>dubia</i>	1843, 73
<i>petiveri</i>	1841, 9	<i>fluvialis</i>	1845, 122
<i>setacea</i>	1841, 13	<i>glabrissima</i>	1843, 136
<i>Nemoptera</i>	1841, 9	<i>grayana</i>	1843, 200
<i>alba</i>	1841, 13	<i>guttata</i>	1843, 199
<i>aristata</i>	1841, 13	<i>hindsii</i>	1843, 201
<i>bacillaris</i>	1841, 12	<i>interrupta</i>	1842, 173
<i>barbara</i>	1841, 11	<i>jordani</i>	1845, 121
<i>capillaris</i>	1841, 13	<i>jovis</i>	1843, 72
		<i>labiosa</i>	1842, 169

	Page		Page
<i>Nerita leachii</i>	1843, 190	<i>Neritina piperata</i>	1843, 202
<i>lutescens</i>	1845, 122	<i>reticulata</i>	1832, 201
<i>mamma veneris fus-</i>		<i>Nesioticus</i>	1842, 120
<i>cata seu lutea</i>	1843, 210	<i>flavopictus</i>	1842, 121
<i>mertoniana</i>	1843, 71	<i>Nettapus pulchellus</i>	1841, 89
<i>michaudi</i>	1842, 175	<i>Nicon</i>	1847, 15
<i>michaudiana</i>	1843, 72	<i>caudifer</i>	1847, 15
<i>montacuti</i>	1842, 174	<i>Nidaha</i>	1835, 60
<i>nebulata</i>	1843, 71	<i>occidentalis</i>	1835, 60
<i>olivacea</i>	1842, 172	<i>Nigidius lævicollis</i>	1837, 128
<i>orbignyana</i>	1843, 202	<i>Nigrita fusconotus</i>	1842, 145
<i>ouahianensis</i>	1843, 72	<i>Ninox nipalensis</i>	1846, 99
<i>panayana</i>	1842, 170	<i>Nocthura perdicaria</i>	1843, 115
<i>panayensis</i>	1843, 200	<i>Noctilio mastivus</i>	1847, 105
<i>pennata</i>	1843, 202	<i>Noctua boobook</i>	1837, 99
<i>petita</i>	1842, 169	<i>brodiei</i>	1835, 152
<i>pfeifferiana</i>	1843, 72	<i>cuculoides</i>	1830-1, 8
<i>powisiana</i>	1843, 71	1830, 155
<i>pulchella</i>	1842, 175	1830-1, 115
<i>pulligera</i>	1842, 171	<i>indica</i>	1832, 82
<i>rangiana</i>	1842, 170	1839, 119
<i>rossmassleriana</i>	1845, 119	<i>maculata</i>	1837, 93
<i>royssiana</i>	1843, 72	<i>nyctea</i>	1835, 78
.	200	<i>Nomeus maculosus</i>	1830-1, 146
<i>rumphii</i>	1843, 201	<i>Nothura</i>	1846, 9
.	202	<i>perdicaria</i>	1847, 53
<i>sayana</i>	1843, 199	<i>Novaculina gangetica</i>	1834, 91
<i>siguayorensis</i>	1843, 198	1830-1, 8
<i>sobrina</i>	1845, 119	<i>Nucifraga hemispila</i>	1841, 6
<i>solum</i>	1845, 120	1842, 92
<i>sowerbiana</i>	1842, 174	<i>Nucula</i>	1843, 97
<i>spengleriana</i>	1843, 201	<i>arctica</i>	1843, 79
<i>squamæpicta</i>	1842, 169	<i>belcheri</i>	1843, 98
<i>squarrosa</i>	1842, 174	<i>celata</i>	1843, 99
<i>suborbiculata</i>	1842, 171	<i>castrensis</i>	1843, 98
<i>turtoni</i>	1843, 71	<i>cobboldiæ</i>	1843, 98
.	1843, 198	<i>costellata</i>	1832, 198
<i>violacea</i>	1845, 119	<i>crassa</i>	1843, 99
<i>virginæa</i>	1843, 199	<i>crenifera</i>	1832, 197
<i>zelandica</i>	1845, 120	<i>crispa</i>	1843, 100
(<i>Clithon</i>) <i>da Costæ</i>	1843, 199	<i>cumingii</i>	1843, 97
(—) <i>subpunctata</i>	1843, 199	<i>cuneata</i>	1832, 198
<i>Nentæ globosæ</i>	1845, 119	<i>declivis</i>	1843, 98
<i>muticæ</i>	1845, 120	<i>divaricata</i>	1843, 97
<i>serratæ</i>	1845, 119	<i>eburnea</i>	1832, 198
<i>spinosæ</i>	1845, 120	<i>elenensis</i>	1832, 198
<i>subhemisphæricæ</i>	1845, 119	<i>elongata</i>	1832, 197
.	1843, 198	<i>excavata</i>	1843, 100
<i>Neritina</i> —	1845, 11	<i>exigua</i>	1832, 198
<i>chlorostoma</i>	1832, 201	<i>gibbosa</i>	1832, 198
<i>dilatata</i>	1832, 201	<i>lata</i>	1843, 99
<i>globosa</i>	1832, 201	<i>lyrata</i>	1843, 100
<i>intermedia</i>	1832, 201	<i>marmorea</i>	1843, 98
<i>latissima</i>	1832, 200	<i>mitralis</i>	1843, 97
<i>lugubris</i>	1843, 72	<i>nana</i>	1843, 98
<i>morio</i>	1832, 201	<i>nicobarica</i>	1843, 99
<i>nux</i>	1832, 201	<i>obliqua</i>	1843, 97
<i>picta</i>	1832, 201	<i>pella</i>	1843, 100

	Page		Page
<i>Nucula pisum</i>	1832, 198	<i>Nycthemerus erythroph-</i>	
<i>polita</i>	1832, 198	<i>thalamus</i>	1839, 106
<i>puellata</i>	1843, 100	<i>Nyctibius bracteatus</i> ..	1846, 1
<i>pulchra</i>	1843, 97	<i>Nycticebus bengalensis</i> ..	1834, 96
<i>recta</i>	1843, 100	<i>Nycticejus</i>	1845, 10
<i>reticulata</i>	1843, 100	<i>heathii</i>	1830-1, 113
<i>retusa</i>	1843, 99	<i>Nyctacorax americanus</i> ..	1843, 116
<i>serotina</i>	1843, 99	<i>caledomeus</i>	1839, 114
<i>tenella</i>	1843, 99	<i>cycanocephalus</i>	1843, 116
<i>tumida</i>	1843, 98	<i>europæus</i>	1830-1, 124
<i>ventricosa</i>	1843, 100	1832, 159
<i>Numenius arquata</i> ..	1837, 156	1834, 80
<i>australis</i>	1837, 155	1835, 62
<i>hudsonicus</i>	1843, 117	<i>gardenii</i>	1847, 39
<i>longirostris</i>	1847, 39	<i>manillensis</i>	1830-1, 98
<i>minutus</i>	1840, 176	<i>violacea</i>	1847, 39
<i>phæopus</i>	1834, 15	<i>Nyctinomus acetabulosus</i> ..	1833, 133
<i>uropygialis</i>	1842, 94	<i>plicatus</i>	1830-1, 99
<i>Numida maculipennis</i> ..	1840, 175	<i>tenuis</i>	1830-1, 99
<i>meleagris</i>	1832, 162	<i>Nyctioris amictus</i>	1839, 101
<i>rendallii</i>	1847, 39	<i>athertonii</i>	1839, 165
<i>vulturina</i>	1835, 103	<i>Nyctobates brevicornis</i> ..	1842, 119
<i>Nyctelia</i>	1834, 52	<i>confusus</i>	1842, 118
<i>angustata</i>	1846, 9	<i>hypocrita</i>	1842, 119
<i>darwinii</i>	1841, 116	<i>moerens</i>	1842, 117
<i>ebenina</i>	1841, 108	<i>punctatus</i>	1842, 118
<i>erythropus</i>	1841, 118	<i>rotundicollis</i>	1842, 120
<i>fitzroyi</i>	1841, 119	<i>transversalis</i>	1842, 119
<i>granulata</i>	1841, 109	<i>Nymphon johnstonianum</i> ..	1847, 125
<i>guerinii</i>	1841, 109	<i>johnstoni</i>	1847, 125
<i>lævis</i>	1841, 114	<i>phasma</i>	1847, 125
<i>newportii</i>	1841, 105	<i>Nyroca leucophthalma</i> ..	1842, 93
<i>nodosa</i>	1841, 113	<i>Ocreatus ligonicaudus</i> ..	1846, 86
<i>pilipes</i>	1841, 116	<i>rufocalgatus</i>	1846, 86
<i>plicata</i>	1841, 121	<i>Octodon</i>	1832, 46
<i>puncticollis</i>	1841, 107	1844, 156
<i>rugosa</i>	1841, 110	<i>bridgesii</i>	1844, 155
<i>saundersii</i>	1841, 111	1840, 7
<i>solieri</i>	1841, 111	1832, 47
<i>stephensi</i>	1841, 108	1835, 189
<i>subsulcata</i>	1841, 113	1836, 70
<i>sulcicollis</i>	1841, 110	1843, 111
<i>transverso-sulcata</i> ..	1841, 115	<i>cumingii</i>	1843, 129
<i>westwoodii</i>	1841, 106	1843, 130
<i>Nycteria biarticulata</i> ..	1841, 112	1844, 154
<i>blainvillii</i>	1834, 139	1844, 155
<i>dubia</i>	1834, 138	1846, 7
<i>dufourii</i>	1834, 137	<i>degus</i>	1844, 155
<i>hopei</i>	1834, 138	<i>Octopus arenarius</i>	1835, 206
<i>jenynsii</i>	1834, 139	<i>octopodia</i>	1834, 81
<i>latreilli</i>	1834, 139	<i>semipalmatus</i>	1836, 22
<i>pedicularia</i>	1834, 138	<i>Ocyalus</i>	1840, 183
<i>royli</i>	1834, 138	<i>Ocyphaps</i>	1842, 20
<i>sykesii</i>	1834, 137	<i>microurus</i>	1842, 20
<i>vexata</i>	1834, 138	<i>Ocypterus leucorhyn-</i>	
		<i>chus</i>	1830-1, 117

	Page		Page
<i>Ocypterus personatus</i>	1840, 149	<i>Oreocincla</i>	1837, 145
<i>supercilius</i>	1836, 142	<i>macrorhyncha</i>	1837, 145
<i>Ocyris</i>	1845, 35	<i>parvirostris</i>	1837, 136
<i>Ocythoe</i>	1836, 121	<i>Oreocica</i>	1837, 151
<i>antiquorum</i>	1830-1, 107	<i>cristata</i>	1846, 100
<i>cranchii</i>	1830-1, 107	<i>Oreophilus totanirostris</i>	1843, 117
	1836, 19	<i>Oreotrochilus</i>	1847, 9
	1837, 45	<i>adela</i>	1847, 10
	1837, 84	<i>chimborazo</i>	1847, 10
<i>Odax algensis</i>	1840, 26	<i>estella</i>	1847, 10
<i>Odontophorus balliviana</i>	1840, 69	<i>leucopleurus</i>	1847, 10
<i>guianensis</i>	1843, 107	<i>melanogaster</i>	1847, 10
<i>Odontopus cupreus</i>	1841, 67	<i>Origma</i>	1837, 148
<i>cyaneus</i>	1841, 67	<i>Oriolus acrorhynchus</i>	1830-1, 97
<i>speciosus</i>	1841, 67	<i>chinensis</i>	1842, 166
<i>tristis</i>	1841, 67		1830-1, 117
<i>violaceus</i>	1841, 67		1832, 87
<i>Odostomia</i>	1840, 40		1834, 51
<i>eulimoides</i>	1844, 18	<i>galbula</i>	1839, 120
<i>rissoides</i>	1844, 18		1842, 92
<i>turrita</i>	1844, 18		1844, 65
	1832, 166	<i>galbuloides</i>	1841, 6
	1834, 51	<i>kundoo</i>	1832, 87
<i>Edicnemus crepitans</i>	1842, 92	<i>maderaspatanus</i>	1830-1, 118
	1842, 94		1830-1, 117
	1845, 13	<i>melanocephalus</i>	1832, 87
<i>Ogcosoma</i>	1842, 121		1835, 62
<i>granulare</i>	1842, 121		1839, 160
<i>Oiceoptoma tetraspilotum</i>	1833, 61	<i>sinensis</i>	1839, 104
<i>Oidemia fusca</i>	1835, 79	<i>traillii</i>	1839, 160
<i>Oligura</i>	1845, 25	<i>xanthonotus</i>	1839, 104
<i>cyaniiventer</i>	1845, 25	<i>xanthornis</i>	1837, 110
<i>flaviventer</i>	1845, 25	<i>Ornismya aline</i>	1837, 17
<i>Omalaixis</i>	1844, 24	<i>allardi</i>	1843, 122
<i>Omascia dennisoni</i>	1842, 91	<i>anaïs</i>	1847, 8
<i>strombiformis</i>	1842, 91	<i>bonapartæ</i>	1843, 122
<i>Oniscus</i>	1837, 42	<i>brevirostris</i>	1847, 43
	65	<i>chrysolopha</i>	1847, 42
<i>Onithochiton</i>	1846, 68	<i>clarissæ</i>	1847, 46
<i>gaimardi</i>	1847, 68	<i>cora</i>	1847, 46
<i>hirtosus</i>	1847, 68	<i>cyanea</i>	1847, 46
<i>undulatus</i>	1847, 68	<i>delphinæ</i>	1847, 9
<i>Opetiorhynchus nigrofumosus</i>	1843, 111	<i>elisa</i>	1847, 44
<i>vulgaris</i>	1843, 111	<i>ensifera</i>	1843, 122
<i>Ophicephalus leucopunctatus</i>	1838, 158	<i>glomata</i>	1847, 17
<i>Ophidium fierasfer</i>	1843, 92	<i>guerini</i>	1843, 122
<i>imberbe</i>	1843, 92	<i>heteropogon</i>	1843, 122
<i>Ophisurus crocodilinus</i>	1833, 32	<i>labrador</i>	1847, 46
<i>Opilus auripennis</i>	1833, 62	<i>la fresnayi</i>	1843, 122
<i>Oplegnathus</i>	1840, 27	<i>maniculata</i>	1847, 17
<i>conwan</i>	1840, 27	<i>microrhyncha</i>	1843, 122
<i>Orbicula cumingii</i>	1833, 124	<i>paradisæa</i>	1847, 44
<i>lamellosa</i>	1833, 124	<i>paulinæ</i>	1843, 122
	127	<i>petasophora</i>	1847, 8
<i>Orca gladiator</i>	1847, 88	<i>platurus</i>	1847, 42
<i>Orcynus alalonga</i>	1839, 78	<i>sappho</i>	1847, 30
			31
		<i>scutatus</i>	1847, 42

	Page		Page
<i>Ornismya smaragdino-</i>		<i>Osphranter</i> . . .	1841, 80
<i>collis</i> . . .	1843, 122	<i>antilopinus</i> . . .	1841, 80
<i>temminckii</i>	1843, 122	<i>isabellinus</i>	1841, 81
<i>underwoodii</i>	1847, 42	<i>Osphromenus goramy</i> . 1830-1,	89
<i>vestita</i>	{ 1843, 122	<i>Ostracion auritus</i> . . .	1840, 27
	1847, 17	<i>flavigaster</i> . . .	1840, 27
<i>Ornithichmtes</i>	1843, 145	<i>lenticularis</i> . . .	1841, 21
<i>giganteus</i>	1843, 146	<i>ornatus</i> . . .	1840, 27
<i>ingens</i>	1843, 146	<i>spilogaster</i> . . .	1840, 27
<i>Ornithorhynchus brevi-</i>		<i>Ostea</i>	1837, 64
<i>rostris</i> . . .	1830-1, 150	<i>bicolor</i>	1845, 107
	{ 1832, 145	<i>callichroa</i>	1845, 107
	1833, 15	<i>chemnitzii</i>	1845, 106
	1833, 28	<i>columbiensis</i> . . .	1845, 107
	1833, 82	<i>lacerata</i>	1845, 106
<i>paradoxus</i>	{ 1833, 91	<i>megodon</i> . . .	1845, 106
	1833, 95	<i>multistriata</i> . . .	1845, 106
	1834, 22	<i>pes-tigris</i> . . .	1845, 106
	1834, 43	<i>Otton cuvieri</i> . . .	1837, 42
	1834, 141	<i>Otus afroides</i> . . .	1830-1, 11
<i>Orpheus melanotus</i> . . .	1837, 27	<i>australasianus</i> . . .	1840, 176
<i>modulator</i> . . .	1836, 6	<i>ferox</i>	1830-1, 11
<i>parvulus</i> . . .	1837, 27	<i>fulva</i>	1832, 155
<i>polyglottus</i>	1847, 38	<i>himalayanus</i> . . .	1830-1, 23
<i>rufus</i>	1844, 9	<i>houbara</i>	1844, { 66
<i>trifasciatus</i> . . .	1837, 27		153
<i>Orthorhynchus adela</i> . .	1847, 10	<i>indica</i> . . .	1830-1, 123
<i>cecilæ</i> . . .	1847, 10	<i>kori</i>	1830-1, 50
<i>estella</i> . . .	1847, 10	<i>nigriceps</i> . . .	{ 1830-1, 35
<i>Orthotomus</i>	1845, 28		1832, 155
<i>bennettii</i> . . .	{ 1832, 90	<i>tarda</i>	1843, 144
	1834, 148		{ 1834, 51
<i>lingoo</i> . . .	1832, 90		1835, 79
<i>patia</i>	1845, 29		1839, 121
<i>Ortyx</i>	1830-1, 2	<i>vigorsii</i> . . .	1830-1, 11
<i>affinis</i>	1830-1, 8	<i>Otocyonalandii</i> . . .	1847, 11
<i>castanea</i>	1842, 182	<i>Otolienus garnettii</i> . .	1838, 6
<i>fasciatus</i>	1843, 133	<i>Otomys</i>	1837, { 29
<i>guttata</i>	1837, 79		69
<i>leucophrys</i> . . .	1843, 132	<i>Otus bengalensis</i> . . .	{ 1830-1, 115
<i>leucotis</i> . . .	1843, 133		{ 1830-1, 173
<i>marylandicus</i> . . .	1847, 38		1832, 81
<i>montezumæ</i> . . .	{ 1833, 65	<i>brachyotis</i> . . .	1842, 93
	1837, 114	<i>galapagoensis</i> . . .	1837, 10
<i>neoxenus</i> . . .	1830-1, 3	<i>palustris</i> . . .	1843, 110
<i>nigrogularis</i> . . .	1842, 181	<i>vulgans</i> . . .	1834, 133
<i>ocellatus</i> . . .	1836, 75	<i>Ourax mitu</i> . . .	1830-1, 59
<i>parvicristatus</i> . . .	1843, 106	<i>Ovibos</i>	1836, 137
<i>pectoralis</i> . . .	1842, 182	<i>Ovinum</i>	1840, 4
<i>plumifera</i> . . .	1837, 42	<i>Ovis</i>	{ 1836, 137
<i>sonnini</i> . . .	1843, 107		{ 1840, 5
<i>spilogaster</i> . . .	1832, 4		{ 1833, 105
(<i>Odontophorus</i>) <i>mar-</i>			{ 1840, 12
<i>moratus</i> . . .	1843, 107	<i>ammon</i> . . .	{ 1840, 64
(—) <i>stellata</i> . . .	1842, 183		{ 1840, 77
(—) <i>strophum</i> . . .	1843, 134	—, <i>var.</i> . . .	1834, 99
<i>Oryx</i>	1836, 139	<i>ammotragus</i> . . .	1840, 13
<i>capensis</i>	1837, 81	<i>aries</i>	1830-1, 105

	Page		Page
<i>Ovis aries</i>	1839, 127 1840, 13 1840, 74 1840, 78 1842, 69 1842, 98	<i>Oxygnathus andouini</i> . .	1842, 77
<i>burrhel</i>	1840, 13 67 77 12	<i>cumingii</i>	1842, 77
<i>californiana</i>	1840, 65 77 68	<i>javanus</i>	1842, 78
<i>cylindricornis</i>	1840, 78 69 78	<i>latipennis</i>	1842, 78
<i>gmehmi</i>	1840, 69 78	<i>mucronatus</i>	1842, 76
<i>hodgsonii</i>	1840, 65 64	<i>Oxyura australis</i>	1836, 85
<i>montana</i>	1840, 77 18	<i>dorso maculatus</i> . .	1843, 112
<i>musimon</i>	1840, 72 78	<i>Pachycephala australis</i> .	1837, 144
<i>musmon</i>	1833, 105 1834, 99	<i>falcata</i>	1842, 134
—, var.	1834, 107 1840, 13	<i>gilbertii</i>	1844, 107
<i>nahoor</i>	1840, 66 1840, 77	<i>glaucura</i>	1845, 19
<i>nahor</i>	1838, 79	<i>inornata</i>	1840, 104
<i>nivicola</i>	1840, 64 77 73	<i>lanicoides</i>	1839, 142
<i>ophion</i>	1840, 78	<i>longirostris</i>	1837, 149
<i>ornata</i>	1840, 13	<i>melanura</i>	1842, 134
<i>polii</i>	1840, 62 77	<i>rufogularis</i>	1840, 164
<i>sculptorum</i>	1840, 12 63	<i>simplex</i>	1842, 135
	1834, 110 1835, 41 1839, 127 1840, 13 1840, 75 1840, 78 1842, 70 1844, 95 1844, 145	<i>xanthoprocta</i>	1837, 149
<i>tragelaphus</i>	1840, 70 1842, 75 1844, 95 1844, 145	<i>Pachysoma</i>	1843, 67
<i>vigni</i>	1840, 70 78	<i>amplexicaudatum</i> . .	1843, 67
<i>(Ixalus) probaton</i>	1840, 73 78	<i>brevicaudatum</i>	1843, 67
<i>Ovulum æquale</i>	1832, 174	<i>titlæschelium</i>	1843, 67
<i>avena</i>	1832, 173	<i>Pagellus erythrinus</i> . . .	1839, 77
<i>inflexum</i>	1832, 173	<i>rostratus</i>	1839, 77
<i>rufum</i>	1832, 173	<i>Paguma</i>	1830-1, 95
<i>Oxymycterus</i>	1837, 21		1832, 65
<i>nasutus</i>	1837, 21	<i>larvata</i>	1830-1, 95
<i>Oxygnathus</i>	1842, 77		1832, 68
		<i>Pagurus cavipes</i>	1847, 122
		<i>comptus</i>	1847, 122
		<i>guttatus</i>	1847, 122
		<i>strigimanus</i>	1847, 121
		<i>Palæornis bengalensis</i> . .	1830-1, 120
			1842, 167
		<i>flavicollaris</i>	1830-1, 120
			1842, 92
		<i>malaccensis</i>	1842, 168
		<i>melanorhynchus</i>	1832, 96
		<i>modestus</i>	1845, 16
		<i>pondicerianus</i>	1839, 165
			1830-1, 120
		<i>torquatus</i>	1832, 96
			1839, 165
			1842, 92
			1842, 167
		<i>Palamedea cornuta</i>	1842, 15
		<i>Palapteryx</i>	1846, 46
		<i>Palmipedes</i>	1845, 101
		<i>Palola</i>	1847, 17
		<i>viridis</i>	1847, 18
		<i>Paludina lecythodes</i> . . .	1842, 124
		<i>longicornis</i>	1842, 124
		<i>quadrata</i>	1842, 124
		<i>striatula</i>	1842, 124
		<i>Pandion haliaetus (caro-</i>	
		<i>linensis)</i>	1847, 37
		<i>leucocephalus</i>	1837, 138

	Page		Page
<i>Pandora arcuata</i>	1835, 93	<i>Pardalotus rubricatus</i> ..	1837, 149
<i>brevifrons</i>	1835, 93	<i>striatus</i>	1837, 25
<i>brevis</i>	1844, 91	<i>thoracicus</i>	1841, 29
<i>ceylanica</i>	1835, 94	<i>uropygialis</i>	1839, 143
<i>discors</i>	1835, 93	<i>Parmacella cumingi</i>	1846, 109
<i>radiata</i>	1835, 94	<i>Parmophorus corrugatus</i>	1842, 50
<i>Panorpa bipennis</i>	1841, 10	<i>intermedius</i>	1842, 50
<i>coa</i>	1841, 10	<i>Parra dominica</i>	1841, 33
<i>halterata</i>	1841, 10	<i>goensis</i>	1841, 33
	11	<i>indica</i>	1830-1, 124
<i>Papio</i>	1844, 81	<i>jacana</i>	1837, 114
<i>melanotus</i>	1839, 81	<i>ludovicianus</i>	1841, 33
<i>ochreateus</i>	1840, 56	<i>phœmcura</i>	1830-1, 124
<i>rhesus</i>	1844, 83	<i>senegala</i>	1841, 33
<i>Paradisea</i>	1840, 125		1830-1, 124
<i>apoda</i>	1840, 13	<i>sinensis</i>	1830-1, 173
<i>sanguinea</i>	1842, 166		1832, 164
<i>Paradoxornis</i>	1836, 17	<i>variabilis</i>	1847, 40
<i>flavivestris</i>	1836, 17	<i>Parthena</i>	1840, 39
	1839, 164	<i>bulnea</i>	1840, 40
<i>Paradoxurus</i> , sp. nov. . .	1834, 96	<i>crenata</i>	1840, 41
<i>aureus</i>	1832, 68	<i>elegantissima</i>	1840, 41
	1832, 68	<i>pallida</i>	1840, 42
<i>binotatus</i>	1840, 154	<i>scalaris</i>	1840, 42
	1841, 44	<i>terebra</i>	1840, 41
	1832, 66	<i>Partula auriculata</i> . . .	1832, 125
	1834, 96	<i>hyalina</i>	1832, 32
<i>bondar</i>	1840, 154	<i>inflata</i>	1842, 197
	1841, 44	<i>rosea</i>	1832, 125
<i>crossii</i>	1832, 67	<i>varia</i>	1832, 125
<i>derbianus</i>	1837, 67		1830-1, 119
	1842, 114	<i>Parus atriceps</i>	1832, 92
<i>dubrus</i>	1832, 66		1839, 162
<i>finlaysonii</i>	1832, 68		1842, 92
<i>grayi</i>	1835, 118	<i>biarmicus</i>	1834, 30
<i>hamiltonii</i>	1832, 67		1839, 131
<i>hermaphroditus</i>	1832, 67		1842, 71
<i>larvatus</i>	1832, 67		1842, 194
	1836, 88	<i>caudatus</i>	1842, 71
<i>leucomystax</i>	1840, 154		1842, 194
	1841, 44	<i>erythrocephalus</i>	1830-1, 22
<i>leucopus</i>	1832, 67	<i>flavocristatus</i>	1839, 162
<i>musanga</i>	1832, 66		1846, 100
<i>pallasii</i>	1832, 67		1834, 51
<i>pennantii</i>	1832, 66	<i>major</i>	1839, 132
<i>prehensilis</i>	1832, 66		1844, 9
	1834, 33	<i>melanophus</i>	1830-1, 23
<i>trivirgatus</i>	1832, 68	<i>monticola</i>	1830-1, 22
<i>typus</i>	1830-1, 102		1839, 162
	1832, 65	<i>sultaneus</i>	1846, 100
<i>zebra</i>	1842, 114	<i>xanthogenys</i>	1830-1, 23
<i>Pardalotus affinis</i>	1837, 25		1832, 92
<i>maculatus</i>	1841, 29	<i>Passer domesticus</i> . . .	1832, 95
<i>melanocephalus</i>	1837, 149		1835, 106
<i>percussus</i>	1841, 29	<i>jagoensis</i>	1843, 52
<i>quadragintus</i>	1837, 148		

	Page		Page
<i>Passer simplex</i>	1843, 52	<i>Pectunculus cancellatus</i> .	1843, 88
<i>Pastor contra v. capensis</i>	1830-1, 120	<i>delesserti</i>	1843, 190
<i>galla</i>	1842, 92	<i>formosus</i>	1843, 180
<i>griseus</i>	1830-1, 120	<i>giganteus</i>	1843, 33
<i>mahrattensis</i>	1832, 95	<i>glycimeris</i>	1843, 189
<i>malayensis</i>	1841, 6	<i>holosericus</i>	1843, 34
<i>pagodarum</i>	1839, 103	<i>inæqualis</i>	1832, 196
<i>roseus</i>	1830-1, 120	<i>intermedius</i>	1843, 79
<i>traillii</i>	1832, 95	<i>lineatus</i>	1832, 126
<i>tristis</i>	1839, 163	<i>lividus</i>	1843, 80
<i>Patella</i>	1830-1, 120	<i>longior</i>	1843, 190
<i>extinctorium</i>	1832, 95	<i>maculatus</i>	1832, 196
<i>mitrula</i>	1834, 51	<i>nodosus</i>	1832, 126
<i>subrufa</i>	1830-1, 175	<i>morum</i>	1843, 188
<i>tricornis</i>	1839, 160	<i>multicostatus</i>	1832, 195
<i>Patiria</i>	1830-1, 120	<i>nodosus</i>	1843, 80
<i>coccinea</i>	1832, 95	<i>obliquus</i>	1843, 80
<i>crassa</i>	1839, 163	<i>oculatus</i>	1843, 188
<i>granifera</i>	1837, 101	<i>ovatus</i>	1832, 126
<i>obtusa</i>	1839, 177	<i>pallium</i>	1843, 80
<i>ocellifera</i>	1835, 128	<i>perdix</i>	1843, 189
<i>Pavo cristatus</i>	1835, 5	<i>pertusus</i>	1843, 188
<i>Pecten albo-lineatus</i>	1835, 5	<i>rarpictus</i>	1843, 34
<i>asperus</i>	1835, 128	<i>sericatus</i>	1843, 190
<i>circularis</i>	1847, 82	<i>siculus</i>	1843, 189
<i>crassicosatus</i>	1847, 82	<i>spadiceus</i>	1843, 189
<i>dentatus</i>	1847, 82	<i>spureus</i>	1843, 188
<i>magnificus</i>	1847, 82	<i>strigilatus</i>	1832, 196
<i>parvus</i>	1830-1, 122	<i>tellinæformis</i>	1843, 190
<i>pictus</i>	1832, 151	<i>tenuicostatus</i>	1843, 80
<i>pseudolima</i>	1835, 54	<i>tessellatus</i>	1832, 196
<i>serratus</i>	1842, 164	<i>undulatus</i>	1843, 189
<i>singaporinus</i>	1835, 110	<i>zonalis</i>	1843, 190
<i>spuriferus</i>	1835, 110	<i>Pedonomus</i>	1840, 114
<i>splendidulus</i>	1842, 165	<i>torquatus</i>	1840, 114
<i>subnodosus</i>	1842, 164	<i>Pelagia</i>	1830, 178
<i>superbus</i>	1842, 164	<i>Pelamys bicolor</i>	1838, 4
<i>tumidus</i>	1835, 109	<i>Pelecanoides garnotii</i>	1843, 119
<i>velutinus</i>	1842, 164	<i>Pelecanopus pelecanaoides</i>	1845, 104
<i>Pectocera</i>	1842, 79	<i>Pelecanus fuscus</i>	1847, 40
<i>cantor</i>	1842, 79	<i>onocrotalus</i>	1834, 40
<i>mellii</i>	1842, 79	<i>piscator</i>	1833, 32
<i>Pectunculus assimilis</i>	1832, 196	<i>rufescens</i>	1835, 9
<i>aurifluus</i>	1843, 190	<i>undulatus</i>	1835, 16
<i>bicolor</i>	1843, 79	<i>Pelia</i>	1842, 144
		<i>pulchella</i>	1835, 170
		<i>Pelidna temminckii</i>	1835, 170
		<i>Pendiculus</i>	1832, 164
		<i>Penelope guan</i>	1837, 127
		<i>vetula</i>	1833, 3
		<i>Pentaceros franklinii</i>	1837, 119
		<i>gibbus</i>	1847, 74
		<i>grandis</i>	1847, 74
		<i>granulosus</i>	1847, 75

	Page		Page
<i>Pentaceros reticulatus</i> ..	1847, 74	<i>Petasophora coruscans</i> .	{ 1846, 90
<i>turritus</i>	1847, 74	<i>cyanotus</i>	{ 1847, 9
<i>Pentaccladia</i>	1835, 70	<i>delphinae</i>	{ 1847, 9
<i>elegans</i> ..	1835, 70	<i>geoffroyi</i>	{ 1847, 9
<i>Pentagonaster dubem</i> ..	1847, 79	<i>iolota</i> ..	{ 1847, 9
<i>pulchellus</i>	1847, 80	<i>serrirostris</i>	{ 1847, 8
<i>regularis</i>	1847, 80	<i>thalassina</i>	{ 1847, 8
<i>Pentalasmus striata</i>	1833, 120	<i>Petaurista scureus</i>	{ 1841, 51
<i>Pepthia</i> ..	1842, 51	<i>maderæ</i>	{ 1837, 83
<i>maderæ</i>	1842, 51	<i>Petaurus</i>	{ 1839, 18
<i>Perameles</i>	{ 1839, 10	<i>breviceps</i> ..	{ 1838, 152
<i>arenaria</i>	1841, 43	<i>flaviventer</i> ..	{ 1837, 83
<i>ecaudatus</i> ..	1844, 104	<i>macrurus</i>	{ 1838, 149
<i>grisea</i>	1838, 25	<i>pygmæus</i>	{ 1838, 120
<i>gunnii</i>	1838, 1	<i>sciureus</i>	{ 1838, 147
<i>harveyi</i> ..	1842, 47	<i>taguanoides</i>	{ 1838, 149
<i>lagotis</i> ..	{ 1836, 129	<i>macroura</i>	{ 1842, 64
<i>macroura</i>	{ 1838, 120	<i>nasuta</i> ..	{ 1841, 50
<i>nasuta</i> ..	1842, 41	<i>obesula</i> ..	{ 1838, 120
<i>obesula</i> ..	1838, 147	<i>Perca marina</i> . .	{ 1835, 192
<i>Perca marina</i> . .	1835, 192	<i>altaica</i>	{ 1846, 27
<i>Perdix æruginosus</i> ..	{ 1839, 106	<i>bonhami</i>	{ 1844, 10
<i>altaica</i>	{ 1846, 105	<i>camboyensis</i> ...	{ 1830-1, 123
<i>bonhami</i>	{ 1843, 70	<i>chucar</i>	{ 1830-1, 173
<i>camboyensis</i> ...	{ 1844, 10	<i>falklandica</i> . .	{ 1841, 6
<i>chucar</i>	{ 1842, 92	<i>hardwickii</i>	{ 1842, 92
<i>falklandica</i> . .	1830-1, 3	<i>heyi</i> ..	{ 1830-1, 123
<i>hardwickii</i>	1830-1, 123	<i>lerwa</i>	{ 1843, 70
<i>heyi</i> ..	1843, 70	<i>petrosa</i>	{ 1833, 107
<i>lerwa</i>	1833, 107	<i>picta</i>	{ 1844, 66
<i>petrosa</i>	1844, 66	<i>saxatilis</i> ..	{ 1830-1, 123
<i>petrosa</i>	1844, 66	<i>sphenura</i>	{ 1832, 153
<i>picta</i>	{ 1830-1, 123	<i>pericera heptacantha</i> ..	{ 1839, 133
<i>picta</i>	1832, 153	<i>ovata</i>	{ 1834, 34
<i>saxatilis</i> ..	1839, 133	<i>villosa</i>	{ 1835, 173
<i>sphenura</i>	1834, 34	<i>Pericrocotus modestus</i> .	{ 1835, 173
<i>Pericera heptacantha</i> ..	1835, 173	<i>Periploma lenticularis</i> ..	{ 1846, 102
<i>ovata</i>	1835, 173	<i>planuscula</i>	{ 1834, 87
<i>villosa</i>	1835, 173	<i>peristera tympanistara</i> .	{ 1834, 87
<i>Pericrocotus modestus</i> .	1846, 102	<i>peristera tympanistara</i> .	{ 1843, 53
<i>Periploma lenticularis</i> ..	1834, 87	<i>peris apivorus</i>	{ 1842, 93
<i>planuscula</i>	1834, 87	<i>Perodicticus</i>	{ 1830-1, 109
<i>Peristera tympanistara</i> .	1843, 53	<i>geoffroyi</i>	{ 1830-1, 109
<i>Peris apivorus</i>	1842, 93	<i>Petasophora anais</i>	{ 1847, 8
<i>Perodicticus</i>	1830-1, 109	<i>coruscans</i>	{ 1846, 44
<i>geoffroyi</i>	1830-1, 109		
<i>Petasophora anais</i>	1847, 8		
<i>coruscans</i>	1846, 44		

	Page		Page
Petrophassa	1840, 173	Phascognale penicillata ..	1844, 105
albipennis	1840, 173	Phascolarctos	1830, 15
Phænomerns	1833, 62	fuscus	1836, 109
magnifica	1833, 62	Phascolumys	1830, 18
Phænospira	1844, 72	latifrons	1845, 82
Phaeton æthereus ...	1847, 40	vombatus	1845, 82
Phakellopleura	1847, 69	wombat	1847, 41
Phalacrocorax	1843, 119	{ 1836, 49	
albigula	1844, 157	{ 1838, 120	
brevirostris	1837, 26	{ 1838, 147	
brasiliensis	1843, 119	{ 1841, 51	
carbo	1837, 156	{ 1838, 120	
carboides	1842, 167	Phascolotherium	1838, 147
{ 1837, 156		{ 1839, 9	
{ 1839, 114		Phasianella styliifera ...	1832, 60
cormoranus	1842, 93	{ 1830-1, 9	
erythrope	1830-1, 30	Phasianus albo-cris-	1832, 16
flavirhynchus	1837, 157	tatus	1841, 6
gaimardii	1843, 119	{ 1842, 92	
imperialis	1830-1, 30	{ 1834, 52	
javanicus	1832, 170	colchicus	1835, 62
{ 1842, 93		{ 1843, 51	
leucogaster	1837, 156	erythrophthalmus ..	1830, 106
sarmentonus	1830-1, 30	ignitus	1832, 16
Phalangista	1837, 83	{ 1832, 24	
{ 1839, 12		leucomelanos	1832, 16
canina	1835, 191	{ 1830-1, 24	
{ 1835, 192		{ 1832, 16	
{ 1837, 131		{ 1832, 193	
{ 1838, 120		{ 1833, 13	
{ 1838, 147		{ 1842, 195	
fuliginosa	1830-1, 135	nycthemerus	1842, 71
{ 1838, 120		{ 1830-1, 173	
{ 1838, 147		{ 1841, 6	
{ 1844, 164		{ 1830-1, 77	
nana	1841, 50	{ 1835, 169	
{ 120		{ 1830-1, 35	
{ 147		{ 1841, 6	
{ 1837, 131		{ 1842, 160	
{ 1830, 2		{ 1830-1, 77	
{ 1838, 120		{ 1834, 34	
{ 1838, 147		{ 1835, 160	
{ 1841, 50		Phatylophus galericula-	1830, 104
xanthopus	1830-1, 135	tus	1830, 104
Phalaropus platyrhynchus	1842, 94	Philentoma castanea ..	1840, 101
wilsoni	1843, 118	Phileremos cornutus ..	1837, 111
Phalcoberus albogularis	1837, 9	Philomachus chilensis ..	1843, 116
{ 1837, 9		{ 117	
{ 1843, 108		coronatus	1841, 32
Phanæus	1846, 9	ignicapillus	1843, 117
Phascogale	1839, 8	spinosus	1841, 32
albipes	1842, 48	Philomela lusciniæ ..	1842, 98
calurus	1844, 104	{ 111	
crassicaudata	1844, 105	Philomelina	1845, 27
flavipes	1837, 75	Phloeomys	1839, 108
murina	1837, 76	cumingi	1839, 108
penicillata	1837, 76	Phoca	1846, 80
		leopardina	1847, 118

	Page		Page
	1830-1, 151	Pholidotus irroratus....	1833, 63
	1841, 44	Pholis bufo	1843, 87
Phoca vitulina	1842, 64	lævis	1839, 83
	1842, 69	trigloides	1843, 87
	1844, 96	Phorus	1842, 161
Phœnicophaus chloroce-		caluliferus ..	1842, 162
phalus	1839, 105	corrugatus	1842, 163
crawfurdi	1839, 105	exustus	1842, 162
cumingi	1839, 111	indicus	1842, 161
javanicus	1839, 105	onustus	1842, 160
tricolor	1839, 105	pallidulus	1842, 162
tristis	1839, 166	solaris	1842, 161
viridirostris ..	1839, 105	Phractocephalus gogra ..	1838, 164
	1832, 141	itchkeea	1838, 164
Phœnicopterus ruber ..	1832, 159	kuturnee	1838, 164
	1847, 39	Phrynocephalus bufomus	1840, 12
Phœnicornis affinis ..	1839, 157	Phrynops Geoffroyi	1847, 56
	1839, 156	Phrynosoma bufonium ..	1840, 12
brevirostris	1841, 6	Phycis furcatus	1837, 57
	1842, 92	mediterraneus ..	1843, 91
elegans	1839, 156	Phyllodia	1843, 50
peregrina	1842, 92	parnellii	1843, 50
princeps	1839, 156	Phyllophora megalotis ..	1847, 14
rubeculoides ..	1842, 92	Phyllophorus	1842, 73
Phœnicura atrata ..	1830-1, 119	Phyllornis aurifrons ...	1846, 100
	1832, 92	casmahynchus ..	1846, 100
cæruleocephala ..	1830-1, 35	malabaricus	1846, 100
frontalis	1830-1, 172	moluccensis ..	1846, 100
fuliginosa	1830-1, 35	Phylloscopus	1844, 99
leucocephala ..	1830-1, 35	Phyllostoma bennettii ..	1847, 14
	1841, 6	nigrum	1847, 115
macgrigoriæ	1835, 152	Phyllostomina	1843, 20
plumbea	1835, 185	Phyllotis	1837, 28
reevesii	1839, 161	darwinii	1837, 28
rubeculoides	1830-1, 35	griseo-flavus	1837, 28
	1834, 30	xanthopygus	1837, 28
	1837, 126		1835, 78
ruricilla	1839, 120	Physalia pelagica	1837, 43
	1842, 92		1839, 171
	1844, 65		88
	1832, 92	Physalus antiquorum ..	1847, 80
suecica	1835, 90		90
	1839, 131	boops	1847, 88
tithys	1839, 131	borealis	1847, 117
Pholadomya candida ..	1842, 150	sibbaldi	1847, 88
Pholas	1837, 101		89
acuminata	1834, 70	(Rorqualus) boops ..	1847, 91
calva	1834, 69	(—) sibbaldi	1847, 92
chiloensis, var ...	1834, 69	Physeter macrocephala-	1835, 204
cornea	1834, 72	lus	1836, 127
cruciger	1834, 69		1837, 39
curta	1834, 71	Phytotoma bloxhami ..	1832, 3
lamellosa	1834, 69	rara	1843, 113
melanura	1834, 70		1847, 53
papyracea	1834, 69		
quadra	1834, 71		
subtruncata ..	1834, 69		
tubifera	1834, 71		

	Page		Page
<i>Phytotoma silens</i>	1832, 3	<i>Picus occipitalis</i> . . .	{ 1839, 165
<i>tridactyla</i>	1837, 50		{ 1842, 92
<i>Pica caudata</i>	{ 1839, 132	<i>palalacca</i>	1841, 31
	{ 1845, 13	<i>peralamus</i>	1841, 31
<i>cyanea</i>	1830-1, 96	<i>percussus</i>	1847, 39
<i>erythroryncha</i> . . .	{ 1830-1, 173	<i>philippinarum</i> . . .	1841, 31
	{ 1842, 92	<i>poicilolophus</i>	1839, 106
<i>sericea</i>	1845, 2	<i>pygmæus</i>	1830-1, 44
<i>sinensis</i>	{ 1830-1, 173	<i>rafflesi</i>	1846, 103
	{ 1833, 57	<i>rubiginosus</i>	1846, 104
	{ 1830-1, 120	<i>shorii</i>	1830-1, 175
<i>vagabunda</i>	{ 1830-1, 173	<i>spilolophus</i>	1830-1, 98
	{ 1833, 57	<i>squamatus</i>	1830-1, 8
<i>Picumus innominatus</i> ..	1835, 154	<i>strenuus</i>	1839, 165
<i>Picus arator</i>	1837, 109	<i>tiga</i>	1839, 106
<i>aurantius</i>	1841, 31	<i>tristis</i>	1839, 106
<i>aurifrons</i>	1837, 116	<i>validus</i>	1830, 106
<i>aurocapillus</i>	1832, 4	<i>viridis</i>	{ 1842, 1
<i>badus</i>	1830, 106		{ 1843, 51
<i>bengalensis</i>	{ 1830-1, 121	(<i>Chrysonotus</i>) <i>gran-</i>	
	{ 1841, 31	<i>tia</i>	1839, 165
<i>brunnifrons</i>	1830-1, 176	<i>Pieris eudoxia</i>	1847, 59
<i>callonotus</i>	1840, 182	<i>matuta</i>	1847, 59
	{ 1837, 116	<i>phaola</i>	1847, 58
<i>carolinensis</i>	{ 1847, 38	<i>Piesarthrus marginellus</i> .	1840, 55
	{ 1847, 40	<i>Piezophyllus</i>	1842, 76
<i>carolinus</i>	1847, 39	<i>shuckhardi</i>	1842, 76
<i>chilensis</i>	1837, 109	<i>spencei</i>	1842, 76
<i>elegans</i>	1840, 60	<i>Piezorhynchus</i>	1840, 171
<i>erythronotus</i> . . .	1841, 31	<i>nitidus</i>	1840, 171
<i>flavinucha</i>	1833, 120	<i>Pileopsus mitrula</i>	1835, 5
<i>goensis</i>	1841, 31	<i>subrufus</i>	1835, 5
<i>hæmatribon</i>	1841, 31	<i>Pimelepterus boscu</i> . . .	1839, 77
<i>hyperythrus</i>	1830-1, 23	<i>Pimelodus seengtei</i> . . .	1838, 164
<i>imperialis</i>	1832, 140	<i>Pinalia</i>	1837, 125
<i>kingu</i>	1843, 114	<i>Pinna atra</i>	1835, 85
<i>lignarius</i>	1843, 114	<i>alta</i>	1835, 84
<i>macei</i>	1839, 165	<i>lanceolata</i>	1835, 84
<i>magellanicus</i>	1841, 94	<i>maura</i>	1835, 84
	{ 1830-1, 121	<i>rugosa</i>	1835, 84
	{ 1830-1, 173	<i>squamifera</i>	1835, 85
<i>mahrattensis</i> . . .	{ 1832, 97	<i>tuberculosa</i>	1835, 84
	{ 1842, 92	<i>Pipilo maculata</i>	1847, 39
	{ 1835, 79	<i>Pipra caudata</i>	1837, 113
<i>major</i>	{ 1845, 13	<i>coronata</i>	1837, 113
<i>medius</i>	1834, 133	<i>cyaneocapilla</i>	1837, 113
<i>melanocephalus</i> . . .	1830-1, 14	<i>cycanocephala</i>	1837, 113
<i>miniatus</i>	1839, 106	<i>elegantissima</i>	1837, 112
<i>minor</i>	1842, { 71	<i>linearis</i>	1837, 113
	{ 99	<i>longicauda</i>	1837, 113
<i>modestus</i>	1830-1, 98	<i>melanocephala</i> . . .	1837, 113
<i>nanus</i>	1830-1, 172	<i>musica</i>	1837, 113
<i>neglectus</i>	1841, 31	<i>serena</i>	1837, 113
<i>nipalensis</i>	1839, 165	<i>squalida</i>	1836, 113
	{ 6	<i>strigilata</i>	1837, 122
<i>nuchalis</i>	1841, { 31	<i>striolata</i>	1837, 122
	{ 8	<i>vitellina</i>	1843, 103
<i>occipitalis</i>	1830-1, 8	<i>Piratesa</i>	1835, 112

	Page		Page
<i>Piratesa nigro-annulata</i>	1835, 112	<i>Platysternon</i>	1830-1, 106
<i>Pisa aculeata</i>	1835, 171	<i>megacephalum</i>	{ 1830-1, 107
<i>spinipes</i>	1835, 171		1834, 110
<i>Pithecia chiroptotes</i>	1834, 41	<i>Platystoma seenghala</i>	1838, 174
<i>sagulata</i>	1834, 41	<i>Plaxiphora</i>	1847, { 65
<i>satanas</i>	1846, 13		1847, { 68
<i>Pithecius satyrus</i>	1844, 96	<i>carmichaelis</i>	1847, 68
<i>troglydotes</i>	1835, 30	<i>Plecotus auritus</i>	1842, 68
<i>Pitho</i>	1835, 172	<i>Plectrohyncha</i>	1837, 153
<i>quinque-dentata</i>	1835, 172	<i>lanceolata</i>	1837, 153
<i>sex-dentata</i>	1835, 172	<i>Plectrophanes nivalis</i>	1842, 111
	{ 1830-1, 117	<i>Plectaopoma</i>	1835, 205
<i>Pitta brachyura</i>	{ 1880-1, 173	<i>Plectropterus melanotus</i>	1832, 167
	1839, 104	<i>Plekocheilus gracilis</i>	1840, 182
<i>cyanura</i>	1846, 100	<i>Pleuronectes hirtus</i>	1837, 60
<i>iris</i>	1842, 17	<i>megastoma</i>	1836, 81
<i>pulih</i>	1842, 190		{ 1835, 81
<i>Placunanomia</i>	1832, 28	<i>punctatus</i>	{ 1837, 60
<i>cumingi</i>	1832, 29	<i>rhombus</i>	1837, 60
<i>echinata</i>	1834, 2		{ 1843, 31
<i>foliata</i>	1834, 2	<i>Pleurotoma</i>	{ 1843, 37
<i>rudis</i>	1834, 2		1843, 181
<i>Plagiocera apicalis</i>	1835, 51		1846, 3
<i>Planorbis</i> —	1845, 11	<i>abbreviata</i>	1843, 182
<i>compressus</i>	1842, 124	<i>ægrola</i>	1845, 117
<i>hemisphaerula</i>	1842, 124	<i>æruginosa</i>	1845, 115
<i>papyraceus</i>	1842, 124	<i>adusta</i>	1833, 137
<i>peruvianus</i>	1832, 125	<i>alabaster</i>	1843, 181
	{ 1843, 117	<i>albibalteata</i>	1843, 182
<i>Platalea ajaja</i>	{ 1847, 39	<i>albicostata</i>	1833, 135
<i>flavipes</i>	1837, 106	<i>albifuniculata</i>	1846, 6
<i>junior</i>	1832, 159	<i>albinodata</i>	1846, 6
	{ 1832, 159	<i>angicostata</i>	1846, 4
<i>leucorodia</i>	{ 1834, 30	<i>annulata</i>	1843, 33
	1839, 134	<i>aquatilis</i>	1845, 111
	1842, 94	<i>arata</i>	1845, 116
<i>regia</i>	1837, 106	<i>arctata</i>	1845, 118
<i>telfairi</i>	{ 1830-1, 41	<i>arcuata</i>	1843, 32
	1832, 111	<i>armillata</i>	1845, 111
<i>Platessa flesus</i>	1837, 60	<i>aterrima</i>	1833, 137
<i>microcephala</i>	1835, 81	<i>aureola</i>	1845, 113
<i>pola</i>	1837, 58	<i>axis</i>	1846, 3
<i>Platyercus adalaidæ</i>	1840, 161	<i>babylonia</i>	1843, 31
<i>erythropterus</i>	1842, 111	<i>beckii</i>	1842, 199
<i>eximius</i>	1830-1, 36	<i>bertrandi</i>	1843, 45
<i>flaveolus</i>	1837, 26	<i>bicanalifera</i>	1833, 136
<i>hæmatonotus</i>	1837, 161	<i>bicolor</i>	1833, 135
<i>ignitus</i>	1837, 8	<i>biyubata</i>	1843, 182
<i>novæ-hollandiæ</i>	1833, 106	<i>bilineata</i>	1845, 113
<i>pennantii</i>	1839, 113	<i>boetica</i>	1845, 110
<i>scapulatus</i>	1842, 111	<i>boholensis</i>	1843, 184
<i>splendidus</i>	1845, 105	<i>brevicaudata</i>	1843, 186
<i>unicolor</i>	1830-1, 24	<i>buccinoides</i>	1843, 168
<i>Platylophus galericulatus</i>	1839, 104	<i>cagayanensis</i>	1846, 4
<i>Platyrrhynchus filicaudus</i>	1841, 29	<i>canaliculata</i>	1846, 6
<i>Platysteira castanea</i>	1842, 141	<i>cantharis</i>	1845, 116
<i>leucopygialis</i>	1842, 142	<i>carbonaria</i>	1843, 187
<i>Platysoma</i>	1832, 112	<i>cardinalis</i>	1845, 115

	Page		Page
<i>Pleurotoma castanea</i>	1845, 112	<i>Pleurotoma hondurasensis</i>	1846, 4
<i>catena</i>	1845, 33	<i>hyalina</i>	1845, 116
<i>cavernosa</i>	1845, 118	<i>igniflua</i>	1845, 113
<i>cedo nulli</i>	1843, 185	<i>implicata</i>	1845, 110
<i>cincta</i>	1833, 136	<i>incrassata</i>	1833, 138
<i>clara</i>	1845, 112	<i>inermis</i>	1843, 37
<i>clavata</i>	1833, 135	<i>inquinata</i>	1845, 117
<i>clavulus</i>	1833, 134	<i>interrupta</i>	1833, 138
<i>coccinata</i>	1845, 118	<i>lactea</i>	1843, 186
<i>collaris</i>	1833, 1' 9	<i>lanceolata</i>	1845, 111
<i>compta</i>	1845, 118	<i>languida</i>	1845, 115
<i>concentricostata</i>	1845, 117	<i>hrata</i>	1845, 117
<i>contracta</i>	1843, 185	<i>luteo-fasciata</i>	1845, 114
<i>cornea</i>	1846, 5	<i>maculosa</i>	1833, 135
<i>cornuta</i>	1833, 136	<i>maura</i>	1833, 134
<i>corrugata</i>	1833, 137	<i>metcalfiana</i>	1845, 114
<i>corusca</i>	1843, 183	<i>mitreiformis</i>	1843, 33
<i>crassilabrum</i>	1843, 185	<i>modesta</i>	1833, 136
<i>crebriplicata</i>	1846, 3	<i>mucronata</i>	1846, 4
<i>crocata</i>	1845, 110	<i>mystica</i>	1843, 183
<i>cuprea</i>	1843, 187	<i>nexa</i>	1845, 117
<i>delicata</i>	1846, 3	<i>nigerrima</i>	1833, 137
<i>deshayesii</i>	1843, 38	<i>nitida</i>	1833, 139
<i>digitale</i>	1843, 186	<i>nobilis</i>	1843, 37
<i>discors</i>	1833, 137	<i>nux</i>	1845, 112
<i>doedala</i>	1846, 6	<i>obeliscus</i>	1845, 110
<i>duplicata</i>	1833, 138	<i>obesa</i>	1843, 33
<i>dysoni</i>	1846, 4	<i>obliquata</i>	1845, 115
<i>ebur</i>	1845, 116	<i>obliqui-costata</i>	1845, 110
<i>efficta</i>	1845, 118	<i>obtusa</i>	1846, 6
<i>exarata</i>	1845, 112	<i>olivacea</i>	1833, 186
<i>exasperata</i>	1843, 32	<i>olyra</i>	1845, 112
<i>excentrica</i>	1833, 138	<i>opalus</i>	1845, 116
<i>eximia</i>	1843, 181	<i>oxytropis</i>	1833, 185
<i>fenestrata</i>	1846, 4	<i>pagoda</i>	1846, 5
<i>flavescens</i>	1845, 111	<i>pagodus</i>	1845, 114
<i>foraminata</i>	1845, 118	<i>palliata</i>	1845, 112
<i>forbesii</i>	1846, 5	<i>pallida</i>	1833, 137
<i>formicaria</i>	1833, 139	<i>papalis</i>	1843, 33
<i>forthiensis</i>	1845, 114	<i>paria</i>	1846, 5
<i>foveolata</i>	1846, 5	<i>parvula</i>	1845, 115
<i>fragilis</i>	1845, 111	<i>patula</i>	1845, 113
<i>fucata</i>	1845, 110	<i>paxillus</i>	1845, 117
<i>fulva</i>	1845, 116	<i>pellis-phocæ</i>	1845, 115
<i>fusoides</i>	1846, 6	<i>perronii</i>	1843, 183
<i>garnonsii</i>	1843, 31	<i>pessulata</i>	1843, 185
<i>gemmata</i>	1843, 37	<i>philippinensis</i>	1843, 184
<i>gracilentia</i>	1843, 184	<i>pica</i>	1843, 181
<i>gramcostata</i>	1846, 4	<i>picta</i>	1843, 32
<i>granulosa</i>	1833, 139	<i>planilabrum</i>	1843, 182
<i>gravis</i>	1843, 37	<i>pluricarinata</i>	1845, 115
<i>grayi</i>	1845, 114	<i>pluteata</i>	1843, 183
<i>guldinii</i>	1845, 116	<i>polynesiensis</i>	1845, 119
<i>harfordiana</i>	1843, 183	<i>pseudo-carinata</i>	1845, 115
<i>hastata</i>	1843, 187	<i>pulchella</i>	1845, 111
<i>hexagona</i>	1833, 139	<i>punctata</i>	1845, 111
<i>hexagonalis</i>	1845, 118	<i>puncticincta</i>	1846, 115
<i>hindsii</i>	1843, 186	<i>putillus</i>	1845, 113

	Page		Page
<i>Pleurotoma pyramidula</i>	1845, 115	<i>Ploceus philippensis</i>	1832, 94
<i>quadrata</i>	1845, 114	<i>philippinus</i>	{ 1830-1, 120
<i>radula</i>	1845, 38	<i>spilonotus</i>	{ 1842, 92
<i>reflexa</i>	1845, 114	<i>levallanti</i>	{ 1830-1, 92
<i>regularis</i>	1846, 4	<i>melanogaster</i>	{ 1842, 93
<i>rissoides</i>	1843, 184	<i>novæ-hollandiæ</i>	{ 1830-1, 125
<i>rosacea</i>	1845, 109	<i>novæ-hollandiæ</i>	{ 1832, 171
<i>rosaria</i>	1846, 3	<i>novæ-hollandiæ</i>	{ 1847, 34
<i>rosea</i>	1833, 134	<i>Plyctolophus citrino-cr-</i>	
<i>rubinicolor</i>	1845, 111	<i>status</i>	1844, 38
<i>rubrifasciata</i>	1845, 110	<i>cristatus</i>	1834, 41
<i>rudis</i>	1833, 134	<i>leadbeateri</i>	1830-1, 61
<i>rugifera</i>	1833, 136	<i>productus</i>	1836, 19
<i>rustica</i>	1833, 138	<i>sulphureus</i>	1844, 38
<i>sacerdos</i>	1845, 110	<i>Pnoepyga</i>	1845, 24
<i>sacra</i>	1845, 111	<i>albiventer</i>	1845, 24
<i>saturata</i>	1845, 113	<i>pusillus</i>	1845, 25
<i>scalpta</i>	1846, 5	<i>rufiventer</i>	1845, 25
<i>scarabæus</i>	1846, 6	<i>unicolor</i>	1845, 25
<i>semen</i>	1846, 5	<i>Pocillopora androgynæ</i>	1835, 86
<i>semigranosa</i>	1846, 5	<i>Podabrus macrourus</i>	1845, 79
<i>sordida</i>	1845, 117	<i>Podargus</i>	1837, 67
<i>speciosa</i>	1842, 199	<i>javanicus</i>	1839, 101
<i>spectabilis</i>	1843, 32	<i>macrorhynchus</i>	1840, 163
<i>spectrum</i>	1845, 113	<i>phalænoides</i>	1839, 142
<i>splendidula</i>	1833, 135	<i>plumiferus</i>	1845, 104
<i>spirata</i>	1843, 183	<i>stellatus</i>	1837, 43
<i>stolida</i>	1843, 37	<i>Podiceps auritus</i>	{ 1839, 135
<i>subula</i>	1845, 113	<i>australis</i>	{ 1847, 40
<i>symmetrica</i>	1846, 5	<i>chilensis</i>	{ 1844, 135
<i>tessellata</i>	1846, 4	<i>chilensis</i>	{ 1843, 119
<i>ticaonica</i>	1845, 116	<i>chilensis</i>	{ 1847, 54
<i>tigrina</i>	1843, 182	<i>chilensis</i>	{ 1834, 134
<i>tincta</i>	1846, 5	<i>chilensis</i>	{ 1839, 134
<i>tricotata</i>	1843, 186	<i>chilensis</i>	{ 1844, 135
<i>tritonoides</i>	1843, 182	<i>chilensis</i>	{ 1847, 40
<i>turricula</i>	1833, 137	<i>gularis</i>	1836, 145
<i>undaticostata</i>	1845, 117	<i>kalipareus</i>	{ 1843, 119
<i>unicolor</i>	1833, 138	<i>kalipareus</i>	{ 1847, 55
<i>unimaculata</i>	1833, 134	<i>kalipareus</i>	{ 1830-1, 125
<i>unizonalis</i>	1843, 32	<i>kalipareus</i>	{ 1842, 93
<i>urnula</i>	1845, 114	<i>minor</i>	1836, 145
<i>varicosa</i>	1843, 187	<i>nestor</i>	1832, 170
<i>variculosa</i>	1833, 139	<i>philippensis</i>	1843, 119
<i>venusta</i>	1843, 181	<i>rollandii</i>	1835, 79
<i>vexillum</i>	1845, 115	<i>rubricollis</i>	{ 1839, 135
<i>vidua</i>	1845, 112	<i>Poephaga</i>	1839, 16
<i>violacea</i>	1843, 38	<i>Poephagomys</i>	1844, 166
<i>vitrea</i>	1845, 118	<i>ater</i>	{ 1843, 131
<i>vittata</i>	1845, 112	<i>ater</i>	{ 1844, 154
<i>vultuosa</i>	1845, 116	<i>Poephula</i>	1842, 18
<i>Ploceus brachypterus</i>	1843, 52	<i>leucotis</i>	1846, 106
<i>chrysogaster</i>	1830-1, 92	<i>personata</i>	1842, 18
<i>collaris</i>	1842, 142	<i>Pogonias brucei</i>	1837, 50
<i>flavicollis</i>	1832, 94	<i>Pollicipes cornucopia</i>	1844, 164
<i>gutturalis</i>	1830-1, 92	<i>polymerus</i>	1833, 74
<i>manyar</i>	1839, 163	<i>ruber</i>	1833, 74
<i>peisonatus</i>	1843, 52	<i>Polyboroides</i>	1833, 45

	Page		Page
<i>Polyborus albugularis</i>	1837, 9	<i>Prinia fusca</i>	1845, 29
	{ 1837, 9	<i>gracilis</i>	1830-1, 119
	{ 1837, 108	<i>icterica</i>	1844, 100
<i>brasiliensis</i>	{ 1843, 108		{ 1832, 89
	{ 1847, 38	<i>incornata</i>	{ 1842, 92
	{ 1847, 52	<i>macroura</i>	1830-1, 118
<i>galapagoensis</i>	1837, 9	<i>olivacea</i>	1844, 99
	{ 1837, 13	<i>ruficapilla</i>	1845, 29
<i>hypoleucus</i>	1830-1, 160	<i>socialis</i>	1832, 89
<i>novæ-zelandiæ</i>	1837, 96	<i>Priodontes</i>	1846, 74
<i>Polymixia</i>	1839, 77	<i>Prionites cæruleiceps</i>	1836, 18
<i>Polynemus artedii</i>	1830-1, 146	<i>momotus</i>	1837, 114
<i>aureus</i>	1839, 116	<i>Prionocerus cæruleipen-</i>	
<i>lineatus</i>	1839, 116	<i>nis</i>	1837, 128
	{ 1835, 206	<i>Prionochilus</i>	1841, 29
<i>longifilis</i>	{ 1839, 116	<i>thoracicus</i>	1846, 100
<i>plebeius</i>	1839, 116	<i>Prionodon gracilis</i>	1842, 114
<i>quadrifilis</i>	1839, 116	<i>Prionopelma</i>	1835, 51
<i>risua</i>	1839, 116	<i>viridis</i>	1835, 51
<i>salliah</i>	1839, 116	<i>Prionus cumingii</i>	1833, 64
<i>sele</i>	1839, 116	<i>hayesii</i>	1833, 64
<i>topsui</i>	1839, 116	<i>pertii</i>	1833, 64
<i>Polyodon flavicollis</i>	1845, 24	<i>Prioscelis crassicornis</i>	1841, 67
<i>Polyplectron chinguis</i>	1839, 106	<i>serrata</i>	1841, 67
<i>hardwicki</i>	1842, 166	<i>Pristiurus</i>	1837, 86
<i>Polypterus senegalus</i>	1834, 45	<i>Procellaria capensis</i>	{ 1834, 128
<i>Pomatopus</i>	1843, 89		{ 1839, 140
<i>telescopus</i>	1843, 91	<i>cærulea</i>	1834, 128
<i>Pomatorhinus ery-</i>	{ 1830-1, 173	<i>fuliginosa</i>	1832, 128
<i>throgenys</i>	{ 1842, 92	<i>glacialis</i>	1843, 119
<i>horsfieldii</i>	1832, 89	<i>leucoptera</i>	1844, 57
<i>leucogaster</i>	1837, 137	<i>puffinus</i>	1837, 50
<i>montanus</i>	1839, 106	<i>purpurea</i>	1843, 120
<i>rubeculus</i>	1839, 144	<i>solandra</i>	1844, 57
<i>Pompilus bennettii</i>	1839, 62	<i>vittata</i>	1834, 128
<i>rondeletii</i>	1839, 81	<i>Prochilus labiatus</i>	1834, 96
<i>Porania gibbosa</i>	1847, 81	<i>Procyon lotor</i>	1841, 44
<i>Porcula salvana</i>	1847, 115	<i>Proeugena carbonaria</i>	1841, 67
<i>Porites digitata</i>	1835, 86	<i>marginata</i>	1841, 67
<i>scabra</i>	1835, 86	<i>rubripes</i>	1841, 67
<i>subseriata</i>	1835, 86	<i>Promerops</i>	1840, 124
<i>Porphyrio bella</i>	1840, 176	<i>Prometheus atlanticus</i>	1839, 78
<i>hyacinthinus</i>	1830-1, 124	<i>Propasser</i>	1845, 36
<i>indicus</i>	1839, 107	<i>Propithecus</i>	1832, 20
<i>melanotis</i>	1839, 114	<i>diadema</i>	1832, 20
<i>amaragnotus</i>	1832, 105	<i>Propyrrhula rubeculoi-</i>	
<i>Porpita</i>	1836, 110	<i>des</i>	1845, 36
<i>Porzana fluminea</i>	1842, 139	<i>Proteus anguinus</i>	1837, 107
<i>leucophrys</i>	1847, 33	<i>Prox</i>	1836, 135
<i>palustris</i>	1842, 139	<i>Psammobia</i>	{ 1844, 60
<i>rubiginosa</i>	1842, 167		{ 1842, 122
<i>Potamomya</i>	1843, 59	<i>costata</i>	1842, 122
<i>nimbosa</i>	1843, 59	<i>Psammophis cerasogaster</i>	1839, 52
<i>ocreata</i>	1843, 59	<i>nigrofasciatus</i>	1839, 53
<i>Praticola campestris</i>	1840, 171	<i>Psarisomus dalhousiæ</i>	1839, 156
<i>Prinia</i>	1845, 29	<i>Psectrascelis pilipes</i>	1841, 121
<i>brunnifrons</i>	1845, 29	<i>Psettodes</i>	1830-1, 147
<i>cursitans</i>	1830-1, 118	<i>belcheri</i>	1830-1, 147

	Page		Page
<i>Psettodes erumei</i>	1880-1, 147	<i>Pteroglossus cucullatus</i> .	1846, 69
<i>Pseudomys</i>	1832, 89	<i>culik</i>	1834, 78
<i>australis</i>	1832, 89	<i>erythropygius</i>	1843, { 15
<i>Psilopus</i>	{ 1837, 146	<i>flavirostris</i> ..	1840, 61
<i>albogularis</i>	1837, 147	<i>gouldii</i>	1837, 44
<i>brevirostris</i>	1837, 147	<i>haematopygus</i> ..	1834, 147
<i>culicivorus</i>	1840, 174	<i>humboldtii</i>	1835, 157
<i>fuscus</i>	1837, 147	<i>hypoglaucus</i>	{ 1833, 70
<i>olivaceus</i>	1837, 147	<i>inscriptus</i>	1834, 77
<i>Psittacara cheroyeus</i> ..	1843, 114	<i>langsdoeffii</i>	1835, 157
<i>leptorhyncha</i> ..	{ 1830-1, 14	<i>maculirostris</i>	1834, 78
<i>nana</i>	1847, 88	<i>nattereri</i>	1835, 157
<i>Psittacula galgula</i> ..	{ 1830-1, 96	<i>nigrirostris</i>	1839, 111
<i>malaccensis</i>	1839, 105	<i>pavoninus</i>	1835, 158
<i>rubrifrons</i>	1830-1, 97	<i>poecilosternus</i> ..	1843, 147
<i>Psittacus aestivus</i>	1847, 88	<i>piasinus</i> ...	{ 1834, 78
<i>augustus</i>	1836, 80	<i>regalis</i> ..	1834, 75
<i>chalcophterus</i>	1840, 59	<i>reinwardtii</i>	1835, 157
<i>erithacus</i>	1832, 23	<i>sulcatus</i>	{ 1834, 79
<i>flavinuchus</i>	1843, 104	<i>ulocomus</i>	{ 1833, 38
<i>guldinigi</i>	1836, 80	<i>viridis</i>	{ 1834, 76
<i>leucocephalus</i> ..	1847, 38	<i>viridis</i>	1834, 77
<i>mitratus</i>	1830-1, 36	<i>Pterois russellii</i> ..	1830-1, 128
<i>patachinus</i>	1843, 114	<i>Pteromys</i> ..	1837, 69
<i>pondicerianus</i>	1839, 165	<i>albiventer</i> ..	1836, 88
<i>sinensis</i>	1842, 167	<i>horsfieldii</i> ..	1837, 87
<i>timneh</i>	1844, 38	<i>leachii</i>	1836, 88
<i>torquatus</i>	1839, 165	<i>melanotis</i>	1836, 88
<i>Psophia crepitans</i>	1844, 146	<i>volucella</i> ...	{ 1830-1, 38
<i>Psophodes nigrogularis</i> ..	1844, 5	<i>Pteroptera altavela</i> ..	1843, 94
<i>Pterachus carolinus</i>	1843, 83	<i>hirundo</i>	1843, 94
<i>guttatus</i> ..	1843, 83	<i>maclura</i>	1843, 95
<i>oculata</i>	1843, 83	<i>micrura</i> ..	1843, 95
<i>papilio</i>	1843, 83	<i>Pteroptochos albicollis</i> ..	1843, 111
<i>tricopterus</i>	1843, 83	<i>megapodius</i>	1843, 111
<i>Pteraster capensis</i> ..	1847, 88	<i>tarnii</i>	1841, 94
<i>militaris</i>	1847, 88	<i>assamensis</i>	{ 1834, 96
<i>Pterocles arenarius</i> ..	{ 1834, 51	<i>Pteropus</i> ...	{ 1843, 66
<i>exustus</i> . . .	{ 1839, 121	<i>edwardsii</i>	{ 1843, 96
<i>guttatus</i>	1841, 6	<i>gambianus</i>	1830, 148
<i>personatus</i>	{ 1830-1, 122	<i>jubatus</i> ..	1843, 67
<i>quadricinctus</i> ..	{ 1832, 154	<i>macrocephalus</i> ..	1835, 100
<i>Pteroglossus</i> ..	1842, 92	<i>medius</i>	{ 1830-1, 99
<i>aracari</i>	1845, 13	<i>minus</i>	{ 1834, 96
<i>azarae</i> ...	{ 1843, 15	<i>whitei</i>	1835, 149
<i>bailloni</i>	1843, 158	<i>Ptilinopus elphinstonii</i> ..	1832, 149
<i>bitorquatus</i> ..	1832, 155	<i>ewingii</i>	1842, 19
<i>castanotis</i>	1832, 155	<i>swainsonii</i>	1842, 18
		<i>Ptilotis cratitius</i>	1840, 160
		<i>flava</i>	1842, 136
		<i>flavescens</i>	1839, 144

	Page		Page
<i>Ptilotis flavigula</i>	1838, 24	<i>Pyrosoma</i>	{ 1833, 79
<i>ornata</i>	1838, 24	<i>atlantica</i>	{ 1837, 3
<i>plumulus</i>	1840, 150	<i>pyrrholæmus</i>	{ 1837, 51
<i>sonorus</i>	1840, 160	<i>brunneus</i>	{ 1840, 173
<i>unicolor</i>	1842, 136	<i>Pyrrhoplectes</i>	{ 1845, 36
<i>versicolor</i>	1842, 136	<i>Pyrrhula</i>	{ 1845, 36
<i>Puffinus assimilis</i>	1837, 156	<i>albifrons</i>	{ 1830-1, 92
<i>carneipes</i>	1844, 57	<i>cæruleus</i>	{ 1841, 31
<i>cinereus</i>	{ 1839, 139	<i>collaris</i>	{ 1847, 38
<i>fuliginosus</i>	{ 1843, 119	<i>epauletta</i>	{ 1845, 36
<i>obscurus</i>	{ 1832, 129	<i>erythrocephala</i> ..	{ 1830-1, 174
<i>obscurus</i>	{ 1837, 156	<i>nigra</i>	{ 1847, 38
<i>obscurus</i>	{ 1839, 139	<i>rosea</i>	{ 1837, 48
<i>obscurus</i>	{ 1843, 70	<i>Pyrrhulanda cruciger</i> ..	{ 1842, 92
<i>Pupa elegantula</i>	1846, 115	<i>gingica</i> ..	{ 1842, 167
<i>pacifica</i> ..	1846, 31	<i>Pyrrhulimota</i> ..	{ 1845, 36
<i>Pupina bicanaliculata</i> ..	1841, 103	<i>roseata</i> ..	{ 1845, 36
<i>exigua</i>	1841, 103	<i>Pyrula idoleum</i> ..	{ 1846, 120
<i>humilis</i> ..	1841, 103	<i>Python</i>	{ 1837, 135
<i>keraudrenii</i>	1841, 103		
<i>lubrica</i>	1841, 102	<i>Querquedula cærulata</i> ..	{ 1843, 118
<i>numezii</i>	1841, 101	<i>curcia</i>	{ 1847, 54
<i>pellucida</i> ..	1841, 102	<i>curcia</i>	{ 1832, 109
<i>similis</i>	1841, 102	<i>curcia</i>	{ 1830, 134
<i>vitrea</i> ..	1841, 102	<i>curcia</i>	{ 1842, 94
<i>Purpura gravesi</i>	1836, 44	<i>curcia</i>	{ 1832, 169
<i>muricata</i>	1832, 125	<i>curcia</i>	{ 1835, 90
<i>teniata</i>	1835, 96	<i>curcia</i>	{ 1841, 7
<i>xanthostoma</i>	1833, 8	<i>curcia</i>	{ 1842, 93
<i>Pycnocerus costatus</i> ..	1841, 67	<i>curcia</i>	{ 1842, 94
<i>westermanni</i> ..	1841, 67	<i>curcia</i>	{ 1842, 168
<i>Pycnonotus crocorrhous</i> ..	1846, 101	<i>creccoides</i>	{ 1843, 118
<i>cyaniventris</i> ..	1846, 101	<i>falcaria</i>	{ 1842, 167
<i>flavirictus</i>	1844, 101	<i>formosa</i>	{ 1842, 168
<i>hæmorrhous</i>	1846, 101	<i>Quiscalus major</i>	{ 1837, 110
<i>melanocephalus</i> ..	1846, 101		
<i>rufocaudatus</i>	1846, 101	<i>Radsia barnesii</i>	{ 1847, 126
<i>Pycoris</i>	1845, 24	<i>Rana bispecularis</i>	{ 1830-1, 143
<i>Pyramidella cincta</i>	1842, 108	<i>hebetana</i>	{ 1843, 94
<i>glans</i>	1842, 108	<i>lintea</i>	{ 1843, 94
<i>Pyranga æstiva</i>	1837, 110	<i>oxyrhynchus</i>	{ 1839, 92
<i>ludoviciana</i>	1837, 110	<i>oxyrhynchus</i>	{ 1843, 94
<i>Pyrgita cinnamomea</i> ..	1835, 185	<i>undulata</i>	{ 1843, 94
<i>domestica</i> ..	{ 1834, 51	<i>Rallus akool</i>	{ 1832, 164
<i>domestica</i> ..	{ 1830, 121	<i>chiricote</i> ..	{ 1837, 114
<i>domestica</i> ..	{ 1842, 92	<i>cristatus</i>	{ 1842, 167
<i>domestica</i> ..	{ 1843, 93	<i>gularis</i> ..	{ 1839, 107
<i>domestica</i> ..	{ 1844, 66	<i>gularis</i> ..	{ 1842, 167
<i>domestica</i> ..	{ 1837, 77	<i>gularis</i> ..	{ 1840, 105
<i>jagoensis</i> ..	{ 1843, 52	<i>jamaicensis</i>	{ 1847, 40
<i>montana</i> ..	{ 1842, 93	<i>minutus</i>	{ 1847, 40
<i>petronia</i> ..	{ 1837, 126	<i>niger</i>	{ 1830-1, 124
<i>petronia</i> ..	{ 1839, 121	<i>philippinensis</i> ..	{ 1839, 114
<i>rutilans</i>	1842, 167	<i>philippinensis</i> ..	{ 1846, 26
<i>simplex</i>	1843, 52	<i>sanguinolentus</i> ..	{ 1843, 118
<i>Pyrgoma anglicum</i> ..	{ 1834, 28	<i>sanguinolentus</i> ..	{ 1847, 54
<i>anglicum</i> ..	{ 1835, 113	<i>striatus</i> ..	{ 1846, 105

	Page		Page
<i>Rallus virginianus</i> . . .	1847, 40	<i>Ranella pulchra</i> . . .	1844, 137
<i>Ramphastos</i>	1834, 72	<i>pusilla</i>	1832, 194
<i>ariel</i>	1832, 42	<i>pustulosa</i>	1844, 137
<i>carinatus</i>	1834, 74	<i>pyramidalis</i>	1832, 194
<i>citreolæmus</i>	1834, 73	<i>rhodostoma</i>	1841, 52
<i>citreopygus</i>	1837, 108	<i>rosea</i>	1844, 139
<i>culminatus</i>	1843, 147	<i>rugosa</i>	1841, 53
<i>cuvieri</i>	1835, 156	<i>scrobiculata</i>	1844, 138
<i>dicolorous</i>	1833, 70	<i>siphonata</i>	1844, 138
<i>erythrorhynchus</i> . . .	1834, 73	<i>subgranosa</i>	1841, 52
<i>inca</i>	1834, 73	<i>triquetra</i>	1844, 139
<i>osculans</i>	1834, 74	<i>tuberculata</i>	1832, 179
<i>swainsonii</i>	1834, 72	<i>tuberosissima</i> . . .	1844, 139
<i>toco</i>	1835, 21	<i>venustula</i>	1844, 138
<i>vitellinus</i>	1846, 68	<i>ventricosa</i>	1832, 178
<i>Ramphocelus atro-seri-</i>	1835, 156	<i>vexillum</i>	1841, 51
<i>ceus</i>	1833, 69	<i>Raniceps</i>	1843, 91
<i>icteronotus</i>	1834, 73	<i>Ranina cristata</i> . . .	1833, 118
<i>negro-gularis</i>	1834, 74	<i>Ratelus</i>	1830-1, 57
<i>Ramphopsis flammigerus</i>	1837, 121	<i>indicus</i>	1835, 113
<i>passerini</i>	1837, 121	<i>mellivorus</i>	1834, 96
<i>Rana arborea</i>	1845, 18	<i>Recurvirostra avocetta</i> ..	1842, 94
<i>esculenta</i>	1833, 88	<i>Reduvius tibialis</i> . . .	1837, 130
<i>rubeta</i>	1844, 109	<i>Regulus cristatus</i> . . .	1835, 90
<i>temporaria</i>	1830-1, 61	<i>ignicapillus</i>	1832, 139
<i>Randasia</i>	1842, 71	<i>Reithrodon</i>	1837, 29
<i>granulata</i>	1847, 74	<i>cuniculoides</i>	1837, 30
<i>spinulosa</i>	1847, 75	<i>typicus</i>	1837, 30
<i>Ranella affinis</i>	1847, 75	<i>Rhea americana</i>	1834, 9
<i>albivariosa</i>	1832, 179	<i>darwinii</i>	1837, 35
<i>albofasciata</i>	1844, 136	<i>pennata</i>	1842, 141
<i>anceps</i>	1847, 75	<i>Rhinchites manullensis</i> ..	1837, 35
<i>bituberculata</i>	1847, 75	<i>Rhinoceros indicus</i> . . .	1847, 54
<i>cæolata</i>	1841, 52	<i>pennata</i>	1847, 54
<i>caudata</i>	1844, 139	<i>Rhinoceros unicornis</i> . . .	1839, 150
<i>coriacea</i>	1844, 137	<i>unicornis</i>	1834, 41
<i>cruentata</i>	1841, 51	<i>Rhinolophus</i>	1843, 25
<i>cuspidata</i>	1844, 139	<i>aurantius</i>	1847, 16
<i>foliata</i>	1844, 137	<i>bicolor</i>	1843, 67
<i>granifera</i>	1844, 138	<i>dukhunensis</i>	1830-1, 99
<i>hastula</i>	1844, 139	<i>ferrum-equinum</i> . . .	1843, 68
<i>livida</i>	1844, 138	<i>lacteus</i>	1847, 16
<i>muriciformis</i>	1832, 179	<i>landeri</i>	1837, 101
<i>nana</i>	1844, 116	<i>luctus</i>	1843, 68
<i>neglecta</i>	1841, 51	<i>martinii</i>	1843, 25
<i>nitida</i>	1841, 52	<i>megaphyllus</i>	1834, 52
<i>nobilis</i>	1832, 179	<i>nobilis</i>	1843, 67
<i>plicata</i>	1844, 137	<i>philippinensis</i> . . .	1843, 68
<i>ponderosa</i>	1844, 137	<i>pygmaeus</i>	1843, 20
		<i>trifoliatus</i>	1847, 16
		<i>Rhinonictes</i>	1847, 16
		<i>aurantius</i>	1847, 16
		<i>Rhipidura albiscapa</i> . . .	1840, 113
		<i>albofrontata</i>	1830-1, 116

	Page		Page
<i>Rhipidura albofrontata</i> ..	1832, 85	<i>Saccophorus quachil</i> ..	1843, 79
<i>dryas</i>	1842, 132	<i>Salamandra</i>	1845, 18
<i>fusciventris</i> ..	{ 1830-1, 117	<i>maculosa</i>	1845, 11
	1832, 85	<i>Salarias atlanticus</i>	1839, 83
	1839, 157	<i>Salenia</i>	1835, 58
<i>isura</i>	1840, 174	<i>Salicaria cetti</i>	1839, 120
<i>nigritorquis</i>	1830-1, 97	<i>galactotes</i>	1844, 65
<i>Rhizomys</i>	1830-1, 95		{ 1839, 131
	1830-1, 95	<i>phragmitis</i>	1844, 65
<i>sinensis</i>	1840, 62	<i>Salmo eriox</i>	1837, 57
<i>sumatrensis</i>	1830-1, 95	<i>ferox</i> ..	1835, 81
<i>Rhizophaga</i>	1839, 18	<i>lacustris</i>	1835, 81
<i>Rhodia</i>	1835, 169	<i>trutta</i>	1837, 57
<i>pyriformis</i>	1835, 170	<i>Salpa</i>	1837, 1
<i>Rhombonyx</i>	1839, 67	<i>Salpormis</i>	1847, 7
<i>Rhombus cristatus</i>	1839, 88	<i>Sanguinolaria iridescens</i> ..	1842, 124
<i>heterophthalmus</i> ..	1830-1, 147	<i>Sarciophorus</i>	1841, 32
<i>maderensis</i>	1833, 143	<i>Sarcophaga</i>	1839, 6
<i>parvimanus</i>	1830-1, 168	<i>Sarcoramphus condor</i> ..	1840, 44
<i>stellosus</i> ..	1835, 92		{ 1833, 78
<i>Rhynchæa australis</i>	1837, 155	<i>gryphus</i>	1843, 108
	{ 1830-1, 62	<i>papa</i>	1847, 38
<i>capensis</i>	1835, 62	<i>Sargus fasciatus</i>	1835, 119
<i>orientalis</i> ..	1830-1, 124	<i>Saturnia pyri</i>	1844, 104
	{ 1830-1, 62	<i>Saurophagus swainsonii</i> ..	1835, 185
<i>picta</i>	1832, 104	<i>Saurus</i> ..	1843, 89
<i>semicollaris</i> ..	1843, 118	<i>lacerta</i> ..	1843, 88
<i>Rhynchaspis</i>	1844, 1	<i>Saxicava purpurascens</i> ..	1834, 88
	{ 1839, 134	<i>solida</i>	1834, 88
<i>clypeata</i>	1842, 93	<i>tenuis</i> ..	1834, 88
	1842, 167	<i>Saxicola</i> — ..	1844, 65
	1843, 118	<i>bicolor</i>	{ 1832, 92
<i>maculatus</i>	1847, 54		1842, 92
<i>rhyncotis</i>	1839, 114	<i>cachinnans</i>	1830-1, 96
<i>virescens</i>	1832, 168	<i>deserti</i>	1844, 65
<i>Rhynchops nigra</i>	1843, 119	<i>erythropygia</i>	1832, 92
<i>orientalis</i>	1843, 53		{ 1834, 51
<i>Rhynomya lanceolata</i> ..	1843, 120	<i>œnanthe</i>	1839, 120
<i>Ringicula australis</i>	1844, 97		{ 1844, 65
<i>caron</i>	1844, 97	<i>olivea</i>	1839, 161
<i>exserta</i>	1844, 97	<i>rubeculoides</i>	{ 1832, 92
<i>grandinosa</i>	1844, 96		1845, 26
<i>propinquans</i>	1844, 96	<i>rubetra</i>	{ 1839, 120
<i>Rissoa deformis</i>	1843, 184		1842, 93
<i>parva</i>	1833, 116		1844, 65
<i>Rohtee</i>	1838, 161		{ 1830-1, 119
<i>ogilbyi</i>	1838, 161		1832, 91
<i>pangut</i>	1838, 162	<i>rubicola</i>	{ 1839, 131
<i>ticto</i>	1838, 162		1839, 161
<i>vigorsii</i> ..	1838, 162		1842, 93
<i>Rollulus niger</i> ..	1846, 105	<i>solitaria</i>	1837, 148
<i>Rorqualus minor</i> ..	1847, 90	<i>stapazina</i> ..	1830-1, 96
<i>Rostellaria curta</i> ..	1842, 165	<i>Scalaria aciculina</i>	1843, 125
<i>pes pelicani</i>	1836, 46	<i>aculeata</i>	1844, 12
	27	<i>acuminata</i>	1844, 31
<i>Ryzæna tetradactyla</i> ..	1830-1, { 39	<i>alata</i>	1844, { 10
	51	<i>aurita</i>	1844, 26

	Page		Page
<i>Scalaria bicarinata</i> ...	1844, 30	<i>Schizaspidia furcifer</i> ..	1835, 69
<i>bullata</i> ..	1844, 27	<i>Schizochiton</i>	1847, { 65
<i>catanaensis</i>	1844, 27	<i>incisus</i>	1847, 68
<i>communis</i>	1844, 12	<i>Schizodesma</i>	1843, 102
<i>concinna</i>	1844, 28	<i>Schizodon</i>	{ 1841, 91
<i>connexa</i>	1844, 28	<i>fuscus</i>	{ 1844, 156
<i>creberrima</i>	1843, 125	<i>fuscus</i>	{ 1841, 91
<i>diadema</i>	1832, 55	<i>fuscus</i>	{ 1841, 93
<i>dianæ</i>	1843, 125	<i>fuscus</i>	{ 1843, 130
<i>dubia</i>	1844, 13	<i>Schizostoma</i>	1844, 24
<i>elenensis</i>	1844, 29	<i>Sciæna aquila</i> ..	1830-1, 112
<i>fasciata</i>	1844, 11	<i>Sciuroptera fimbriata</i> ..	1837, 67
<i>friabilis</i>	1844, 27	<i>turnbulli</i>	1837, 68
<i>fusca</i>	1844, 30	<i>Sciuropterus albidus</i> ..	1834, 98
<i>glabrata</i>	1843, 124	<i>horsfieldi</i>	1837, 87
<i>gracilis</i>	1844, 12	<i>Sciurus</i> ..	1834, 98
<i>hexagona</i>	1844, 29	<i>auduboni</i>	1838, 97
<i>hyalina</i>	1844, 11	<i>aureogaster</i>	1838, 88
<i>immaculata</i> ..	1844, 26	<i>aurocapillus</i> ..	1847, 38
<i>imperialis</i>	1844, 13	<i>bicolor</i> ..	1839, 150
<i>indistincta</i> ..	1844, 27	<i>capistratus</i>	1838, 85
<i>irregularis</i> ..	1844, 13	<i>carolinensis</i> ..	1838, 94
<i>laxata</i> ..	1844, 11	<i>cinereus</i>	1838, 89
<i>lyra</i> ..	1844, 13	<i>collinæ</i>	1838, 95
<i>marmorata</i>	1844, 11	<i>degus</i>	1843, 130
<i>mindoroensis</i> ..	1844, 30	<i>dimidiatus</i> ..	1840, 21
<i>mitreiformis</i> ..	1844, 12	<i>douglasii</i> ...	{ 1836, 88
<i>multicostata</i> ..	1844, 28	<i>douglasii</i> ...	{ 1838, 99
<i>muricata</i> ...	1844, 13	<i>elphinstoni</i> ...	1830-1, 103
<i>obtusa</i> ..	1844, 29	<i>ephippium</i>	1842, 116
<i>ovalis</i> ..	1844, 29	<i>erythrognys</i> ..	1842, 129
<i>philippinarum</i> ..	1844, 12	<i>fuliginosus</i> ..	1838, 97
<i>polita</i> ..	1844, 30	<i>gambianus</i> ..	1835, 103
<i>porrecta</i>	1843, 126	<i>giganteus</i>	1839, 150
<i>pulcherrima</i>	1844, 28	<i>hippurus</i>	1839, 151
<i>pyramidalis</i>	1844, 12	<i>hudsonius</i>	1838, 100
<i>replicata</i>	1844, 11	<i>lanuginosus</i>	1838, 101
<i>similis</i>	1844, 27	<i>leucotis</i>	1838, 91
<i>statuminata</i> ..	1844, 30	<i>listeri</i> ..	1844, 8
<i>subtilis</i>	1844, 28	<i>lokma</i> ..	1839, 151
<i>suturalis</i> ..	1843, 125	<i>lokrioides</i> ..	1839, 152
<i>venosa</i> ..	1844, 13	<i>m^cclellandi</i> ..	1839, 152
<i>vestalis</i> ..	{ 1843, 125	<i>macrourus</i>	1838, 88
<i>vestalis</i> ..	{ 1844, 27	<i>magnicaudatus</i> ..	1838, 88
<i>vulpina</i> ..	1843, 126	<i>maximus</i>	1844, 146
<i>Scansoria</i> ..	1839, 11	<i>niger</i> ..	{ 1838, 85
<i>Scaphula</i> ..	1834, 91	<i>niger</i> ..	{ 1838, 96
<i>Scapteromys</i> ..	1837, 20	<i>nigrescens</i>	{ 1838, 41
<i>tumidus</i> ..	1837, 21	<i>nigrescens</i>	{ 1838, 96
<i>Scarabæus</i> ..	1837, 12	<i>palmarum</i> ..	{ 1830-1, 103
<i>Scarabus cumingianus</i> ..	1843, 3	<i>palmarum</i> ..	{ 1834, 98
<i>Sceliages</i> ..	1837, 12	<i>palmarum</i> ..	{ 1839, 118
<i>iopas</i> ..	1837, 12	<i>palmarum</i> ..	{ 1842, 64
<i>Scelodonta</i> ..	1837, 129	<i>palmarum</i> ..	{ 1842, 70
<i>curculionoides</i> ..	1837, 129	<i>philippinensis</i> ..	1839, 117
<i>Schibe boalis</i> ..	1838, 163	<i>rafflesi</i> ..	1842, 116
<i>pabo</i> ..	1838, 163	<i>richardsoni</i> ...	1838, 100
<i>Schizaspidia</i> ..	1835, 69		

	Page		Page
<i>Sciurus rufiventer</i>	1838, 98	<i>Seylhum capense</i>	1837, 85
<i>rufobrachiatus</i> ..	1842, 128	<i>marmoratum</i> ..	{ 1830-1, 148
<i>stangern</i>	1842, 127	1837, 85
<i>subauratus</i> ..	1838, 87	<i>melanostomum</i>	1837, 86
<i>sublineatus</i>	1838, 10	<i>plagiosum</i>	1837, 85
<i>texianus</i> ..	1838, 86	<i>Scytalopus</i>	1836, 80
<i>tristriatus</i>	1839, 118	<i>albogularis</i>	1830, 90
<i>variegatoides</i>	1839, 117	<i>fuscus</i>	{ 1836, 80
<i>variegatus</i>	1838, 85	{ 1841, 94
.....	64	<i>magellanicus</i>	1843, 111
<i>vulgaris</i>	1842, { 70	<i>Scythrops novæ hollandiæ</i>	1847, 51
.....	98	<i>Sebastes maculatus</i> ...	1830, 97
<i>vulpinus</i> ..	1838, 85	<i>Semnopithecus albo-</i>	{ 1830-1, 105
<i>Scolecobrotus</i>	1833, 64	<i>gularis</i>	{ 1832, 18
<i>westwoodii</i>	{ 1833, 64	<i>cephalopterus</i>	1844, 1
.....	1840, 53	<i>cucullatus</i>	1833, 68
<i>Scolopacinus</i>	1837, 120	{ 1830-1, 90
<i>rufiventris</i> ..	1837, 110	<i>entellus</i>	{ 1833, 74
<i>Scolopax brahmii</i> ..	1839, 124	{ 1834, 95
<i>elegans</i>	1835, 204	{ 1837, 73
.....	1842, 94	<i>fascicularis</i>	1833, 74
<i>gallinago</i>	{ 1842, 190	<i>johnii</i> ..	1841, 63
.....	1847, 39	<i>leucoprymnus</i>	1844, 1
<i>gallinula</i>	1842, 94	<i>maurus</i>	1834, 6
<i>grisea</i>	1847, 80	{ 1833, 67
<i>heterura</i>	1839, 107	<i>nestor</i>	{ 1844, 1
<i>la mottei</i>	1839, 124	{ 1837, 14
.....	1834, 133	<i>obscurus</i>	{ 1840, 62
<i>major</i>	{ 1839, 134	<i>Sepia officinalis</i> ...	1833, 86
<i>minor</i> ..	1847, 39	<i>Sepiula stenodactyla</i> ...	1833, 42
<i>paraguaiæ</i> ..	{ 1843, 118	<i>Septaria</i> .	1837, 64
.....	1847, 54	<i>Sericogaster</i>	1835, 71
<i>pygmæa</i>	1839, 124	<i>fasciatus</i>	1835, 72
.....	1832, 133	<i>Sericornis</i>	1837, 133
.....	1836, 7	<i>citreogularis</i> ...	1837, 133
<i>rusticola</i> ...	{ 1830, 111	<i>frontalis</i> .	1847, 3
.....	1841, 7	<i>humilis</i> ..	{ 1837, 133
.....	1842, 94	{ 1847, 3
<i>sabini</i>	1835, 82	<i>lævigaster</i>	1847, 3
<i>Scolopendra cingulata</i> ..	1845, 18	<i>maculatus</i>	1847, 2
<i>electrica</i>	1842, 180	<i>osculans</i>	1847, 2
<i>Scolopsides phæops</i> ..	1830-1, 165	<i>parvulus</i>	1837, 134
<i>Scomber</i> —	1846, 27	<i>Sericulus magnirostris</i> ..	1837, 145
<i>pelamys</i> ..	1835, 80	<i>Seriola</i> ..	1843, 82
<i>sloanei</i>	1839, 77	<i>bipinnatula</i>	1843, 82
<i>Scomberesox saurus</i> ..	1830, 87	<i>dubia</i> ..	1830, 80
<i>Scomberesox lemundens</i> ..	1832, 4	<i>gracilis</i> .	1843, 82
<i>Scopelus maderensis</i> ..	1839, 87	<i>Serpophaga parvulus</i> ..	1843, 110
<i>Scops lempiji</i> ..	1839, 155	<i>Serpula tubularis</i> ..	1835, 128
<i>Scorpaena ustulata</i> ..	1840, 36	<i>Serranus argyro-grammu-</i>	
<i>Scutella</i> ...	1834, 47	<i>cus</i> ..	{ 1830-1, 109
<i>crenulata</i> ..	1834, 48	<i>Serrirostrum carbonarium</i>	1846, 9
<i>iridescens</i> ..	1834, 48	<i>delissii</i>	1830-1, 126
<i>rosea</i> ..	1834, 48	<i>marginatus</i>	1833, 142
<i>Seylhum</i> —	{ 1837, 85	<i>mtis</i> ..	{ 1830-1, 127
<i>africanum</i>	{ 1846, 27	<i>rasor</i> ..	1830, 95
<i>livium</i> ..	1837, 85	<i>sittoides</i> ..	1846, 9
		<i>tæniops</i> ..	1836, 119

	Page		Page
<i>Serrirostrum telfairii</i> 1830-31, {	127	<i>Solarium dorsuosum</i>	1844, 23
	169	<i>fenestratum</i>	1844, 25
<i>Setophaga rubra</i>	1837, 118	<i>formosum</i>	1844, 22
<i>ruticilla</i>	1837, 118	<i>fragile</i>	1844, 24
<i>Sigaretus cancellatus</i> . .	1843, 136	<i>fuliginosum</i>	1844, 158
<i>helcoides</i>	1843, 137	<i>fulvum</i>	1844, 24
<i>Silguaria anguina</i> . . .	1844, 67	<i>granulatum</i>	1844, 23
<i>Silurus boalis</i>	1838, 163	<i>perdix</i>	1844, 22
<i>pabo</i>	1838, 163	<i>perspectivum</i>	1844, {
<i>singio</i>	1840, 34	22	23
<i>Simia faunus</i>	1833, 109	158	
<i>morio</i>	{ 1836, 92	<i>placentale</i>	1844, 22
	{ 1841, 55	<i>purpuratum</i>	1844, 25
<i>nasalis</i>	1837, 70	<i>quadriceps</i>	1844, 23
<i>nasica</i>	1837, 70	<i>trochleare</i>	{ 25
<i>sagulata</i>	1834, 41	158	
	{ 1830-1, 4	<i>virgatum</i>	1844, 24
	{ 1830-1, 9	<i>Solea hexophthalma</i> ..	1830-1, 147
	{ 1830-1, 28	<i>impar</i>	1830-1, 147
<i>satyrus</i>	{ 1830-1, 67	<i>lingua</i>	1837, 58
	{ 1835, 30	<i>vulgans</i>	1835, 57
	{ 1836, 91	<i>Solen</i>	1843, 101
	{ 1843, 123	<i>acinares</i>	1843, 101
	{ 1830-1, 5	<i>acuminatus</i>	1842, 122
	{ 1830-1, 9	<i>ambiguus</i>	1843, 101
<i>trogodytes</i>	{ 1830-1, 28	<i>brevis</i>	1843, 101
	{ 1830-1, 68	<i>cylindraceus</i>	1843, 101
	{ 1836, 41	<i>linearis</i>	1843, 101
	{ 1836, 91	<i>philippinarum</i> . . .	1843, 101
<i>wurbii</i>	{ 1837, 82	<i>scalprum</i>	1843, 101
	{ 1841, 55	<i>Solenacea</i>	1844, 19
<i>Siphia</i>	1845, 25	<i>Solenella norrisi</i> . . .	1832, 197
<i>Siphonaria characteristica</i>	1842, 49	<i>Solenodonta</i>	1835, 105
<i>costata</i>	1835, 6	<i>Soldula</i>	1844, 165
<i>laeviuscula</i>	1835, 7	<i>Somateria mollissima</i> .	1842, 71
<i>lineolata</i>	1835, 6	<i>Sorex amphibius</i> . . .	1837, 126
<i>maura</i>	1835, 7	<i>araneus</i>	1837, 125
<i>pica</i>	1835, 6	<i>brevicaudatus</i> . . .	1837, 124
<i>radiata</i>	1835, 6	<i>capensis</i>	1837, 125
<i>subrugosa</i>	1835, 6	<i>capensoides</i>	1837, 125
<i>Siren lacertina</i>	1834, 31	<i>carolinensis</i>	1837, 124
<i>Sitta castaneoventris</i> {	1830-1, 121	<i>ciliatus</i>	1832, 109
	1842, 92	<i>concinus</i>	1837, 124
<i>europaea</i>	1843, 122	<i>constrictus</i>	1837, 124
<i>frontalis</i>	1839, 165	<i>crassicaudatus</i> . . .	1837, 125
<i>jamaicensis</i>	1847, 39	<i>etruscus</i>	1837, 125
<i>Sittella leucocephala</i> . .	1837, 152	<i>flavescens</i>	1837, 125
<i>leucoptera</i>	1839, 144	<i>fodiens</i>	1837, 126
	{ 1837, 152	<i>giganteus</i>	1830-1, 100
<i>melanocephala</i> . .	{ 1839, 113	<i>indicus</i>	{ 1830-1, 99
<i>pileata</i>	1837, 151	1834, 96	
<i>Smicromis</i>	1842, 133	<i>leucodon</i>	1837, 125
<i>flavescens</i>	1842, 134	<i>megalodon</i>	1837, 124
<i>Solariella</i>	1844, 24	<i>musculus</i>	1837, 126
<i>Solarium</i>	1844, 22	<i>myosurus</i>	1837, 125
<i>asperum</i>	1844, 23	<i>natans</i>	1837, 126
<i>caelatum</i>	1844, 25	<i>parvus</i>	1837, 124
<i>dealbatum</i>	1844, 24	<i>personatus</i>	1837, 124

	Page		Page
<i>Sorex pilorides</i>	1837, 124	<i>Squalus maculatus</i>	1837, 85
<i>psilurus</i>	1837, 126	<i>obscurus</i>	1843, 93
<i>pulchellus</i>	1837, 125	<i>ocellatus</i>	1837, 86
<i>pumilus</i>	1837, 125	<i>spinax</i>	1843, 93
<i>remifer</i>	1832, 100	<i>ustus</i>	1843, 93
<i>rhinolphus</i>	1837, 124	<i>Squatrola</i>	1841, 32
<i>stagnalis</i>	1837, 126	<i>cincta</i>	1843, 118
<i>tetragonurus</i>	1837, 126	<i>urvilii</i>	1843, 118
.	1841, 44	<i>Squilla ciliata</i>	1832, 6
.	1842, 63	<i>spinifrons</i>	1832, 6
.	1842, 68	<i>Stachyris</i>	1845, 22
.	1842, 96	<i>chrysæus</i>	1845, 23
(<i>Crocidura</i>) <i>poensis</i>	1842, 200	<i>nigriceps</i>	1845, 22
<i>Spalax typhlus</i>	1839, 122	<i>pyrops</i>	1845, 23
<i>Spatula clypeata</i>	1845, 13	<i>Stegostoma</i>	1837, 85
<i>Sperantia sylvana</i>	1844, 163	<i>Stellaster belcheri</i>	1847, 76
<i>Spermophilus macrourus</i>	1833, 41	<i>childremii</i>	1847, 76
<i>spilosoma</i>	1833, 40	<i>incei</i>	1847, 76
<i>Sphæriodactylus ciureus</i>	1834, 12	<i>Stenochorus angustatus</i>	1840, 48
<i>elegans</i>	1834, 12	<i>assimilis</i>	1840, 49
<i>Sphagebranchus</i>	1837, 38	<i>biguttatus</i>	1840, 51
<i>serpens</i>	1839, 90	<i>dorsalis</i>	1840, 49
<i>Sphargis coriaceus</i>	1835, 205	<i>funicolor</i>	1840, 51
<i>Sphenæacus</i>	1841, 28	<i>gigas</i>	1840, 46
<i>gramineus</i>	1845, 19	<i>latus</i>	1840, 46
<i>Sphenostoma</i>	1837, 149	<i>longipennis</i>	1840, 47
<i>cristatum</i>	1837, 150	<i>mitchelli</i>	1840, 47
<i>Sphenura africanus</i>	1841, 28	<i>obscurus</i>	1840, 47
<i>tibicen</i>	1841, 28	<i>punctatus</i>	1840, 47
<i>Spinax niger</i>	1843, 93	<i>rhombifer</i>	1840, 49
<i>Spirula</i>	1837, 64	<i>roei</i>	1840, 50
<i>Spiza versicola</i>	1837, 120	<i>rubripes</i>	1840, 50
<i>Spizaetus rufinctus</i>	1839, 153	<i>semipunctatus</i>	1840, 48
<i>Spondylus aculeatus</i>	1833, 5	<i>trimaculatus</i>	1840, 47
<i>albidus</i>	1836, 43	<i>tunicatus</i>	1840, 50
<i>asperimus</i>	1847, 87	<i>undulatus</i>	1840, 48
<i>cumingii</i>	1847, 86	<i>uniguttatus</i>	1840, 49
<i>digitatus</i>	1847, 87	<i>Stenorhynchus</i>	1835, 186
<i>dubius</i>	1833, 4	<i>ruficauda</i>	1835, 186
<i>imperialis</i>	1847, 86	<i>Stephanophorus</i>	1841, 30
<i>leucacantha</i>	1833, 5	<i>Sterna acuticauda</i>	1832, 171
<i>limbatus</i>	1847, 87	<i>arctica</i>	1833, 33
<i>lingua-felis</i>	1847, 87	<i>aurantia</i>	1842, 93
<i>princeps</i>	1833, 4	<i>fuliginosa</i>	1844, 36
<i>regius</i>	1847, 86	1847, 40
<i>sinensis</i>	1847, 87	<i>gracilis</i>	1845, 76
<i>tenuispinosus</i>	1847, 87	1834, 15
<i>unicolor</i>	1847, 86	1834, 51
<i>varius</i>	1837, 63	<i>hirundo</i>	1839, 135
<i>Squalus</i> —	1837, 85	1842, 71
<i>acanthias</i>	1843, 93	1842, 99
.	1846, 27	<i>inca</i>	1845, 1
<i>canicula</i>	1837, 85	<i>leucoptera</i>	1834, 51
.	1846, 27	<i>macrotrarsa</i>	1837, 26
<i>fasciatus</i>	1837, 85	<i>melanogastera</i>	1830-1, 125
<i>gata</i>	1837, 85	<i>melanura</i>	1837, 156
<i>lobatus</i>	1837, 85	<i>minuta</i>	1847, 40
		<i>nigra</i>	1834, 31

	Page		Page
<i>Sterna nigra</i>	1839, { 122	<i>Strongilurus scutellatus</i> .	1840, 54
<i>poliocerca</i>	1837, 26	<i>varicornis</i>	1840, 54
<i>seena</i>	1832, 171	<i>Struthidea</i>	1836, 143
<i>similis</i>	1832, 171	<i>cinerea</i>	1836, 143
<i>stolida</i>	{ 1835, 84	{ 1842, 71	
{ 1845, 103		{ 1842, 141	
{ 1847, 40		{ 1842, 195	
<i>tenuirostris</i>	1845, 104	{ 1843, 145	
<i>velox</i>	1842, 139	{ 1846, 48	
<i>Sternoptyx diaphana</i> ..	1843, 85	<i>Sturnella hippocrepis</i> ..	1837, 111
<i>olfersi</i>	1843, 85	{ 1841, 93	
<i>Sternula nereis</i>	1842, 140	{ 1843, 113	
<i>Stelher</i>	1832, 60	{ 1847, 53	
<i>astericola</i>	1832, 60	{ 1847, 38	
<i>subulatus</i>	1832, 61	{ 1837, 120	
<i>turtonii</i>	1832, 61	{ 1844, 157	
<i>Stomias barbatus</i>	1843, 88	<i>Sturnus prædatorius</i> ..	1842, 193
<i>boa</i>	1843, 88	<i>unicolor</i>	1830-1, 96
<i>Strepera arguta</i>	1846, 19	{ 1834, 51	
<i>melanoptera</i>	1846, 20	{ 1839, 132	
<i>plumbea</i>	1846, 20	{ 1842, 70	
<i>Strepsilas collaris</i> .. .	1834, 15	{ 1842, 92	
<i>interpres</i>	1843, 118	{ 1842, 93	
{ 50		{ 1842, 98	
<i>Strigops habroptilus</i> ..	1847, { 61	{ 1845, 13	
{ 62		<i>Stylophorus</i>	1837, 55
<i>Strix americana</i>	1847, 53	<i>Subula maculata</i>	1843, 159
<i>ascalaphus</i>	1837, 48	<i>Succinea elegans</i>	1842, 187
<i>asio</i>	1847, 37	<i>pallida</i>	1846, 109
{ 1836, 140		<i>reflexa</i>	1842, 187
{ 1837, 99		<i>semiglobosa</i>	1846, 109
{ 1836, 140		<i>tahitensis</i>	1846, 109
{ 1837, 99		<i>variegata</i>	1842, 187
<i>cyclops</i>	1837, 99	<i>Sula</i>	1843, 120
{ 1836, 140		<i>australis</i>	1840, 177
{ 1837, 99		<i>bassana</i>	1830-1, 90
{ 1842, 70		<i>candida</i>	1833, 32
{ 1842, 93		<i>personata</i>	1846, 21
{ 1842, 98		<i>rubripes</i>	1837, 156
{ 1847, 37		<i>Surnia funerea</i>	1835, 77
{ 1847, 53		<i>nivea</i>	1837, 45
{ 1846, 99		<i>nyctea</i>	1840, 42
<i>hirsuta</i>	1832, 82	<i>Sus</i>	1837, 23
<i>indranee</i>	1832, 81	<i>monstruosus</i>	1833, 16
{ 1832, 81		{ 1830-1, 104	
{ 1835, 62		{ 1834, 98	
<i>ketupu</i>	1834, 110	{ 1839, 150	
<i>lempiji</i>	1839, 155	<i>Suthora atrifrons</i>	1845, 31
<i>nyctea</i>	1844, 19	<i>fulvifrons</i>	1845, 31
<i>perlata</i>	1843, 110	<i>mpalensis</i>	1845, 31
{ 1830-1, 60		<i>Sylochelidon strenuus</i> ..	1846, 21
{ 1837, 99		<i>Sylvia badiceps</i>	1842, 144
{ 1842, 189		<i>brevirostris</i>	1836, 98
<i>poensis</i>	1842, 189	<i>burkii</i>	1835, 153
<i>pratincola</i>	1847, 53	<i>conspicillata</i>	1830-1, 96
<i>scops</i>	1837, 54	<i>castaneo-coronata</i> .. .	1835, 152
<i>tenebricosus</i>	1845, 80	{ 1830-1, 118	
<i>Strombus bulbulus</i> .. .	1842, 144	{ 1839, 120	
<i>crispatus</i>	1842, 143		
<i>Strongilurus</i>	1840, 54		

	Page		Page
<i>Sylvia hippolais</i>	1839, 181	<i>Syrhaptes paradoxus</i> . .	1845, 76
	1842, 93		
<i>luscina</i>	1842, 71	<i>Tachypetes aquilus</i> . .	1830-1, 62
<i>montana</i>	1832, 89		1847, 40
<i>phragmitis</i>	1842, 98	<i>Tadorna bellonii</i>	1843, 94
	194, 107		1832, 122
<i>putoria</i>	1845, 29	<i>rutila</i>	1830, 93
<i>rama</i>	1832, 89		1842, 94
<i>rubecula</i>	1834, 133	<i>vulpanser</i>	1834, 51
<i>ruficapilla</i>	1845, 29	<i>Tœnia lamelligera</i>	1832, 143
<i>sphenura</i>	1845, 29		1835, 86
<i>suecica</i>	1842, 93	<i>Talegalla</i>	1844, 77
<i>sylvicola</i>	1832, 89	<i>lathamii</i>	1840, 111
<i>tithys</i>	1830-1, 18		1841, 44
<i>trochilus</i>	1835, 90	<i>Talpa europæa</i>	1842, 63
<i>Sylvicapra</i>	1836, 138		1842, 68
<i>Sylvicola americana</i>	1847, 38	<i>Tamania bincincta</i>	1836, 80
<i>canadensis</i>	1847, 38	<i>Tanagra archiepiscopus</i> . .	1837, 117
<i>coronata</i>	1847, 38	<i>chlorotica</i>	1837, 116
<i>decurtata</i>	1837, 118	<i>coelestis</i>	1837, 121
<i>dominica</i>	1847, 38	<i>cyanoccephala</i>	1837, 121
<i>maculosa</i>	1847, 38	<i>darwinii</i>	1837, 121
<i>minuta</i>	1847, 38	<i>diadema</i>	1841, 31
<i>pensilis</i>	1847, 38	<i>episcopus</i>	1837, 117
<i>pusilla</i>	1847, 38	<i>glaucia</i>	1837, 117
<i>Sylviparus</i>	1835, 153	<i>gularis</i>	1847, 39
<i>modestus</i>	1835, 154	<i>olivascens</i>	1837, 117
<i>Symnorphus</i>	1837, 145	<i>sayaca</i>	1837, 117
<i>leucopygus</i>	1837, 145	<i>striata</i>	1837, 121
<i>Synallaxis ægithaloides</i> . .	1843, 112	<i>vicarius</i>	1837, 116
<i>anthoides</i>	1830-1, 80	<i>Tantalus leucocephalus</i> . .	1832, 160
<i>cinerascens</i>	1837, 118	<i>loculator</i>	1847, 39
<i>flavogularis</i>	1844, 157	<i>papillosus</i>	1830-1, 124
<i>pumicola</i>	1843, 112	<i>Taphozous philippinen-</i>	
<i>rufogularis</i>	1843, 112	<i>sis</i>	1845, 9
<i>spinipectus</i>	1843, 112	<i>Tapirus americanus</i> . .	1830-1, 94
<i>superciliaris</i>	1843, 3		1841, 161
<i>Synbranchus</i>	1837, 38	<i>Taractes</i>	1843, 82
<i>Syngnathus acus</i>	1834, 118		1843, 89
	1835, 183	<i>asper</i>	1843, 83
<i>æquoreus</i>	1837, 58	<i>cuspidata</i>	1843, 76
<i>argus</i>	1840, 29	<i>Tarandus</i>	1836, 135
<i>fucicola</i>	1832, 5	<i>Tarsiger</i>	1845, 28
<i>lumbriciformis</i>	1837, 60	<i>chrysæus</i>	1845, 28
	1834, 119	<i>Tarsipes</i>	1842, 1
<i>ophidion</i>	1835, 82	<i>rostratus</i>	1842, 1
	1837, 58	<i>Tarsius spectrum</i>	1838, 67
<i>typhle</i>	1834, 118	<i>Taxidea leucurus</i>	1847, 116
<i>typhlodes</i>	1837, 58	<i>Tchitrea</i>	1844, 102
<i>Synoicus australis</i>	1835, 92		1844, 62
<i>diemenensis</i>	1847, 33	<i>Tellina acuta</i>	1844, 142
<i>sinensis</i>	1847, 33	<i>ala</i>	1844, 165
<i>sordidus</i>	1847, 33	<i>ancilla</i>	1844, 148
<i>Synornis</i>	1846, 26	<i>asperrima</i>	1844, 50
<i>joulainus</i>	1845, 27	<i>assimilis</i>	1844, 144
<i>Syrnia nyctea</i>	1842, 110	<i>aurore</i>	1844, 147
<i>Syrnum aluco</i>	1840, 43		

	Page		Page
<i>Tellina burnettii</i>	1844, 69	<i>Tellina mexicana</i>	1844, 59
<i>brugieri</i>	1844, 142	<i>micans</i>	1844, 72
<i>carriana</i>	1844, 68	<i>miles</i>	1844, 146
<i>casta</i>	1844, 68	<i>nobilis</i>	1844, 165
<i>chinensis</i>	1844, 165	<i>nux</i>	1844, 62
<i>columbiensis</i>	1844, 71	<i>nymphalis</i>	1844, 165
<i>corbuloides</i>	1844, { 70	<i>oblonga</i>	1844, 147
<i>crucigera</i>	1844, { 144	<i>ostracea</i>	1844, 149
<i>cultur</i>	1844, 69	<i>owenii</i>	1844, 164
<i>cumingi</i>	1844, 59	<i>perplexa</i>	1844, 149
<i>cuspid</i>	1844, { 72	<i>pharaonis</i>	1844, { 148
<i>cycladiformis</i>	1844, 70	<i>philippinarum</i>	1844, { 69
<i>cygnus</i>	1844, 144	<i>pinguis</i>	1844, 63
<i>cyrenoides</i>	1844, 64	<i>plebeia</i>	1844, 147
<i>decussata</i>	1844, { 68	<i>polita</i>	1844, 148
<i>depressa</i>	1844, 72	<i>princeps</i>	1844, 62
<i>deshayesi</i>	1844, 148	<i>prora</i>	1844, 61
<i>diana</i>	1844, 147	<i>psammotella</i>	1844, 140
<i>discus</i>	1844, 63	<i>pudica</i>	1844, 62
<i>dombeyi</i>	1844, 144	<i>puella</i>	1844, 165
<i>donacina</i>	1844, { 148	<i>pulcherrima</i>	1844, { 59
<i>eburnea</i>	1844, 61	<i>pumila</i>	1844, 69
<i>elongata</i>	1844, 144	<i>pumicea</i>	1844, 61
<i>felix</i>	1844, 71	<i>rastellum</i>	1844, 59
<i>fimbriata</i>	1844, 149	<i>regia</i>	1844, 61
<i>foliacea</i>	1844, 142	<i>robusta</i>	1844, 63
<i>formosa</i>	1844, 142	<i>rodon</i>	1844, 140
<i>fragilis</i>	1844, 166	<i>rubescens</i>	1844, 60
<i>frigida</i>	1844, 143	<i>scalpellum</i>	1844, 147
<i>gargadia</i>	1844, 71	<i>senegalensis</i>	1844, 68
<i>grandis</i>	1844, 141	<i>sincera</i>	1844, 68
<i>gubernaculum</i>	1844, 142	<i>sol</i>	1844, 142
<i>guldinigi</i>	1844, 60	<i>solidula</i>	1844, 60
<i>hiberna</i>	1844, 148	<i>souleyeti</i>	1844, 71
<i>hilaris</i>	1844, 140	<i>sowerbi</i>	1844, { 62
<i>imbellis</i>	1844, 143	<i>spectabilis</i>	1844, { 71
<i>inaequalis</i>	1844, 71	<i>spengleri</i>	1844, { 59
<i>incarnata</i>	1844, { 68	<i>spinosa</i>	1844, { 148
<i>inornata</i>	1844, 144	<i>splendida</i>	1844, 68
<i>insculpta</i>	1844, 70	<i>squalida</i>	1844, 164
<i>iris</i>	1844, 166	<i>subtruncata</i>	1844, 149
<i>jubar</i>	1844, 60	<i>tenera</i>	1844, 140
<i>juvenilis</i>	1844, 140	<i>tenuis</i>	1844, { 70
<i>laceridens</i>	1844, 61	<i>truncata</i>	1844, 142
<i>lilium</i>	1844, 147	<i>tulipa</i>	1844, 148
<i>lutea</i>	1844, 149	<i>umbonella</i>	1844, { 144
<i>listeri</i>	1844, 69	<i>undulata</i>	1844, 72
<i>lucerna</i>	1844, 147	<i>valtonis</i>	1844, 143
<i>lux</i>	1844, { 140	<i>vernalis</i>	1844, 141
<i>lyra</i>	1844, 68	<i>verrucosa</i>	1844, 60
<i>margaritacea</i>	1844, 72	<i>vestalis</i>	1844, 141

	Page		Page
<i>Tellina virgata</i>	1844, 60	<i>Terebra consors</i>	1843, 150
<i>virgo</i>	1844, 143		160
<i>virgulata</i>	1844, 164	<i>conspersa</i>	1843, 153
<i>Tellinides purpurascens</i>	1844, 62	<i>constricta</i>	1843, 166
<i>truncatulus</i>	1844, 141	<i>copula</i>	1843, 161
<i>Temnoris atrifrons</i>	1845, 31		161
<i>fulvifrons</i>	1845, 31	<i>corrugata</i>	1834, 59
<i>nipalensis</i>	1845, 31		1843, 163
<i>Tephrodornis indica</i>	1844, 102	<i>cosentini</i>	1843, 166
<i>ocreatus</i>	1844, 102	<i>costata</i>	1843, 161
<i>Teratophius ecaudatus</i>	1833, 45		167
<i>Terebra</i>	1843, 140	<i>crenulata</i>	1834, 59
<i>acicularia</i>	1843, 165		1843, 160
<i>aciculata</i>	1834, 63	<i>cuspidata</i>	1843, 157
	1834, 60		165
<i>affinis</i>	1843, 161	<i>dimidiata</i>	1834, 59
	1843, 164		1843, 160
<i>africana</i>	1843, 164	<i>duplicata</i>	1834, 59
<i>alba</i>	1834, 60		1843, 161
	1843, 165	<i>dussumieri</i>	1843, 161
<i>albida</i>	1834, 63		153
	1843, 161	<i>eburnea</i>	1843, 163
<i>albula</i>	1843, 165		165
<i>alveolata</i>	1843, 151	<i>elata</i>	1843, 156
	162		165
<i>amanda</i>	1843, 154	<i>fatua</i>	1843, 150
	163		161
<i>anomala</i>	1834, 62	<i>felina</i>	1843, 160
	1843, 165	<i>fenestrata</i>	1843, 153
<i>argus</i>	1843, 160		164
<i>armillata</i>	1843, 154	<i>flammea</i>	1834, 59
	164		1843, 160
<i>articulata</i>	1843, 166	<i>flava</i>	1834, 60
<i>aspera</i>	1843, 154		1843, 165
	164	<i>funiculata</i>	1843, 153
<i>babylonia</i>	1843, 163		163
<i>bicincta</i>	1843, 150	<i>fusca</i>	1843, 161
	164	<i>fuscata</i>	1843, 166
<i>bifrons</i>	1843, 155	<i>fusco-maculata</i>	1843, 161
	164	<i>gemmaulata</i>	1843, 161
<i>buccinoides</i>	1843, 168	<i>glauc</i>	1843, 155
<i>cerulescens</i>	1843, 161		164
<i>canalis</i>	1843, 167		1834, 61
<i>cancellata</i>	1834, 62	<i>gracilis</i>	1843, 161
	1843, 165		1843, 167
<i>carnea</i>	1843, 160	<i>granulata</i>	1843, 166
<i>casta</i>	1843, 156	<i>granulosa</i>	1843, 168
	162		1834, 63
<i>castanea</i>	1843, 162	<i>hastata</i>	1843, 162
	1834, 62	<i>heddingtonensis</i>	1843, 167
<i>cerithina</i>	1843, 161	<i>heterostropha</i>	1843, 167
<i>chlorata</i>	1843, 161	<i>heunahiana</i>	1843, 167
<i>cinerea</i>	1843, 165	<i>inconstans</i>	1843, 156
<i>cingula</i>	1843, 162		165
<i>cingulifera</i>	1843, 163	<i>intertincta</i>	1843, 155
<i>columellaris</i>	1843, 151		164
	164	<i>inversa</i>	1843, 167
<i>commaculata</i>	1843, 168		

	Page		Page
<i>Terebra knorrri</i>	{ 1834, 59	<i>Terebra pettiti</i>	1843, 163
	{ 1843, 161		{ 150
	{ 1834, 61		{ 164
<i>laevigata</i>	{ 1843, 164	<i>picta</i>	1843, 166
	{ 1834, 61	<i>plicaria</i> ..	1843, 61
<i>laevis</i>	{ 1843, 164	<i>plicata</i>	{ 1834, 163
<i>lamarckii</i>	1843, 161	<i>plicatula</i>	1843, 166
<i>lanceata</i>	1843, 165	<i>plumbea</i>	1843, 162
<i>lanceolata</i>	1834, 63	<i>polita</i>	{ 1834, 63
<i>larvæformis</i>	1843, 155	<i>polygyra</i>	{ 1843, 168
	{ 164	<i>portlandica</i>	1843, 167
<i>laurina</i>	1843, 152	<i>pretiosa</i>	{ 1842, 200
	{ 162	<i>pulchra</i>	{ 1843, 163
<i>lepida</i>	1843, 158		{ 151
	{ 165	<i>punctata</i>	1843, 61
<i>ligata</i>	1843, 153	<i>punctato-striata</i> ..	{ 1834, 61
<i>lineata</i> ..	1843, 166	<i>punctulata</i>	{ 1843, 163
<i>lineolata</i>	{ 1834, 63	<i>pygmæa</i>	1843, 163
	{ 1843, 168		{ 158
<i>lingualis</i>	1843, 163	<i>radula</i>	{ 1843, 166
	{ 157	<i>raphanula</i>	{ 1843, 161
<i>luctuosa</i> ..	1843, 165	<i>robusta</i>	{ 1843, 149
<i>maculata</i>	{ 1834, 59		{ 160
<i>melanoides</i> ..	1843, 159	<i>rudis</i>	{ 1834, 60
<i>mera</i> ..	1843, 166		{ 1843, 163
	{ 158	<i>rustica</i>	{ 1843, 158
<i>mucans</i>	1843, 166	<i>sandwizensis</i>	1843, 166
<i>monilis</i>	1843, 163	<i>scabrella</i>	1843, 168
<i>muscaria</i> ..	{ 1834, 59	<i>scalarina</i>	1843, 163
	{ 1843, 160	<i>senegalensis</i>	1843, 161
<i>myuros</i>	{ 1834, 59	<i>simplex</i>	1843, 167
	{ 1843, 163	<i>sinuosa</i>	1843, 167
<i>nassoides</i>	1843, 158	<i>specillata</i>	{ 1843, 155
	{ 166	<i>spectabilis</i>	{ 1843, 162
<i>nebulosa</i>	1843, 160		{ 150
	{ 162	<i>straminea</i>	{ 1834, 62
<i>nexilis</i>	1843, 167		{ 1843, 163
<i>nimbosa</i>	1843, 151		{ 1834, 60
	{ 161	<i>striata</i>	{ 1843, 164
<i>nitida</i>	1843, 152		{ 1843, 166
	{ 162		{ 1843, 167
<i>nubeculata</i>	{ 1834, 59		{ 1834, 59
	{ 1843, 126	<i>stratula</i>	{ 1843, 161
<i>obesa</i>	1843, 158		{ 1843, 165
	{ 166	<i>strigata</i>	1843, 160
<i>oculata</i>	{ 1834, 59	<i>strigilata</i> ..	1843, 165
	{ 1843, 161	<i>strigillata</i>	1834, 63
<i>ornata</i> ..	{ 1834, 62	<i>striolata</i>	1843, 166
	{ 1843, 160	<i>subulata</i>	{ 1834, 59
<i>penicillata</i>	1843, 157		{ 1843, 160
	{ 165	<i>stylata</i> ..	1843, 152
<i>pertusa</i>	{ 1834, 59		{ 162
	{ 1843, 162		
	{ 1843, 163		

	Page		Page
<i>Terebra succinea</i>	1843, { 149, 160	<i>Terebratulula uva</i>	1833, 124
<i>taeniolata</i>	{ 1834, 62, 163	{ 1830-1, 63
<i>tahitensis</i>	{ 1834, 63, 163	<i>Testudo graeca</i>	{ 1830-1, 74
<i>tenera</i>	{ 1843, 108, 158	{ 1842, 72
<i>tessellata</i>	{ 1834, 61, 163	<i>indica</i>	{ 1830-1, 46
<i>textilis</i>	{ 1843, 156, 165	{ 1833, 43
<i>tigrina</i>	{ 1834, 59, 160	{ 1833, 81
<i>tricolor</i>	{ 1834, 62, 163	{ 1834, 113
<i>triseriata</i>	{ 1834, 62, 164	{ 1836, 59
<i>tuberculosa</i>	{ 1843, 154, 164	{ 1844, 55
<i>tuberosa</i>	{ 1843, 152, 166	<i>Tetragonurus</i>	1843, 82
<i>undata</i>	{ 1834, 60, 162	<i>atlanticus</i>	1830, 79
<i>undulata</i>	{ 1843, 161, 164	<i>cuvieri</i>	1839, 79
<i>varicosa</i>	{ 1843, 152, 162	<i>simplex</i>	1833, 143
<i>variegata</i>	{ 1834, 61, 164	<i>Tetralobus</i>	1842, 73
<i>venosa</i>	{ 1843, 157, 165	<i>auricomus</i>	1842, 75
<i>venusta</i>	{ 1843, 154, 167	<i>australasiae</i>	1842, 74
<i>vetusta</i>	{ 1843, 160, 166	<i>cinereus</i>	1842, 73
<i>violascens</i>	{ 1843, 154, 168	<i>duponti</i>	1842, 73
<i>vittata</i>	{ 1843, 160, 166	<i>fortnumi</i>	1842, 74
<i>vulcani</i>	{ 1843, 167, 167	<i>goryi</i>	1842, 73
<i>zebra</i>	{ 1843, 160, 160	<i>manglesii</i>	1842, 75
<i>Terebratulula algoensis</i>	1846, 95	<i>parryi</i>	1842, 74
<i>chilensis</i>	{ 1833, 124, 126	<i>robustus</i>	1842, 75
<i>cognata</i>	1846, 94	<i>savagei</i>	1842, 74
<i>crenulata</i>	1846, 91	<i>Tetrao caucasica</i>	{ 1842, 105
<i>erythroleuca</i>	1846, 93	<i>cupido</i>	1844, 123
<i>inconspicua</i>	1846, 93	<i>hybridus</i>	1830-1, 73
<i>japonica</i>	1846, 91	<i>medius</i>	1845, 13
<i>labradorensis</i>	1846, 95	<i>rupestris</i>	{ 1830-1, 74
<i>nigricans</i>	1846, 91	{ 1830-1, 73
<i>pauciflora</i>	1833, 126	<i>tetrix</i>	{ 1834, 52
<i>pulchella</i>	1846, 93	{ 1835, 62
<i>rosea</i>	1846, 92	<i>umbellus</i>	1844, 123
<i>rubella</i>	1846, 94	{ 1834, 110
<i>rubicunda</i>	1846, 92	<i>urogallus</i>	{ 1845, 13
<i>sanguinea</i>	{ 92, 93	<i>Tetraogallus altaicus</i>	1842, 105
<i>transversa</i>	1846, 94	<i>caucasicus</i>	1842, 105
		<i>humalynensis</i>	1842, 105
		{ 1834, 52
		<i>nigellii</i>	{ 1841, 6
		{ 1843, 70
		<i>Tetrapturus georgii</i>	1840, 36
		<i>herschellii</i>	1837, 101
		<i>Tetrodon</i>	1835, 205
		<i>argyropleura</i>	1832, 184
		<i>capistratus</i>	1839, 90
		<i>guttafer</i>	1830-1, 148
		<i>physa</i>	1834, 46
		<i>stellatus</i>	1833, 115
		<i>strigosus</i>	1834, 46
		<i>Thalasseus torresii</i>	1842, 140
		<i>Thalassidroma bulweri</i>	1839, 139
		<i>nercis</i>	1840, 178
		{ 1830-1, 151
		<i>pelagica</i>	{ 1839, 139
		{ 1847, 40

	Page		Page
<i>Thalassidroma wilsoni</i>	1839, 139	<i>Timalia chataræa</i>	1830-1, 118
	1847, 40		1832, 88
<i>Thamnophilus doliiatus</i>	1837, 117	<i>erythronotus</i>	1846, 103
<i>fuliginosus</i>	1837, 80	<i>erythroptera</i>	1846, 103
<i>rutilus</i>	1837, 117	<i>hyperythra</i>	1830-1, 118
<i>Thaumalea picta</i>	1842, 166	<i>hypoleuca</i>	1830-1, 118
<i>Theo</i>	1835, 170		1842, 92
<i>erosa</i>	1835, 171	<i>hypoleucos</i>	1845, 24
<i>Therates coracina</i>	1837, 128	<i>malcolm</i>	1832, 83
<i>Theristicus melanops</i>	1843, 117	<i>mgricollis</i>	1846, 103
	1841, 95	<i>pectoralis</i>	1846, 103
<i>Thinocorus d'orbignia-</i>	1843, 115		1830-1, 118
<i>anus</i>	1846, 9	<i>pileata</i>	1839, 61
	1847, 29		1839, 161
<i>eschscholtzii</i>	1843, 116	<i>pyrrhophæa</i>	1846, 103
<i>Thoracantha flabellata</i>	1835, 52	<i>somervillei</i>	1832, 88
<i>Thrasastor harpyia</i>	1837, 108	<i>Tinamotis</i>	1836, 79
<i>Thryothorus guttatus</i>	1836, 89	<i>elegans</i>	1847, 28
	1839, 7		1836, 79
<i>Thylacinus</i>	1843, 148	<i>pentlandi</i>	1847, 28
	1838, 120		1847, 29
<i>harrisii</i>	1838, 147	<i>Tinnunculus sparverius</i>	1843, 109
	1843, 148	<i>Todus cinereus</i>	1837, 117
	1838, 120	<i>viridis</i>	1847, 38
<i>Thylacotherium</i>	1838, 147	<i>Tomogerus turbinatus</i>	1845, 45
	1839, 9		65
<i>Thynnus alalonga</i>	1839, 78	<i>Tonicia</i>	1847, 67
<i>albacora</i>	1839, 77	<i>atrata</i>	1847, 67
<i>communis</i>	1846, 27	<i>castanea</i>	1847, 67
<i>obesus</i>	1839, 78	<i>cerasina</i>	1847, 67
<i>pelamys</i>	1846, 27	<i>disjuncta</i>	1847, 67
<i>Thysites acanthoder-</i>		<i>elegans</i>	1847, 67
<i>ma</i>	1839, 78	<i>fastigiata</i>	1847, 67
	1839, 99	<i>fulva</i>	1847, 67
<i>altivelis</i>	1840, 29	<i>grayii</i>	1847, 67
<i>atun</i>	1840, 29	<i>lineata</i>	1847, 67
<i>Tiara attenuata</i>	1835, 197	<i>lævigata</i>	1847, 67
<i>aurantia</i>	1835, 196	<i>lyrata</i>	1847, 67
<i>catenata</i>	1835, 195	<i>rubra</i>	1847, 67
<i>crenata</i>	1835, 196	<i>swainsonii</i>	1847, 67
<i>foamunata</i>	1835, 194	<i>Topaza pyra</i>	1846, 85
<i>lineata</i>	1835, 195	<i>Torina</i>	1844, 24
<i>millecostata</i>	1835, 195	<i>Tornatella auricula</i>	1842, 62
<i>mucronata</i>	1835, 195	<i>bullata</i>	1842, 61
<i>multicostata</i>	1835, 195	<i>clathrata</i>	1840, 41
<i>muricata</i>	1835, 194	<i>coccinata</i>	1842, 60
<i>nivea</i>	1835, 195	<i>fasciata</i>	1842, 61
<i>rosea</i>	1835, 195	<i>flammea</i>	1835, 206
<i>rubra</i>	1835, 196		1842, 59
<i>semiplicata</i>	1835, 197	<i>glabra</i>	1842, 60
	1835, 196	<i>insculpta</i>	1842, 62
<i>terebrahs</i>	1835, 198	<i>nitidula</i>	1842, 61
<i>Tichodroma muraria</i>	1834, 51	<i>oryza</i>	1842, 62
<i>phœnicoptera</i>	1841, 6	<i>pedipes</i>	1842, 62
<i>Tiga rafflesii</i>	1846, 103	<i>sieboldi</i>	1842, 61
<i>tridactyla</i>	1846, 104	<i>solidula</i>	1842, 60
<i>Tilqua cunninghamii</i>	1832, 40	<i>tessellata</i>	1843, 60
<i>fernandi</i>	1836, 62	<i>venusta</i>	1842, 61

	Page		Page
<i>Tornatella virgata</i>	1842, 61	<i>Trichas personatus</i>	1847, 38
<i>Torpedo hebetans</i>	1843, 94	<i>Trichina</i>	1836, 26
<i>marmorata</i>	1843, 94	<i>spiralis</i>	1835, 26
<i>nobihana</i>	1843, 94	<i>Trichiurus</i>	1835, 205
<i>oculata</i>	1840, 27	1837, 55
<i>pantheri</i>	1843, 94	<i>Trichoglossus concinnus</i> ..	1839, 113
<i>picta</i>	1843, 93	<i>purpureus</i>	1839, 113
<i>vulgaris</i>	1836, 109	<i>Trichophorus caniceps</i> ..	1846, 101
<i>Tosia</i>	1847, 80	<i>flaveolus</i>	1836, 6
<i>aurata</i>	1847, 80	1839, 158
.....	78	<i>Trichotropis</i>	1843, 17
<i>australis</i>	1847, 79	<i>bicarinata</i>	1843, 17
.....	81	<i>cancellata</i>	1843, 17
<i>grandis</i>	1847, 80	<i>flavida</i>	1843, 18
<i>rubra</i>	1847, 81	<i>inermis</i>	1843, 18
<i>tubercularis</i>	1847, 80	<i>Trigla aspera</i>	1837, 61
<i>Totanus calidris</i>	1834, 51	<i>cuculus</i>	1837, 57
<i>chloropygius</i>	1842, 94	<i>gurnardus</i>	1837, 61
<i>damascensis</i>	1839, 39	<i>hirundo</i>	1835, 79
<i>flavipes</i>	1847, 39	1837, 61
<i>fuscus</i>	1842, 94	<i>kumu</i>	1839, 96
.....	1832, 162	<i>lineata</i>	1835, 79
<i>glareola</i>	1842, 94	1839, 77
<i>glottis</i>	1834, 51	<i>pauciradiata</i>	1835, 91
<i>glottoides</i>	1830-1, 173	<i>pini</i>	1837, 61
.....	1842, 93	<i>pocilloptera</i>	1837, 61
.....	1832, 163	<i>polymmata</i>	1839, 96
<i>hypoleucos</i>	1839, 133	<i>vanessa</i>	1839, 97
.....	1842, 94	<i>Trigon altavela</i>	1839, 92
<i>macularius</i>	1847, 39	<i>Trigona</i>	1844, 110
.....	1832, 162	<i>Trigonalis</i>	1835, 52
.....	1834, 30	<i>melanoleuca</i>	1835, 53
<i>ochropus</i>	1834, 52	<i>Trigonocephalus erythru-</i>	
.....	1842, 94	<i>rus</i>	1839, 31
<i>sempalmata</i> . . .	1847, 39	<i>nucrosquamatus</i> ..	1839, 32
<i>Trachelotrachys</i>	1840, 51	<i>Tringa canutus</i> . . .	1834, 15
<i>fumicolor</i>	1840, 52	<i>glareola</i>	1830-1, 124
<i>pustulatus</i>	1840, 52	<i>hypoleuca</i>	1830-1, 124
<i>Trachichthys</i>	1843, 85	1839, 122
<i>australis</i>	1839, 77	<i>minuta</i>	1842, 94
<i>pretiosus</i> . . .	1839, 77	<i>minutella</i>	1847, 39
<i>Trachops</i>	1847, 14	<i>ochropus</i>	1830-1, 124
<i>fuliginosus</i>	1847, 14	<i>pectoralis</i>	1847, 39
<i>Tragelaphus</i>	1836, 138	1833, 10
<i>Tragopan hastingsi</i> ..	1830-1, 8	1834, 51
<i>satyrus</i>	1830-1, 122	<i>pugnax</i>	1842, 93
.....	173	1842, 94
<i>temminckii</i>	1834, 33	1830-1, 124
.....	1836, 59	<i>pusilla</i>	1847, 39
.....	63	<i>rufescens</i>	1847, 39
<i>Tragulus</i>	1836, 138	1839, 122
<i>Treron capellii</i> . . .	1846, 105	<i>subarcuata</i>	1842, 94
<i>crassirostris</i>	1843, 35	1834, 15
<i>fulvicollis</i>	1846, 105	<i>temminckii</i>	1842, 93
<i>tenuirostris</i>	1846, 105	1842, 94
<i>Tribura</i>	1845, 30	1834, 51
<i>luteoventris</i>	1845, 30	<i>variabilis</i>	1834, 133
		1844, 67

	Page		Page
<i>Trionyx aegyptiacus</i>	1840, 57	<i>Triton niveus</i>	1844, 116
<i>euphraticus</i>	1840, 57	<i>obscurus</i>	1844, 117
<i>Triphoxis collaris</i>	1843, 23	<i>pagodus</i>	1844, 121
<i>deshayesi</i>	1843, 22	<i>palustris</i>	1843, 71
<i>pagodus</i> ...	1843, 22	<i>pfeifferianus</i>	1844, 112
<i>Tripterygion nasus</i>	1839, 83	<i>pictus</i> ...	1844, 121
<i>Triton acuminatus</i>	1844, 116	<i>quoyi</i>	1844, 118
<i>agrotus</i>	1844, 114	<i>ranelloides</i> ..	1844, 111
<i>angulatus</i>	1844, 120	<i>reticulatus</i>	1833, 71
<i>anomalus</i>	1844, 22	<i>retusus</i> ...	1844, 115
<i>antiquatus</i>	1844, 21	<i>ridens</i>	1844, 115
<i>aquatilis</i> ..	1844, 114	<i>rubecula</i>	1844, 117
<i>australis</i> ...	1844, 113	<i>rudis</i>	1833, 6
<i>bacillum</i> ...	1844, 120	<i>sarcostoma</i>	1844, 113
<i>bracteatus</i> ..	1844, 21	<i>sauliae</i> ...	1844, 112
<i>canaliferus</i>	1844, 112	<i>scalariformis</i> ...	1833, 7
<i>cancellinus</i>	1844, 113	<i>scrobiculator</i>	1844, 138
<i>carduus</i>	1844, 121	<i>sculptilis</i>	1844, 118
<i>ceylonensis</i>	1833, 71	<i>smensis</i> ...	1844, 113
<i>clathratus</i>	1833, 71	<i>siphonatus</i>	1844, 119
<i>clavator</i>	1844, 111	<i>tessellatus</i>	1844, 120
<i>concinus</i>	1844, 120	<i>thersites</i>	1844, 115
<i>constrictus</i>	1833, 5	<i>tigrinus</i>	1833, 5
<i>convolutus</i> ..	1833, 7	<i>tortuosus</i>	1844, 118
<i>crispus</i>	1844, 118	<i>trilineatus</i>	1844, 114
<i>cristatus</i>	1838, 23	<i>truncatus</i>	1844, 21
<i>cynocephalus</i>	1844, 114	<i>tuberosus</i>	1844, 115
<i>decapitatus</i>	1844, 115	<i>variegatus</i>	1844, 113
<i>decipiens</i>	1844, 119	<i>verrucosus</i>	1844, 118
<i>decollatus</i>	1833, 72	<i>vespaceus</i> ...	1844, 117
<i>digitale</i> ..	1844, 120	<i>vestitus</i> ..	1844, 21
<i>distortus</i>	1833, 71	<i>viperinum</i>	1844, 118
<i>eburneus</i>	1844, 118	<i>Trochilus</i> ..	1846, 28
<i>egregius</i>	1844, 119	<i>æneocauda</i>	1847, 94
<i>elongatus</i>	1844, 117	<i>alardi</i>	1847, 94
<i>encausticus</i>	1844, 115	<i>amazili</i>	1847, 47
<i>exaratus</i>	1844, 116	<i>amethysticollis</i> ...	1847, 46
<i>exilis</i>	1844, 111	<i>amethystinus</i>	1847, 47
<i>eximius</i>	1844, 119	<i>angustipennis</i> ...	1840, 18
<i>ficoides</i>	1844, 116	<i>antonia</i> ..	1847, 46
<i>fictilis</i>	1844, 21	<i>aquila</i>	1847, 42
<i>gallnago</i>	1844, 110	<i>aurogaster</i>	1840, 16
<i>gemmatus</i> ..	1844, 117	<i>brachyrhynchus</i> ..	1843, 122
<i>gibbosus</i>	1833, 7	<i>buffoni</i>	1840, 16
<i>gracilis</i> ..	1844, 117	<i>caroli</i>	1847, 96
<i>grandimaculatus</i> ..	1844, 113	<i>chimboraço</i>	1847, 48
<i>lativaricosus</i> ...	1844, 120	<i>chimboraço</i>	1847, 10
<i>lignarius</i>	1833, 5	<i>colubris</i>	1837, 37
<i>lineatus</i> ..	1833, 6	<i>columbicus</i> ...	1847, 44
<i>lotorium</i>	1844, 113	<i>conradi</i>	1847, 45
<i>marmoratus</i>	1838, 23	<i>coruscus</i>	1840, 15
<i>mediterraneus</i> ...	1833, 71	<i>cristatus</i>	1843, 122
<i>montanctus</i>	1844, 115	<i>cupreocauda</i>	1847, 42
<i>nitidulus</i>	1833, 71	<i>cupreo-ventris</i> ..	1847, 94
		<i>cyanopterus</i> ...	1840, 15
			1847, 17
			1840, 17

	Page		Page
<i>Trochilus cyanopterus</i> ..	1843, 122	<i>Trochilus yarrellii</i>	1847, 45
<i>cyanotus</i>	1847, 8	(<i>Calothorax</i>) <i>callopo</i> ..	1847, 11
<i>derbianus</i>	{ 1840, 16	(<i>Doryfera</i>) <i>louise</i> ..	1847, 95
<i>derbyi</i>	{ 1843, 122	(—) <i>violifrons</i> ..	1847, 95
<i>doubledayi</i>	1847, 17	(<i>Glaucis</i>) <i>cæruleo-</i>	
<i>eurypterus</i>	1847, 46	<i>gaster</i>	1847, 96
<i>evelynæ</i>	{ 1832, 7	(<i>Lampornis</i>) <i>aures-</i>	
<i>exortis</i>	{ 1847, 48	<i>cens</i>	1846, 88
<i>fernandensis</i>	1847, 44	(—) <i>cyanopterus</i> ..	1846, 88
<i>flavescens</i>	1840, 14	(—) <i>fulviventris</i> ..	1846, 88
<i>flavicaudatus</i>	{ 1830-1, 30	(<i>Lesbia</i>) <i>gracilis</i> ..	1846, 86
<i>furcatus</i>	1832, 7	(—) <i>smaragdinus</i> ..	1846, 85
<i>fuscicaudatus</i>	{ 1840, 18	(<i>Lophornis</i>) <i>regulus</i> ..	1846, 89
<i>guleritus</i>	{ 1843, 122	(<i>Ocreatus</i>) <i>ligoni-</i>	
<i>geoffroyi</i>	1847, 38	<i>caudus</i>	1846, 86
<i>georginæ</i>	1840, 17	(—) <i>rufocaligatus</i> ..	1846, 86
<i>gibsoni</i>	1843, 115	(<i>Potasophora</i>) <i>co-</i>	1846, 44
<i>gigas</i>	1847, 9	<i>ruscans</i>	1846, 90
<i>gouldii</i>	1847, 48	(<i>Topaza</i>) <i>pyra</i>	1846, 85
<i>johannæ</i>	1840, 17	(—) <i>P. æneocauda</i> ..	1846, 87
<i>langii</i>	{ 1843, 114	(—) <i>P. cupreocauda</i> ..	1846, 87
<i>loddigesii</i>	1832, 7	(—) <i>flabelliferus</i> ..	1846, 45
<i>ludovicicæ</i>	1847, 45	(—) <i>hispidus</i> ..	1846, 90
<i>matthewsii</i>	1847, 43	(—) <i>hypoleucus</i> ..	1846, 90
<i>mazeppa</i>	1847, 43	(—) <i>inornata</i> ..	1846, 89
<i>melanogenys</i> ..	1840, 18	(—) <i>nigrofasciata</i> ..	1846, 89
<i>meriphilus</i> ..	1847, 44	(—) <i>ruficeps</i> ..	1846, 89
<i>millerii</i>	{ 1843, 114	(—) <i>strophianus</i> ..	1846, 45
<i>murabilis</i>	{ 1847, 43	(—) <i>violifer</i> ..	1846, 87
<i>mittellii</i>	1847, 42	<i>Trochus agglutinans</i> ..	1842, 160
<i>mosquera</i>	1847, 47	<i>asteriscus</i> ..	1842, 161
<i>nigrofasciata</i>	1847, 17	<i>conchyliophorus</i> ..	1842, 161
<i>norrisii</i>	1847, 44	<i>cumingii</i>	1845, 138
<i>parvirostris</i>	1847, 47	<i>cumingii</i>	1842, 185
<i>ruckeri</i>	{ 1840, 18	<i>eximius</i>	1842, 184
<i>ruficollis</i>	{ 1843, 122	<i>finbratus</i>	1842, 184
<i>schreibersii</i>	1847, 46	<i>geminosus</i>	1842, 184
<i>sephanoides</i>	1847, 46	<i>hanloyanus</i>	1842, 184
<i>serrirostris</i>	1847, 46	<i>indicus</i>	1842, 162
<i>smaragdinecollis</i> ..	1847, 43	<i>lithophorus</i>	1842, 161
<i>spenceri</i>	1843, 115	<i>melanostoma</i>	1842, 185
<i>stokesii</i>	1847, 8	<i>modestus</i>	1842, 185
<i>strophianus</i> ..	1847, 94	<i>pileolum</i>	1842, 184
<i>thalassinus</i> ..	1847, 46	<i>solaris</i>	1842, 161
<i>torquatus</i> ..	{ 1830-1, 30	<i>Troglodytes communis</i> ..	1834, 51
<i>tylenthinus</i> ..	1847, 46	<i>leucogastra</i>	1830, 89
<i>uropygialis</i> ..	1847, 8	<i>magellanicus</i> ..	{ 1830, 88
<i>watertoni</i> ..	1847, 45	<i>niger</i> ..	{ 1843, 111
<i>williamsi</i> ..	{ 1832, 6	<i>ambiguus</i> ..	{ 1835, 100
	{ 1840, 18	<i>assimilis</i> ..	{ 1830, 28
	{ 1843, 122	<i>citreolus</i> ..	{ 1841, 97
	{ 1840, 15		{ 1846, 2
	{ 1843, 122		{ 1846, 15
	{ 1847, 17		{ 1835, 30
	{ 1847, 44		{ 1846, 67
	1847, 94		{ 1835, 30

	Page		Page
<i>Trogon elegans</i>	1834, 26	<i>Turdus merula</i>	{ 1835, 105 1839, 181
<i>erythrocephalus</i> . .	1834, 25		{ 1842, 167
<i>hodgsoni</i>	1839, 166	<i>migratorius</i>	1837, 111
<i>malabaricus</i>	1834, 26	<i>mindanensis</i>	1839, 103
<i>mexicanus</i>	1837, 109	<i>modestus</i>	{ 1839, 103 1846, 100
<i>paradiseus</i>	1837, 101		{ 1835, 90
<i>pavoninus</i>	{ 1833, 107 1836, 12	<i>musicus</i>	{ 1839, 181 1842, 71
<i>puella</i>	1845, 18	<i>pilaris</i>	1839, 181
	{ 1835, 29 1836, 12	<i>pocillopterus</i> . .	{ 1830-1, 54 1842, 92
<i>resplendens</i>	1837, 101	<i>polyglottus</i>	1833, 114
<i>strigilatus</i>	1837, 116		{ 1830-1, 118
<i>temnurus</i>	1847, 38	<i>sularis</i>	{ 1832, 87 1842, 92
<i>Tropidonotus mæstus</i> .	1839, 54	<i>unicolor</i>	1837, 136
<i>plumbicolor</i>	1839, 54	<i>viscivorus</i>	1842, 93
<i>quinque</i>	1839, 54	<i>Turnix pugnax</i> . . .	{ 1842, 167 1846, 105
<i>surgens</i>	1839, 54	<i>Turnitella</i>	1840, 40
<i>Tropidorhynchus argen-</i>		<i>cancellata</i>	1840, 41
<i>ticeps</i>	1839, 144	<i>elegantissima</i> * . . .	1840, 41
<i>citreogularis</i>	1836, 143	<i>Turtur auritus</i>	1841, 6
<i>Tropiopoda</i>	1841, 74	<i>suratensis</i>	1842, 168
<i>Truncatella scalariformis</i>	1842, 197	<i>Tythe</i>	{ 1835, 172 1847, 85
<i>Trygon altavela</i> . . .	1843, 94	<i>emarginata</i>	{ 1835, 173 1847, 85
<i>Tubularia gracilis</i> . .	1836, 54	<i>lamellifrons</i>	1847, 85
<i>indivisa</i>	1836, 54	<i>Typhis</i>	1843, 18
<i>Turbinella armata</i> . .	1833, 7	<i>arcuatus</i>	1843, 19
<i>cæstus</i>	1833, 8	<i>belcheri</i>	1832, 178
<i>tuberculata</i>	1833, 7	<i>coronatus</i>	1832, 178
<i>Turbinellus imperialis</i> .	1842, 198	<i>cumingi</i>	1832, 177
<i>vexillulum</i>	1842, 198	<i>nitens</i>	1843, 19
<i>Turbo crenatus</i>	1840, 41	<i>pinnatus</i>	1832, 178
<i>elegantissimus</i>	1840, 41	<i>quadratus</i>	1843, 18
<i>pulcher</i>	1842, 185		{ 1832, 178 1843, 18
<i>sumillimus</i>	1840, 42	<i>sowerbii</i>	1843, 18
<i>squamiger</i>	1842, 186	<i>Tyrannula coronata</i> . .	1837, 112
<i>ticaonicus</i>	1842, 185	<i>divaricata</i>	1837, 112
<i>unicus</i>	1840, 42	<i>saya</i>	1847, 38
<i>unidentatus</i>	1840, 40	<i>Tyrannus intrepidus</i> . .	1847, 38
<i>variabilis</i>	1842, 186	<i>superciliosus</i>	1837, 118
<i>Turbonella</i>	1840, 40	<i>Uma novæ hollandiæ</i> .	1834, 57
<i>humboldtii</i>	1840, 41	<i>Upeneus biæmatus</i> . .	1830-1, 59
<i>Turdus albicollis</i> . . .	1842, 92	<i>immaculatus</i>	1830-1, 59
<i>atrogularis</i>	1841, 6	<i>mauritanus</i>	1830-1, 59
<i>cafer</i>	1839, 161	<i>pleurostigma</i>	1830-1, 59
<i>chalybeus</i>	1839, 103		{ 1841, 94 1843, 111
<i>cyanotus</i>	1832, 87	<i>Upucerthia dumetoria</i> .	1843, 111
<i>erythrogaster</i>	1830-1, 171	<i>Upupa</i>	1840, 124
<i>falklandicus</i>	{ 1843, 111 1847, 53		{ 1839, 133 1839, 105
<i>fuscater</i>	1843, 120	<i>epops</i>	{ 1841, 72 1830-1, 121
<i>gigas</i>	1840, 59	<i>minor</i>	
<i>grayi</i>	1837, 118		
<i>guttatus</i>	1830-1, 92		
	{ 1830-1, 118 1832, 87		
<i>macrourus</i>	1836, 7		
<i>magellanicus</i>	1830-1, 14		

	Page		Page
<i>Upupa minor</i>	{ 1832, 97	<i>Vanellus goensis</i>	1842, 92
	{ 1835, 62	<i>keptschka</i>	{ 1830, 122
<i>Uracantha</i>	1833, 64		{ 1842, 92
<i>triangularis</i>	1833, 64	<i>ventralis</i>	1830-1, 124
<i>Uracanthus</i>	1840, 53	<i>Varicorhinus bobree</i>	1838, 159
<i>margnellus</i>	1840, 54	<i>Varranus cumingi</i>	1838, 69
<i>pallens</i>	1840, 53		{ 1833, 14
<i>Urania fernandinæ</i>	1834, 10	<i>Velella limbosa</i>	{ 1836, 70
<i>leilus</i>	1834, 11	<i>Velutina cancellata</i>	1843, 137
<i>Urogallus medius</i>	1830-1, 73	<i>sigaretiformis</i>	1843, 137
<i>Uromastax acanthinurus</i>	1833, 10	<i>Venerupis tenuistriata</i>	1840, 35
	{ 1841, 44	<i>Venus</i>	1844, 159
<i>Ursus americanus</i>	{ 1842, 63	<i>asperrima</i>	1835, 42
	{ 1842, 68	<i>australis</i>	1835, 22
	{ 1842, 97	<i>brugueri</i>	1845, 21
<i>arctos</i>	1841, 44	<i>californiensis</i>	1835, 43
— var. <i>niger</i>	1834, 110	<i>chemnitzii</i>	1844, 160
<i>brasiliensis</i>	1837, 46	<i>chilensis</i>	1835, 41
<i>ferox</i>	1841, 44	<i>cingulata</i>	1844, 102
<i>isabellinus</i>	{ 1834, 96	<i>columbiensis</i>	1835, 21
	{ 1840, 40	<i>compta</i>	1835, 43
	{ 1830-1, 100	<i>contraria</i>	1842, 45
<i>labiatus</i>	{ 1830, 128	<i>costellata</i>	1835, 42
	{ 1841, 44	<i>crenifera</i>	1835, 43
	{ 1842, 68	<i>cypria</i>	1835, 43
<i>maritimus</i>	{ 1841, 44	<i>decipiens</i>	1844, 162
	{ 1846, 11	<i>decorata</i>	1844, 161
<i>ornatus</i>	1833, 114	<i>discors</i>	1835, 42
<i>syriacus</i>	1840, 46	<i>discrepans</i>	1835, 22
<i>thibetanus</i>	{ 1830-1, 76	<i>divaricata</i>	1842, 45
	{ 1834, 96	<i>dysena</i>	1844, 161
<i>Utica</i>	1847, 85	<i>fasciata</i>	1844, 162
<i>graculipes</i>	1847, 86	<i>fuscolineata</i>	1835, 41
		<i>histrionica</i>	1835, 41
<i>Valdivia</i>	1847, 85	<i>lacerata</i>	1844, 161
<i>serrata</i>	1847, 85	<i>lenticularis</i>	1835, 42
<i>Valvata</i>	1845, 11	<i>leucodon</i>	1835, 43
— <i>P</i>	1845, 11	<i>listeri</i>	1844, 161
<i>Vampyrus cirrhosum</i>	1847, 14	<i>lyra</i>	1844, 161
<i>Vanga cuenerca</i>	1836, 143	<i>lysteri</i>	1844, 161
<i>nigroregularis</i>	1836, 143	<i>mactracea</i>	1835, 44
<i>Vanellus</i> —	{ 1834, 51	<i>magnifica</i>	1845, 21
	{ 1841, 32	<i>marica</i>	1844, 160
	{ 1834, 45	<i>multicostata</i>	1835, 22
<i>albiceps</i>	{ 1841, 33	<i>obscura</i>	1835, 44
	{ 1830-1, 124	<i>opaca</i>	1835, 42
<i>bilobus</i>	{ 1832, 166	<i>ornatissima</i>	1835, 44
<i>cayanus</i>	1843, 117	<i>ovata</i>	1844, 161
<i>cayanensis</i>	1841, { 32	<i>peruviana</i>	1835, 22
	{ 94	<i>puerpera</i>	1844, 161
<i>chilensis</i>	1847, 54	<i>pulicaria</i>	1835, 44
	{ 1839, 121	<i>reticulata</i>	1844, 160
<i>cristatus</i>	{ 1842, 92	<i>roborata</i>	1844, 161
	{ 1844, 146	<i>scabra</i>	1844, 161
<i>cucullatus</i>	1841, 33	<i>sinensis</i>	1842, 124
	{ 1830-1, 124	<i>spurca</i>	1835, 23
<i>goensis</i>	{ 1830-1, 173	<i>subimbricata</i>	1835, 21
	{ 1832, 105	<i>subnodulosa</i>	1844, 160

	Page		Page
<i>Venus tricolor</i>	1835, 41	<i>Voluta cumingii</i> ..	1832, 33
<i>undatella</i>	1835, 22	<i>cylleniformis</i>	1844, 151
<i>variabilis</i>	{ 1835, 42	<i>flammea</i> ..	1842, 59
	{ 1844, 110	<i>fulminata</i>	1844, 151
<i>Veretillum</i>	1839, 178	<i>guldungii</i>	1844, 151
<i>Vernetus eburneus</i> ..	1842, 197	<i>ignea</i> ..	1844, 174
<i>Vermula triquetra</i> ..	1835, 128	<i>lynformis</i>	1844, 151
<i>Vermivora solitaria</i> ..	1847, 38	<i>mammilla</i>	1844, 149
<i>Vespertilio</i>	1845, 3	<i>megaspira</i>	1844, 150
<i>eschscholtzii</i>	1845, 4	<i>nivosa</i> ..	1844, 150
<i>macrotarsus</i>	1845, 5	<i>norrisii</i>	1844, 150
<i>meyeni</i>	1845, 7	<i>piperita</i>	1844, 150
<i>nattereri</i> ..	1837, 52	<i>reticulata</i>	1843, 144
<i>noctula</i>	{ 1834, 129	<i>solidula</i>	1842, 60
<i>pellucidus</i>	{ 1842, 68	<i>tornatilis</i>	1842, 61
	{ 1845, 6	<i>Volvarina</i>	1844, 75
	{ 1834, 129	<i>Vomer</i>	1843, 86
<i>pipistrellus</i>	{ 1842, 68	<i>Vulpes bengalensis</i> ..	1837, 68
	{ 1842, 68	<i>dorsalis</i>	1837, 132
	{ 1842, 96	<i>fulva</i>	1837, 68
<i>rufo-pictus</i>	1845, 8	<i>fulvipes</i>	1837, 11
<i>tristis</i>	1845, 3	<i>vulgaris</i>	1837, 68
<i>Vidua chrysonota</i> ..	1843, 52	<i>xanthura</i>	1837, 68
<i>erythrorhynchus</i> ..	1843, 52		
<i>paradisea</i>	1844, 10	<i>Vultur angolensis</i> ..	{ 1830-1, 13
<i>Vinago militaris</i>	1830-1, { 122		{ 1830-1, 67
<i>olax</i>	1839, 107		{ 1842, 193
<i>sphenura</i>	1830-1, 173	<i>aura</i>	1837, 33
<i>vernans</i>	1839, 107	<i>auricularis</i>	{ 1830-1, 66
<i>Vipera berus</i>	1834, 101		{ 1833, 45
<i>communis</i>	1842, 71	<i>bengalensis</i>	1832, 78
<i>euphratica</i>	1838, 82	<i>fulvus</i> ..	1833, 45
<i>Viralva anglica</i>	1832, 172	<i>indicus</i> ..	1832, 77
<i>Vireo olivaceus</i>	1847, 38	<i>kolbi</i>	1833, 81
<i>Viverra binotata</i>	1832, 68	<i>papa</i>	1836, 107
<i>boiei</i>	1842, 114	<i>ponticerianus</i> ..	{ 1830-1, 67
<i>bondar</i>	1832, 66		{ 1832, 77
	{ 1841, 44	<i>Xanthornis chrysocarpus</i>	1832, 3
<i>civetta</i>	{ 1842, 63	<i>Xanthornis gularis</i>	1837, 100
	{ 1842, 69	<i>mentalis</i>	1837, 120
<i>hermaphrodita</i>	1832, 67	<i>Xema ridibundum</i> ..	1842, 167
	{ 1830-1, 101	<i>cirrocephalum</i> ..	1843, 119
<i>indica</i>	{ 1832, 23	<i>Xenna desjardinsiana</i> ..	1835, 111
	{ 1834, 96	<i>Xenocarcinus tubercula-</i>	
<i>larvata</i>	1832, 68	<i>tus</i> ..	1847, 119
<i>musanga</i>	1832, 66	<i>Xerophila</i>	1840, 175
<i>nigra</i>	1832, 65	<i>leucopsis</i>	1840, 175
<i>prehensilis</i>	1832, 66		{ 1839, 79
<i>rasse</i>	{ 1832, 23	<i>Xiphias gladius</i>	{ 1846, 27
	{ 1834, 96	<i>Xolmis pyrope</i>	1843, 111
<i>tigrina</i>	1841, 44	<i>Xylophaga globosa</i> ..	1835, 110
<i>trivirgata</i>	1832, 68		
<i>undulata</i>	1834, 96	<i>Yuhina flavicollis</i>	1845, 24
<i>vittata</i>	1837, 46	<i>Yunx pectoralis</i>	1830-1, 93
<i>Voluta aulica</i>	1842, 53		{ 1839, 133
<i>beckii</i>	1836, 43	<i>torquilla</i>	{ 1839, 165
<i>concinna</i> ..	1836, 43		{ 1842, 92

	Page		Page
<i>Yunx torquilla</i>	1842, { 94 108	<i>Zeus roseus</i>	1843, 85
<i>Zanclus cornutus</i>	1833, 117	<i>Zonites fuliginosus</i> . . .	1834, 63
<i>Zapornia pusilla</i>	1839, 134	<i>walker</i>	1834, 63
<i>Zebraia adamsi</i>	1847, 121	<i>Zoothera</i>	1830-1, 172
<i>Zenaida aurita</i>	{ 1843, 115 1847, 53	<i>monticola</i>	{ 1830-1, 172 1832, 15
<i>Zeus aper</i>	1833, 114	<i>Zonotrichia matutina</i> . .	1843, 113
<i>childreni</i>	1843, 85	<i>Zophosis nodosa</i>	1841, 116
<i>conchifer</i>	1845, 103	<i>Zosterops</i>	1845, 24
<i>faber</i>	{ 1839, 82 1846, 27	<i>albogularis</i>	1836, 75
		<i>chloronotus</i>	1840, 165
		<i>maderaspatanus</i> . . .	1839, 161
		<i>tenuirostris</i>	1836, 76

THE END OF THE INDEX.



2 2
 3 4
 4 5
 5 6
 6 7
 7 8
 8 9
 9 10
 10 11
 11 12
 12 13
 13 14
 14 15
 15 16
 16 17
 17 18
 18 19
 19 20
 20 21
 21 22
 22 23
 23 24
 24 25
 25 26
 26 27
 27 28
 28 29
 29 30
 30 31
 31 32
 32 33
 33 34
 34 35
 35 36
 36 37
 37 38
 38 39
 39 40
 40 41
 41 42
 42 43
 43 44
 44 45
 45 46
 46 47
 47 48
 48 49
 49 50
 50 51
 51 52
 52 53
 53 54
 54 55
 55 56
 56 57
 57 58
 58 59
 59 60
 60 61
 61 62
 62 63
 63 64
 64 65
 65 66
 66 67
 67 68
 68 69
 69 70
 70 71
 71 72
 72 73
 73 74
 74 75
 75 76
 76 77
 77 78
 78 79
 79 80
 80 81
 81 82
 82 83
 83 84
 84 85
 85 86
 86 87
 87 88
 88 89
 89 90
 90 91
 91 92
 92 93
 93 94
 94 95
 95 96
 96 97
 97 98
 98 99
 99 100
 100 101
 101 102
 102 103
 103 104
 104 105
 105 106
 106 107
 107 108
 108 109
 109 110
 110 111
 111 112
 112 113
 113 114
 114 115
 115 116
 116 117
 117 118
 118 119
 119 120
 120 121
 121 122
 122 123
 123 124
 124 125
 125 126
 126 127
 127 128
 128 129
 129 130
 130 131
 131 132
 132 133
 133 134
 134 135
 135 136
 136 137
 137 138
 138 139
 139 140
 140 141
 141 142
 142 143
 143 144
 144 145
 145 146
 146 147
 147 148
 148 149
 149 150
 150 151
 151 152
 152 153
 153 154
 154 155
 155 156
 156 157
 157 158
 158 159
 159 160
 160 161
 161 162
 162 163
 163 164
 164 165
 165 166
 166 167
 167 168
 168 169
 169 170
 170 171
 171 172
 172 173
 173 174
 174 175
 175 176
 176 177
 177 178
 178 179
 179 180
 180 181
 181 182
 182 183
 183 184
 184 185
 185 186
 186 187
 187 188
 188 189
 189 190
 190 191
 191 192
 192 193
 193 194
 194 195
 195 196
 196 197
 197 198
 198 199
 199 200
 200 201
 201 202
 202 203
 203 204
 204 205
 205 206
 206 207
 207 208
 208 209
 209 210
 210 211
 211 212
 212 213
 213 214
 214 215
 215 216
 216 217
 217 218
 218 219
 219 220
 220 221
 221 222
 222 223
 223 224
 224 225
 225 226
 226 227
 227 228
 228 229
 229 230
 230 231
 231 232
 232 233
 233 234
 234 235
 235 236
 236 237
 237 238
 238 239
 239 240
 240 241
 241 242
 242 243
 243 244
 244 245
 245 246
 246 247
 247 248
 248 249
 249 250
 250 251
 251 252
 252 253
 253 254
 254 255
 255 256
 256 257
 257 258
 258 259
 259 260
 260 261
 261 262
 262 263
 263 264
 264 265
 265 266
 266 267
 267 268
 268 269
 269 270
 270 271
 271 272
 272 273
 273 274
 274 275
 275 276
 276 277
 277 278
 278 279
 279 280
 280 281
 281 282
 282 283
 283 284
 284 285
 285 286
 286 287
 287 288
 288 289
 289 290
 290 291
 291 292
 292 293
 293 294
 294 295
 295 296
 296 297
 297 298
 298 299
 299 300
 300 301
 301 302
 302 303
 303 304
 304 305
 305 306
 306 307
 307 308
 308 309
 309 310
 310 311
 311 312
 312 313
 313 314
 314 315
 315 316
 316 317
 317 318
 318 319
 319 320
 320 321
 321 322
 322 323
 323 324
 324 325
 325 326
 326 327
 327 328
 328 329
 329 330
 330 331
 331 332
 332 333
 333 334
 334 335
 335 336
 336 337
 337 338
 338 339
 339 340
 340 341
 341 342
 342 343
 343 344
 344 345
 345 346
 346 347
 347 348
 348 349
 349 350
 350 351
 351 352
 352 353
 353 354
 354 355
 355 356
 356 357
 357 358
 358 359
 359 360
 360 3

4904 *W. J.*

PROCEEDINGS
OF THE
ZOOLOGICAL SOCIETY
OF LONDON.

INDEX.
1848—1860.

PRINTED FOR THE SOCIETY;
SOLD AT THEIR HOUSE IN HANOVER SQUARE,
AND AT
MESSRS LONGMAN, GREEN, LONGMANS, AND ROBERTS,
PATERNOSTER-ROW
1863.

PRINTED BY TAYLOR AND FRANCIS,
RED LION COURT, FLEET STREET.

CONTENTS.

	Page
List of the Names of Contributors, from 1848 to 1860, with the Titles of and References to the several Articles con- tributed by each	1
List of the Illustrations, 1848 to 1860	67
Index of Species described and referred to, 1848 to 1860	91

LIST OF THE NAMES

OF

CONTRIBUTORS,

FROM 1848 TO 1860,

*With the Titles of and References to the several Articles contributed
by each.*

	Page
<hr/>	
ADAMS, A. LEITH, M.D., A.M., Surgeon 22nd Regiment.	
Notes on the Habits, Haunts, &c. of some of the Birds of India (communicated by Messrs. T. J. and F. Moore)	1858, 466
Remarks on the Habits and Haunts of some of the Mammals found in various parts of India and the West Himalayan Mountains (communicated by Messrs. T. J. and F. Moore)	1858, 512
The Birds of Cashmere and Ladakh	1859, 169
 ADAMS, ARTHUR, F.L.S., Surgeon R.N.	
Description of a New Genus of Acephalous Mol- lusca, of the Family <i>Pectinacea</i>	1848, 133
Monograph of the Recent Species of <i>Trigonia</i> , in- cluding the description of a New Species from the Collection of Hugh Cuming, Esq.	1849, 159
On the animal of <i>Geomelania</i>	1849, 169
Descriptions of New Species of Shells from the Col- lection of Hugh Cuming, Esq.	1849, 169
PROC. ZOOL. SOC. INDEX, 1848-60.	1

	Page
ADAMS, ARTHUR, F.L.S., Surgeon R.N. (<i>continued</i>).	
Monograph of the Species of <i>Myochama</i> , including the descriptions of Two New Species from the Collection of Hugh Cuming, Esq.	1850, 22
Description of New Species of the Genus <i>Cumingia</i> , with some additional generic characters.....	1850, 24
An arrangement of <i>Stomatellidæ</i> , including the characters of a New Genus and of several New Species	1850, 29
Monograph of the Genus <i>Anatinella</i>	1850, 40
Monographs of <i>Cyclostrema</i> , Marryatt, and <i>Separatista</i> , Gray, two genera of Gasteropodous Mollusks	1850, 41
On the Animal of <i>Liota</i> , with descriptions of New Species of <i>Delphinula</i> and <i>Liota</i> , from the Cumingian Collection	1850, 50
Monograph of <i>Sphænia</i> , a genus of Lamellibranchiate Mollusca	1850, 86
Monograph of <i>Scarabus</i> , a genus of air-breathing Gasteropodous Mollusca, from specimens in the Cumingian Collection	1850, 147
Monograph of <i>Phos</i> , a genus of Gasteropodous Mollusca	1850, 152
Monograph of <i>Macrochisma</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidæ</i>	1850, 202
Monograph of <i>Mochulus</i> , a genus of Gasteropodous Mollusca, of the Family <i>Littorinidæ</i>	1850, 203
Monograph of <i>Cyllene</i> , a genus of Gasteropodous Mollusca	1850, 204
Catalogue of the Species of <i>Emarginula</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidæ</i> , in the Collection of Hugh Cuming, Esq. . .	1851, 82
Catalogue of the Species of <i>Nassa</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Buccinidæ</i> , in the Collection of Hugh Cuming, Esq.; with the Descriptions of some New Species	1851, 94
Descriptions of Fifty-two New Species of the Genus <i>Mitra</i> , from the Cumingian Collection	1851, 132

ADAMS, ARTHUR, F.L.S., Surgeon R.N. (*continued*).

Contributions towards a Monograph of the <i>Trochidae</i> , a family of Gasteropodous Mollusca	1851, 150
A Monograph of <i>Scutus</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidae</i>	1851, 221
A Monograph of the Genus <i>Monoptygma</i> of Lea ..	1851, 222
Descriptions of New Shells from the Cumingian Collection ..	1851, 224
Note on the Genus <i>Nematura</i>	1851, 225
A Monograph of the Recent Species of <i>Rimula</i> , a genus of Mollusca, belonging to the Family <i>Fissurellidae</i>	1851, 226
A Monograph of <i>Puncturella</i> , a genus of Gasteropodous Mollusca, belonging to the Family <i>Fissurellidae</i>	1851, 227
Descriptions of Sixteen New Species of <i>Rissoina</i> , a genus of Marine Gasteropodous Mollusks, from the Cumingian Collection	1851, 264
Descriptions of several New Species of <i>Murex</i> , <i>Rissoina</i> , <i>Planaxis</i> , and <i>Eulima</i> , from the Cumingian Collection	1851, 267
Descriptions of New Species of <i>Eulima</i> , <i>Triphoris</i> , &c., from the Collection of Hugh Cuming, Esq.	1851, 276
Descriptions of New Shells, from the Cumingian Collection	1852, 90
Descriptions of a New Genus, and of several New Species, of Mollusca, from the Cumingian Collection	1852, 92
Descriptions of New Shells, from the Collection of Hugh Cuming, Esq. ..	1853, 69
Descriptions of New Species of <i>Semele</i> , <i>Rhazochilus</i> , <i>Plotia</i> , and <i>Trara</i> , in the Cumingian Collection	1853, 94
Descriptions of New Species of the Genus <i>Conus</i> , from the Collection of Hugh Cuming, Esq.	1853, 116
Monograph of <i>Plecotrema</i> , a New Genus of Gasteropodous Mollusks, belonging to the Family <i>Auricu-</i>	

ADAMS, ARTHUR, F.L.S., Surgeon R.N. (*continued*).

ludæ, from specimens in the Collection of Hugh Cum-
ing, Esq. 1853, 120

Descriptions of New Species of Shells in the Col-
lection of Hugh Cuming, Esq. 1853, 173

A Monograph of *Pyramidella*, a genus of Gastero-
podous Mollusca, belonging to the Family *Pyrami-
dellidæ* 1853, 176

Contributions towards a Monograph of the Genus
Chemnitzia 1853, 178

Descriptions of New Genera and Species of Gaste-
ropodous Mollusca 1853, 182

A Monograph of *Fossar*, a genus of Gasteropo-
dous Mollusca 1853, 186

A Monograph of *Umbonium* (*Rotella*), a genus of
Trochidæ. 1853, 187

A Monograph of *Isanda*, a New Genus of *Trochidæ*,
allied to *Umbonium*. 1853, 189

Further Contributions towards the Natural History
of the *Trochidæ*; with a Description of a New Genus,
and of several New Species, from the Cumingian Col-
lection 1854, 37

Description of a New Genus and of several New
Species of Gasteropodous Mollusca, from the Cum-
ingian Collection. 1854, 41

Monographs of *Actæon* and *Solidula*, two genera of
Gasteropodous Mollusca; with Descriptions of several
New Species from the Cumingian Collection 1854, 58

A Monograph of *Cerithidea*, a genus of Mollusca;
with Descriptions of several New Species from the
Collection of Hugh Cuming, Esq.; to which are added
Descriptions of Two New Species of *Colma*, and One
of *Donax*. 1854, 83

Descriptions of Thirty-nine New Species of Shells,
from the Collection of Hugh Cuming, Esq. 1854, 130

	Page
ADAMS, ARTHUR, F.L.S., Surgeon R.N. (<i>continued</i>).	
Descriptions of Twenty-seven New Species of Shells, from the Collection of Hugh Cuming, Esq.	1854, 311
Descriptions of Two New Genera and several New Species of Mollusca, from the Collection of Hugh Cuming, Esq.	1855, 119
Descriptions of Twenty-five New Species of Shells from the same Collection	1855, 221
Descriptions of Two New Shells discovered by Robert M'Andrew, Esq., on the coast of Norway ..	1856, 1
Descriptions of Thirty-four New Species of Bivalve Mollusca (<i>Leda</i> , <i>Nucula</i> , and <i>Pythina</i>), from the Cumingian Collection	1856, 47
Notice of a New Species of <i>Trichotropis</i> , from the Collection of Hugh Cuming, Esq.	1856, 369
Notes on the Scaly Ant-eater (<i>Manis javanica</i>), taken during life and after death	1859, 133
Description of a New Conchiferous Mollusk of the Genus <i>Pandora</i>	1859, 487
Note on the Fox of Japan	1860, 195
ADAMS, HENRY, F.L.S.	
Description of a New Genus of Freshwater Bivalve Mollusca, belonging to the Family <i>Corbulidæ</i> , from the Collection of Hugh Cuming, Esq.	1860, 203
Description of a New Genus and Species of Mollusk.	1860, 241
On New Genera of Acephalous Mollusks	1860, 369
Descriptions of a New Genus and Species of Mol- lusca	1860, 450
ADAMS, H. & A.	
Monographs of <i>Ellobium</i> and <i>Melampus</i> , two ge- nera of Pulmoniferous Mollusca	1854, 7
Contributions towards the Natural History of the <i>Auriculidæ</i> , a Family of Pulmoniferous Mollusca; with Descriptions of many New Species from the Cumingian Collection	1854, 30

	Page
ALLEN, WILLIAM, Capt. R.N.	
Letter relating to skull of Antelope	1848, 88
ANGAS, G. F.	
Description of <i>Tragelaphus Angasi</i>	1848, 89
BAIKIE, Dr. BALFOUR, F.R.G.S.	
On the Skull of a <i>Manatus</i> from Western Africa .	1857, 29
On the Species of <i>Crocodilus</i> inhabiting the rivers Kwóra and Bínuc (Níger and Tsádda) in Central Africa	1857, 48
On the Skull of a Species of <i>Mecistops</i> inhabiting the river Bínuc or Tsádda, in Central Africa.	1857, 57
BAIRD, W., M.D., F.L.S., &c.	
Monograph of the Family <i>Limnadiadæ</i> , a family of Entomostracous Crustacea ...	1849, 84
Description of a New Crustacean	1850, 102
Descriptions of several New Species of Entomostraca	1850, 254
Monograph of the Family <i>Apodidæ</i> , a family of Crustaceans belonging to the Division Entomo- straca; with a Description of a New Species of <i>Apus</i> , and Two Species of <i>Ostracoda</i> belonging to the Genus <i>Cypris</i>	1852, 1
Monograph of the Family <i>Branchipodidæ</i> , a family of Crustaceans belonging to the Division Entomo- straca; with a Description of a New Genus and Species of the Family, and Two New Species belonging to the family <i>Limnadiadæ</i>	1852, 18
Descriptions of some New Species of Entozoa, from the Collection of the British Museum	1853, 18
Description of a New Species of <i>Cypris</i>	1854, 6
Description of Two New Species of Entozoa	1858, 224
Description of a New Species of <i>Tæma</i>	1859, 111
Description of a Rare Entozoon from the Stomach of the Dugong	1859, 148

	Page
BAIRD, W., M.D., F.L.S., &c. (<i>continued</i>).	
Description of some new recent Entomostraca from Nagpur, collected by the Rev. S. Hislop	1859, 231
Description of a New Species of Entozoon (<i>Sclerostoma sipunculiforme</i>) from the Intestines of the Elephant	1859, 425
Description of a New Species of <i>Estheria</i> from Nagpoor, Central India	1860, 188
Note on the Genus <i>Cypridina</i> , Milne-Edwards, with a Description of some New Species	1860, 199
Description of a New Entomostracous Crustacean, belonging to the Order <i>Phyllopoda</i> , from South Australia	1860, 392
Description of Two New Species of Entomostracous Crustacea from India	1860, 445
Description of some New Species of Intestinal Worms (Entozoa) in the Collection of the British Museum	1860, 446
BARTLETT, A. D.	
On the Genus <i>Apteryx</i>	1850, 274
On some Bones of <i>Didus</i>	1851, 280
Letter addressed to Dr. Gray respecting the Living African <i>Lepidosiren</i> in the Crystal Palace	1856, 346
Description of Chinese Sheep sent to H. R. H. Prince Albert by Rutherford Alcock, Esq., H. M. Vice-Consul at Shanghai, and presented by H. R. H. to the Zoological Society in April 1855	1857, 104
Description of a Rabbit said to be found on the Himalayan Mountains	1857, 159
Note on the Artificial Propagation of Salmon	1859, 125
Indications of the existence of a second species of Emeu (<i>Dromæus</i>)	1859, 205
Remarks on the Habits of a Herring Gull (<i>Larus argentatus</i>)	1859, 467

BARTLETT, A.D. (*continued*).

- On the most efficient mode of preserving the Eggs
of Birds in order that they may be afterwards hatched 1859, 468
- Exhibition of the Head of a variety of the Common
Goose, with the feathers of the back of the head re-
versed 1860, 99
- Exhibition of the Gizzard of a Nicobar Pigeon 1860, 99
- Note on some Young Hybrid Bears bred in the
Gardens of the Society 1860, 130
- Exhibition of a series of Eggs of Struthious Birds.. 1860, 205
- Notes on the Reproduction of the Australian Wattle-
bird (*Talegalla lathamii*) in the Society's Gardens 1860, 426
- Note on the *Baleniceps rex* 1860, 461

BATES, H. W.

- Exhibition of an undescribed species of *Phyllostoma*,
from Ega, Upper Amazon 1860, 99

BEARDSWORTH, Rev. G.

- Extract of a letter relating to two Cetaceans killed
on the North Kentish coast, near Whitstable 1860, 373

BEATTIE, WILLIAM, Hon. Sec. Montrose Nat. Hist. Soc.

- Note on the Reproduction of *Nemertes borlussii* (in
a letter to Dr. Gray) 1858, 307

BECKER, LUDWIG.

- Notes on the Young of *Menura superba*, in a letter
addressed to John Gould, Esq., from Melbourne,
Victoria, Sept. 24, 1859 1860, 61

BENNETT, G., M.D., of Sydney, F.Z.S., &c.

- Notes on the Habits of the *Scythrops novæ-hollandiæ*
(communicated by John Gould, Esq.) 1858, 462
- Notes on the Mooruk (*Casuarus bennettii*) 1859, 32
- Notes on the Habits of the *Mycteria australis* or
New Holland Jabiru (Gigantic Crane of the Colonists) 1859, 47

	Page
BENNETT, G., M.D., of Sydney, F.Z.S., &c. (<i>continued</i>).	
Description of a New Species of <i>Perga</i> , or Saw-fly, found feeding upon the <i>Eucalyptus citriodora</i> of Hooker, or Wide Bay Lemon-scented Gum-tree	1859, 209
Notes on the Duck-bill (<i>Ornithorhynchus anatinus</i>)	1859, 213
On the Long-tailed Flying Opossum (<i>Behdeus flavi- ventris</i>) in a state of nature and in captivity.....	1859, 218
Notes on Australian Cuckoos	1859, 221
On the Fish called <i>Glyphisodon brochellatus</i>	1859, 222
Notes on Sharks, particularly on two enormous spe- cimens of <i>Carcharias leucas</i> captured in Port Jackson, Sydney, New South Wales	1859, 223
Notes on the range of some species of <i>Nautilus</i> , on the mode of capture, and on the use made of them as an article of food.....	1859, 226
Exhibition of specimens of the Egg of the Mooruk (<i>Casuarvus bennettii</i>)	1859, 351
Exhibition of a series of twelve coloured drawings of various species of Nudibranchiate Mollusks from the harbour and vicinity of Port Jackson, New South Wales, made by Mr. G. F. Angas, Sec. of the Au- stralian Museum, Sydney	1859, 351
Notes on the habits of the Brown Coati (<i>Nasua fusca</i> , Desm.)	1860, 323
BLAND, Dr., Corr. Memb.	
Letter	1849, 91
BOILEAU, T. S.	
Letter relating to an Indian Wild Hog and an Owl .	1848, 98
BONAPARTE, H. I. H. PRINCE CHARLES LUCIEN.	
On the Lorine Genus of Parrots, <i>Eclectus</i> ; with the Description of a New Species, <i>Eclectus corneha</i>	1849, 142
On the Trichoglossine Genus of Parrots, <i>Eos</i> , with the Descriptions of Two New Species	1850, 26

	Page
BONAPARTE, H. I. H. PRINCE CHARLES LUCIEN (<i>continued</i>).	
On the Garruline Birds, or Jays ; with Descriptions of New Species	1850, 79
Descriptions of Two New Species of Oriole	1850, 279
On the largest known Species of Phalcridine Bird..	1851, 201
BONYAN, Dr. G. R.	
Notes on the Raptorial Birds of British Guiana ..	1851, 53
BOURCHIER, R. J., Corr. Memb.	
Letters.....	1849, { 91 94
BOURGUIGNAT, M. J. R.	
Descriptions d'Ancyles nouveaux, de la Collection de M. Cuming, précédées d'une courte notice sur le genre <i>Ancylus</i> , et d'un Catalogue complet des espèces qui le con posent.....	1853, 76
BOWERBANK, J. S., LL.D., F.R.S., &c.	
On the Pterodactyles of the Chalk Formation	1851, 14
BOWLES, Rear-Admiral.	
Letter relating to presentation of specimens of <i>Hababtus aguia</i> , Temm., and a male Condor, by Sir G. Seymour.. ..	1848, 112
BRODERIP, WILLIAM JOHN, B.A., F.R.S., V.P.Z.S., &c.	
Exhibition of a Picture containing a figure of the Dodo	1852, 70
Notice of an original Painting, including a figure of the Dodo, in the Collection of His Grace the Duke of Northumberland at Sion House.....	1853, 54
BUCKLAND, FRANK T.	
Exhibition of the Egyptian Ibis	1860, 184
BUIST, GEORGE, LL.D., F.R.S., &c.	
On Shark-fishing at Kurrachee (communicated by Col. Sykes)	1850, 100

	Page
BURGESS, Captain B.	
Note on the Indian Weaver Bird (<i>Ploceus philip- pensis</i>)	1852, 88
	1
	45
Notes on the Habits of Indian Birds	1854, 102
	142
	158
	255
	27
	32
Notes on the Habits of Indian Birds	1855, 70
	79
	184
BUTTERWORTH, Lieut.-Col.	
Letter relating to a Leopard and Tree Kangaroo ..	1848, 98
Letter relating to the shipment of some additions to the Society's Menagerie	1849, 17
CARPENTER, P. P.	
Descriptions of (supposed) New Species and Varie- ties of Shells, from the Californian and West Mexican Coasts, principally in the Collection of H. Cuming, Esq.....	1855, 228
Notes on the Species of <i>Hipponyx</i> inhabiting the American coasts; with Descriptions of New Species..	1856, 3
Descriptions of New Species of Shells collected by Mr T. Bridges in the Bay of Panama and its vicinity, in the Collection of H. Cuming, Esq.	1856, 159
Descriptions of New Species and Varieties of <i>Caly- ptæridæ</i> , <i>Trochidæ</i> , and <i>Pyramidelldæ</i> , principally in the Collection of H. Cuming, Esq... ..	1856, 166
Descriptions of Shells from the Gulf of California and the Pacific Coasts of Mexico and California ..	1856, 198
Monograph of the Shells collected by T. Nuttall, Esq., on the Californian coast, in the years 1834-5 ..	1856, 209
First Steps towards a Monograph of the Recent Species of <i>Petalocochnus</i> , a genus of <i>Vermetidæ</i>	1856, 313

CARPENTER, P. P. (*continued*).

- First Steps towards a Monograph of the *Caculæ*, a family of the Rostriferous Gasteropoda 1858, 413

CHITTY, Hon. EDWARD.

- On the Jamaican *Cyclotus*, and the Descriptions of Twenty-one proposed New Species and Eight New Varieties of that subgenus from Jamaica 1857, 142

- On *Stoastomidæ* as a Family, and on Seven proposed New Genera, Sixty-one New Species, and Two New Varieties from Jamaica 1857, 162

CHURTON, H.

- Extracts from a Letter respecting Collections in New Zealand 1853, 30

CLERK, Rt. Hon. Sir GEORGE, Bart.

- Letter relating to Monaul 1848, 112

COBBOLD, T. SPENCER, M.D., F.L.S.

- Letter respecting the Cause of Death of a young Giraffe in the Society's Gardens 1859, 494
- Contributions to the Anatomy of the Giraffe. 1860, 99

CRISP, EDWARDS, M.D., F.Z.S.

- On the Anatomy of the Cuckoo 1853, 67
- On Two Species of Entozoa 1853, 68
- On the Splenic Vein of the Giraffe 1853, 99
- On the Relative Weight of the Body and of the Viscera of the Elephant 1855, 186
- On some points relating to the Anatomy of the Tasmanian Wolf (*Thylacinus cynocephalus*) and of the Cape Hunting-Dog (*Lycan pictus*) 1855, 188
- Observations on *Strongylus filaria* and *Botaurus stellaris* 1856, 53
- On the Viscera of *Esox lucius* 1856, 106
- Remarks on *Mus musculus*. 1856, 106

	Page
CRISP, EDWARD, M.D., F.Z.S. (<i>continued</i>).	
On the Head and Brain of a Monoculous Lamb	1856, 149
On the presence or absence of Air in the Bones of Birds	1857, { 9 215
Exhibition of a Nest believed to be that of the Great Grey Shrike (<i>Lanius excubitor</i>)	1857, 219
Exhibition of a Hen that had assumed the plumage of the Cock	1859, 127
Occurrence of a Bantam Hen sitting upon the Eggs of a Water Ouzel (<i>Cinclus aquaticus</i>), and hatching and rearing a young Bird	1859, 200
Exhibition of specimens of the Cock of the Rock (<i>Rupicola crocea</i>) which had been brought alive to and had died in this country	1860, 98
On the Causes of Death of the Animals in the So- ciety's Gardens from 1851 to 1860	1860, { 175 190
Exhibition of specimens and drawings of <i>Cænurus</i> <i>cerebralis</i> from the brains of the Common Sheep	1860, 185
Note on the Blood-corpuscles of the Japanese Gi- gantic Salamander (<i>Sieboldia maxima</i>)	1860, 203
On the Structure, Relative Size, and Use of the Tail- glands in Birds	1860, 254
DAVIDSON, THOMAS, F.G.S., &c.	
Descriptions of a few New Recent Species of Bra- chopoda	1852, 75
DAVY, JOHN, M.D., F.R.S. L. & E.	
Notice of a peculiarity of structure observed in the Aorta of the Wild Swan (communicated by Mr. Gul- liver)	1849, 28
Observations on the Eye of the Mole (In a letter to W. Spence, Esq., F.R.S.)	1851, 129
DESHAYES, G. P.	
Descriptions of Twenty New Species of the Genus <i>Cardita</i> , from the Collection of Hugh Cuming, Esq.	1852, 100

	Page
DESHAYES, G. P. (<i>continued</i>).	
Descriptions of New Species of Shells, in the Collection of Mr. Cuming	1853, 1
Descriptions of Fourteen New Species of <i>Mactra</i> , in the Collection of Mr. Cuming	1853, 14
Descriptions of Two Species of <i>Clementia</i> , in the Collection of Mr. Cuming	1853, 17
Observations sur les Animaux de quelques genres de Mollusques Acéphales (<i>Chamostrea</i> , <i>Glauconome</i> , <i>Circe</i> , et <i>Capsa</i>)	1853, 167
Descriptions of New Species of Shells, from the Collection of Hugh Cuming, Esq.	1854, { 13 62 317
Sur le Genre <i>Galeomma</i>	1855, 167
Sur le Genre <i>Scintilla</i>	1855, 171
Descriptions de Nouvelles Espèces du Genre <i>Erycina</i>	1855, 181
A General Review of the Genus <i>Terebra</i>	1859, 270
DILLWYN, L. LLEWELLYN, M.P., F G.S., &c.	
On an undescribed Species of <i>Megapodus</i>	1851, 118
DOLMATOFF, M. DIMITRE DE.	
Note on the capture of the Aurochs	1848, 16
DOHRN, H.	
Description of Thirteen New Species of <i>Paludinacea</i> from Ceylon, in the Collection of Hugh Cuming, Esq.	1857, 123
Descriptions of New Species of Land and Fresh-water Shells from Ceylon, in the Collection of Hugh Cuming, Esq.	1858, 133
Description of New Species of the Genus <i>Paludomus</i> , from Ceylon, in the Collection of H. Cuming, Esq.	1858, 535
Descriptions of New Species of <i>Mitra</i> from the Collection of Hugh Cuming, Esq.	1860, 366

	Page
DOUBLEDAY, E., F.L.S.	
Description of a New Genus of <i>Notodontæ</i>	1848, 117
Exhibition of specimens of the Larva, Pupa, and perfect Insect of <i>Sirex gigas</i>	1849, 95
DUGUID, Dr.	
Letter on the Deal Fish (communicated by Mr. Yarrell)	1851, 116
DUNCAN, JOHN, H. M. Vice-Consul at Whydah.	
Letter	1849, 106
Letter relating to his interview with the King of Dahomey	1849, 163
DUNKER, Dr. W.	
Diagnoses Specierum novarum generis <i>Planorbis</i> collectionis Cumingiæ ..	1848, 40
Linnæacea nova Collectionis Cumingianæ	1853, 53
On New Shells from the Collection of Mr. Cuming. 1856, {	354 358
EARL, G. WINSOR.	
Notes on the Bovine Animals of the Malay Peninsula	1853, 29
ELLIOT, DANIEL G., of New York, F.Z.S., &c.	
Exhibition of three specimens of Hybrid Ducks from his own collection, obtained on the South Shore of Long Island, U. S. A.	1859, 437
ELPHINSTON, A.	
Letter relating to a Collection made for the Society in India	1849, 106
ELSEY, M.	
Letter containing Observations respecting various Species of Birds met with in the neighbourhood of the Victoria River Depôt, N. W. Australia, lat. south 17° 34' 30" (communicated by John Gould, F.R.S., &c.	1857, 23

	Page
EYTON, THOMAS CAMPBELL, F.Z.S., F.L.S., &c.	
Note on the Skeleton of the Sheath-bill (<i>Chionis alba</i>)	1858, 99
FAIRHOLME, J.K.E., F.Z.S.	
Observations on the <i>Pteropus</i> of Australia	1856, 311
On the Australian Dugong (<i>Halicore australis</i>) ..	1856, 352
The Blacks of Moreton Bay and the Porpoises	1856, 353
FLOWER, W. H., F.R.C.S., F.Z.S., &c.	
Note on the Dissection of a Species of <i>Galago</i> ...	1852, 73
Exhibition of <i>Exocetus volitans</i> , to which was attached a specimen of <i>Penellus blainvillu</i> , Milne-Edwards (<i>Leoneopenna blainvillu</i> of Lesueur)	1858, 372
On the Structure of the Gizzard of the Nicobar Pigeon and other Granivorous Birds	1860, 333
FORBES, Prof. EDWARD, F.R.S., &c.	
Introductory Note to Mr. Huxley's Paper on <i>Trigona</i> 1849,	30
On the Species of Mollusca collected during the Surveying Voyages of the Herald and Pandora, by Capt. Kellett, R N., C.B., and Lieut. Wood, R N. ...	1850, { 53 270
On a Species of <i>Æguorea</i> inhabiting the British Seas	1851, 272
FRASER, LOUIS, Corr. Memb. Z.S., &c.	
On New Birds in the Collection at Knowsley	1850, 245
Description of a New Species of <i>Anomalurus</i> from Fernando Po	1852, 16
Description of a New Species of <i>Hyrax</i> from Fernando Po	1852, 99
On the occurrence of a large Ape in the vicinity of Fernando Po ..	1853, 13
Descriptions of Two New Birds from Fernando Po..	1853, 13
Exhibition of Birds from the Collection of T. C. Eyton, Esq.	1856, 368

FRY, EDWARD.

- Remarks on the Morphology of the Vertebrate
Skeleton 1850, 15

GASKOIN, J. S., F.Z.S., F.L.S.

- Descriptions of New Species of the Genus *Cypræa* 1848, 90
Descriptions of Seven New Species of *Margnella*,
and Two of *Cypræa* 1849, 17
On the Habits of *Helix lactea* 1850, 243
Descriptions of Twenty Species of *Columbella* and
One Species of *Cypræa* 1851, 2
Descriptions of Two New Species of Land Shells . . 1854, 152
On a peculiar Variety of *Mus musculus* 1856, 38
On some Defects in the Growth of the Antlers, and
some Results of Castration, in the *Cervidæ* 1856, 151

GÄTKE, HERR H., of Heligoland.

- On the Occurrence of American Birds in Europe . . 1860, 105

GOODWIN, WILLIAM.

- On an apparently New Species of Paradise-bird. . . 1860, 243

GOSSE, P. H., F.R.S.

- On the Habits of *Ameiva dorsalis* 1848, 24
On the Habits of *Mabouya agilis* 1848, 59
On the Habits of *Cyclura lophoma*. 1848, 99

GOULD, AUGUSTUS A., M.D.

- On the true *Nautilus umbilicatus* of Lister 1857 20

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S.

- Drafts for a New Arrangement of the *Trochilidæ* . 1848, 11
On Seven New Species of Australian Birds 1848, 38
Description of a New Heron 1848, 58
Description of a New Species of *Cinclosoma* 1848, 139
Description of a New Species of Nutcracker 1849, 23
PROC. ZOOL. SOC. INDEX, 1848-60. 2

	Page
GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (<i>continued</i>).	
Description of Two New Species, with the characters of a New Genus, of <i>Trochilidæ</i>	1849, 95
On New Species of Mammalia and Birds from Au- stralia	1849, 109
Descriptions of Three New Species of Indian Birds	1849, 112
Descriptions of New Birds	1850, 91
On Six New Species of Humming-Birds	1850, 162
On New Species of Birds from Australia	1850, 200
Remarks on <i>Notornis mantelli</i>	1850, 212
On New Australian Birds in the Collection of the Zoological Society of London	1850, 276
On a New and most Remarkable Form in Ornitho- thology.....	1851, 1
Letter from J. W. G. Spicer, Esq., concerning Two Hybrid Birds	1851, 61
On a New Species of <i>Musophaga</i>	1851, 93
On a New Species of the Genus <i>Montifringilla</i> ..	1851, 114
On some New Species of <i>Trochilidæ</i>	1851, 115
Remarks on the Genus <i>Ilapalotis</i>	1851, 126
Descriptions of Two New Species of Mammalia of the Genus <i>Antechinus</i>	1851, 284
Descriptions of a New Species of <i>Ptilotis</i> and a New Species of <i>Eopsaltria</i>	1851, 285
On the Genus <i>Thalurania</i>	1852, 8
Description of a new Species of <i>Aulacorhamphus</i> ..	1853, 45
On the Nest and Eggs of <i>Menura alberta</i>	1853, 45
Description of New Species of <i>Tetraogallus</i>	1853, 47
Description of Five New Species of Humming-Birds	1853, 61
Observations on the Nests of Humming-Birds	1853, 100
Descriptions of Two New Species of Humming-Birds from Peru	1853, 109
On a New Species of <i>Musophaga</i>	1854, 23

	Page
GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (<i>continued</i>).	
Exhibition of <i>Fuligula ferminoides</i> , Bartlett.	1854, 95
Descriptions of Two New Species of <i>Pucrasia</i>	1854, 99
Description of a New Species of Humming-Bird from Quijos	1854, 109
Description of a New Species of <i>Momotus</i>	1854, 154
Description of a New Bird from Guatemala, forming the type of a New Genus	1854, 285
Extracts from the Letters of his Son, Dr. Henry Gould, relating to the Natural History of Western India	1855, 39
Exhibition of a Collection of Birds from Scinde, being the first of his Son's Contributions to Indian Ornithology.	1855, 50
Descriptions of Eight New Species of Birds from South America	1855, 67
Exhibition of a portion of a Collection of Birds formed by Mr. Hauxwell on the Eastern Side of the Peruvian Andes	1855, 77
Description of a New Species of <i>Ruticilla</i> from Er- zeroum	1855, 78
On Two New Species of Humming-Birds.	1855, 86
On a New Species of the Genus <i>Prion</i>	1855, 87
On some New Species of Birds collected by Mr. M'Gillivray	1855, 164
On a New Genus and Species of <i>Trochilidæ</i> from Ecuador	1855, 192
On a New Turkey (<i>Meleagris mexicana</i>)	1856, 61
On Two New Species of Birds (<i>Nestor notabilis</i> and <i>Spatula variegata</i>) from the Collection of Walter Mantell, Esq.	1856, 94
Descriptions of Two New Species of True Cuckoos (Genus <i>Cuculus</i> as restricted)	1856, 96
Descriptions of a New <i>Trogon</i> and a New <i>Odonto-</i> <i>phorus</i>	1856, 107

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (*continued*).

On some Birds collected by Mr. John MacGillivray, the Naturalist attached to H.M. Surveying Ship Rattlesnake, and lately sent home by Capt. Denham, the Commander of the Expedition 1856, 135

On Two New Species of Humming-Birds belonging to the Genus *Amazilius* 1856, 150

Descriptions of Three New Species of the Genus *Phaethornis*, Family *Trochilidae* 1857, 14

Descriptions of Three New and very beautiful Species of Birds from Guatemala and from the Island of Lombok..... 1857, 64

Observations on his visit to the United States of America; with Description of a New Species of *Ce-rionis* found in the Collection of Dr. Cabot, of Boston, U.S..... 1857, 160

On several New Species of Birds from various parts of the World 1857, 220

On Four New Species of *Mus* and One of *Hapalotis*, from Australia 1857, 241

On a New Species of Cassowary 1857, 268

Exhibition of British specimens of the *Motacilla flava*, Ray, and note from Mr. Thistle of Lowestoft, as to its occurrence in that part of England 1858, 77

Remarks on three specimens of Steller's Duck exhibited by Mr. Stevens 1858, 78

Remarks on a series of Birds collected by Mr. A. R. Wallace in the Aru Islands 1858, 95

On a New Species of Toucan (*Andigena spilorhynchus*) 1858, 149

Exhibition of specimens of the American *Regulus calendulus* and the Night Heron 1858, 290

Extract from a Letter addressed to him by his son Mr. Charles Gould 1858, 290

On a New Species of Ptarmigan 1858, 354

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (*continued*).

Descriptions of Two New Species of the Family
Hirundinæ 1858, 355

Exhibition of a Drawing of *Molossus australis* of
Gray 1858, 372

Extract from a Letter addressed to him by Dr.
George Bennett of Sydney, respecting the Sempal-
mated Goose 1859, 39

Exhibition of a Drawing of a Pheasant (*Diardigal-
lus fasciolatus*) 1859, 40

List of Birds from the Falkland Islands, with de-
scriptions of the Eggs of some of the Species, from
specimens collected principally by Capt. C. C. Abbott,
of the Falkland Islands Detachment 1859, 93

On a New Species of *Odontophorus* 1859, 98

On the Members of the Genus *Rupicola*, and whether
there are two or more species..... 1859, 99

On a New Species of *Dendrochelidon* or Tree Swift 1859, 100

Exhibition of all the known species of the Genus
Elanus, with description of a New Species 1859, 126

Description of Two New Species of Birds; one be-
longing to the Family *Cuculidæ*, the other to *Cotur-
niceæ* 1859, 128

List of Birds collected at Tavoy, in the Tenasserim
Provinces, by Captain Briggs, Deputy Commissioner
of Tavoy 1859, 149

List of Birds collected in Siam by Sir R. H. Schom-
burgk, H. B. M. Consul at Bangkok 1859, 151

On the Nidification of the Kingfisher (*Alcedo ispida*) 1859, 152

Exhibition of some specimens of Birds of the Genus
Urocissa (*Corvidæ*)..... 1859, 200

Exhibition of specimens of the New Paradise Bird
(*Semioptera wallacu*), and a Drawing of the Nest and
Egg of *Sittella chrysoptera* 1859, 351

GOULD, JOHN, F.R.S., F.L.S., V.P.Z.S. (*continued*).

Exhibition of a fine species of Pheasant from Siam, <i>Diardigallus crawfurdi</i> (<i>D. fasciolatus</i> of Blyth), and of a specimen of the Royal Spoonbill of Australia, <i>Platalea regia</i>	1859, 353
On Two New Species of <i>Cinclus</i>	1859, 493
Description of a New Species of American Partridge	1860, 62
Exhibition of specimens of the Chough of the Hi- malayas (<i>Fregilus himalayanus</i>)	1860, 206
Descriptions of Twenty-two New Species of Hum- ming-birds	1860, 304
Remarks on a Kangaroo living in the Society's Gardens	1860, 373
On a New Species of Kangaroo, of the Genus <i>Hal- maturus</i>	1860, 375
Description of a New Species of Hornbill from Western Africa	1860, 380
Description of a New Species of the Genus <i>Moho</i> of Lesson	1860, 381
Description of a New <i>Odontophorus</i>	1860, 382
Exhibition of a series of Penguins, and descriptions of two New Species.	1860, 418

GRACE, W.

Letter	1849, 106
------------------	-----------

GRAY, G. R., F.L.S., F.Z.S.

On a New Species of Parrot	1848, 20
On a New Species of <i>Podica</i>	1848, 90
Description of a New Species of Parrot.	1848, 125
Notice of two examples of the Genus <i>Gallus</i>	1849, 62
On a New Species of the Genus <i>Glareola</i>	1849, 63
Description of a New Species of the Genus <i>Cultrides</i>	1849, 63
On a New Species of <i>Suthora</i> , from China	1852, 70
On the Species of the Genus <i>Seruncus</i>	1852, 70

GRAY, G. R., F.L.S., F.Z.S. (*continued*).

Descriptions of Two New Species of <i>Ptilonopus</i> ..	1853, 48
On a New Species of <i>Thalassidroma</i>	1853, 62
On a New Species of <i>Somateria</i> , and the Female of <i>Lampronetta fischeri</i> , Brandt	1855, 211
On a New Species of Pigeon	1856, 6
On a New Species of Lepidopterous Insect	1856, 7
A List of Birds, with Descriptions of New Species, obtained by Mr. Alfred R. Wallace in the Aru and Ké Islands	1858, 169
On a New Genus of Goat-sucker, and on a New Species of <i>Enicurus</i> , both from Darjeeling, from the Collection of Brian H. Hodgson, Esq., Corr. Memb. Z.S.....	1859, 101
Notes on the New Bird of Paradise discovered by Mr. Wallace	1859, 130
Exhibition of a drawing of <i>Tringa pectoralis</i>	1859, 130
List of the Birds lately sent by Mr. A. R. Wallace from Dorey or Dorery, New Guinea ...	1859, 153
List of New-Caledonian Birds	1859, 160
Description of a New Species of Diver (<i>Colymbus</i>)	1859, 167
On a New Species of the Family <i>Papilionidæ</i> from Batchian	1859, 424
Synopsis of the Species of the Genus <i>Penelope</i> ...	1860, 269
List of Birds collected by Mr. Wallace at the Mo- lucca Islands, with descriptions of New Species, &c. ...	1860, 341

GRAY, JOHN EDWARD, Ph.D., F.R.S., F.I.S., V.P.Z.S.,
&c.

Description of a New Species of <i>Galudictis</i> from Madagascar	1848, 21
Description of a New Genus of Insectivorous Mam- malia or <i>Talpidae</i> from Borneo	1848, 23
Observations on <i>Myodes hudsonicus</i> and the other species of the Genus <i>Myodes</i>	1848, 43

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Description of a New Species of <i>Anatifu</i>	1848, 44
On <i>Thaliella</i> , a New Genus of Cirripedes allied to <i>Scalpellum</i>	1848, 44
Description of <i>Sarcoptilus</i> , a New Genus of <i>Pennatulidæ</i>	1848, 45
On a New Species of Monkey from Angola	1848, 56
Observations on some Brazilian Bats, with the Description of a New Genus	1848, 57
On the species of the Genus <i>Placenta</i> of Retzius ..	1848, 114
Description of Two Species of Mammalia from <i>Carracas</i>	1848, 138
Descriptions of Three New Species of <i>Delphinidæ</i> ..	1849, 1
On some New or little-known Species of Monkeys ..	1849, 7
Description of a New Species of <i>Herpestes</i>	1849, 11
Description of a New Species of Box Tortoise, from Mexico	1849, 16
Notes on the Skull of <i>Equus hemionus</i> and <i>Equus kiang</i>	1849, 29
On a very large Roe Deer (<i>C. leucotis</i>) in the Collection of the Earl of Derby	1849, 64
On the Genus <i>Bradypus</i> of Linnæus	1849, 65
Description of some Corals, including a New British Coral discovered by W. MacAndrew, Esq.	1849, 74
On the British Specimens of <i>Regalecus</i>	1849, 78
On the variation in the Teeth of the Crested Seal (<i>Cystophora cristata</i>), and on a New Species of the Genus from the West Indies	1849, 91
On the Species of <i>Anomiadæ</i>	1849, 113
On the <i>Cypræa umbilicata</i> and <i>C. exima</i> of Sowerby	1849, 125
Descriptions of New Species of <i>Gorgonia</i> from Australia	1849, 146

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Description of a New Genus and several New Species of Terrestrial, Fluvial, and Marine Molluscan Animals inhabiting New Zealand	1849, 164
Description of a New Species of <i>Chrysodomus</i> from the mouth of the Mackenzie River	1850, 14
On a Leech New to the British Fauna	1850, 52
On the occurrence of <i>Regalecus glesne</i> at Redcar, Yorkshire, in 1850	1850, 52
On the Characters of the Genera <i>Pusionella</i> and <i>Clavatula</i>	1850, 56
Description of a New Species of Monkey, recently living in the Society's Menagerie	1850, 77
Synopsis of the Species of Antelopes and Strepsicercus, with descriptions of some New Species	1850, 111
Synopsis of the Species of Deer (<i>Cervina</i>), with the description of a New Species in the Gardens of the Society	1850, 222
Descriptions of Two New Genera and some New Species of <i>Scutellidae</i> and <i>Echinolampidae</i> , in the Collection of the British Museum	1851, 34
Description of a New Genus and Family of Cyclo-saurian Lizards from Para	1851, 38
Description of a New Species of <i>Bulinus</i> from Cal-lao, collected by Ernest Denicke	1851, 92
Description of a New Genus of <i>Gorgoniadae</i>	1851, 124
Description of a New Genus of Bivalve Shells, and a Sea Egg, from New Zealand	1851, 125
Notice of Two <i>Viverridae</i> from Ceylon, lately living in the Gardens	1851, 131
On a New Genus of <i>Anomadae</i> , in the Collection of Mr. Cuming	1851, 197
Description of a New Form of Lamprey from Australia, with a Synopsis of the Family	1851, 235
On the Painted Pig of the Camaroons (<i>Potamo-chærus pemcillatus</i>)	1852, 129

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

On the Horns of the *Sanga*, or Galla Oxen, of
Gibba 1852, 132

Description of a New Genus and some New Species
of Tortoises 1852, 133

On a New Species of Salamander from California .. 1853, 11

Description of a New Species of Tortoise (*Testudo*
planiceps), from the Galapagos Islands 1853, 12

Description of the Animal of *Cyclina sinensis* 1853, 25

On the Division of the Ctenobranchous Gasteropo-
dous Mollusca into larger Groups and Families 1853, 32

Notice of a presumed New Species of *Rhinoceros*
from South Africa 1853, 46

On the Synonyms of *Johnstonella catharina*, Gosse 1853, 94

Descriptions of Two New Genera (*Pfeifferia* and
Janella) of Land Mollusca 1853, 109

On the attitudes and figures of the Morse 1853, 112

Observations on some Rare Indian Mammalia 1853, 190

Description of a New Genus and Species of Seal
(*Hehophoca atlantica*) from Madeira 1854, 43

On the Reproduction of the Lost Part of the Oper-
culum, and its probable Restoration when entirely
destroyed..... 1854, 100

On *Runcina hancockii*..... 1854, 107

On the Genus *Modiolarca* 1854, 108

On the Genus *Mulleria* of Sowerby, or *Acostæa*,
D'Orbigny 1854, 129

Description of a New Species of *Petrogale* 1854, 249

On a New Species of *Rhinoceros* 1854, 250

Notice of the Horns of an unrecorded Species of the
Prong Horn (*Antilocapra*), in the Collection of the
Derby Museum, Liverpool 1855, 9

Notice of the Horns and Skull of the Arnee 1855, 17

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

Extracts from Letters received from Francis Brent, Esq., of Sandgate, regarding the Destruction of Conger Eels	1855, { 49 26
An Arrangement of the Families of <i>Echinida</i> , with Descriptions of some New Genera and Species	1855, 35
Observations on the Species of Volutes— <i>Volutidæ</i>	1855, 50
On some species of Freshwater Tortoises from North America, Ceylon, and Australia, in the Collection of the British Museum	1855, 197
On a New Genus of Fish-scaled Lizards (<i>Scissosaræ</i>) from New Guinea	1855, 217
On the Genus <i>Assimonia</i> (Leach)	1856, 20
Description of the Animals and Teeth of <i>Tylodina</i> and other Genera of Gasteropodous Mollusca	1856, 41
On the Position of the Genus <i>Proserpina</i> in the System, and a Description of its Dentation	1856, 99
On the Nucleus of the Operculum of <i>Cyclostoma elegans</i>	1856, 147
On a Monstrosity of <i>Haliotis</i> (<i>albicans</i> ?)	1856, 147
Notice of some Indian Tortoises (including the Description of a New Species presented to the British Museum by Professor Oldham)	1856, 181
On a New Species of Squirrel (<i>Sciurus macrotis</i>) from Borneo	1856, 341
Observations on a Living African <i>Lepidosiren</i> in the Crystal Palace	1856, 342
Description of a New Species of <i>Chelodina</i> from Australia	1856, 369
On the Structure of the Pelvis of <i>Chlamyphorus truncatus</i>	1857, 8
Observations on the Species of the Genus <i>Manatus</i>	1857, 59
On the Genus <i>Necturus</i> or <i>Menobranchus</i> , with an Account of its Skull and Teeth	1857, 61
On the Animal and Bark of the Genus <i>Antipathes</i>	1857, 113

GRAY, JOHN EDWARD, PH.D., F.R.S., &c. (*continued*).

Description of a New Genus of <i>Gorgoniadæ</i>	1857, 128
Description of a New Species of Antelope (<i>Oryx beatrix</i>) lately living in the Menagerie of the Society	1857, 157
Description of New Genera of <i>Gorgonadæ</i>	1857, 158
Notice of a Large Species of <i>Lineus</i> taken on the Coast of Montrose	1857, 210
Observations on the Genus <i>Furcella</i> , Oken; and on the Genera <i>Teredo</i> and <i>Chæna</i>	1857, 243
On the Duiker Boks in the Society's Gardens . . .	1857, 277
Notice of a New Species of Jaguar from Mazatlan, living in the Society's Gardens	1857, 278
Synopsis of the Families and Genera of Axiferous Zoophytes or Baked Corals	1857, 278
An attempt to distribute the Species of Olive (<i>Oliva</i> , Lamarck) into Natural Groups, and to define some of the Species	1858, 38
Notice of a New Genus of <i>Uropeltidæ</i> , from Ceylon, in the Collection of the British Museum	1858, 57
Notice of the Bosch Vark (<i>Potamochoærus africanus</i>) living in the Society's Gardens	1858, 58
On a New Genus of <i>Mytilidæ</i> , and on some distorted forms which occur among Bivalve Shells	1858, 90
Observations on the Genus <i>Nerita</i> and its Operculum	1858, 92
Observations on the Genus <i>Cuscus</i> , with the Description of a New Species	1858, 100
List of Species of Mammalia sent from the Aru Islands by Mr. A. R. Wallace to the British Museum	1858, 106
Description of <i>Aphroceras</i> , a New Genus of Calcareous <i>Spongiadæ</i> , brought from Hong-Kong by Dr. Harland	1858, 113
On <i>Aphrocallistes</i> , a New Genus of <i>Spongiadæ</i> from Malacca	1858, 114

GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (*continued*).

- Proposal to separate the Family of *Salumandridæ*, Gray, into Two Families, according to the form of the Skull 1858, 136
- On the power of Dissolving Shells possessed by the Bernard Crab (*Pagurus*) 1858, 144
- Description of a New Genus of *Boidæ* from Old Calabar, and a List of West African Reptiles 1858, 154
- Description of a New Genus of Sponge (*Xenospongia*) from Torres Strait 1858, 229
- Additional Observations on the Genus *Furcella* .. 1858, 258
- On a New Genus and several New Species of *Uropeltidæ*, in the Collection of the British Museum 1858, 260
- On *Carpenteria* and *Dujardinia*, two genera of a New Form of Protozoa with attached Multilocular Shells filled with Sponge, apparently intermediate between *Rhizopoda* and *Porifera* 1858, 266
- Note on the Egg of the Mooruk (*Casuarus bennettii*, Gould) from New Britain, in the British Museum 1858, 271
- On the Families *Aspergillidæ*, *Gastrochaenidæ*, and *Humphreyiadæ* 1858, 307
- On *Charadella* and *Lichenella*, New Forms of *Polyzoa* from Australia 1858, 319
- Description of *Riama*, a New Genus of Lizards, forming a distinct Family 1858, 444
- On the *Dysidea papillosa* of Dr. Johnston 1858, 531
- Description of the Adult State of *Voluta mamilla*, Gray 1859, 34
- Notice of *Notopteris*, a New Genus of Pteropine Bat from the Feejee Islands 1859, 36
- Notice of a New Genus of Lophobranchiate Fishes from Western Australia 1859, 38
- On the Sea-Bear of Forster, the *Ursus marinus* of Steller, *Arctocephalus ursinus* of Authors..... 1859, 102

	Page
GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (<i>continued</i>).	
On the Eared Seal of the Cape of Good Hope (<i>Otaria delalandi</i>)	1859, 107
Descriptions of New Species of Salamanders from China and Siam	1859, 229
Description of <i>Scapha maria-emma</i> , a New Species of Volute	1859, 230
On the Sea-Lions, or Lobos marinos of the Spaniards, on the Coast of California	1859, 357
Description of <i>Macandrewia</i> and <i>Myliusia</i> , two new forms of Sponges.	1859, 437
Description of a New Species of Squirrel (<i>Sciurus siamensis</i>) from Siam, in the Collection of the British Museum	1859, 478
Description of a New Species of Freshwater Tortoise from Siam	1859, 478
Description of some New Genera of Lithophytes, or Stony Zoophytes.	1859, 479
Description of a New Species of <i>Cuscus</i> (<i>C. ornatus</i>) from the Island of Batchian, with a List of the Mam- malia collected in that Island by Mr. A. R. Wallace .	1860, 1
Description of a Soft Tortoise (<i>Aspidocheelys living- stonii</i>) from the Zambesi, sent to the British Mu- seum by Dr. Livingstone	1860, 5
Description of a New Genus of <i>Boidæ</i> discovered by Mr. Bates on the Upper Amazon	1860, 132
Note on the Species of the Genus <i>Pithecia</i> , with De- scription of a New Species, <i>P. albicans</i>	1860, 228
Description of a New Species of <i>Geoclenmys</i> from Esmeraldas	1860, 231
Description of a New Species of <i>Emys</i> lately living in the Gardens of the Zoological Society ...	1860, 232
Description of a New Species of <i>Distichopora</i> from New Caledonia	1860, 244
On the African Trionyces with Hidden Feet (<i>Emyda</i>)	1860, 314

	Page
GRAY, JOHN EDWARD, Ph.D., F.R.S., &c. (<i>continued</i>).	
Note on the Female of <i>Cuscus ornatus</i>	1860, 374
Description of a New Coral (<i>Corallium johnsoni</i>) from Madeira	1860, 393
On the Genus <i>Manouria</i> and its affinities	1860, 395
On the Genus <i>Hyperoodon</i> : the two British kinds and their food	1860, 422
Note on <i>Aspidochelys livingstonii</i>	1860, 430
GRIFFITH, R. C., F.Z.S.	
Notice of the Habits of a Beaver	1848, 52
Exhibition of some specimens of "Tsetze"	1850, 78
GULLIVER, GEORGE, F.R.S., F.Z.S.	
Additional Measurements of the Red Corpuscles of the Blood of Vertebrata	1848, 36
Note on the Spermatozoa of the Giraffe.....	1849, 7
Notes on a Cetaceous Animal stranded on the North- east coast of Ireland	1853, 63
On the size of the Red Corpuscles of the Blood of the Great Ant-eater (<i>Myrmecophaga jubata</i>)	1854, 24
GUNN, RONALD CAMPBELL, F.R.S.	
On the Habitat of <i>Cypræa umbilicata</i> , Sowerby. In a letter to J. E. Gray, Esq.	1849, 124
Letter relating to two young living specimens of <i>Thylacinus cynocephalus</i> , presented to the Society by himself and Dr. James Grant of Launceston	1850, 90
GÜNTHER, Dr. ALBERT, For. Mem. Z. S.	
On the Systematic Arrangement of the Tailless Batrachians, and the Structure of <i>Rhinophrynus dor-</i> <i>salis</i>	1858, 339
On the Geographical Distribution of Reptiles	1858, 373
On the Genus <i>Elaps</i> of Wagler	1859, 79

GÜNTHER, DR. ALBERT, For. Memb. Z. S. (*continued*).

List of the Cold-blooded Vertebrata collected by Mr. Fraser in the Andes of Western Ecuador . . . }	1859, 89
Second list of Cold-blooded Vertebrata collected by Mr. Fraser in the Andes of Western Ecuador . . .	1859, 402
Description of a New Species of <i>Anolis</i> from Central America	1859, 421
On the Reptiles and Fishes collected by the Rev. H. B. Tristram in Northern Africa	1859, 469
On a New Snake from the Galapagos Islands . . .	1860, 97
On the Reptiles of Siam	1860, 113
Contributions to a Knowledge of the Reptiles of the Himalaya Mountains	1860, 148
Third List of Cold-blooded Vertebrata collected by Mr. Fraser in Ecuador	1860, 233
Description of <i>Homalocranium laticeps</i> , a new Snake from Carthage	1860, 240
Exhibition of a dried Specimen of a Fish of the Genus <i>Centrolophus</i> , obtained by Mr. J. Crouch at Polperro, Cornwall	1860, 302
On New Reptiles and Fishes from Mexico	1860, 316
On a New Species of Fish, belonging to the Genus <i>Pagrus</i>	1860, 319
On a West-African Genus of Snakes (<i>Meizodon</i>) ..	1860, 427

HAMILTON, EDWARD, M.D., F.Z.S., &c.

Exhibition of three curiously plumaged Pheasants .	1859, 437
Exhibition of large Specimens of Hybrids between the Pheasant and Domestic Hen	1860, 1
Exhibition of Hen Pheasants in Male Plumage ..	1860, 373

HANLEY, H., Serjeant-Major 1st Life Guards.

Observations on the Breeding of the Nightingale in captivity	1850, 196
---	-----------

HANLEY, SYLVANUS, F.L.S., &c.

Descriptions of Four New Species of <i>Kelhudæ</i> in the Collection of Hugh Cuming, Esq.	1856, 340
--	-----------

HANLEY, SYLVANUS, F.L.S., &c. (*continued*).

Description of a New <i>Cyrena</i> from Ceylon, and of New <i>Siphonaria</i>	1858, 23
Descriptions of Two New Species of <i>Pinna</i>	1858, 136
On <i>Siphonaria</i>	1858, 151
Descriptions of New <i>Pinnæ</i>	1858, { 225 254
Description of a New <i>Oniscia</i>	1858, 255
Description of a New <i>Cyrena</i> and <i>Bulla</i>	1858, 543
Descriptions of New Univalve Shells from the Col- lections of H. Cuming, Esq., and S. Hanley, Esq. ..	1859, 429
Systematic List of the Species of <i>Dolium</i>	1859, 487
On New Species of <i>Nuculaceæ</i> in the Collection of Hugh Cuming, Esq.	1860, 370
Description of New <i>Nuculidæ</i>	1860, 440

HARCOURT, EDWARD VERNON, F.Z.S.

Notice of the Birds of Madeira (in a letter ad- dressed to the Secretary)	1851, 141
Description of a New Species of <i>Regulus</i> from Ma- deira	1854, 153

HARDY, Lieut.

Note upon <i>Buceros ginginianus</i> (communicated by Colonel Sykes)	1850, 276
---	-----------

HARLEY, GEORGE, M.D., F.R.C.S.

On the Anatomy of a New Species of <i>Pentastoma</i> found in the Lung and Air-sac of an Egyptian Cobra	1857, 115
--	-----------

HARRIS, Lord, F.Z.S.

Letter	1849, 64
--------------	----------

HARTLAUB, Dr. GUSTAV, of Bremen, For. Memb. Z.S.

Note upon <i>Turdus vulpinus</i>	1850, 276
On New Species of Birds from Western Africa, in the Collection of the British Museum	1858, 291
PROC. ZOOLOG. SOC. INDEX, 1848-60.	3

- HARTLAUB, DR. GUSTAV, of Bremen, F.M.Z.S. (*continued*).
 Synopsis of the Fringilline Genus *Erythrura* 1858, 461
 On a New Form of Grallatorial Bird nearly allied
 to the *Cariama* (*Dicholophus cristatus*) 1860, 334
- HARTLAUB, DR. G., and J. J. MONTEIRO.
 On some Birds collected in Angola. 1860, 109
- HAY, J. H. DRUMMOND, C.B., H. M. Consul-General in
 Morocco, Corr. Memb. Z.S.
 Letter offering to present Gazelles, and promising
 to transmit the Reptiles found in the neighbourhood
 of Tangier 1849, 62
- HAY, Major W. E., F.Z.S., &c.
 Notes on the Kiang of Thibet (*Equus kiang*) 1859, 353
- HEDDLE, ROBERT.
 On a Whale of the Genus *Physalus*, Gray, captured
 in Orkney 1856, 187
- HERRMANNSEN, Dr., of Kiel.
 On some Genera of Shells, established in 1807 by
 the late H. F. Link 1851, 228
- HEWITSON, W. C., F.Z.S.
 Description of a New Species of Butterfly, of the
 Genus *Agrias* 1848, 45
 Description of a New Species of *Satyræ* 1848, 115
 Descriptions of some Butterflies from the Collection
 of Mr. Wallace 1858, 464
 Descriptions of Butterflies from the Collection of
 Mr. Wallace 1859, 422
- HILL, RICHARD.
 Letter relating to the subject of procuring Reptiles
 for the Society from Jamaica 1849, 91

HODGSON, BRIAN HOUGHTON, Corr. Memb. Z.S.

On the Geographical Distribution of the Mammalia
and Birds of the Himalaya..... 1855, 124

HOLDSWORTH, E. W. H., F.L.S., F.Z.S., &c.

Description of a New Sea Anemone 1855, 85

Description of Two New Species of *Actinia* from the
South Coast of Devon..... 1855, 235

Description of a New Species of *Actinia* from the
Devonshire Coast..... 1856, 172

On *Electra verticillata*, with a Notice of its different
Forms of Growth..... 1858, 306

On *Zoanthus couchii*, Johnston 1858, 557

Some additional observations on *Zoanthus couchii*.. 1859, 124

On the Development of *Aurelia aurita*, in the So-
ciety's Aquaria 1859, 201

HORA, J. H.

Exhibition of a Female Specimen of *Ovis gmelinii*
from Tauri, in the Persian Gulf 1849, 91

HORSFIELD, THOMAS, M.D., F.R.S., &c.

Catalogue of a Collection of Mammalia from Nepal,
Sikkim, and Thibet, presented to the Hon. East India
Company by B. H. Hodgson, Esq. 1856, 393

HUTTON, Major THOMAS.

Extract from a Letter addressed to Adam White,
Esq., dated Mussoree, Nov. 27, 1855 1856, 5

HUXLEY, G., R.N.

Description of the Animal of *Trigonia*, from actual
dissection, with an Introductory Note by Prof. E.
Forbes, F.R.S. 1849, 30

HUXLEY, THOMAS H., F.R.S., F.L.S., F.Z.S.

On the Anatomy and Development of *Echinococcus*
veterinorum..... 1852, 110

JONAS, Dr.

- Description of a New Species of the Genus *Thracia*.
Communicated by Hugh Cuming, Esq. 1849, 170

JONES, J. MATTHEW, F.L.S.

- Extract from the Bermuda 'Royal Gazette,' relating
to the recent capture of a large Species of *Gymnetrus* 1860, 185

KAUF, Dr. J., Director of the Museum of Darmstadt.

- Description of some New Birds in the Museum of
the Earl of Derby 1851, 39
On the Classification of the *Strigidae* 1852, 88
On *Nemophis*, a New Genus of Riband-shaped
Fishes 1858, 168
Description of a New Species of Fish, *Peristethus*
rieffeltii 1859, 103

KELAART, Dr. W. C., F.L.S., Corr. Memb.

- Letter 1849, 91
Catalogue of the Mammalia of Ceylon 1850, 155

KEPPEL, Hon. Capt., R.N.

- Letter relating to a Young Female Urang Utan .. 1849, 106

KREFFT, GERARD. †

- A few Remarks on the Habits and Economy of the
Brown-capped *Pomatorhinus* (*P. ruficeps*, Hartlaub) 1858, 352

LAYARD, EDGAR L., F Z S., &c.

- Observations on the Genus *Paludomus* of Swainson,
with descriptions of several New Species, and the
description of a New Species of *Anculotus* 1854, 87

LEA, ISAAC, LL.D.

- Description of Five New Species of *Anodontæ*, col-
lected by H. Cuming, Esq., in the East Indies 1850, 197

LEA, ISAAC and HENRY C.

Description of a New Genus of the Family *Melania*, and of many New Species of the Genus *Melania*, chiefly collected by Hugh Cuming, Esq., during his Zoological Voyage to the East, and now first described 1850, 179

LEADBEATER, B., F.Z.S.

Exhibition of some Heads and Antlers of the American Wapiti Stag, and three Specimens of Buffon's Skua 1860, 322

LEYCESTER, A. A.

Notes on the Habits of *Memura alberti*, in a letter addressed to John Gould, Esq. 1860, 113

LOWE, Rev. R. T., M.A., Corr. Memb. Z.S.

An account of Fishes discovered or observed in Madeira since the year 1842 1850, 247

Catalogus Molluscorum Pneumonatorum Insularum Maderensium : or a List of all the Land and Fresh-water Shells, Recent and Fossil, of the Madeiran Islands : arranged in Groups according to their Natural Affinities : with Diagnoses of the Groups, and of the new or hitherto imperfectly defined Species 1854, 16

LYALL, DAVID, M.D., R.N.

On the Habits of *Strigops habroptilus*, or Kakapo 1852, 31

MACDONALD, Professor.

On the Vertebral Homologies as applicable to Geology 1848, 139

Exhibition of Diagrams illustrative of a New Scheme of Zoological Classification 1860, 303

MACK, Mr.

Remarks on the fact of Black Eggs being laid by a White Duck (communicated by Mr. Oswald) 1851, 192

MANTELL, Dr., F.R.S., &c.

- Notice of the Discovery by Mr. Walter Mantell in the Middle Island of New Zealand of a living specimen of the Notornis, a Bird of the Rail family allied to *Brachypteryx*, and hitherto unknown to Naturalists, except in a fossil state..... 1850, 209

MARTENS, Dr. EDUARD VON.

- On the Mollusca of Siam (communicated by Dr. A. Günther, For. Memb.) 1860, 6

MELVILLE, Dr., M.R.C.S.

- On the Ideal Vertebra..... 1848, 145
Continuation of his Observations concerning the Ideal Vertebra..... 1849, 11
Oral exposition of Dr. Kaup's views of the Natural Arrangement of Birds 1849, 94

METCALFE, W.

- An enumeration of Species of recent Shells, received by W. J. Hamilton, Esq., from Borneo, in November 1850, with descriptions of the New Species ... 1851, 70

MEVES, M. W., Conservator at the Zoological Riks-Museum in Stockholm.

- On the Snipe's "Neighing" or Humming Noise, and on its Tail-feathers' Systematic Value. Translated and communicated by John Wolley, jun., Esq., F.Z.S., &c. 1858, 199

MITCHELL, D.W., B.A., F.L.S.

- Notice of a Hybrid Crowned Pigeon, hatched in the Menagerie 1849, 170
Notice of a Hybrid Pigeon, between *Ectopistes migratorius* ♂ and *Turtur risorius* ♀ 1849, 172
Notice of a Hybrid Bull 1849, 172
On the Indian Pheasants bred in the Menagerie .. 1858, 544

MOORE, FREDERIC, Assistant Mus. East India Company.

A Monograph of the Genus *Ruticilla*, with descriptions of some New Species 1854, 25

Descriptions of some New and little-known Species of Birds from Northern India, contained in the Museum of the Honourable East India Company 1854, 74

Notice of the Species of the Genus *Orthotomus* of Horsfield, with descriptions of a New Species and of those hitherto known 1854, 78

Notice of a New Indian Swallow 1854, 104

Notice of some New Species of Birds contained in the Museum of the Honourable East India Company 1854, 104

Notice of all the known Species of the Genus *Acentor*, with the descriptions of an uncharacterized Species from Nepal 1854, 116

Descriptions of Three New Species of Titmice ... 1854, 139

Notice of some imperfectly known Species of Birds contained in the Museum of the Honourable East India Company 1854, 141

List of Malayan Birds collected by Theodore Cantor, Esq., M.D., with descriptions of the imperfectly known Species 1854, 258

Descriptions of Two New Species of the Genus *Orthotomus* 1854, 309

Notice of some New Species of Birds 1855, 215

Descriptions of some New Species of Lepidopterous Insects from Northern India 1857, 102

Monograph of the Asiatic Species of *Neptis* and *Athyma*, two genera of diurnal Lepidoptera belonging to the Family *Nymphalidae* 1858, 3

Descriptions of some Asiatic Lepidopterous Insects belonging to the tribe *Bombyces* 1859, 197

Synopsis of the known Asiatic Species of Silk-producing Moths, with descriptions of some New Species from India 1859, 237

MOORE, FREDERIC, Assist. Mus. E.I.C. (*continued*).

Notice of a rare Asiatic Pigeon 1859, 400

List of Malayan Birds collected by Theodore Cantor, M.D., with Descriptions of imperfectly known Species 1859, 443

MOORE, THOMAS J., Keeper of the Derby Museum, Liverpool.

List of Mammals and Birds collected by Mr. Joseph Leyland in Honduras, Belize, and Guatemala 1859, 50

MÖRCH, OTTO A. L., of Copenhagen.

Review of the Genus *Tenagodus*, Guettard 1860, 400

MURCHISON, Sir R. I., G.C.St.S., &c.

Letter relating to the Aurochs 1849, 32

MURRAY, Hon. C. A., H. M. Consul-General in Egypt.

Letters relating to Collections made in Egypt 1849, { 33
64
106

Letter relating to a Hippopotamus presented to the Society by H. H. Abbas Pasha 1849, 163

NEWCOMB, W., M.D., &c.

Descriptions of seventy-nine New Species of *Achatinella*, Swainson, a genus of Pulmoniferous Mollusks, in the Collection of Hugh Cuming, Esq. 1853, 128

Abstract of descriptions of some Animals of *Achatinella*, and other Remarks 1854, 310

NEWMAN, EDWARD, F.L.S., &c.

First Thoughts on a Physiological Arrangement of Birds 1850, 46

A few words on the Synonymy of *Distichocera*, a genus of Longicorn Coleoptera from New Holland, with Characters of Three Species supposed to be undescribed 1851, 75

NEWTON, ALFRED, M.A., F.Z.S., &c.

- Note on the supposed Occurrence of the *Hirundo*
bicolor of North America in England..... 1860, 131
- On some Hybrid Ducks 1860, 336
- Remarks on the *Anas (Anser) erythropus*, Linn... 1860, 339
- Notice of the recent Discovery of Bones, supposed
 to be those of the Dodo 1860, 443

NICHOLSON, Dr., H. E. I. C. Medical Service.

- Note on a New Species of Francolin 1851, 128
- Notes on an undescribed Species of Tailor-Bird .. 1851, 194
- Notes on a New Species of *Artamus* from India .. 1851, 195

OWEN, Professor RICHARD, M.D., F.R.S., F.Z.S., Di-
 rector of the Nat. Hist. Depart., British Museum.

- On the Remains of the Gigantic and presumed ex-
 tinct Wingless or Terrestrial Birds of New Zealand .. 1848, 1
- On a New Species of Chimpanzee 1848, { 27
 53
- Notes on the Anatomy of the Male Aurochs..... 1848, 126
- On the Gigantic Wingless Birds of New Zealand .. 1850, 45
- On the Cranium of the large Species of *Dinornis*
 called *giganteus* and *ingens*..... 1850, 208
- On a New Species of Pterodactyle (*Pterodactylus*
compressirostris, Owen) from the Chalk; with some
 Remarks on the Nomenclature of the previously de-
 scribed Species..... 1851, 21
- On the Anatomy of the Wart Hog (*Phacochoerus*
pallasi, Van der Hoeven) 1851, 63
- On the Skeleton of *Troglodytes gorilla* 1851, 263
- On the Capacity of the Cranium in the Negro, the
 Orang, and the Gorilla 1851, 264

OWEN, PROFESSOR RICHARD, F.R.S., &c. (*continued*).

Notes on the Eggs and Young of the <i>Apteryx</i> , and on the Casts of the Eggs and certain Bones of the <i>Æpyornis</i> (Isid. Geoffroy), recently transmitted to the Zoological Society of London	1852, 9
Notes on the Anatomy of the Tree-Kangaroo (<i>Dendrolagus inustus</i> , Gould)	1852, 103
On the Anatomy of the Walrus ..	1853, 103
On the Anatomy of the Great Anteater (<i>Myrmecophaga jubata</i>)	1854, 154
On the Bones of the Leg of <i>Dinornis</i> (<i>Palapteryx struthioides</i> and the <i>Palapteryx gracilis</i> ..	1854, 244
On <i>Dinornis</i> (Part 7) : containing a Description of the Bones of the Leg and Foot of the <i>Dinornis elephantopus</i> , Owen	1856, 54
Osteological Contributions to the Natural History of the Chimpanzees and Orangs (<i>Troglodytes Pithecus</i>). No. 6	1856, 369
On the Anatomy of the Great Anteater (<i>Myrmecophaga jubata</i> , Linn.)	1857, 22
On the Gorilla (<i>Troglodytes gorilla</i> , Sav.)	1859, 1

PARKER, W. K., F.R.C.S.

Abstract of Notes on the Osteology of <i>Balaniceps rex</i>	1860, 324
---	-----------

PARLBY, Major.

Notice of the Capture of <i>Orthagoriscus mola</i> off the Chesil Bank, Dorsetshire	1849, 6
---	---------

PEASE, W. HARPER.

Descriptions of New Species of Mollusca from the Sandwich Islands. Part I.	1860, 18
Descriptions of New Species of <i>Planariidæ</i> collected in the Sandwich Islands	1860, 37

PEASE, W. HARPER (*continued*),

- Descriptions of New Species of Mollusca from the Sandwich Islands. Part II. 1860, 141
- Descriptions of Three Species of Marine Shells from the Pacific Ocean 1860, 189
- Descriptions of Seventeen New Species of Marine Shells, from the Sandwich Islands, in the Collection of H. Cuming, Esq. 1860, 397
- Descriptions of Forty-seven New Species of Shells, from the Sandwich Islands, in the Collection of H. Cuming, Esq. 1860, 431
- Descriptions of Six New Species of Land Shells, from Ebon, Marshall's Group, in the Collection of H. Cuming, Esq. 1860, 439

PEGUS, Lieut.

- On the Habits of the Mungoos (*Herpestes griseus*) 1852, 89

PETHERICK, JOHN, Corr. Memb. Zool. Soc., F.R.G.S.,
H. M. Consul in the Soudan.

- Exhibition of the Head and Horns of a rare Antelope from Central Africa 1860, 193
- Memoranda on the Hippopotamus and *Balænicæps* recently imported into England, and now in the Gardens of the Society 1860, 195

PFEIFFER, Dr. LOUIS.

- Descriptions of Twenty-three New Species of *Vitrina* 1848, 104
- Descriptions of Twenty-nine New Species of *Helicina* 1848, 119
- Descriptions of Twenty-four New Species of *Helicea*, from the Collection of Hugh Cuming, Esq. 1849, 126
- Descriptions of Twelve New Species of *Vitrina* and *Succinea*, from the Collection of H. Cuming, Esq. . . 1849, 132
- Descriptions of Thirty New Species of *Tornatellina*, *Cylindrella*, and *Clausilia*, from the Collection of Hugh Cuming, Esq. 1849, 134

PFEIFFER, DR. LOUIS (*continued*).

Description of a new <i>Pupina</i> and two new <i>Helicinas</i> , from the Collection of H. Cuming, Esq.	1850, 97
Descriptions of New Land Shells from the Collection of H. Cuming, Esq.	1851, 147
Descriptions of Forty-three New Species of <i>Cyclotomacea</i> , from the Collection of H. Cuming, Esq. ..	1851, 242
Descriptions of Fifty-four New Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1851, 252
Descriptions of Sixty-six New Land Shells, from the Collection of H. Cuming, Esq.	1852, 56
Descriptions of Eighteen New Species of Land Shells, from the collection of H. Cuming, Esq.	1852, 83 .
Descriptions of Fourteen New Species of Land Shells, from the Collection of H. Cuming, Esq.	1852, 135
Descriptions of Twenty-four New Species of Land Shells, collected by M. Sallé on the Island of St. Domingo, from Mr. Cuming's Collection	1852, 138
Descriptions of Fourteen New Species of Operculated Land Shells from Mr. Cuming's Collection	1852, 144
Descriptions of Twelve Species of Land Shells, from New Zealand	1852, 147
Descriptions of Eight Species of Land Shells, from the Island of Mauritius	1852, 149
Descriptions of Nineteen New Species of Land Shells, collected by M. Bourcier, Consul-General, Quito	1852, 151
Descriptions of Eighteen New Species of Land Shells, from the Collection of H. Cuming, Esq.	1852, 156
Descriptions of Twenty-three New Species of Land Shells, from the Collection of Hugh Cuming, Esq. ..	1853, 48
Descriptions of Eighteen New Species of Land Shells, from the Collections of Mr. Denuison and Mr. Cuming	1853, 57

PFEIFFER, Dr. LOUIS (*continued*).

Descriptions of Nineteen New Species of <i>Helicea</i> , from the Collection of Hugh Cuming, Esq.	1853, 124
Descriptions of Forty-two New Species of <i>Helix</i> , from the Collection of H. Cuming, Esq.	1854, 49
Descriptions of Four New Species of <i>Bulimus</i> , from the Collection of H. Cuming, Esq.	1854, 57
Descriptions of Six New Species of <i>Auriculacea</i> , from the Collection of H. Cuming, Esq.	1854, 121
Descriptions of Sixteen New Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1854, 122
Descriptions of Eleven New Species of <i>Cyclostomacea</i> , from the Collection of H. Cuming, Esq.	1854, 126
Descriptions of Twenty-three Species of <i>Helicea</i> , from the Collection of H. Cuming, Esq.	1854, 145
Descriptions of Seven Species of <i>Cyclostomacea</i> and <i>Auriculacea</i> , from Mr. Cuming's Collection	1854, 150
Descriptions of Fifty-seven New Species of <i>Helicea</i> , from Mr. Cuming's Collection	1854, 286
Descriptions of Three New Species of <i>Pythia</i>	1854, 298
Descriptions of Eighteen New Species of <i>Cyclostoma-</i> <i>macea</i> , from Mr. Cuming's Collection	1854, 299
A Monograph of the Genera <i>Realia</i> and <i>Hydrocena</i>	1854, 304
Descriptions of Twenty-seven New Species of <i>Acha-</i> <i>tnella</i> , from the Collection of H. Cuming, Esq., col- lected by Dr. Newcomb and Mons. D. Frick in the Sandwich Islands.	1855, 1
Descriptions of Nine New Species of Land Shells, also from the Collection of Mr. Cuming	1855, 7
Descriptions of Forty-seven New Species of <i>Helicea</i> , from the same Collection	1855, 91
Description of a New Genus and Twenty-three New Species of <i>Pneumonopoma</i> , from the same Collection .	1855, 101
Descriptions of Nine New Species of <i>Helicea</i> , from the same Collection	1855, 106

PFEIFFER, DR. LOUIS (*continued*).

Descriptions of Thirty-eight New Species of Land Shells, from the same Collection. 1855, 111

Descriptions of Twenty-three New Species of *Achatinella*, collected by Mons. D. Frick in the Sandwich Islands, from the same Collection 1855, 202

Descriptions of Sixteen New Species of *Achatinella*, collected by Dr. Newcomb in the Sandwich Islands, from the same Collection 1855, 207

Descriptions of Five New Species of Terrestrial Mollusca, from the same Collection 1855, 210

Descriptions of Twenty-five New Species of Land Shells, from the Collection of H. Cuming, Esq. . . . 1856, 32

Descriptions of Twenty-seven New Species of Land Shells collected by M. Sallé in the State of Vera Cruz, Mexico. 1856, 318

Descriptions of Fifty-eight New Species of *Helicea*, from the Collection of H. Cuming, Esq. 1856, 324

Descriptions of Sixteen New Species of *Pneumonopoma*, from the Collection of H. Cuming, Esq. . . . 1856, 336

Descriptions of Nineteen New Species of Land Shells, from the Collection of H. Cuming, Esq., collected by M. Ghiesbreght at Chiapa, Mexico 1856, 377

Descriptions of Eighteen New Species of Land Shells, collected on the Admiralty Islands, from the Collection of H. Cuming, Esq. 1856, 381

Descriptions of Thirty-three New Species of Land Shells, from the Collection of H. Cuming, Esq. . . . 1856, 385

Descriptions of Two New Species of *Melampus*, from Mr. Cuming's Collection. 1856, 393

Descriptions of Thirty-one New Species of Land Shells, from the Collection of H. Cuming, Esq. . . . 1857, 107

Descriptions of Eleven New Species of Land Shells, from the Collection of H. Cuming, Esq. 1858, 20

Descriptions of Ten New Species of *Bulmus*, from the Collection of Hugh Cuming, Esq. 1858, 256

PFEIFFER, DR. LOUIS (*continued*).

Descriptions of Twenty-seven New Species of Land
Shells, from the Collection of H. Cuming, Esq. 1859, 23

Descriptions of Two New Species of *Melampus*,
from the same Collection 1859, 29

Descriptions of Eight New Species of *Achatinella*,
from the same Collection 1859, 30

Descriptions of Thirty-six New Species of Land
Shells, from the Collection of Hugh Cuming, Esq. .. 1860, 133

PHILIPPI, Dr.

Descriptiones Naticarum quarundam novarum ex
collectione Cumingiana 1851, 233

PHILIPPS, Rev. T.

Notes on the Habits of some Birds observed in the
Plains of N.W. India in 1849 (communicated by
Frederic Moore) :..... 1857, 85

PRIME, TEMPLE, of New York.

Descriptions of New Shells from the Collection of
Hugh Cuming, Esq. 1860, 319

PROUDFOOT, Mr.

Note on *Tragelaphus angasii* 1850, 199

RADDI, Professor.

Exhibition of numerous Preparations illustrative of
one of the Processes of his New Method of Preserving
Animal Substances 1859, 200

REEVE, LOVELL, F.L.S., F.G.S., F.Z.S., &c.

On *Fastigiella*, a New Genus of Shells of the La-
marckian Family *Canalifera* 1848, 14

Descriptions of New Species of *Turbo* 1848, 49

Description of a New Genus of Acephalous Mol-
lusca, of the Family *Pectinacea* 1848, 133

REEVE, LOVELL, F.L.S., F.G.S., F.Z.S., &c. (*continued*).

Description of a New Species of *Bulimus*, from the
Collection of A. L. Gubba, Esq., of Havre 1849, 16

Descriptions of Sixteen New Species of *Bulimus*, in
the Collection of H. Cuming, Esq., discovered by Mr.
W. Lobb in the Andes of Peru 1849, 96

Description of a New Species of *Cytherea*..... 1849, 126

On a New Species of *Lymnæa* from Thibet 1850, 49

Description of a New Species of *Bulimus* from Au-
stralia 1851, 198

Description of a New Species of *Helix* from Van
Diemen's Land 1852, 31

Descriptions of New Species of *Paludomus*, a Genus
of Freshwater Mollusks 1852, 126

Description of a New Volute from New Caledonia . 1854, 73

Description of Three New Volutes from the Collec-
tions of the Hon. Mrs. Cathcart and Mr. Cuming .. 1856, 2

Descriptions of Seven New Shells from the Collec-
tion of the Hon. Sir David Barclay, of Port Louis,
Mauritius 1857, 207

Descriptions of Two New Species of *Bulimus* from
the Collection of Mrs. De Burgh 1859, 123

A Commentary on M. Deshayes's Revision of the
Genus *Terebra*..... 1860, 448

REHÜLLER, M.

On the Capture of *Delphinus orca* in South Green-
land 1853, 103

REINHARDT, Professor J., For. M.Z.S.

On the Affinities of *Balaniceps* 1860, 377

RICHARDSON, Sir JOHN, M.D., C.B., F.R.S.L. & E., &c.

Notices of Australian Fishes 1850, 58

On some Fishes from Asia Minor and Palestine .. 1856, 371

On *Siphonognathus*, a New Genus of *Fistulariæ*.. 1857, 237

RÖMER, Dr. E., of Cassel.

Descriptions of New Species of the Genera *Dossina* and *Cyclina* from the Collection of Hugh Cumming, Esq. 1860, 117

SALLÉ, M. AUGUSTE.

Liste des Oiseaux rapportés et observés dans la République Dominicaine (ancienne partie Espagnole de l'Ile St. Domingue ou d'Haiti), par M. A. Sallé, pendant son voyage de 1849 à 1851 .. . 1857, 230

SALMON, JOHN D., F.L.S., F.Z.S.

Exhibition of a Specimen of Baillon's Crake, with Seven Eggs 1858, 560

SALVIN, OSBERT, M.A., F.Z.S.

Exhibition of the Eggs of the Quesal (*Pharomacrus paradiseus*) 1860, 374

On the Reptiles of Guatemala .. . 1860, 451

SANDWICH, HUMPHREY, C.B.

Notice of the Habits of the Aye-Aye of Madagascar (*Chromys madagascariensis*) 1859, 111

SCHIODTE, M.

On some *Staphylinidæ* found in the Nests of *Termites* .. . 1853, 101

SCHLAGINTWEIT, HERMANN.

Exhibition of Specimens of Heads of a Sheep from Thibet, showing a curious modification in the form of the Horns 1859, 350

SCHLEGEL, Dr. H., Curator of the Royal Zoological Museum, Leyden.

Description of a New Genus of Batrachians from Swan River (extracted from a Letter to J. E. Gray, Esq.) 1850, 9
PROC. ZOOL. SOC. INDEX, 1848-60. 4

SCLATER, PHILIP LUTLEY, Ph.D., M.A., F.R.S., F.L.S.,
Secretary to the Society.

On Two New Species of Birds of the Genus <i>Tæmo- ptera</i>	1851, 193
On Two New Species of South American Buds	1852, 34
On some New Species of <i>Dendrocolaptes</i>	1853, 68
Descriptions of New Species of <i>Buconidae</i>	1853, 122
Characters of some New or imperfectly described Species of Tanagers	1854, 95
List of a Collection of Birds received by Mr. Gould from the Province of Quijos in the Republic of Ecuador	1854, 109
Description of Two New Tanagers in the British Museum	1854, 157
Description of a New Tanager of the Genus <i>Calliste</i>	1854, 248
Description of a second Species of the Genus <i>Pro- cias</i>	1854, 249
On Two New Species of <i>Dacnis</i> , and on the General Arrangement of the Genus	1854, 251
Descriptions of Six New Species of the Subfamily <i>Formicariæ</i>	1854, 253
On the Genus <i>Culicivora</i> of Swainson, and its com- ponent Species	1855, 11
Remarks on the Arrangement of the Jacamars (<i>Gal- bulidæ</i>), with Descriptions of some New Species	1855, 13
Characters of Six New Species of the Genus <i>Tham- nophilus</i>	1855, 18
Note on the Sixteen Species of Texan Buds named by Mr. Giraud, of New York, in 1841	1855, 65
On a New Species of the Genus <i>Todirostrum</i> of Lesson	1855, 66
On some New or little-known Species of Birds in the Derby Museum at Liverpool	1855, 74

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

Descriptions of Four New or little-known Tanagers	1855, 83
Descriptions of some New Species of Ant-Thrushes (<i>Formicarunæ</i>) from Santa Fé di Bogota	1855, 88
Descriptions of some New Species of Birds from Santa Fé di Bogota	1855, 109
On the Birds received in collections from Santa Fé di Bogota.	1855, 131
Characters of some apparently New Species of <i>Buc-</i> <i>conidae</i> , accompanied by a Geographical Table of the Family.	1855, 193
Note on the Genus <i>Legriocinclus</i> , Lesson, and its Synonyms	1855, 212
Description of a newly discovered Tanager of the Genus <i>Buarremon</i>	1855, 214
Characters of Two New Species of Tanagers . .	1855, 227
Note on the Zoological Appendix to the 'Report of the U.S Naval Astronomical Expedition to the Southern Hemisphere,' and on the Geographic Range and Distribution of the Tanagrine Genera <i>Calliste</i> and <i>Euphonia</i>	1856, 18
On some additional Species of Birds received in collections from Bogota	1856, 25
Note on <i>Psaltia flaviceps</i> , a third American Spe- cies of the Parne Genus <i>Psaltia</i>	1856, 37
Synopsis Avium Tanagrarum —A Descriptive Ca- talogue of the known Species of Tanagers	1856, { 64 108 230
Note on <i>Buglodytes albicollis</i> , Bp.	1856, 97
On some New or Imperfectly-known Species of <i>Synallaxis</i>	1856, 97
List of Mammals and Birds collected by Mr. Bridges in the vicinity of the town of David, in the province of Chiriqui, in the State of Panama	1856, 138
Note on some Birds from the Island of Ascension .	1856, 144

SCLATER, PHILIP LUTLEY, Ph D., &c. (*continued*).

On the Species of the American Genus <i>Parra</i>	1856, 282
Catalogue of Birds collected by M. Auguste Sallé in Southern Mexico, with Descriptions of New Species ..	1856, 283
On a New Tanager of the Genus <i>Caliste</i>	1856, 311
Notes on the Birds in the Museum of the Academy of Natural Sciences of Philadelphia, and other Col- lections in the United States of America	1857, 1
Further Additions to the List of Birds received in Collections from Bogota	1857, 15
Characters of some apparently New Species of American Ant-Thrushes	1857, 46
Description of a New Tanager of the Genus <i>Eu- phonia</i>	1857, 66
Review of the Species of the South American Sub- family <i>Tityrinæ</i>	1857, 67
On <i>Parus meridionalis</i> and some other Species mentioned in the Catalogue of Birds collected by M. Sallé in Southern Mexico	1857, 81
On Three New Species of the Genus <i>Todirostrum</i>	1857, 82
List of Birds collected by Mr. Thomas Bridges, Corr. Memb., in the Valley of San José, in the State of California	1857, 125
Note on the Upland Goose	1857, 128
Descriptions of Twelve New or little-known Species of the South American Family <i>Formicariidæ</i> . . .	1857, 129
List of Additional Species of Mexican Birds ob- tained by M. Auguste Sallé from the environs of Jalapa and S. Andres Tuxtla	1857, 201
On a collection of Birds made by Signor Matteo Botteri in the vicinity of Orizaba in Southern Mexico	1857, 210
Notes on an unnamed Parrot from the Island of St. Domingo, now living in the Society's Gardens, and on some other Species of the same Family	1857, 224

SCLATER, PHILIP LUTLEY, Ph D., &c. (*continued*).

On a Collection of Birds received by M. Sallé from
Southern Mexico 1857, 226

Review of the Species of the Fissirostral Family *Momotidae* 1857, 248

On a Collection of Birds transmitted by Mr. H. W.
Bates from the Upper Amazon 1857, 261

Description of Eleven New Species of Birds from
Tropical America 1857, 271

Notes on Californian Birds By Thomas Bridges,
Corresponding Member. Communicated, with Re-
marks, by Mr Sclater 1858, 1

Notes on a Collection of Birds received from M.
Verreaux, of Paris, from the Rio Napo, in the Re-
public of Ecuador 1858, 59

Notes on some Birds from Southern Mexico 1858, 95

On some New or little-known Species of *Accipitres*,
in the Collection of the Norwich Museum 1858, 128

Note on the Variation of the Form of the Upper
Mandible in a Rapacious Bird 1858, 150

Synopsis of the American Ant-birds (*Formicariidae*).
Part I., containing *Thamnophilinae* 1858, 202

——. Part II., containing the *Formicivorinae*, or
Ant-Wrens 1858, 232

——. Part III., containing the *Formicarumae*, or
Ant-Thrushes 1858, 272

Additional Note on the Upland Goose (*Chloephaga magellanica*) 1858, 289

On some New or little-known Species of Tanagers,
from the Collection of M. Verreaux, of Paris 1858, 293

On a Collection of Birds received by M. Auguste
Sallé from Oaxaca in Southern Mexico 1858, 294

Descriptions of a New Species of the Genus *Buteo*,
from Mexico 1858, 356

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

- List of Birds collected by George Cavendish Taylor,
Esq., in the Republic of Honduras 1858, 356
- Characters of Five New Species of American Birds 1858, 446
- List of Birds collected by Mr. Louis Fraser at
Cuenca, Gualaquiza and Zamora, in the Republic of
Ecuador 1858, 449
- On Two New Species of Ant-birds in the Collec-
tion of the Derby Museum, Liverpool 1858, 540
- Note on the Genus *Cichlopsis* of Cabanis ... 1858, 541
- On the Birds collected by Mr. Louis Fraser in the
vicinity of Riobamba, in the Republic of Ecuador .. 1858, 549
- Descriptions of New Species of the American Family
Tyrannidæ 1859, 40
- Description of a New Species of Owl of the Genus
Oscops 1859, 131
- Note on the Spur-winged Geese (*Plectropterus*)
now living in the Society's Gardens 1859, 131
- List of the First Collection of Birds made by Mr.
Louis Fraser at Pallatanga, Ecuador, with Notes and
Descriptions of New Species 1859, 135
- On some New Species of *Synallaxis*, and on the
Geographical Distribution of the Genus..... 1859, 191
- Exhibition of two rare Species of Arctic Birds, *Colymbus adamsi* and *Eurymorhynchus pygmaeus* 1859, 201
- A Record of the Number of Days of Incubation of
Birds which breed in the Society's Gardens 1859, 205
- Remarks on exhibiting specimens of Two Species
of Divers (*Colymbus*) from Mr. Gurney's Collection.. 1859, 206
- On a Collection of Birds from Vancouver's Island.. 1859, 235
- A Synopsis of the Thrushes (*Turdidæ*) of the New
World 1859, 321
- Exhibition of an Egg laid by the Apteryx (*A. mantelli*) which had been living in the Gardens since 1852 1859, 350

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

Exhibition of Eggs of *Grus montignesia*, *G. virgo*,
and *G. cinerea*, also of an Egg of *Balæniceps rex*. 1859, 353

On a series of Birds collected in the vicinity of
Jalapa in Southern Mexico 1859, 362

List of Birds collected by M. A. Boucard in the
State of Oaxaca in South-western Mexico, with De-
scriptions of New Species 1859, 369

On some New or little-known Birds from the Rio
Napo 1859, 440

On some Hybrid Ducks bred in the Society's Gardens 1859, 442

Further Evidence of the Distinctness of the Gambian
and Ruppell's Spur-winged Geese (*Plectropterus gam-
bensis* and *P. ruppelli*) 1860, 38

List of Additional Species of Birds collected by Mr.
Louis Fraser at Pallatanga, Ecuador; with Notes and
Descriptions of New Species 1860, 63

List of Birds collected by Mr. Fraser in the vicinity
of Quito, and during excursions to Pichincha and Chim-
borazo, with Notes and Descriptions of New Species 1860, 73

List of Birds collected by Mr. Fraser in Ecuador,
at Nanegal, Calacali, Perucho, and Puellaró; with
Notes and Descriptions of New Species 1860, 83

Exhibition of a large Horned Owl (*Bubo maximus*,
var.) from Pángkóng Lake, Thibet 1860, 99

Note on the Punjab Sheep living in the Society's
Gardens 1860, 126

Additions to the Menagerie during the months of
January and February. 1860, 183

Exhibition of *Oreophasis derbianus*; and announce-
ment of the addition of *Sieboldia maxima* and *Balæ-
niceps rex* to the Society's Menagerie 1860, 184

Exhibition of an Egg of the King Vulture, and of a
second Egg of the *Apteryx* 1860, 193

On the Rheas in the Society's Menagerie, with Re-
marks on the known Species of Struthious Birds . . . 1860, 207

SCLATER, PHILIP LUTLEY, Ph D, &c. (*continued*).

On the Black-shouldered Peacock of Latham (*Pavo nigripennis*) 1860, 221

On the Species of the Genus *Prioniturus*, and on the Geographical Distribution of the *Psittacidae* in the Eastern Archipelago 1860, 223

Additions to the Menagerie during the months of March and April 1860, 242

List of Mammalia collected by Mr. J. J. Monteiro in Angola 1860, 245

Notes on Two Struthious Birds now living in the Society's Gardens 1860, 247

Notes on a Collection of Birds from the Vicinity of Orizaba and neighbouring parts of Southern Mexico 1860, 250

Exhibition of a specimen of a New Form of Dormouse (*Platacanthomys lasiurus*) 1860, 260

List of Birds collected by Mr. Fraser at Babahoyo in Ecuador, with descriptions of New Species 1860, 272

List of Birds collected by Mr. Fraser at Esmeraldas, Ecuador, with descriptions of New Species 1860, 291

Note on the Skull of the Red River-Hog (*Potamochoerus penicillatus*) 1860, 301

Exhibition of a Male example of the Bimaculated Duck of Yarrell 1860, 303

Description of a New Species of Manakin from Northern Brazil 1860, 312

Description of a New Tyrant-bird of the Genus *Elainea* from the Island of St. Thomas, West Indies 1860, 313

Exhibition of a Drawing of a species of Rock-Kangaroo just received by the Society from South Australia 1860, 323

Additions to the Menagerie during the month of May 1860, 371

Additions to the Menagerie during the month of June 1860, 372

Note on the Japanese Deer living in the Society's Menagerie 1860, 375

Catalogue of the Birds of the Falkland Islands . . . 1860, 382

SCLATER, PHILIP LUTLEY, Ph.D., &c. (*continued*).

Additions to the Menagerie during the months of
July, August, September, and October 1860, 415

Exhibition of Bird-skins from Port Churchill, Hud-
son's Bay 1860, 418

Notice of some Rare Species of *Quadrumanæ*, now
living in the Society's Menagerie 1860, 419

Additions to the Menagerie during the month of
November 1860, 442

On the *Baburussa* and other *Sundæ*, now living in
the Society's Menagerie 1860, 443

Note on the *Ovis polii* of Blyth 1860, 443

Report on the Indian Pheasants bred in the Society's
Menagerie during the years 1858, 1859, and 1860 .. 1860, 444

Characters of Ten New Species of American Birds 1860, 461

SCLATER, PHILIP LUTLEY, Ph.D., M.A., F.R.S., F.L.S.,
Secretary to the Society, and OSBERT SALVIN, M.A.
F.Z.S.

Characters of Eleven New Species of Birds disco-
vered by Osbert Salvin in Guatemala 1860, 298

SCOTT, A.W., M.A., Member of the Legislative Assem-
bly, New South Wales.

On *Cystosoma saundersi* 1852, 14

On a New Lepidopterous Insect from Australia . 1859, 207

Description of a species of *Perga*, or Sawfly .. 1859, 209

SHAW, A. N., F.Z.S.

Letters relating to Collections made at Bombay .. 1849, { 33
94

SHORTT, Dr., F.Z.S.

Remarks on the Civet Cats of India 1860, 98

SIMMONDS, P. L.

- Extract from a letter, announcing the capture of a
young female Gorilla 1860, 184

SMITH, J. P. G.

- Note on *Callicthys* and *Anableps* 1850, 53
On a living *Octopus* (in a letter addressed to Dr.
Gray) 1858, 533

SOTHEBY, S. LEIGH.

- Note on a Talking Canary (addressed to Dr. Gray) 1858, 231

SOWERBY, G., F.L.S.

- Description of a New Species of the Genus *Tomigerus* 1849, 14
Description of Two newly discovered Species of *Cy-
lostoma* 1849, 15
Description of Shells in the Collection of Hugh
Cuming, Esq. 1859, 428

SOWERBY, G. B., JUN., F.L.S.

- Descriptions of some New Species of *Ovulum* . . . 1848, 135
Descriptions of some New Species of *Cancellaria* . 1848, 136
On a New Genus of *Pholadidæ*, with notices of se-
veral New Species, and of a remarkable specimen of
Pholas calva in Mr. Cuming's Collection 1849, 160

SPEKE, Capt. J. H., 46th B N. I.

- Notes on the Habits of Two Mammals observed
in the Somál Country, Eastern Africa 1859, 234

STEVENS, SAMUEL.

- Exhibition of two beautiful new Butterflies col-
lected by Mr. Wallace in the Island of Batchian . . 1859, 351
Exhibition of Birds and Lepidopterous Insects col-
lected by Mr. Wallace in the Island of Batchian . . . 1860, 1

STEVENSON, Mrs.

- Letter 1849, 106

STEWART, THOMAS HOWARD, F.Z.S., M.R.C.S.

- Exhibition of specimens of *Corystes cassivelaunus*,
and the Young of *Comatula rosea* 1859, 495

- Remarks on the Stomach of the *Potamochærus*
penicillatus 1860, 194

STRICKLAND, H. E., M.A.

- On the Habits of a living specimen of *Nannia vitri-*
noides 1848, 142

- List of Birds procured in Kordofan by Mr. J. Pe-
therick, with Notes 1850, 214

- On some Bones of Birds allied to the Dodo 1852, 75

TAYLOR, E. CAVENDISH, M.A., F.Z.S., &c.

- Note on the Eggs of the Frigate Bird and the Cro-
codile of Jamaica 1858, 318

TEGETMEIER, W. B.

- On the remarkable Peculiarities existing in the
Skulls of the Feather-crested variety of the Domestic
Fowl, now known as the Polish 1856, 366

- Exhibition of a Collection of Skins of New Va-
rieties of Domestic Fowls, the property of Charles
Darwin, Esq. 1857, 46

- Exhibition of Specimens illustrating the differences
produced in the Hens of the Common Pheasant and
Domestic Fowl by disease or degeneration of the Ovary 1857, 81

TEMPLE, ROBERT, Chief Justice of British Honduras.

- Letter referring to a species of Peccary 1860, 206

TEMPLETON, R.

- Description of a New Species of *Sorex*, from India 1853, 100

THOMASON, Hon. J.

- Letter relating to a young Kiang 1848, 62

THOMPSON, Captain J. WYCLIFFE.

- Notes on the Gouwa (*Bos frontalis*) of Western
India, called "the Bison" by English residents . . . 1852, 96

THOMPSON, General PERRONET, F.R.S., M.P.

- On the *Lepidosiren* (in a note to Dr. Gray) 1858, 535

THOMPSON, WILLIAM.

- Description of a New Species of *Corynactis* 1853, 107
Remarks on *Nihā edulis*, Risso 1856, 102
Remarks on the British *Actinadæ* and Re-arrange-
ment of the Genera 1858, 145
On a species of *Eolis*, and also a species of *Loma-*
notus new to science, with the description of a
specimen of *Eolis cærulea* of Montagu 1859, 65

TOMES, JOHN, F.R.S., &c.

- On the Blood-coloured Exudation from the Skin of
the Hippopotamus 1850, 160
On the Structure of the Teeth of the American and
Indian Tapirs 1851, 121

TOMES, ROBERT F., Corr. Mem. Z.S.

- On the Occurrence and Habits of *Vespertilio emar-*
gnatus 1848, 112
On Three Genera of Vespertilionidæ, *Furypterus*,
Natalus and *Hyonycteris*, with the Descriptions of
Two New Species 1856, 172
Monograph of the Genus *Lasurus* 1857, 34
Descriptions of Four undescribed Species of Bats . 1857, 50
On Two Species of Bats inhabiting New Zealand 1857, 134
A Monograph of the Genus *Nyctophilus* 1858, 25

TOMES, ROBERT F., Corr. Memb. Z S. (*continued*).

- On the Characters of Four Species of Bats inhabiting Europe and Asia, and the description of a New Species of *Vespertilio* inhabiting Madagascar . . . 1858, 78
- A Monograph of the Genus *Mimopterus* 1858, 115
- A Monograph of the Genus *Kerivoula* 1858, 322
- On the *Vespertilio sullus* of Temminck, the type of the Genera *Murina* (Gray) and *Ocyptes* (Lesson) . . 1858, 367
- Notes of Five Species of Bats in the Collection of L. L. Dillwyn, Esq., M.P., collected in Labuan by Mr. James Motley 1858, 536
- Notes on a Collection of Mammalia made by Mr. Fraser at Gualaquiza 1858, 546
- Description of Six hitherto undescribed Species of Bats 1859, 68
- A Monograph of the Genus *Epomophorus*, with the Description of a New Species 1860, 42
- Description of a New Species of Opossum, obtained by Mr. Fraser in Ecuador 1860, 58
- Notes on a Second Collection of Mammalia made by Mr. Fraser in the Republic of Ecuador 1860, 211
- Notes on a Third Collection of Mammalia made by Mr. Fraser in the Republic of Ecuador 1860, 260
- Additional Note on *Didelphys waterhousii* . . . 1860, 303

TORRENS, H., B.A., V P.As.Soc. Bengal.

- On Native Impressions regarding the Natural History of certain (Indian) Animals 1855, 129

TRISTRAM, Rev. H. B., Corr. Memb. Z S.

- Exhibition of some Mammals, Reptiles, Batrachians, and Fishes collected in the Algerian Sahara . . 1859, 353
- Notes on the Reptiles and Fishes of the Sahara . . 1859, 475

TURNER, H. N., Jun.

- Observations on some of the Foramina at the Base
of the Skull in Mammalia, and on the Classification
of the Order *Carnivora* 1848, 63

- Notes on the dissection of *Paradoxurus typus* and
of *Dipus ægyptius* 1849, 24

- On the Evidences of Affinity afforded by the Skull
in the Ungulate Mammalia 1849, 147

- Contributions to the Anatomy of the Tapir . . . 1850, 102

- On the Generic Subdivision of the *Bovidæ*, or Hol-
low-horned Ruminants 1850, 164

- Note on the Suborbital Gland of the Nylghau . . . 1851, 116

- On the Change of Colour in a Chameleon (*Chamæleo*
vulgaris) 1851, 203

- On the Arrangement of the Edentate Mammalia . . . 1851, 205

TWEEDIE, J. N., Corr. Memb. Z S.

- Letter relating to Collections made at Hayti . . . 1849, 33

TYLER, Lieut. R. E.

- Letters 1849, { 64
94
106

- Notes on the Serpents of Santa Lucia, communi-
cated by the Secretary 1849, 100

- On the Iguana of Santa Lucia 1850, 106

VAN DER HOEVEN, J.

- Contributions to the knowledge of the Animal of
Nautilus pompilius 1850, 1

VEKEMANS, M.

- Letter 1849, 33

VERREAUX, M. JULES, Corr. Memb. Z S.

- Note sur un Genre des Oiseaux de Pioie 1856, 145

- Note sur le Messager ou Serpenteaire du Cap du
Bonne-Espérance (*Serpentarius reptilivorus*, Daud.). 1856, 348

VERREAUX, M. JULES, Corr. Memb. Z.S. (*continued*).

Description d'une nouvelle espèce de Barbu de
l'Afrique occidentale 1859, 393

VON DEM BUSCH, Dr.

On some New Freshwater Shells from Ecuador and
New Granada, in the Collection of H. Cuming, Esq. 1859, 167

WALLACE, ALFRED R.

On the Umbrella Bird (*Cephalopterus ornatus*);
communicated by Mr. S. Stevens 1850, 206

On the Monkies of the Amazon 1852, 107

On some Fishes allied to *Gymnotus* 1853, 75

Extract from a letter received by Mr. S. Stevens
from Mr. Wallace, dated Batchian, October 29, 1858,
referring to a new Bird of Paradise 1859, 129

Notes on *Semioptera wallacii*, Gray, from a Letter
addressed to John Gould, Esq., dated Amboyna,
Sept. 30, 1859 1860, 61

WALLICH, G. C., M.D.

Note on a New Preservative Process 1858, 536

WALPOLE, The Hon. F, Lieut. R.N.

Notes on the *Didunculus*, a species of Pigeon, sup-
posed to be peculiar to the Navigators' Islands . . 1852, 87

WALTER, H. F, F.Z.S.

On the Eggs of *Otogyps* and *Prosthemadera* . . 1853, 192

WATERHOUSE, G. R.

Description of a New Species of *Tupaia*, discovered
in Continental India by W. Elliot, Esq. . . . 1849, 106

WESTERMANN, M.

Letter 1849, 33

WESTWOOD, J. O., F.L.S.

Monograph of the large African Species of Nocturnal *Lepidoptera* belonging or allied to the Genus *Saturnia* 1849, 33

Observations on the destructive species of Dipterous Insects known in Africa under the names of the Tsetse, Zimb, and Tsaltsalya, and on their supposed connexion with the fourth plague of Egypt 1850, 258

Observations on the Dentition of the Tiger Beetles 1851, 198

Descriptions of New Species of *Cleridæ*, from Asia, Africa, and Australia 1852, 34

Descriptions of some New Species of Exotic Moths, belonging or allied to the Genus *Saturnia* 1853, 157

Descriptions of some Species of Lepidopterous Insects belonging to the Genus *Onketicus* 1854, 219

Descriptions of some New Species of *Cleridæ*, collected at Singapore by Mr. Wallace 1855, 19

Exhibition of several new and remarkable Species of Beetles, belonging to the Families *Cicindelidæ* and *Carabidæ* 1855, 119

WHITE, ADAM, F.L.S., Assist. Zool. Dep. Brit. Mus.

Description of *Echinocerus cibarius* 1848, 47

Description of Two New Species of *Crustacea* 1848, 144

Description of apparently New Species of *Aptera*, from New Zealand 1849, 3

Description of some apparently New Species of Longicorn Coleoptera, in the Collection of the British Museum 1850, 10

Descriptions of Two Species of *Crustacea* in the British Museum 1850, 95

Monograph of the Genus *Egosoma*, Serville, with the Description of a New Genus and Species allied to it 1853, 26

Descriptions of some Coleopterous Insects in the Collection of the British Museum, hitherto apparently unnoticed 1856, { 8
406

WHITE, ADAM, F.L.S., &c. (*continued*).

- Some remarks on *Crustacea* of the Genus *Lithodes*,
with a brief Description of a Species apparently
hitherto unrecorded..... 1856, 132
- Description of *Mygale emilia*, a Spider from Panama
hitherto apparently unrecorded 1856, 183
- Descriptions of some Longicorn Coleoptera, appa-
rently as yet unrecorded 1858, 398
- Description of an *Attacus* from the East Indies,
hitherto apparently unrecorded 1859, 115
- Descriptions of unrecorded Species of Australian
Coleoptera of the Families *Carabidæ*, *Buprestidæ*,
Lamellicornia, *Longicornia*, &c. 1859, 117

WILSON, F. H.

- Exhibition of four examples of a curiously coloured
variety of the Common Mole (*Talpa europæa*)..... 1860, 206

WING, W., M.E.S.

- Character of Three New Genera and Species of *Le-
pidoptera*..... 1849, 104

WOLLEY, JOHN, JUN., F.Z.S.

- On the Nest and Eggs of the Waxwing (*Bombycilla
garrula*, Temm.) 1857, 55

WOODWARD, S. P., F.G.S.

- On *Panopæa aldrovandi*, Lam. 1855, 218
- On the Land and Freshwater Shells of Kashmir and
Tibet, collected by Dr. T. Thompson..... 1856, 185
- Exhibition of Preparations of the Mantle and Oral
Apparatus of the Recent British Terebratulæ (*T. caput-
serpentis* 1856, 368
- On a New Species of Mollusk of the Genus *Scissu-
rella*, D'Orb. 1859, 202
- Note on *Cyclostoma articulatum* 1859, 204
- On some New Freshwater Shells from Central Africa 1859, 348
- PROC. ZOOL. SOC. INDEX, 1848-60. 5

WOODWARD, S. P., and LUCAS BARRETT.

On the Genus *Synapta* (communicated by J. S.
Gaskoin, Esq.) 1858, 360

YARRELL, W., F.L.S., F.Z.S., &c.

Letter on the Deal-fish, from Dr. Duguid to Dr.

Barker, .., 1851, 116

Exhibition of *Echiodon drummondii* 1852, 14

Notice of the occurrence of *Otis tarda* in Berkshire 1856, 1

LIST OF THE ILLUSTRATIONS.

1848 to 1860.

MAMMALIA.

No. of Plate.			Page
I.	<i>Galidictis vittata</i> , Gray	1848,	22
II.	<i>Ptilocercus lowii</i> , Gray	1848,	24
III.	<i>Cercopithecus pluto</i> , Gray	1848,	56
IV.	<i>Tragelaphus angassii</i> , Gray. ♂	1848,	89
V.	— Gray. ♀ et juv.		
VI.	<i>Mycetes palustris</i> , Gray	1848,	138
VII.	<i>Sciurus dorsalis</i> , Gray		
VIII.	<i>Herpestes ochraceus</i> , Gray	1849,	7
IX.	<i>Cercopithecus melanogenys</i> , Gray. Fig. 1 . .		
	— <i>ludii</i> , Gray. Fig. 2	1849,	8
X.	<i>Bradypus crinitus</i> , Browne. Fig. 1 (skull) . .	1849,	67
	— <i>affinis</i> , Gray. Fig. 2 (skull)	1849,	68
	<i>Arctopithecus flaccidus</i> , Gray. Fig. 1 (skull) .	1849,	72
	— <i>blainvillii</i> , Gray. Fig. 2 (skull)	1849,	71
XI.	— <i>marmoratus</i> , Gray. Figs. 3, 4 (skull), pt. .	1849,	71
	— <i>problematicus</i> , Gray. Fig. 5 (skull), pt. .	1849,	73
	— <i>gularis</i> , Gray. Fig. 6, skull, pt.	1849,	70
XII.	<i>Capreolus leucotis</i> , Gray.	1849,	64
XIII.	<i>Tupaia ellioti</i> , Waterh	1849,	107
XIV.	Young Hippopotamus	1849,	163
XV.	Hybrid Bull	1849,	172
XVI.	<i>Presbytes albigena</i> , Gray	1850,	77
XVII.	<i>Phacochoerus æthiopicus</i> , juv.	1850,	78
XVIII.	<i>Thylacinus cynoccephalus</i> , juv.	1850,	89
XIX.	<i>Hippopotamus amphibius</i> , Linn.	1850,	
XX.	<i>Adenota lechæ</i> , Gray	1850,	130
XXI.	Exudation from the skin of the Hippopotamus .	1850,	160
XXII.	<i>Coassus nemorivagus</i> , ♂	1850,	240
XXIII.	— Gray. ♀		
XXIV.	— <i>rufus</i> , Gray	1850,	241
XXV.	— <i>superciliaris</i> , Gray	1850,	242
XXVI.	— <i>auritus</i> , Gray		

No. of Plate.			Page
	<i>Coassus nemorivagus</i> , Gray. Figs. 1, 3, 5 ..	1850,	240
XXVII.	— <i>rufus</i> , Gray. Fig. 2 ..	1850,	241
	— <i>superciliaris</i> , Gray. Fig. 4 ..	1850,	242
	— <i>auritus</i> , Gray. Fig. 6 ..	1850,	242
XXVIII.	<i>Cariacus punctulatus</i> , Gray ..	1850,	239
XXIX.	Molar Tooth of the American Tapir ..	1851,	121
XXX.	<i>Herpestes smithi</i> ..	1851,	131
XXXI.	<i>Cynictis macarthia</i> , Gray ..	1852,	17
XXXII.	<i>Anomalurus beecroftii</i> , Fraser ..	1852,	99
XXXIII.	<i>Hyrax dorsalis</i> , Fraser ..	1852,	131
XXXIV.	<i>Potamochoerus penicillatus</i> , Gray ..	1853,	191
XXXV.	<i>Poepagus grummiens</i> , juv. ..	1853,	192
XXXVI.	<i>Budorcas taxicolor</i> , Hodgs. ..	1853,	192
XXXVII.	<i>Porcula salvoma</i> , Hodgs. ..	1854,	249
XXXVIII.	<i>Felis macrosceloides</i> , Hodgs. ..	1855,	17
XXXIX.	<i>Petrogale xanthopus</i> , Gray ..	1855,	38
XL.	<i>Bos arnee</i> , H. Smith (head) ..	1856,	172
XLI.	<i>Mus musculus</i> , var. 7, <i>nudo-plucatus</i> , Gasc. ..	1856,	187
XLII.	<i>Furciferus ceruleus</i> , Tomes ..	1856,	341
XLIII.	<i>Natalus stramineus</i> , Gray ..	1856,	396
XLIV.	<i>Physalus duguidi</i> , Heddle ..	1857,	29
XLV.	<i>Sciurus macrotus</i> , Gray ..	1857,	104
XLVI.	<i>Paradoxurus strictus</i> , Hodgs. ..	1857,	135
XLVII.	— <i>quadriscriptus</i> , Hodgs. ..	1857,	138
XLVIII.	<i>Mustela strigudorsa</i> , Hodgs. ..	1857,	157
XLIX.	<i>Arctonyx isonyx</i> , Hodgs. ..	1857,	159
L.	<i>Manatus vogeli</i> ?, Owen. ..	1857,	277
LI.	Shanghai Sheep ..	1858,	278
LII.	<i>Scotophilus tuberculatus</i> , Forster ..	1858,	58
LIII.	<i>Mystacina tuberculata</i> , Gray ..	1858,	82
LIV.	<i>Oryz beatrix</i> , Gray ..	1858,	104
LV.	<i>Lepus nigripes</i> , Bartlett ..	1858,	105
LVI.	<i>Cephalophus grimm</i> , Gray ..	1858,	111
LVII.	— <i>burchellii</i> , Gray ..	1858,	112
LVIII.	<i>Leopardus hernandesii</i> , Gray ..	1858,	117
LIX.	<i>Pomatochærus africanus</i> , Gray ..	1858,	332
LX.	<i>Vespertilio formosus</i> ?, Hodgs. ..	1858,	331
LXI.	<i>Cuscus orientalis</i> , ♂ ♀, Gray ..	1859,	38
LXII.	— <i>celebensis</i> , Gray ..	1859,	102
LXIII.	<i>Dactylopsila trivirgata</i> , Gray ..	1859,	107
LXIV.	<i>Myonectis wallacii</i> , Gray ..	1859,	110
LXV.	<i>Muniopterus schreibersii</i> ..	1859,	213
	— <i>blepotis</i> ..		
LXVI.	<i>Kerwoula cerosa</i> , Tomes ..		
	— <i>lanosa</i> , Smith ..		
LXVII.	<i>Notopterus macdonaldi</i> , Gray ..		
LXVIII.	<i>Arctocephalus u sinus</i> (skull) ..		
LXIX.	— <i>delalandi</i> (skull) ..		
LXX.	— <i>gillespi</i> (skull) ..		
LXXI.	<i>Ornithorhynchus anatinus</i> ..		

No. of Plate.			Page
LXXII.	<i>Arctocephalus monteriensis</i> (skull).....	1859,	358
LXXIII.	<i>Equus kyang</i>	1859,	353
LXXIV.	<i>Cuscus ornatus</i>	1860,	1
LXXV.	<i>Epomophorus franqueti</i> , Tomes	1860,	54
LXXVI.	<i>Didelphys waterhousi</i>	1860,	58
LXXVII.	Section of the head of young Giraffe.	1860,	99
LXXVIII.	Sacculated Peyerian gland of young Giraffe..		
LXXIX.	<i>Ovis vignii</i>	1860,	127
LXXX.	— <i>cycloceros</i>	1860,	128
LXXXI.	<i>Pithecia albicans</i>	1860,	228
LXXXII.	<i>Macacus ocreatus</i>	1860,	420
LXXXIII.	<i>Babirussa alfurus</i>	1860,	443

AVES.

I.	<i>Trochilus (Helianthea) eos</i> , Gould	1848,	11
II.	— (<i>Heliangelus</i>) <i>mavors</i> , Gould	1848,	12
III.	<i>Coracopsis? personata</i> , Gray	1848,	21
IV.	<i>Podica personata</i> , Gray	1848,	90
V.	<i>Psittacus ruppelli</i> , Gray	1848,	125
VI.	<i>Oncosoma castaneothorax</i> , Gould	1848,	139
VII.	<i>Gallus temminckii</i> , Gray	1849,	62
VIII.	— <i>aneus?</i> , Temm.	1849,	63
IX.	<i>Glareola nuchalis</i> , Gray		
X.	<i>Cultrides rufipennis</i> , Gray	1849,	143
XI.	<i>Eclectus cornelia</i> , Bonap.		
XII.	<i>Ptilorhus victoriae</i> , Gould	1849,	111
XIII.	Hybrid Crowned Pigeon	1849,	171
XIV.	<i>Eos cyanogenia</i> , Bonap.	1850,	27
XV.	— <i>semilarvata</i> , Bonap.		
XVI.	<i>Chalcopsitta rubiginosa</i> , Bonap.	1850,	26
XVII.	<i>Garrulus lidthi</i> , Bonap.	1850,	80
XVIII.	<i>Oriolus broderipii</i> , Bonap.	1850,	279
XIX.	<i>Aquila audax</i> , Lath. (egg)	1850,	91
XX.	<i>Cephalopterus glabricollis</i> , Gould	1850,	92
XXI.	<i>Notornis mantelli</i> , Owen	1850,	212
XXII.	<i>Buteo rufipennis</i> , Strickl.	1850,	214
XXIII.	<i>Mirafra cordofanica</i> , Strickl.	1850,	218
XXIV.	<i>Alauda erythropygia</i> , Strickl.	1850,	219
XXV.	<i>Palaeornis derbianus</i> , Fraser	1850,	245
XXVI.	— <i>erythrogenys</i> , Fraser		
XXVII.	<i>Craw alberti</i> , Fraser ♂	1850,	246
XXVIII.	— —, Fraser. ♀		
XXIX.	<i>Penelope niger</i> , Fraser. ♂ ♀	1850,	274
XXX.	<i>Apteryx australis</i> , Shaw. Figs. 1, 2		
	— <i>mantelli</i> , Bartl. Figs. 3, 4		
	— <i>australis</i> , Shaw. Fig. 1		
XXXI.	— <i>mantelli</i> , Bartl. Fig. 2	1850,	276
XXXII.	<i>Turdus vulpinus</i> , Hartl.		

No. of Plate.			Page
XXXIII.	<i>Macherirhynchus flaviventer</i> , Gould	1850,	277
XXXIV.	<i>Ptilotis filigera</i> , Gould	1850,	278
XXXV.	<i>Baleniceps rex</i> , Gould	1851,	2
XXXVI.	<i>Saurophagus derbianus</i> , Kaup	1851,	44
XXXVII.	<i>Psaris fraserii</i> , Kaup. ♂	1851,	47
XXXVIII.	—, Kaup. ♀		
XXXIX.	<i>Megapodius cumingii</i> , Dillwyn	1851,	119
XL.	<i>Francolinus yemensis</i> , Nicholson	1851,	128
XLI.	<i>Tenioptera erythropygia</i> , Selater ..	1851,	193
XLII.	— <i>striaticollis</i> , Selater		
XLIII.	<i>Artamus cucullatus</i> , Nicholson	1851,	196
XLIV.	<i>Sagmatorrhana lathamii</i> , Bonap.	1851,	202
XLV.	Metatarsal bone of <i>Didus nazareus</i> . Fig. 1	1851,	284
	— of <i>Didus solitarius</i> . Fig. 2 ..	1851,	283
	— of <i>Didus ineptus</i> . Fig. 3	1851,	281
	Egg of <i>Apteryx mantelli</i>	1852,	12
XLVI.	— of <i>Sterna</i> —?	1852,	
	— of <i>Strigops habroptilus</i>	1852,	32
	— of <i>Ocydromus australis</i>	1852,	
	— of <i>Ocydromus australis</i>	1852,	
XLVII.	<i>Oulicivora boliviana</i> , Selater ..	1852,	34
XLVIII.	<i>Pipra flavo-tincta</i> , Selater ...		
XLIX.	<i>Suthora webbiana</i> , G. R. Gray	1852,	70
L.	<i>Bucco radiatus</i> , Selater	1853,	122
LI.	<i>Malacoptila substriata</i> , Selater	1853,	123
LII.	<i>Dendrocolaptes eytoni</i> , Selater	1853,	68
LIII.	Nest and Eggs of <i>Memura alberti</i> ..	1853,	45
LIV.	<i>Ptilonopus chrysogaster</i> , G. R. Gray	1853,	48
LV.	— <i>purpureocinctus</i> , G. R. Gray		
LVI.	Egg of <i>Otrogyps auritus</i>	1853,	192
	<i>Prothemadera novae zelandiae</i>		
LVII.	<i>Ruticilla phoenicurodes</i> , F. Moore	1854,	25
LVIII.	— <i>hodgsonii</i> , F. Moore ..	1854,	26
LIX.	— <i>rufogularis</i> , F. Moore ..	1854,	27
LX.	— <i>vigorsii</i> , F. Moore		
LXI.	— <i>nigrogularis</i> , F. Moore ..	1854,	29
LXII.	<i>Nemura hodgsonii</i> , F. Moore	1854,	76
LXIII.	<i>Delichon nipalensis</i> , F. Moore	1854,	104
LXIV.	<i>Buthraupis chloronota</i> , Selater	1854,	97
LXV.	<i>Euphonia hirundinacea</i> , Bonap.	1854,	98
	— <i>concinna</i> , Selater		
LXVI.	<i>Tyrannula phenicura</i> , Selater. Fig. 1	1854,	113
	— <i>ornata</i> , Lafr. Fig. 2		
LXVII.	<i>Arremon spectabilis</i> , Selater	1854,	114
LXVIII.	<i>Chlorospingus melanotis</i> , Selater	1854,	157
LXIX.	<i>Tachyphonus xanthopygicus</i> , Selater ..	1854,	158
LXX.	<i>Myrmeciza leucapsis</i> , Selater ...	1854,	253
LXXI.	— <i>margaritata</i> , Selater		
LXXII.	<i>Pithys erythrophrys</i> , Selater ..	1854,	255
	<i>Hypocnemis melanolema</i> , Selater ..		
LXXIII.	— <i>melanosticta</i> , Selater	1854,	254
LXXIV.	<i>Formicivora caudata</i> , Selater		

No. of Plate.		Page
LXXV.	<i>Malacocichla dryas</i> , Gould.....	1854, 285
LXXVI.	<i>Orthotomus derbianus</i> , F. Moore	1854, 309
LXXVII.	<i>Galbula fuscicapilla</i> , Selater	1855, 13
LXXVIII.	{ Egg of <i>Pterocles exustus</i>	1855, 30
	— of <i>Pterocles quadricinctus</i>	
LXXIX.	<i>Thamnophilus leucauchen</i> , Selater	1855, 18
LXXX.	— <i>melanonotus</i> , Selater	
LXXXI.	— <i>nigrocinereus</i> , Selater	1855, 19
LXXXII.	— <i>cæsius</i> , Selater	
LXXXIII.	— <i>melanurus</i> , Gould	1855, 69
LXXXIV.	{ <i>Todirostrum nigriceps</i> , Selater	1855, 66
	— <i>spiciferum</i> , Laf.	1855, 67
LXXXV.	<i>Conirostrum ferrugineiventris</i> , Selater	1855, 74
LXXXVI.	<i>Synallaxis erythrothorax</i> , Selater	1855, 75
LXXXVII.	<i>Ramphocanus cinereiventris</i> , Selater	
LXXXVIII.	<i>Cyphorhinus albigularis</i> , Selater	1855, 76
LXXXIX.	<i>Arremon erythrorhynchus</i> , Selater	
XC.	<i>Tachyphonus canthopygius</i> , Selater	1855, 83
XCI.	<i>Tanagra notabilis</i> , Jardine	
XCI.	<i>Saltator arremonops</i> , Jardine	1855, 84
XCI.	<i>Prion brevirostris</i> , Gould	1855, 87
XCIV.	<i>Grallaria modesta</i> , Selater	
XCV.	<i>Chamaea mollissima</i> , Selater	1855, 89
XCVI.	<i>Formicivora callinota</i> , Selater	
XCVII.	<i>Dysithamnus semicinctus</i> , Selater	
XCVIII.	<i>Pyrglena tyrannina</i> , Selater	1855, 90
XCVIII.	<i>Nemosia albigularis</i> , Selater	
XCIX.	<i>Pyrglena ellisiana</i> , Selater	1855, 109
C.	<i>Anthus bogotensis</i> , Selater	
CI.	<i>Otocorys peregrina</i> , Selater	1855, 110
CII.	<i>Vireolanius icterophrys</i> , Bonap.	1855, 151
CIII.	<i>Ampelion cinctus</i> , Tsch.	1855, 152
CIV.	<i>Bucco hyperrhynchus</i> , Selater	1855, 183
CV.	— <i>pulmentum</i> , Selater	1855, 194
CVI.	<i>Somateria V-nigra</i> , G. R. Gray	
CVII.	<i>Lamprosetta fischeri</i> , Brandt	1855, 211
CVIII.	<i>Buarremon leucopterus</i> , Jardine	1855, 214
CIX.	<i>Iridornis porphyrocephala</i> , Selater	1855, 227
CX.	<i>Otocorys longirostris</i> , Moore	
CXI.	<i>Emberiza stracheyi</i> , Moore	1855, 215
CXII.	<i>Propasser thura</i> , male	
CXIII.	— —, female	
CXIV.	<i>Calonotus (Phlegenas) stairui</i> , G. R. Gray	1856, 6
CXV.	<i>Margarornis brunescens</i> , Selater	1856, 27
CXVI.	<i>Ochoeca fumicolor</i> , Selater	
CXVII.	<i>Euscarthmus agilis</i> , Selater	1856, 28
CXVIII.	<i>Conopophaga cucullata</i> , Selater	1856, 29
CXIX.	<i>Granatellus sallæi</i> , Selater	1856, 292
CXX.	<i>Pipra mentalis</i> , Selater	1856, 299
CXXI.	Nest and eggs of <i>Bombycilla garrula</i> , Temm. . .	1957, 55
CXXII.	<i>Cotinga amabilis</i> , Gould. ♂ ♀	1857, 64
CXXIII.	<i>Euphonia gouldii</i> , Selater	1857, 66

No. of Plate.		Page
	<i>Todirostrum calopteryx</i> , Selater	1857, 82
CXXV.	— <i>capitale</i> , Selater	1857, 83
	— <i>exile</i> , Selater	1857, 83
CXXVI.	<i>Formicivora urosticta</i> , Selater	1857, 130
	— <i>hawaiiensis</i> , Selater	1857, 131
CXXVII.	<i>Polychlorus westermanni</i> (Bonap.)	1857, 224
CXXVIII.	<i>Prionirhynchus carinatus</i> (Du Bus)	1857, 257
CXXIX.	<i>Casuarus bennettii</i> , Gould	1857, 268
CXXX.	<i>Anabazenops guttulatus</i> , Selater	1857, 272
CXXXI.	<i>Melanerpes rubigularis</i> , Selater	1858, 2
CXXXII.	<i>Euchates coccineus</i> , Selater	1858, 73
	<i>Oreurgops verticalis</i> , Selater	1858, 73
CXXXIII.	<i>Dacelo tyro</i> , G. R. Gray	1858, 171
CXXXIV.	<i>Todopsis cyanocephala</i> , G. R. Gray	1858, 177
CXXXV.	<i>Chalcopsitta rubrifrons</i> , G. R. Gray	1858, 182
CXXXVI.	<i>Ptilonopus wallacii</i> , G. R. Gray	1858, 185
CXXXVII.	— <i>aurantiifrons</i> , G. R. Gray	1858, 185
CXXXVIII.	— <i>coronulatus</i> , G. R. Gray	1858, 185
CXXXIX.	<i>Thamnophilus amazonicus</i> , ♂ ♀, Selater	1858, 214
CXL.	<i>Dysithamnus leucostictus</i> , Selater	1858, 223
CXLI.	<i>Myrmotherula surinamensis</i> , ♂ ♀, Selater	1858, 234
	— <i>multistriata</i> , ♂ ♀, Selater	1858, 234
CXLII.	<i>Formicivora erythrocerca</i> , Selater	1858, 240
CXLIII.	<i>Myrmelastes plumbeus</i> , ♂ ♀, Selater	1858, 274
CXLIV.	Egg of <i>Casuarus bennettii</i>	1858, 271
CXLV.	<i>Phrygilus ocularis</i> , ♂ ♀, Selater	1858, 449
CXLVI.	<i>Elainea griseigularis</i> , Selater	1858, 554
	— <i>stictoptera</i> , Selater	1858, 554
CXLVII.	<i>Catreus wallichii</i> , juv. Fig. 1	1858, 544
	<i>Lophophorus impeyanus</i> , juv. Fig. 2	1858, 544
CXLVIII.	<i>Gallophegus albocristatus</i> , juv. Fig. 1	1858, 544
	— <i>horsfieldii</i> , juv. Fig. 2	1858, 544
CXLIX.	Eggs of <i>Gallophegus horsfieldii</i> (fig. 1), <i>G. melanotus</i> (fig. 2), <i>G. albocristatus</i> (fig. 3), <i>Catreus wallichii</i> (fig. 4), and <i>Lophophorus impeyanus</i> (fig. 5)	1858, 544
CL.	<i>Dendrocincla anabatina</i> , Selater	1859, 54
CLI.	<i>Chloronotus sanguinolentus</i> , Selater	1859, 60
CLII.	<i>Otothrix hodgsoni</i> , Gray	1859, 101
CLIII.	<i>Plectropterus gambensis</i> . Fig. 2 ♂	1859, 131
	— <i>ruppellii</i> . Fig. 1 ♂	1859, 131
CLIV.	<i>Vireo josephæ</i> , Selater	1859, 137
CLV.	<i>Carpophaga goliath</i> , G. R. Gray	1859, 165
CLVI.	<i>Montifringilla adamsi</i> , Moore	1859, 169
CLVII.	<i>Laimodon albiventris</i>	1859, 393
CLVIII.	Hybrid between <i>Tadorna vulpanser</i> and <i>Casarca cana</i>	1859, 442
CLIX.	<i>Oreomanes fraseri</i>	1860, 75
CLX.	<i>Euchloris jurunda</i>	1860, 89
CLXI.	<i>Pytelia monteiri</i>	1860, 111
CLXII.	Egg of <i>Casuarus bennettii</i>	1860, 206
CLXIII.	<i>Coccothraustes maculipennis</i>	1860, 251

No. of Plate.		1860,	Page
CLXIV.	<i>Cyclorhis virenticeps</i>	1860,	274
CLXV.	Structure of the Gizzard of the Nicobar Pigeon and other granivorous birds	1860,	330
CLXVI.			
CLXVII.	Hybrid between <i>Fuligula collaris</i> and <i>F. americana</i>	1860,	336
CLXVIII.	Hybrid between <i>Antis boschas</i> and <i>Dafila acuta</i>	1860,	336
CLXIX.	<i>Aquila gurneyi</i>	1860,	342
CLXX.	<i>Tanysiptera sabrina</i>	1860,	347
CLXXI.	<i>Megapodius wallacii</i>	1860,	362
CLXXII.	<i>Habroptila wallacii</i>	1860,	365
CLXXIII.	<i>Ohloephaga rubidiceps</i>	1860,	387

REPTILIA.

I.	<i>Oyclura lophoma</i> , Gosse	1848,	99
II.	<i>Cistudo (Onychotria) mexicana</i> , Gray	1849,	17
III.	{ <i>Iguana rhinolophus</i> <i>Metopocerus cornutus</i> , Wagl.	1850,	106
IV.			
V.	<i>Pterodactylus longirostris</i> , Bowerbank	1851,	14
	Cancelled.		
VI.	{ <i>Anadia ocellata</i> . Fig. 1 <i>Enminia olivacea</i> . Fig. 2 <i>Iphisa elegans</i> . Fig. 3	1851,	39
VII.			
VIII.			
VIII.	<i>Amblyostoma californiense</i> , Gray	1853,	11
IX.	<i>Corucia zebrata</i>	1855,	217
IX a.	<i>Testudo elongata</i> , Gray	1856,	181
X.	{	1856,	182
X a.			
XI.	<i>Batagur ocellata</i> , Gray	1856,	342
XII.	<i>Lepidosiren annectens</i>	1856,	369
XII a.	<i>Chelodina expansa</i> , Gray	1856,	57
XIII.	<i>Mitylia gerrardii</i> , Gray	1858,	155
XIV.	<i>Calabaria fusca</i> , Gray	1858,	446
XV.	{ <i>Argalia olivacea</i> . Fig. 1 <i>Riama unicolor</i> , Gray. Fig. 2. <i>Callophis intestinalis</i> . Figs. A, B, C	1859,	82
XVI.			
XVI.			
XVII.	{ — <i>trimaculatus</i> . Fig. D, magnified — <i>maculiceps</i> . Fig. E, magnified — <i>univirgatus</i> . Fig. A	1859,	83
XVII.			
XVII.			
XVIII.	{ <i>Vermicella occipitalis</i> . Fig. B. <i>Elaps decoratus</i> , Jan. Fig. A, a — <i>filiformis</i> , Gthr. Fig. B, b	1859,	85
XVIII.			
XVIII.			
XIX.	{ <i>Cynops chinensis</i> , Gray. Fig. 1 <i>Plethodon persimilis</i> , Gray. Fig. 2 <i>Cercosaurus rhombifer</i> , Gthr. Fig. A	1859,	405
XIX.			
XIX.			
XX.	<i>Liocephalus viridescens</i> , Gthr. Fig. B	1859,	409
XX.	<i>Lachesis nitidus</i> , Gthr. Fig. C	1859,	414
XXI.	<i>Geoclemmys macrocephala</i>	1859,	479
XXII.	<i>Aspidocheilus livingstonii</i>	1860,	5
XXIII.	<i>Herpeton tentaculatum</i>	1860,	114

No. of Plate.		Page
XXIV.	<i>Chrysenis batesii</i>	1860, 132
	<i>Barycephalus sykesii</i> , Gthr. Fig. A	1860, 150
XXV.	<i>Tiaris elliotii</i> , Gthr. Fig. B	1860, 151
	<i>Tiliqua schlegelii</i> , Gthr. Fig. C	1860, 153
XXVI.	<i>Ablapes owenii</i> , Gthr. Fig. A, a	1860, 155
	— <i>rappii</i> , Gthr. Fig. B, b	1860, 154
XXVII.	<i>Spilotes hodgsoni</i> , Gthr.	1860, 156
XXVIII.	<i>Rana liebighi</i> , Gthr. Fig. A, a	1860, 157
	<i>Dicroglossus adolfi</i> , Gthr. Fig. B, b	1860, 158
XXIX.	<i>Geoclemmys annulata</i>	1860, 231
XXX.	<i>Emys fuliginosus</i>	1860, 232
XXXI.	<i>Manouria fusca</i>	1860, 395
XXXII.	<i>Thamnecenchris aurifer</i> . Fig. 1	1860, 459
	<i>Hyla holochlora</i> . Fig. 2	1860, 460

PISCES.

I.	<i>Aploactis milesii</i> , Richdn. Figs. 1, 2	1850, 60
	<i>Apistes panduratus</i> , Richdn. Figs. 3, 4	1850, 58
II.	<i>Threpterus maculosus</i> , Richdn. Figs. 1, 2	1850, 70
	<i>Cheilodactylus gibbosus</i> , Solander. Figs. 3, 4	1850, 65
III.	<i>Olisthops cyanomelas</i> , Richdn. Figs. 1, 2	1850, 75
	<i>Cossyphus gouldii</i> , Richdn. Figs. 3, 4	1850, 72
	<i>Petromyzon marinus</i> . Fig. 1	1851, 236
	<i>Lampetra fluviatilis</i> . Fig. 2	1851, 237
IV.	<i>Geotria australis</i> . Fig. 3	1851, 239
	<i>Velasia chilensis</i> . Fig. 4	
	<i>Caragola lapicida</i> . Fig. 5	
	<i>Mordacia mordax</i> . Fig. 6	1851, 240
V.	<i>Geotria australis</i> , Gray	1851, 239
VI.	<i>Siphonognathus argyrophanes</i> , Richdn.	1857, 237
VII.	<i>Halicithys tenuiphora</i>	1859, 39
VIII.	<i>Peristethus cataphractus</i> . Fig. 1	1859, 105
	— <i>orientalis</i> . Fig. 2	
	— <i>rieffelii</i> . Fig. 3	
IX.	<i>Glyphisodon biocellatus</i> . Fig. 1	1859, 222
	<i>Haligenes tristranii</i> . Fig. 2	1859, 471
	<i>Pimelodus cimerascens</i> , Gthr.	1860, 237
X.	— <i>elongatus</i> , Gthr.	1860, 238
	— <i>modestus</i> , Gthr.	1860, 239
XI.	<i>Pagrus bocagvi</i> , Gthr.	1860, 391

MOLLUSCA.

I.	<i>Placenta lincolni</i> , Gray. Fig. 1	1848, 114
	<i>Hemipecten forbesianus</i> , Adams & Reeve. Fig. 2	1848, 133
	<i>Nanina vitrinoides</i> , Gray. Figs. 1, 2, 3	1849, 15
	<i>Cyclostoma aplustre</i> , Sow. Figs. 4, 5	1849, 14
II.	<i>Tomigerus principalis</i> , Sow. Figs. 6, 7	1849, 15
	<i>Cyclostoma formosum</i> , Sow. Figs. 8, 9	1849, 16
	<i>Bulimus irroratus</i> , Reeve. Fig. 10	1849, 16

No. of Plate.		Page
III.	<i>Trigonia pectinata</i> . Figs. 1, 2, 3	1849,
	— <i>jukesii</i> , A. Adams. Figs. 4, 5, 6	1849, 159
IV.	<i>Anomia</i> (<i>Patros</i>) <i>elyros</i> , Gray. Fig. 1	1849, 118
	— <i>acheus</i> , Gray. Fig. 2	1849, 116
	<i>Triumphalia globosa</i> (Quoy). Fig. 1	1849, 160
	— <i>pulcherrima</i> , G. B. Sow. Figs. 2, 2 <i>a</i> , 2 <i>b</i> } Insides of the valves of the same. Figs. 2 <i>c</i> , 2 <i>d</i> } 1849, 161	
V.	<i>Triumphalia cumingii</i> , G. B. Sow. Figs. 3, 3 <i>a</i> } <i>Pholas calva</i> , Sow., <i>in situ</i> , with a stony tube. } Fig. 4 } 1849, 162 — <i>tubifer</i> , Sow., <i>in situ</i> , with shelly tube. } Fig. 5 }	
	<i>Tellina squamulosa</i> , A. Adams. Fig. 1	1849, 169
VI.	<i>Geomelania jamaicensis</i> , Pfr. Figs. 2, 3, 4	
	<i>Panopaea japonica</i> , A. Adams. Fig. 5	
	<i>Sanguinolaria tellinoides</i> , A. Adams. Fig. 6. } 1849, 170 <i>Thracia magnifica</i> , Jonas. Fig. 7 }	
VII.	<i>Chrysodomus heros</i> , Gray	1850, 15
	<i>Myochama transversa</i> . Fig. 1	1850, 23
	— <i>strangei</i> . Fig. 2	
	<i>Cuningia clerii</i> . Fig. 3	1850, 24
	— <i>similis</i> . Fig. 4	
	— <i>striata</i> . Fig. 5	
	— <i>sinuosa</i> . Fig. 6	1850, 25
	— <i>fragilis</i> . Fig. 7	
VIII.	<i>Microtis tuberculata</i> . Figs. 8, 9, 10, 11, 12.	1850, 36
	<i>Stomatia duplicata</i> . Figs. 13, 14, 15	1850, 34
	— <i>notata</i> . Fig. 16	1850, 35
	<i>Gena ornata</i> . Fig. 17	1850, 39
	<i>Liotia peronii</i> . Figs. 18, 19, 20	1850, 50
	— <i>pulcherrima</i> . Fig. 21	
	<i>Cyclostrema spirula</i> . Fig. 22	1850, 42
	<i>Helix vellicata</i> , Forbes. Fig. 1, <i>a</i> , <i>b</i> , <i>c</i>	1850, 55
	— <i>kelleitii</i> , Forbes. Fig. 2, <i>a</i> , <i>b</i>	
	— <i>pandora</i> , Forbes. Fig. 3, <i>a</i> , <i>b</i>	
	— <i>labyrinthus</i> , var. <i>sipunculata</i> . Fig. 4, <i>a</i> , <i>b</i>	1850, 53
IX.	<i>Bulmus achatinellinus</i> , Forbes. Fig. 5, <i>a</i> , <i>b</i>	1850, 56
	— <i>chemnitzoides</i> , Forbes. Fig. 6, <i>a</i> , <i>b</i>	1850, 55
	— <i>fimbriatus</i> , Forbes. Fig. 7, <i>a</i> , <i>b</i>	
	<i>Succinea cingulata</i> , Forbes. Fig. 8, <i>a</i> , <i>b</i>	1850, 56
	<i>Cyclostoma purum</i> , Forbes. Fig. 9, <i>a</i> , <i>b</i>	
	<i>Fusus kelleitii</i> , Forbes. Fig. 10	1850, 274
	<i>Temostoma politum</i> , A. Adams. Figs. 1, 2, 3	1850,
	<i>Hindia nivea</i> , Pfeiffer. Figs. 4, 5	1850,
	— <i>bitubercularis</i> , A. Adams. Fig. 6	1850,
X.	<i>Sphænia philippinarum</i> , A. Adams. Figs. 7, 8, 9	1850, 89
	<i>Pseudoliva zebрина</i> , A. Adams. Fig. 10	1850,
	— <i>kelleitii</i> , A. Adams. Fig. 11	1850,
	<i>Pinaxia coronata</i> , A. Adams. Fig. 12	1850,
XI.	<i>Trochita spirata</i> , Forbes. Fig. 1	1850, 271
	<i>Natica pritchardi</i> , Forbes. Fig. 2	1850, 272
	<i>Nassa woodwardi</i> , Forbes. Fig. 3	1850, 273

No. of Plate.		Page
	<i>Nassa cooperi</i> , Forbes. Fig. 4	
	<i>Planaxis pigra</i> , Forbes. Fig. 5	1850, 273
	— <i>nigritella</i> , Forbes. Fig. 6	
	<i>Trochus aureotinctus</i> , Forbes. Fig. 7	
XI.	— <i>gallina</i> , Forbes. Fig. 8	1850, 271
	— <i>castaneus</i> , Nuttall. Fig. 9	
	— <i>hillii</i> , Forbes. Fig. 10	1850, 272
	— <i>purpuratus</i> , Forbes. Fig. 11	
	<i>Purpura analoga</i> , Forbes. Fig. 12	1850, 273
	— <i>fuscata</i> , Forbes. Fig. 13	1850, 274
XII.	<i>Bulimus maconellii</i> , Reeve.	1851, 198
	<i>Cyclostoma bairdii</i> , Pfr. Fig. 1	1852, 144
	— <i>nobile</i> , Pfr. Fig. 2	
	— <i>magnificum</i> , Sallé. Fig. 3	1852, 142
	<i>Cataulus pyramidatus</i> , Pfr. Fig. 4	
	— <i>eurytremia</i> , Pfr. Fig. 5	1852, 145
XIII.	— <i>layardii</i> , Gray. Fig. 6	1852, 160
	<i>Cylindrella menkeana</i> , Pfr. Fig. 7	1852, 140
	— <i>flamulata</i> , Pfr. Fig. 8	1852, 141
	<i>Cyclostoma bicolor</i> , Pfr. Fig. 9	1852, 145
	<i>Achatina richardii</i> , Pfr. Fig. 10	1852, 140
	<i>Helix launcestonensis</i> , Reeve. Fig. 11	1852, 81
	<i>Terebratulina grayii</i> . Figs. 1, 2, 3	1852, 76
	— <i>bouchardii</i> . Figs. 4, 5, 6	
	— <i>evansii</i> . Figs. 7, 8, 9	1852, 77
	— ? <i>cumingii</i> . Figs. 10 to 16	1852, 78
	<i>Terebratulina cumingii</i> . Figs. 17, 18, 19 ..	1852, 79
	<i>Kraussia deshayesii</i> . Figs. 20, 21	
	— <i>lamarchiana</i> . Figs. 22, 23	1852, 80
XIV.	<i>Argiope neapolitana</i> . Figs. 24, 25	
	— <i>decollata</i> . Fig. 26	1852, 81
	— <i>cuneata</i> . Fig. 27	
	— <i>cistellula</i> . Fig. 28	
	<i>Morrisia anomoides</i> . Fig. 29	1852, 79
	<i>Rhynchonella nigricans</i> . Figs. 30, 31	1852, 81
	<i>Orbicula evansii</i> . Figs. 32, 33, 34	1852, 82
	<i>Myochama keppelliana</i> , A. Adams. Fig. 1 ..	1852, 90
	— <i>strangei</i> , A. Adams. Fig. 2	1852, 90
XV.	— <i>transversa</i> , A. Adams. Fig. 3	1852, 90
	— <i>stutchburyi</i> , A. Adams. Fig. 4	1852, 91
	<i>Aspergillum strangei</i> , A. Adams. Fig. 5	1852, 91
	<i>Crassatella cumingii</i> , A. Adams. Fig. 1	
	— <i>obesa</i> , A. Adams. Fig. 2	1852, 90
XVI.	<i>Trigonia strangei</i> , A. Adams. Fig. 3	1852, 91
	<i>Chiton insculptus</i> , A. Adams. Fig. 4	
	— <i>versicolor</i> , A. Adams. Fig. 5	1852, 92
	— <i>muricatus</i> , A. Adams. Fig. 6	1852, 91
	<i>Oardita excavata</i> , Desh. Figs. 1, 2, 3	1852, 100
	— <i>bimaculata</i> , Desh. Figs. 4, 5	1852, 102
	— <i>elegantula</i> , Desh. Figs. 6, 7	1852, 101
XVII.	— <i>amabilis</i> , Desh. Figs. 8, 9	
	— <i>vestita</i> , Desh. Fig. 10	1852, 102

No. of Plate.			Page		
XVII.	<i>Cardita castanea</i> , Desh. Fig. 11	1852,	102		
	— <i>purpurata</i> . Figs. 12, 13	1852,	100		
	— <i>jukesii</i> . Fig. 14	1852,	101		
	— <i>cumingi</i> . Fig. 15	1852,	102		
	— <i>difficilis</i> . Figs. 16, 17	1852,	103		
	<i>Venerupis siliqua</i> , Desh. Fig. 1	1853,	5		
	— <i>elegans</i> . Fig. 2				
	— <i>cumingi</i> . Fig. 3			1853,	4
	— <i>insignis</i> . Fig. 4			1853,	6
	— <i>foliacea</i> . Fig. 5				
XVIII.	<i>Petricola bipartita</i>	1853,	4		
	<i>Venerupis pulcherrima</i> , Desh. Fig. 7 ..				
	— <i>macrophylla</i> . Fig. 8				
	<i>Petricola gracilis</i> . Fig. 9				
	— <i>cultellus</i> . Fig. 10				
	— <i>serratus</i> . Fig. 11	1853,	8		
	— <i>rostralis</i> . Fig. 12				
	<i>Venus tuberosa</i> . Fig. 1	1853,	9		
	— <i>jukesii</i> . Fig. 2				
	<i>Tapes inflata</i> Fig. 3	1853,			
— <i>turgidula</i> . Fig. 4	1853,				
XIX.	— <i>bradiata</i> . Fig. 5	1853,	9		
	— <i>quadrirradiata</i> . Fig. 6				
	<i>Metula cumingii</i> , A. Adams. Figs. 1, 2	1853,	173		
	<i>Hyponyx granulata</i> , A. Adams. Fig. 3 ..	1853,	176		
	<i>Vanicoro quoyana</i> , A. Adams. Fig. 4	1853,	175		
	<i>Holcostoma setigerum</i> , A. Adams. Fig. 5 ..	1853,	174		
	<i>Pyramdella subulata</i> , A. Adams. Fig. 6	1853,	177		
	<i>Harpa striatula</i> , A. Adams. Figs. 7, 8	1853,	173		
	— <i>solidula</i> , A. Adams. Figs. 9, 10				
	XX.	<i>Fossar bicarinatus</i> , A. Adams. Figs. 11, 12 ..	1853,	187	
— <i>reticulatus</i> , A. Adams. Fig. 13		1853,	186		
<i>Colina pupiformis</i> , A. Adams. Fig. 14		1853,	176		
<i>Chemnitzia varicosa</i> , A. Adams. Fig. 15		1853,	181		
<i>Clementia papyracea</i> , Gray. Fig. 1		1853,	171		
<i>Glaucanome cerea</i> , Reeve. Fig. 2		1853,	169		
<i>Circe divaricata</i> , Chemn. Fig. 3 ..		1853,	171		
<i>Chamostrea albida</i> , Desh. Figs. 4, 5, 6, 7 ..		1853,	167		
<i>Achatinella gouldi</i> . Fig. 1		1853,	129		
— <i>ovata</i> . Figs. 2, 2 a ..		1853,	130		
— <i>rufa</i> . Fig. 3					
XXI.	— <i>splendida</i> . Fig. 4	1853,	131		
	— <i>redfieldii</i> . Fig. 5				
	— <i>nivosa</i> . Fig. 6	1853,	132		
	— <i>melanostoma</i> . Fig. 7				
	— <i>cestus</i> . Fig. 8 ..	1853,	133		
	— <i>swiftii</i> . Figs. 9, 9 a ..				
	— <i>turgida</i> . Figs. 10, 10 a ..	1853,	134		
	— <i>cylindrica</i> . Fig. 11				
	— <i>casta</i> . Fig. 12	1853,	135		
	— <i>intermedia</i> . Fig. 13				

No. of Plate.		Page
XXII.	<i>Achatinella violacea</i> . Fig. 14	1853, 135
	— <i>sanguinea</i> . Fig. 15	
	— <i>porphyrea</i> . Fig. 16	1853, 136
	— <i>gigantea</i> . Fig. 17	
	— <i>subvirens</i> . Fig. 18	1853, 137
	— <i>ampla</i> . Fig. 19	
	— <i>adamsii</i> . Fig. 20	1853, 138
	— <i>rutila</i> . Fig. 21	
	— <i>rugosa</i> . Figs. 22, 22 a ..	1853, 139
	— <i>multilineata</i> . Fig. 23	
	— <i>glabra</i> . Fig. 25	1853, 140
	— <i>tessellata</i> . Fig. 26	
	— <i>sordida</i> . Fig. 27	1853, 141
	— <i>fumosa</i> . Fig. 28	
	— <i>lineolata</i> . Fig. 29	1853, 142
	— <i>nitida</i> . Fig. 30	
	— <i>crassilabrum</i> . Fig. 31	1853, 143
	— <i>cornea</i> . Fig. 32	
	— <i>labrata</i> . Fig. 33	1853, 144
	— <i>vitrea</i> . Fig. 34	
XXIII.	— <i>affinis</i> . Fig. 35	1853, 145
	— <i>acuta</i> . Fig. 36	
	— <i>polita</i> . Fig. 37	1853, 146
	— <i>soror</i> . Fig. 38	
	— <i>obesa</i> . Figs. 39, 39 a ..	1853, 147
	— <i>terebra</i> . Fig. 40	
	— <i>melanosis</i> . Fig. 41	1853, 148
	— <i>pupoides</i> . Fig. 42	
	— <i>curta</i> . Fig. 43	1853, 149
	— <i>fusca</i> . Fig. 44	
	— <i>recta</i> . Fig. 45	1853, 150
	— <i>grana</i> . Fig. 46	
	— <i>porcellana</i> . Fig. 47	1853, 151
	— <i>venulata</i> . Figs. 48, 48 a ..	
	— <i>mucronata</i> . Fig. 49	1853, 152
	— <i>johnsonii</i> . Fig. 50	
	— <i>aplustis</i> . Fig. 51	1853, 153
	— <i>hybrida</i> . Fig. 52	
	— <i>assimilis</i> . Fig. 53	1853, 154
	— <i>reticulata</i> . Fig. 54	
XXIV.	— <i>ornata</i> . Fig. 55	1853, 155
	— <i>albo-labris</i> . Fig. 56 ..	
	— <i>elegans</i> . Fig. 57	1853, 156
	— <i>pfeifferi</i> . Fig. 58	
	— <i>cumingi</i> . Fig. 59	1853, 157
	— <i>solitaria</i> . Fig. 60	
	— <i>germana</i> . Fig. 61	1853, 158
	— <i>flavescens</i> . Fig. 62	
	— <i>helenae</i> . Fig. 63	1853, 159
	— <i>physa</i> . Fig. 64	
	— <i>dubia</i> . Fig. 65	1853, 160

No of Plate.		Page
	<i>Achatinella grisea</i> . Fig. 66	
	— <i>mastersii</i> . Fig. 67	1853, 153
	— <i>decipiens</i> . Fig. 68	
	— <i>rubiginosa</i> . Fig. 69	1853, 154
	— <i>variabilis</i> . Fig. 70	
	— <i>crassa</i> . Fig. 71	
XXIV.	— <i>baldwinii</i> . Fig. 72	1853, 155
	— <i>buddii</i> . Fig. 73	
	— <i>emersonii</i> . Fig. 74	
	— <i>biplicata</i> . Fig. 75	1853, 156
	— <i>semicarinata</i> . Fig. 76	
	— <i>mæsta</i> . Fig. 77	
	— <i>obscura</i> . Fig. 78	1853, 157
	— <i>concinna</i> . Fig. 79	
	<i>Ancylus cumingianus</i> . Figs. 1 to 9	1853, 91
XXV.	— <i>drouetianus</i> . Figs. 10 to 17	1853, 92
	— <i>baconii</i> . Figs. 18 to 25	1853, 89
	— <i>sauleyanus</i> . Figs. 26 to 33	1853, 92
XXVI.	<i>Voluta deshayesii</i> , Reeve	1854, 73
	<i>Turcica monilifera</i> . Fig. 1	1854, 37
	<i>Clanculus nodulosus</i> . Fig. 2	1854, 39
	<i>Larina strangeri</i> . Fig. 3	1854, 41
	<i>Typhus grandis</i> . Fig. 4	
XXVII.	<i>Eudora coronata</i> . Fig. 5	1854, 42
	<i>Desmoulea ringens</i> . Fig. 6	
	<i>Zaphrinus spectabilis</i> . Fig. 7	1854, 37
	<i>Delphinula martinii</i> . Fig. 8	
	<i>Rostellaria melanocheilus</i> . Fig. 9	1854, 42
	<i>Rapana rhodostoma</i> . Fig. 1	1854, 138
	<i>Stomatia decorata</i> . Fig. 2	1854, 133
	<i>Olypidella baikiei</i> . Fig. 3	1854, 136
	<i>Tudicula recurva</i> . Fig. 4	1854, 135
XXVIII.	<i>Mitra morchii</i> . Fig. 5	1854, 134
	<i>Sconsia grayi</i> . Fig. 6	1854, 136
	<i>Pisania rhodia</i> . Fig. 7	
	<i>Amphiperas rhodia hermannsenii</i> . Fig. 8 ..	1854, 130
	<i>Voluta rosea</i> . Fig. 9	
XXIX.	<i>Mulleria lobata</i> . Figs. 1, 2, 2 a, 3, 3 a	1854, 129
	<i>Bulimus bivaricosus</i> , Gask. Figs. 4, 5	1854, 152
	<i>Achatinella (Newcombia) aptycha</i> . Fig. 1 ..	1855, 1
	— (<i>Achatinellastrum</i>) <i>pulchella</i> . Fig. 2 ..	1855, 6
	— (<i>Frickella</i>) <i>amæna</i> . Fig. 3	
	— (<i>Bulimella</i>) <i>candida</i> . Fig. 4	1855, 2
	— (—) <i>cinerosa</i> . Fig. 5	
XXX.	— (—) <i>macrostoma</i> . Fig. 6	
	— (—) <i>frickii</i> . Fig. 7	
	— (—) <i>planospira</i> . Fig. 8	1855, 3
	— (—) <i>monacha</i> . Fig. 9	
	— (—) <i>vidua</i> . Fig. 10	
	— (—) <i>multicolor</i> . Fig. 11	1855, 4

No. of Plate.		Page
XXX.	<i>Achatinella (Bulinella) attenuata</i> . Fig. 12 ..	1855, 4
	— (—) <i>swainsonii</i> . Fig. 13	
	— (—) <i>sowerbyana</i> . Fig. 14	
	— (—) <i>dolum</i> . Fig. 15 ..	1855, 5
	— (—) <i>forbesiana</i> . Fig. 16	
	— (<i>Laminella</i>) <i>rudas</i> . Fig. 17	
	— (—) <i>fusiiformis</i> . Fig. 18 ..	1855, 6
	— (<i>Achatinellastrum</i>) <i>napus</i> . Fig. 19 ..	
	— (—) <i>ventrosa</i> . Fig. 20 ..	
	— (<i>Auriculella</i>) <i>cerea</i> . Fig. 21 ..	1855, 2
	— (—) <i>gracilis</i> . Fig. 22 ..	1855, 6
	— (—) <i>crassidentata</i> . Fig. 23 ..	
	— (—) <i>valida</i> . Fig. 24 ..	
	— (—) <i>globosa</i> . Fig. 25 ..	1855, 7
	— (—) <i>consersa</i> . Fig. 26 ..	
	— (<i>Labiella</i>) <i>dentata</i> . Fig. 27 ..	
XXXI.	<i>Bulinus protractus</i> . Fig. 1 ..	1855, 94
	— <i>saccatus</i> . Fig. 2 ..	1855, 95
	— <i>musvus</i> . Fig. 3 ..	
	— <i>amandus</i> . Fig. 4 ..	
	— <i>yatesii</i> . Fig. 5 ..	1855, 93
	— <i>serratus</i> . Fig. 6 ..	1855, 94
	— <i>rectilinearis</i> . Fig. 7 ..	1855, 96
	— <i>melanacme</i> . Fig. 8 ..	
	<i>Helix mozambicensis</i> . Fig. 9 ..	1855, 91
	— <i>matura</i> . Fig. 10 ..	1855, 92
	<i>Achatina insignis</i> . Figs. 11, 12 ..	1855, 100
	<i>Helix yatesii</i> . Figs. 13, 14 ..	1855, 92
	<i>Bulinus lacerta</i> . Fig. 15 ..	1855, 94
	<i>Spraxia cumingiana</i> . Fig. 1 ..	1855, 106
XXXII.	<i>Bulinus macgillivrayi</i> . Fig. 2 ..	1855, 108
	<i>Helix migratoria</i> . Fig. 3 ..	
	— <i>traillii</i> . Fig. 4 ..	
	<i>Bulinus cinereus</i> . Fig. 5 ..	1855, 107
	— <i>traillii</i> . Fig. 6 ..	1855, 106
	<i>Helix palawanica</i> . Fig. 7 ..	1855, 107
	— <i>melagris</i> . Fig. 8 ..	
	— <i>vitiensis</i> . Fig. 9 ..	
	<i>Anaulus bombycinus</i> . Fig. 10 ..	1855, 105
XXXIII.	<i>Voluta americana</i> . Figs. 1, 2 ..	1856, 2
	— <i>africana</i> . Figs. 3, 4 ..	
	— <i>cathartice</i> . Figs. 5, 6 ..	
XXXIV.	<i>Halotis albicans</i> ..	1856, 147
XXXV.	<i>Cylindrella boucardii</i> . Fig. 1 ..	1856, 321
	— <i>polygyra</i> . Figs. 2, 3 ..	1856, 322
	— <i>apiostoma</i> . Figs. 4, 5 ..	
	<i>Achatina (Varicella) orizabae</i> . Fig. 6 ..	1856, 320
	— (—) <i>speciosa</i> . Fig. 7 ..	1856, 321
	<i>Spraxia shuttieworthii</i> . Fig. 8 ..	1856, 320
	— <i>turgidula</i> . Fig. 9 ..	
	<i>Bulinus aurifluus</i> . Fig. 10 ..	1856, 319

No. of Plate.			Page
	<i>Bulimus sulphureus</i> , Fig. 11	1856,	318
	— <i>drouetii</i> , Fig. 12	1856,	319
	<i>Helix caducea</i> and var. Figs. 13, 14		
	<i>Simpulopsis salleana</i> , Figs. 15, 16	1856,	319
XXXV.	<i>Helicina heloise</i> , Fig. 17	1856,	322
	— <i>notata</i> , Figs. 18, 19, 20	1856,	323
	<i>Proserpina (Ceres) salleana</i> , Figs. 21, 22 ..	1856,	322
	— <i>eolna</i> , Figs. 23, 24	1856,	324
	<i>Cyclostoma (Cyclophorus) boucardi</i> , Fig. 25	1856,	323
	<i>Cylindrella gheisbreghtii</i> , Pfr. Fig. 1		
	— <i>turris</i> , Pfr. Fig. 2	1856,	380
XXXVI.	— <i>clava</i> , Pfr. Fig. 3		
	<i>Helix meta</i> , Pfr. Figs. 4, 5	1856,	381
	— <i>lombei</i> , Pfr. Figs. 6, 7	1856,	382
	— <i>grevillei</i> , Pfr. Fig. 8	1856,	387
	<i>Cyclostoma eugenice</i> , Reeve. Fig. 1		
XXXVII.	— <i>tubulum</i> , Reeve. Fig. 2	1857,	209
	<i>Strombus taurus</i> , Reeve. Fig. 3	1857,	207
	<i>Trochus (Euchele) alabastrum</i> , Reeve. Fig. 1	1857,	209
XXXVIII.	<i>Murex barclayi</i> , Reeve. Fig. 2		
	<i>Pyrula (Rhizochulus) duburghiae</i> , Reeve. Fig. 3	1857,	208
	<i>Cypræa barclayi</i> , Reeve. Fig. 4		
	<i>Furcella gigantea</i> , Figs. 1, 2, 3		
XXXIX.	<i>Chena annulata</i> , Fig. 4	1857,	248
	— <i>tessellata</i> , Fig. 5		
	<i>Cylindrella eximia</i> , Fig. 1	1858,	23
	<i>Bulmus marica</i> , Fig. 2		
	<i>Helix frickii</i> , Fig. 3	1858,	21
	— <i>purchasi</i> , Fig. 4		
	— <i>wallacei</i> , Fig. 5	1858,	20
XI.	— <i>testudo</i> , Fig. 6	1858,	21
	— <i>congrua</i> , Fig. 7		
	<i>Achatinella gemma</i> , Fig. 8		
	— <i>cinnamomea</i> , Fig. 9	1858,	22
	— <i>minuscule</i> , Fig. 10		
	— <i>sulcata</i> , Fig. 11		
XII.	<i>Stavela torta</i> , Gray. Figs. 1, 1a	1858,	90
	<i>Hyria lanceolata</i> , Figs. 2, 3		
	<i>Bulimus williamsi</i> , Pfr. Fig. 1	1858,	257
	— <i>platystomus</i> , Pfr. Fig. 2	1858,	256
	— <i>vespertinus</i> , Pfr. Fig. 3	1858,	257
	— <i>binneyanus</i> , Pfr. Fig. 4		
XLII.	— <i>catamarcanus</i> , Pfr. Fig. 5	1858,	256
	— <i>patasensis</i> , Pfr. Fig. 6	1858,	257
	— <i>ptychostylus</i> , Pfr. Fig. 7 ..	1858,	256
	— <i>farrisii</i> , Pfr. Fig. 8	1858,	258
	<i>Oniscia ponderosa</i> , Hanley. Figs. 9, 10	1858,	255
	<i>Helix rejecta</i> , Pfr. Fig. 1	1859,	25
XLIII.	— <i>entodontia</i> , Pfr. Fig. 2	1859,	24
	— <i>plagioglossa</i> , Pfr. Fig. 3	1859,	26
	— <i>brevibarbis</i> , Pfr. Fig. 4	1859,	25

No. of Plate.			Page
XLIII.	<i>Achatina layardii</i> , Pfr. Fig. 5	1859,	27
	<i>Helix patasensis</i> , Pfr. Fig. 6	1859,	24
	— <i>monacha</i> , Pfr. Fig. 7	1859,	25
	— <i>gibbosa</i> , Pfr. Fig. 8		
	<i>Cyclostoma fraserii</i> , Pfr. Fig. 1	1859,	28
XLIV.	<i>Helix aphrodite</i> , Pfr. Fig. 2	1859,	26
	— <i>farrisii</i> , Pfr. Fig. 3	1859,	23
	— <i>patricia</i> , Pfr. Fig. 4		
	— <i>jaspidea</i> , Pfr. Fig. 5	1859,	24
	— <i>vipera</i> , Pfr. Fig. 6		
XLV.	<i>Cyclostoma principalis</i> , Pfr. Fig. 7	1859,	27
	<i>Volva mamilla</i>	1859,	34
XLVI.	<i>Scissurella elegans</i> , D'Orb. Figs. 1 to 7	1859,	202
	— <i>mantellii</i> , Fig. 8	1859,	203
	— <i>crispata</i> , Flem. Fig. 9		
	<i>Cyclostoma articulatum</i> , Figs. 10 to 13 . .	1859,	204
XLVII.	<i>Unio burtoni</i> , Fig. 1	1859,	349
	<i>Iridina (Pleodon) spelii</i> , Fig. 2	1859,	348
	<i>Lithoglyphus zonatus</i> , Fig. 3	1859,	349
	<i>Melania nassa</i> , Fig. 4		
XLVIII.	<i>Scapha maria-emma</i>	1859,	230
	<i>Conus proximus</i> , Fig. 1	1859,	429
	— <i>nigrescens</i> , Fig. 2		
	<i>Murex teniatus</i> , Fig. 3	1859,	428
XLIX.	— <i>nubilus</i> , Fig. 4		
	— <i>expansus</i> , Fig. 5	1859,	429
	— <i>roseotinctus</i> , Fig. 6		
	— <i>octogonus</i> , Fig. 7	1859,	428
	<i>Spondylus victoriae</i> , Fig. 8	1860,	139
	<i>Cylindrella splendida</i> , Pfr. Fig. 1		
	— <i>arctospira</i> , Pfr. Fig. 2	1860,	135
	— <i>grandis</i> , Pfr. Fig. 3		
I.	<i>Helix acmella</i> , Pfr. Fig. 4	1860,	135
	— <i>mouhoti</i> , Pfr. Fig. 5	1860,	136
	— <i>aequatoria</i> , Pfr. Fig. 6	1860,	133
	— <i>bougainvillei</i> , Pfr. Fig. 7		
	— <i>isis</i> , Pfr. Fig. 8	1860,	138
	— <i>apollo</i> , Pfr. Fig. 9		
	<i>Cyprea compta</i> , Pease. Fig. 1	1860,	189
	<i>Turricia coreensis</i> , Pease. Fig. 2		
II.	<i>Neptunea fuscolineata</i> , Pease. Fig. 3	1860,	138
	<i>Bulmus colubrinus</i> , Pfr. Fig. 4		
	— <i>fraserii</i> , Pfr. Fig. 5	1860,	137
	— <i>saturatus</i> , Fig. 6	1860,	136
	— <i>boucardi</i> , Pfr. Fig. 7	1860,	138
	— <i>stutchburyi</i> , Pfr. Fig. 8	1860,	137
	— <i>schomburgkii</i> , Pfr. Fig. 9		
	— <i>turneri</i> , Pfr. Fig. 10	1860,	138

ANNULOSA.

I.	<i>Agrias ædon</i> , Hewitson	1848,	46
II.	<i>Echinocerus cibarius</i> , White	1848,	48
	—, White. Figs. 1 to 4		
III.	<i>Scalpellum ornatum</i>	Fig. 5	1848,
	<i>ThalHELLa ornatum</i> , Gray. }		44
	<i>Anatifa ovalis</i> . Fig. 6		
IV.	<i>Corades enyo</i> , Hewitson	1848,	117
V.	<i>Hyleora eucalypti</i> , Doubleday	1848,	118
VI.	<i>Squilla multicarinata</i> , White. Fig. 1	1848,	144
	<i>Cancer (Galene) dorsalis</i> , White. Fig. 2		
VII.	<i>Saturnia vacuna</i> , Westw. Fig. 1.	1849,	39
	— <i>arata</i> , Westw. Fig. 2.	1849,	41
	— <i>tyrrhena</i> , Westw. Fig. 1	1849,	51
VIII.	— <i>belina</i> , Westw. Fig. 2	1849,	41
	— <i>mythinina</i> , Westw. Fig. 3.	1849,	40
	— <i>hersilia</i> , Westw. Fig. 1	1849,	42
IX.	— <i>menippe</i> , Westw. Fig. 2.	1849,	43
	— <i>nenua</i> , Westw. Fig. 3.	1849,	57
	— <i>ethra</i> , Westw. Fig. 1	1849,	56
X.	— <i>sinope</i> , Westw. Fig. 2	1849,	60
	— <i>herilla</i> , Westw. Fig. 3	1849,	57
	— <i>delegorguei</i> , Westw. Fig. 4	1849,	59
	<i>Limnadia hermannii</i> , Brong. Fig. 1	1849,	86
	<i>Estheria melitensis</i> , Baird. Fig. 2	1849,	88
	— <i>polita</i> , Baird. Fig. 3		
XI.	— <i>brasilensis</i> , Baird. Fig. 4	1849,	89
	— <i>donaciformis</i> , Parreyss. Fig. 5		
	— <i>boysii</i> , Baird. Fig. 6	1849,	90
	— <i>similis</i> , Baird. Fig. 7	1849,	95
XII.	<i>Sirex gigas</i>	1849,	95
	<i>Lamia (CeroSterna) trifasciella</i> . Fig. 1	1850,	13
	<i>Bumia bicolor</i> . Fig. 2	1850,	13
XIII.	<i>Calocomus morosus</i> . Fig. 3	1850,	11
	<i>Prionacalus atys</i> . Fig. 4	1850,	10
	<i>Pyrodes tenuicornis</i> . Fig. 5	1850,	11
	<i>Calloctenus pulcher</i> . Fig. 6	1850,	12
	<i>Trichomaplata vittata</i> , Wing. Fig. 1	1849,	105
XIV.	<i>Cahgatus angasii</i> , Wing. Figs. 2, 3	1849,	104
	<i>Palparia lambertella</i> , Wing. Figs. 4, 5	1849,	105
XV.	<i>Potamobius serratus</i>	1850,	95
XVI.	<i>Gonodactylus cultrifer</i> . Figs. 1, 2	1850,	96
	<i>Acanthonotus testudo</i> . Figs. 3 to 5	1850,	97
	<i>Lepidurus viridis</i> . Fig. 1.	1850,	254
	<i>Estheria dahalacensis</i> . Figs. 2, 3, 4		
XVII.	<i>Cypridina marice</i> . Figs. 5, 6, 7	1850,	257
	— <i>interpuncta</i> . Figs. 8, 9, 10		
	— <i>zealandica</i> . Figs. 11, 12, 13	1850,	102 257

No. of Plate.		Page
XVIII.	<i>Cythereis fistulosa</i> . Figs. 1, 2, 3	1850, 256
	— <i>deformis</i> . Figs. 4, 5, 6	
	— <i>runcinata</i> . Figs. 7, 8, 9	
	— <i>australis</i> . Figs. 10, 11, 12	1850, 255
	— <i>prava</i> . Figs. 13, 14, 15	
	— <i>senticosa</i> . Figs. 16, 17, 18	1850, 256
	<i>Cypris donnetii</i> . Figs. 19, 20, 21	
	— <i>cuneata</i> . Figs. 22, 23, 24	1850, 254
	<i>Candona lactea</i> . Figs. 25, 26, 27....	
	<i>Cythere setosa</i> . Figs. 28, 29, 30	
XIX.	— <i>tarentina</i> . Figs. 31, 32, 33	
	<i>Glossina morsitans</i> , Westw. Fig. 1	1850, 261
	— <i>tachinodes</i> , Westw. Fig. 2	1850, 267
	— <i>tabaniformis</i> , Westw. Fig. 3 ..	1850, 268
XX.	<i>Stylomyia leonum</i> , Westw. Fig. 4	1850, 269
XXI.	<i>Distichocera kirbi</i> ♂, Newman	1851, 79
XXII.	<i>Cystocoma saundersii</i>	1852, 14
XXIII.	<i>Apus domingensis</i> . Fig. 1	1852, 5
	<i>Lepidurus glacialis</i> . Fig. 2	1852, 6
	<i>Streptocephalus similis</i> . Figs. 3, 4	1852, 22
XXIV.	<i>Limnadia antillarum</i> . Fig. 1	1852, 30
	<i>Cypris cuneata</i> ? Fig. 2 ..	1852, 30
	— <i>schomburgkii</i> . Fig. 3	1852, 8
	— <i>belcheri</i> . Fig. 4	1852, 7
	<i>Estheria dallasi</i> . Fig. 5 ...	1852, 30
XXV.	<i>Cladiscus longipennis</i> . Fig. 1 ..	1852, 39
	— <i>parriani</i> . Fig. 2	
	— <i>bipectinatus</i> . Fig. 3 ...	
	<i>Olerus (Xylobius?) albo-varius</i> . Fig. 4	1852, 40
	<i>Tillus (Tillecerus) chalybeus</i> . Fig. 5	1852, 41
	<i>Olerus (Xylobius?) dulcis</i> . Fig. 6	1852, 40
	<i>Tillus afzelii</i> . Fig. 7 ..	1852, 38
	<i>Enoplium pustuliferum</i> . Fig. 8	1852, 52
	<i>Tillus (Macrotelus, Monophylla) uniformis</i> . Fig. 9	1852, 37
	<i>Olerus (Xylotretus) excavatus</i> . Fig. 10	1852, 46
XXVI.	<i>Tillus duv.</i> Fig. 11	
	<i>Erymanthus horridus</i> . Fig. 12 ..	1852, 35
	<i>Olerus (Hoplocerus) biaculeatus</i> . Fig. 1 ...	1852, 52
	— (<i>Lemidius</i>) <i>corallipennis</i> . Fig. 2	1852, 47
	— (—) <i>festivus</i> . Fig. 3 ..	
	<i>Thanasimus irregularis</i> . Fig. 4 ..	1852, 38
	— <i>cursorius</i> Fig. 5 ..	1852, 53
	— <i>subscutellaris</i> . Fig. 6	1852, 44
	<i>Olerus sanguinalis</i> . Fig. 7 ..	1852, 36
	<i>Thanasimus sellatus</i> . Fig. 8 ..	1852, 42
XXVII.	<i>Olerus sepulchralis</i> Fig. 9	1852, 52
	— <i>subfasciatus</i> . Fig. 10	1852, 41
	— <i>bengala</i> . Fig. 11	
	— <i>posticalis</i> . Fig. 12	1852, 42
XXVIII.	— (<i>Omadius</i>) <i>mediofasciatus</i> . Fig. 1	1852, 44

No. of Plate.			Page
XXVI.	{	<i>Clerus (Omadius) prasinus</i> . Fig. 2.....	1852, 53
		— (—) <i>olivaceus</i> . Fig. 3.....	1852, 44
		— (<i>Stigmatius</i>) <i>nebulifer</i> . Fig. 4.....	1852, 36
		— (—) <i>rufiventris</i> . Fig. 5.....	1852, 45
		— (—) <i>elaphroides</i> . Fig. 6....	
	{	<i>Opilus 6-notatus</i> . Fig. 7.....	1852, 51
		<i>Clerus (Stigmatius) dorsiger</i> . Fig. 8.....	1852, 37
		<i>Opilus sordidus</i> . Fig. 9.....	1852, 42
		— <i>moerens</i> . Fig. 10.....	1852, 50
		<i>Clerus zebratus</i> . Fig. 11.....	1852, 43
XXVII.	{	<i>Opilus hularis</i> . Fig. 12.....	1852, 50
		<i>Clerus (Hydnocerus?) flavo-lineatus</i> . Fig. 1.	1852, 48
		— (<i>Hydnocerus</i>) <i>bellus</i> . Fig. 2.....	1852, 47
		— (<i>Hydnocerus?</i>) <i>flavo-varius</i> . Fig. 3..	1852, 49
		— (<i>Hydnocerus</i>) <i>exilis</i> . Fig. 4.....	1852, 48
		— (—) <i>V-reversus</i> . Fig. 5.....	
	{	— (—) <i>pectoralis</i> . Fig. 6.....	1852, 49
		<i>Corynetes compactus</i> . Fig. 7.....	1852, 54
		<i>Thanasimus anthracoides</i> . Fig. 8.....	1852, 43
		<i>Clerus novem-guttatus</i> . Fig. 9.....	1852, 49
		<i>Necrobia pinguis</i> . Fig. 10.....	1852, 52
XXVIII.	{	<i>Opetiopalpus obesus</i> . Fig. 11.....	1852, 46
		<i>Necrobia eximia</i> . Fig. 12....	1852, 54
XXIX.	{	Development of <i>Echinococcus</i>	1852, 110
XXX.	{	<i>Ascaris laevis</i> , Baird. Fig. 1.....	1853, 19
		<i>Mermis rigidus</i> , Baird. Fig. 2.....	
		<i>Gordius violaceus</i> , Baird. Fig. 3.....	1853, 20
		— <i>pustulosus</i> , Baird. Fig. 4.....	
		— <i>sphaerura</i> , Baird. Fig. 5.....	1853, 21
XXXI.	{	— <i>fasciatus</i> , Baird. Fig. 6.....	
		<i>Pentastoma annulatum</i> , Baird. Fig. 7.....	1853, 22
		<i>Taenia calva</i> , Baird. Fig. 1.....	1853, 24
		— <i>zederi</i> , Baird. Fig. 2.....	
		— <i>falciformis</i> , Baird. Fig. 3.....	
XXXII.	{	<i>Bothriocephalus antarcticus</i> , Baird. Fig. 4..	1853, 25
		<i>Saturnia jorulla</i> . Fig. 1.....	1853, 159
		— <i>orizaba</i> . Fig. 2.....	1853, 158
		— <i>lavendera</i> . Fig. 3.....	1853, 160
		— <i>sapatoza</i> . Fig. 1.....	1853, 163
XXXIII.	{	— <i>calleja</i> . Fig. 2.....	1853, 161
		— <i>janeira</i> . Fig. 3.....	1853, 164
		— <i>zacateca</i> . Fig. 4.....	1853, 159
		<i>Oileticus nigricans</i> . Fig. 1 and details....	1854, 220
		— <i>kurbii</i> . Fig. 2 and details....	1854, 221
XXXIV.	{	— <i>macleanii</i> . Fig. 3 and details....	1854, 222
		— <i>doubledayi</i> . Fig. 4 and details....	1854, 235
		— <i>saunderii</i>	1854, 223
		— <i>hubnerii</i> . Fig. 1 and details....	1854, 228
		— <i>templetonii</i> . Fig. 2 and details....	1854, 234
XXXVI.	{	— <i>consortus</i> . Fig. 3 and details.....	1854, 235

No. of Plate.			Page
XXXVII.	<i>Oileticus lewini</i> . Fig. 1 and details	1854,	231
	— <i>boisdualii</i> . Fig. 2 and details	1854,	232
	— <i>herrickii</i> . Fig. 3 and details	1854,	236
	— <i>cramerii</i> . Fig. 4 and details	1855,	20
XXXVIII.	<i>Stigmatium ignavum</i> . Fig. 1	1855,	21
	— <i>torulentum</i> . Fig. 2	1855,	22
	— <i>fervidum</i> . Fig. 3	1855,	23
	— <i>granulosum</i> . Fig. 4	1855,	22
	— <i>ambulator</i> . Fig. 5	1855,	23
	— <i>cylindrinum</i> . Fig. 6	1855,	23
	— <i>cursor</i> . Fig. 7	1855,	24
	<i>Omadirus ctenostomoides</i> . Fig. 8	1855,	25
XXXIX.	— <i>fasciipes</i> . Fig. 9	1855,	26
	— <i>vigilans</i> . Fig. 10	1856,	7
	— <i>seticornis</i> . Fig. 11	1856,	13
	— <i>clatiformis</i> . Fig. 12	1856,	14
XL.	<i>Papilio (Ornithoptera) victorica</i> , G. R. Gray ..	1856,	406
	<i>Tragocephala comitessa</i> . Fig. 1	1856,	407
	— <i>chevolatii</i> . Fig. 2	1856,	408
	— <i>ducalis</i> . Fig. 3	1856,	409
	— <i>gemmaria</i> . Fig. 4	1856,	410
	— <i>guerinii</i> . Fig. 5	1856,	14
	<i>Deucalion wollastonii</i> . Fig. 6	1856,	15
	<i>Moneilema albopictum</i> . Fig. 7	1856,	17
	<i>Anisocerus onca</i> . Fig. 8	1856,	16
	— <i>capucinus</i> . Fig. 9	1856,	17
XLI.	— <i>dulcissimus</i> . Fig. 10	1856,	132
	<i>Phaëdinus xanthomelas</i> . Fig. 11	1856,	183
	<i>Phoebe concinna</i> . Fig. 12	1856,	102
	<i>Agelasta calhzona</i> . Fig. 13	1856,	103
	— <i>amica</i> . Fig. 14	1856,	104
	— <i>neumannii</i> . Fig. 15	1856,	14
	<i>Trigonophorus hookeri</i> , ♂, ♀. Figs. 1, 2 ..	1856,	15
	<i>Stethodesma scrullei</i> . Fig. 3	1856,	17
	<i>Clinteria ducalis</i> . Fig. 4	1856,	16
	— <i>hoffmeisterii</i> . Fig. 5	1856,	17
XLII.	<i>Cetonia procera</i> . Fig. 6	1856,	132
	<i>Schizorhina ida</i> . Fig. 7	1856,	183
	— <i>bassii</i> . Fig. 8	1856,	102
	— <i>emilia</i> . Fig. 9	1856,	103
XLIII.	<i>Cetonia schaumii</i> . Fig. 10	1856,	104
	<i>Lathodes (Petalocerus) bellianus</i> , White	1856,	102
	<i>Mygale emilia</i> , White	1856,	103
	<i>Peris nama</i> , Moore, ♂, ♀. Figs. 1, 2	1857,	104
XLIV.	— <i>seta</i> , Moore. Fig. 3	1857,	103
	— <i>sanaca</i> , Moore. Fig. 4	1857,	104
	— <i>indra</i> , Moore. Fig. 5	1857,	104
	— <i>durvasa</i> , Moore, ♀. Fig. 6	1857,	104
XLV.	<i>Papilio janaka</i> , Moore	1857,	115
XLVI.	<i>Pentastoma multinctum</i> , Harley	1857,	115
	— <i>polyzonum</i> , Harley	1857,	115

No. of Plata.			Page
XLVII.	<i>Pentastoma multicinctum</i> . Ova in different stages of development	1857,	115
XLVIII.	<i>Lineus beattiae</i> , Gray	1857,	210
	— <i>Neptis pata</i> , Moore. Fig. 1	1858,	4
	— <i>antara</i> , Moore. Fig. 2	1858,	6
	— <i>narayana</i> , Moore. Fig. 3	1858,	7
XLIX.	— <i>amba</i> , Moore. Fig. 4	1858,	9
	— <i>columella</i> , ♂, ♀. Fig. 5	1858,	10
	— <i>soma</i> . Fig. 6	1858,	8
	— <i>ida</i> , Moore. Fig. 7	1858,	12
	— <i>duryodana</i> , Moore. Fig. 8	1858,	13
	— <i>shepherdia</i> , Newm. Fig. 1	1858,	16
	<i>Athyma bahula</i> , Moore. Fig. 2	1858,	17
L.	— <i>reta</i> , Moore. Fig. 3	1858,	18
	— <i>lresna</i> , Moore. Fig. 4	1858,	19
	— <i>nefte</i> , ♂, ♀. Fig. 5	1858,	20
	— <i>inara</i> , Bd., ♂, ♀. Fig. 6	1858,	225
	— <i>abiasa</i> , Moore. Fig. 7	1858,	224
	— <i>subrata</i> , Moore, ♀. Fig. 1	1858,	225
	— <i>kanwa</i> , Moore. Fig. 2	1858,	398
	— <i>idita</i> , Moore. Fig. 3	1858,	402
LI.	— <i>illigera</i> , Esch. Fig. 4	1858,	405
	— <i>dama</i> , Moore. Fig. 5	1858,	399
	— <i>kasa</i> . Fig. 6	1858,	412
	— <i>gutama</i> , Moore. Fig. 7	1858,	400
LII.	<i>Hedruris siredonis</i> . Figs. 1, 2, 3, 4	1858,	465
	Tail of <i>Hedruris androphora</i> . Fig. 5	1859,	148
	<i>Leptodera elongata</i> . Figs. 6, 7, 8, 9	1859,	111
	<i>Monohammus bowringii</i> . Fig. 1	1859,	115
	— <i>championi</i> . Fig. 2	1859,	117
	<i>Phymasterna leucostictica</i> . Fig. 3	1859,	118
LIII.	<i>Diastocera catherina</i> . Fig. 4	1859,	122
	<i>Anoplostheta jardinei</i> . Fig. 5	1859,	122
	<i>Batocera una</i> . Fig. 6	1859,	119
	<i>Cereopsius helena</i> . Fig. 7	1859,	120
	<i>Acmocera ferruginosa</i> . Fig. 8	1859,	120
LIV.	<i>Diadema pandarus</i> . Figs. 1, 2	1859,	120
	— <i>devis</i> . Figs. 3, 4, 5	1859,	120
LV.	<i>Melanitis melane</i>	1859,	120
LVI.	<i>Ascaris hahichoris</i> , Owen. Figs. 2, 2a, 2b, 2c	1859,	120
	<i>Tænia sulciiceps</i> , Baird. Figs. 1, 1a, 1b	1859,	120
LVII.	<i>Attacus edwardsii</i>	1859,	120
	<i>Platysma sturtii</i> . Fig. 1	1859,	120
	— <i>flindersii</i> . Fig. 2	1859,	120
	<i>Catadromus elseyi</i> . Fig. 3	1859,	120
LVIII.	<i>Oryctes mülleranus</i> . Fig. 4	1859,	120
	<i>Aulacopris reichii</i> . Fig. 5	1859,	120
	<i>Distichocera thomsonella</i> . Fig. 6	1859,	120
	<i>Schizoxhina bakewellii</i> . Fig. 7	1859,	120
	<i>Diaphonia metallescens</i> . Fig. 8	1859,	120
LIX.	<i>Chrysodema louisa</i> . Fig. 1	1859,	120

No. of Plate.		1859,	Page
	<i>Stigmodera guillemi</i> . Fig. 2	1859,	120
	— <i>parallela</i> . Fig. 3	1859,	119
	— <i>bacawellii</i> . Fig. 4	1859,	120
LIX.	<i>Temognatha imperatrix</i> . Fig. 5	1859,	121
	<i>Zopherosis georgii</i> . Fig. 6	1859,	122
	<i>Rhytiphora amacula</i> . Fig. 7	1859,	122
	<i>Platymapsis armatula</i> . Fig. 8	1859,	197
	<i>Trypanophara semihyalina</i> , ♂, ♀. Figs. 1, 2	1859,	198
	<i>Syntomis marsdenii</i> , Moore. Fig. 3	1859,	198
	— <i>vigorsii</i> , Moore. Fig. 4	1859,	199
	— <i>pfeifferae</i> , Moore. Fig. 5	1859,	200
	— <i>wallacii</i> , Moore. Fig. 6	1859,	201
	— <i>penanga</i> , Moore. Fig. 7	1859,	202
	— <i>rafflesii</i> , Moore. Fig. 8	1859,	203
	— <i>walkeri</i> , Moore. Fig. 9	1859,	204
	— <i>pravata</i> , Moore. Fig. 10	1859,	205
	— <i>crawfordii</i> , Moore. Fig. 11	1859,	206
	— <i>cantorii</i> , Moore. Fig. 12	1859,	207
	<i>Phalanna horsfieldii</i> , Moore. Fig. 13	1859,	208
	<i>Phausta mahisa</i> , Moore. Fig. 14	1859,	209
LXI.	<i>Hyphantidum sericarium</i>	1859,	210
LXII.	<i>Perga eucalypti</i>	1859,	211
	<i>Estheria lusitana</i> . Figs. 1, 1 a, 1 d	1859,	212
	<i>Cypris subglobosa</i> . Figs. 2, 2 a, 2 c	1859,	213
	— <i>cylindrica</i> . Figs. 3, 3 a, 3 e	1859,	214
	— —, var. <i>major</i> . Figs. 4, 4 a, 4 f	1859,	215
	— <i>marginato-dentata</i> . Figs. 5, 5 a, 5 c	1859,	216
	— —, var. Figs. 5 d, 5 f	1859,	217
LXIV.	<i>Antheraea roylei</i> . Fig. 1	1859,	218
	— <i>helferi</i> . Fig. 2	1859,	219
	— <i>frühii</i> . Fig. 1	1859,	220
LXV.	<i>Saturnia grotei</i> . Fig. 2	1859,	221
	<i>Attacus guerini</i> . Fig. 3	1859,	222
LXVI.	<i>Papilio paradoxa</i> , var. Fig. 4	1859,	223
	— <i>noctis</i> . Figs. 5, 6	1859,	224
LXVII.	— <i>paradoxa</i> , var. Figs. 1, 2, 3	1859,	225
LXVIII.	— <i>cræsus</i> , ♂	1859,	226
LXIX.	— —, ♀	1859,	227
	<i>Peasia reticulata</i> . Figs. 1, 2	1860,	228
	— <i>inconspicua</i> . Figs. 3, 4	1860,	229
	— <i>tentaculata</i> . Figs. 5, 6	1860,	230
	— <i>maculata</i> . Figs. 7, 8	1860,	231
	— <i>irrorata</i> . Figs. 9, 10	1860,	232
	<i>Cypridina albomaculata</i> . Figs. 1, 1 a to 1 d	1860,	233
	— <i>godehevi</i> . Figs. 2, 2 a to 2 c	1860,	234
	— <i>ovum</i> . Figs. 3, 3 a, 3 b	1860,	235
	— <i>norvegica</i> . Figs. 4, 4 a to 4 d	1860,	236
	<i>Philomedes longicornis</i> . Figs. 5, 5 a to 5 c	1860,	237
	<i>Estheria compressa</i> . Figs. 6, 6 a, 6 b	1860,	238
	— <i>birchii</i> . Figs. 1, 1 e	1860,	239
LXXII.	<i>Streptocephalus dichotomus</i> . Figs. 2, 2 a	1860,	240
	<i>Daphnia newportii</i> . Figs. 3, 3 c	1860,	241

RADIATA.

I.	<i>Sarcoptilus grandis</i> , Gray	1848,	45
	{ <i>Heterocyathus cochlea</i> (Gm.). Figs. 1, 2, 2 a.		
	{ — <i>hemisphaerica</i> , Gray. Figs. 3, 3 a, 4	1849,	77
II.	{ — <i>eupsammides</i> , Gr., & var. Figs. 5, 5 a, 6, 7		
	{ <i>Primnoa australasica</i> , Gray. Figs. 8, 9	1849,	146
	{ <i>Flabellum macandrewii</i> , Gray. Figs. 10, 11.	1849,	75
III.	{ <i>Gonigoria clavata</i> , Gray. Fig. 1		
	{ <i>Nidalia occidentalis</i> , Gray. Fig. 2	1851,	125
IV.	<i>Æquorea forskalea</i> , Peron	1851,	272
	<i>Scolanthus sphaeroides</i> . Figs. 1, 2, 3	1855,	85
V.	<i>Actinia pallida</i> . Fig. 4.	1855,	236
	{ — <i>ornata</i> . Figs. 5, 6, 7		
	{ —, var. Fig. 8.	1855,	237
VI.	<i>Antipathes spiralis</i> ?	1857,	114
VII.	<i>Nidalia occidentalis</i> , Gray	1857,	128
VIII.	<i>Sarcogorgia phidippus</i> , Gray.	1857,	158
IX.	<i>Hyalonema mirabilis</i> , Gray	1857,	279
	{ <i>Aphroceras alaicornis</i> , Gray. Figs. 1, 2	1858,	113
X.	{ <i>Zoanthus couchii</i> , Johnston. Figs. 3-7.	1858,	557
	{ <i>Sidisia barleei</i> , Gray. Fig. 8	1858,	531
XI.	<i>Aphrocallistes beatrix</i> , Gray	1858,	114
XII.	<i>Xenospongia patelliformis</i> , Gray	1858,	229
XIII.	<i>Electra verticillata</i>	1858,	306
	{ <i>Synapta digitata</i> . Figs. 1-17	1858,	361
	{ — <i>inhærens</i> . Figs. 18-22	1858,	363
XIV.	{ — <i>videntata</i> . Figs. 23-25		
	{ <i>Chiridota lævis</i> . Fig. 26	1858,	365
	{ <i>Myriotrochus rinkii</i> . Figs. 27-31	1858,	366
XV.	<i>Macandrewia azorica</i>	1858,	438
XVI.	<i>Myliusia callocyathes</i>	1859,	439
XVII.	<i>Distichopora coccinea</i>	1860,	244
XVIII.	<i>Corallium johnsonii</i>	1860,	393

1

2000

2

3 4 5 6 7 8 9 10

1

11

12 13 14 15 16 17 18 19

20 21 22

1

23 24 25 26 27 28 29 30

2

31 32 33 34 35 36 37 38

39

40 41 42 43 44 45 46 47

48 49 50

51 52 53 54 55 56 57 58

59

60 61 62 63 64 65 66 67

68

1

69

70

1

71 72 73 74 75 76 77 78

79 80

81 82 83 84 85 86 87 88 89 90

91 92 93 94 95 96 97 98

99 100 101 102 103 104 105 106

1

107 108 109 110 111 112 113 114

115 116 117 118 119 120 121 122

123 124 125 126 127 128 129 130

131

132

INDEX OF SPECIES

DESCRIBED AND REFERRED TO.

1848—60.

	Page		Page
<i>Ablabes collaris</i>	{ 1858, 382 1860, 161 1860, 168 1860, 170 1860, 167	<i>Accentor cacharensis</i> ..	1854, 116
<i>hodgsonii</i>	1860, 167	<i>caliope</i>	1854, 120
<i>owenii</i>	1860, { 165 161 172 164 161 168 171	<i>himalayanus</i>	1854, 117
<i>rappii</i>	1860, { 161 168 171	<i>huttonii</i>	1854, 119
<i>rufulus</i>	1860, 428	<i>immaculatus</i>	1854, 119
<i>Abroornis affinis</i>	1854, 106	<i>modularis</i>	{ 1854, 118 1857, 13
<i>albogularis</i>	1854, 106	<i>mollis</i>	1854, 119
<i>poliogenys</i>	1854, 106	<i>montanellus</i>	1854, 118
<i>xanthoschistos</i>	1854, 106	<i>nipalensis</i>	1854, 116
<i>Aburria carunculata</i> ..	{ 1857, 19 1858, 76 1860, 272	<i>rubeculoides</i>	1854, 118
<i>Acabaria divaricata</i>	1859, 485	<i>rubidus</i>	1854, 118
<i>Acanthiza flavolateralis</i>	1859, 161	<i>strophuatus</i>	{ 1854, 119 1859, 183
<i>Acanthocyathus grayii</i> ..	1849, 76	<i>temminckii</i>	1854, 118
<i>Acanthogorgia hirsuta</i> ..	1857, 128	<i>variegatus</i>	1854, 117
<i>Acanthonotus testudo</i> ..	1850, 97	<i>Accipiter affinis</i>	1854, 260
<i>Acanthophis antarctica</i> .	1858, 384	<i>badius</i>	{ 1859, 150 1859, 151 1860, 170
<i>Acanthylis albicollis</i> ..	{ 1854, 110 1858, 60	<i>besra</i>	1854, 260
<i>caudacuta</i>	1854, 266	<i>carbonarius</i>	1850, 215
<i>collaris</i>	1854, 110	<i>chicquera</i>	1851, 42
<i>giganteus</i>	1854, 266	<i>cooperi</i>	1859, 389
<i>rutula</i>	1855, 135	<i>dussumieri</i>	{ 1854, 260 1858, 473
<i>Acca aceris</i>	1858, 9	<i>erythrauchen</i>	1860, 344
<i>columena</i>	1858, 7	<i>erythrocnemius</i> ..	{ 1855, 134 1860, 96
<i>heliodora</i>	1858, 8	<i>erythrorhynchus</i> ..	1850, 215
<i>matuta</i>	1858, 9	<i>fringillarius</i>	1854, 260
<i>sulpitia</i>	1858, 18	<i>fuscus</i>	{ 1857, 125 1858, 295
<i>Accentor alpinus</i>	1854, { 116 117	<i>hyogaster</i>	1860, 343
<i>altaicus</i>	1854, 120	<i>nisus</i>	{ 1858, 473 1860, 416 1859, 389
<i>atrogularis</i>	1854, { 119 120	<i>pileatus</i>	{ 1860, 72 1860, 298
		<i>poliocephalus</i>	1858, 170
		<i>sphenurus</i>	{ 1859, 153 1850, 215

	Page		Page
<i>Accipiter virgatus</i>	1854,	<i>Achatina triticea</i>	1854,
<i>Acheus torquatus</i>	1840,	<i>trypanodes</i>	1856,
<i>Achatina acicula</i>	1854,	<i>tuberculata</i>	1854,
<i>albersii</i>	1854,	<i>vestita</i>	1854,
<i>albicans</i>	1851,	<i>violacea</i>	1851,
<i>ambigua</i>	1856,	<i>virens</i>	1854,
<i>atramentaria</i>	1856,	<i>yatesii</i>	1856,
<i>attenuata</i>	1851,	<i>(Glandina) conularis</i>	1855,
<i>aurora</i>	1854,	<i>(—) filosa</i>	1855,
<i>capillacea</i>	1854,	<i>(—) insignis</i>	1855,
<i>carnea</i>	1852,	<i>(—) nystiana</i> ..	1855,
<i>cerea</i>	1852,	<i>(Oleacina) binneyana</i>	1855,
<i>chiapensis</i>	1856,	<i>(—) ghiesbreghtii</i>	1856,
<i>chinensis</i>	1854,	<i>(—) pulchella</i> ..	1856,
<i>chrysalis</i>	1855,	<i>(Varicella) cordovana</i>	1856,
<i>conspersa</i>	1852,	<i>(—) guadeloupensis</i>	1856,
<i>corrosula</i>	1856,	<i>(—) orizabae</i>	1856,
<i>cylichna</i>	1854,	<i>(—) speciosa</i>	1856,
<i>deshayesi</i>	1852,	<i>Achatinella acuta</i>	1853,
<i>dunkeri</i>	{ 1851,	<i>adamsii</i>	1854,
	1855,	<i>adansonii</i>	1853,
<i>erecta</i>	1855,	<i>affinis</i>	1853,
<i>eulima</i>	1854,	<i>alba</i>	1850,
<i>flexuosa</i>	1854,	<i>albida</i>	1855,
<i>folliculus</i>	1854,	<i>ambolabris</i>	1853,
<i>fulgens</i>	1859,	<i>amena</i>	1855,
<i>fulgurata</i>	1851,	<i>ampla</i>	1853,
<i>fuliginea</i>	1852,	<i>apicata</i>	1856,
<i>fusca</i>	1852,	<i>aplustre</i>	1853,
<i>glutinosa</i>	{ 1852,	<i>aptycha</i>	1855,
	1859,	<i>assimilis</i>	1853,
<i>gracilis</i>	1854,	<i>attenuata</i>	1855,
<i>granulata</i>	1852,	<i>baldwinii</i>	1853,
<i>grevillei</i>	1860,	<i>buddii</i>	1853,
<i>impressa</i>	1851,	<i>candida</i>	1855,
<i>inequalis</i>	1855,	<i>cerea</i>	1856,
<i>inornata</i>	1851,	<i>cestus</i>	1853,
<i>isotoma</i>	1852,	<i>chamissoi</i>	1855,
<i>laevigata</i>	1854,	<i>chlorotica</i>	1855,
<i>layardii</i>	1859,	<i>cinerosa</i>	1855,
<i>leacociana</i>	1854,	<i>clementina</i>	1855,
<i>maderensis</i>	1854,	<i>concavospira</i>	1859,
<i>maniensis</i>	1854,	<i>concinna</i>	1853,
<i>margaritacea</i>	1856,	<i>conspersa</i>	1855,
<i>melampoides</i>	1854,	<i>cornea</i>	1853,
<i>mitriformis</i>	1854,	<i>crassa</i>	1853,
<i>natalensis</i>	1854,	<i>crassidentata</i>	1855,
<i>newcombi</i>	1851,	<i>crassilabrum</i>	1853,
<i>oryza</i>	1854,	<i>cumingii</i>	1853,
<i>ovuliformis</i>	1854,	<i>cuneus</i>	1855,
<i>pallens</i>	1856,	<i>curta</i>	1853,
<i>plicatula</i>	1851,	<i>cylindrica</i>	1853,
<i>portoricensis</i>	1848,	<i>decipiens</i>	{ 1853,
<i>producta</i>	1854,		1854,
<i>reeveana</i>	1848,	<i>dentata</i>	1855,
<i>richardi</i>	1852,	<i>dimidiata</i>	1855,
<i>shuttleworthii</i>	1856,		
<i>tornatellina</i>	1854,		

	Page		Page
<i>Achatinella dolium</i>	1855, 5	<i>Achatinella morbida</i>	1859, 30
<i>dubia</i>	1853, 152	<i>mucronata</i>	1853, 146
<i>dunkeri</i>	1855, 208	<i>multicolor</i>	1855, 4
<i>duplicata</i>	1853, 156	<i>multilineata</i>	1853, 138
<i>dwrightii</i>	1855, 207	<i>napus</i>	1855, 5
<i>elegans</i>	1853, 140	<i>nigra</i>	1855, 209
<i>elevata</i>	1855, 209	<i>nitida</i>	1853, 140
<i>emmerstonii</i>	1853, 156	<i>nivosa</i>	1853, 132
<i>extincta</i>	1855, 204	<i>nobilis</i>	1855, 202
<i>faba</i>	1850, 30	<i>obclavata</i>	1855, 98
<i>ferussaci</i>	1855, 203	<i>obelisca</i>	1855, 206
<i>flavescens</i>	1853, 151	<i>obesa</i>	1853, 143
<i>forbesiana</i>	1855, 5	<i>obscura</i>	1853, 157
<i>frickii</i>	1855, 3	<i>obtusa</i>	1855, 209
<i>fulgens</i>	1853, 131	<i>ornata</i>	1853, 149
<i>fulva</i>	1855, 208	<i>orvza</i>	1855, 206
<i>fumosa</i>	1853, 140	<i>ovata</i>	1853, 130
<i>fusca</i>	1853, 145	<i>oviformis</i>	1855, 203
<i>fusiformis</i>	1855, 5	<i>perdiv</i>	1854, 311
<i>germana</i>	1853, 151	<i>petricola</i>	1855, 208
<i>gigantea</i>	1853, 136	<i>pfeifferi</i>	1853, 129
<i>glabra</i>	1853, 139		150
	1854, 310	<i>physa</i>	1853, 152
<i>globosa</i>	1855, 7		1854, 311
<i>glutinosa</i>	1855, 204	<i>picta</i>	1854, 311
<i>goniostoma</i>	1855, 203	<i>planospira</i>	1855, 3
<i>gouldii</i>	1853, 129	<i>phicata</i>	1851, 261
<i>gracilis</i>	1855, 6		1853, 129
<i>grana</i>	1853, 146	<i>polita</i>	1853, 142
<i>grayana</i>	1855, 204	<i>porcellana</i>	1853, 146
<i>grisea</i>	1853, 153	<i>porphyrea</i>	1853, 136
<i>grossa</i>	1855, 204	<i>pulchella</i>	1855, 6
<i>hanleyana</i>	1855, 202	<i>pulla</i>	1855, 209
	1853, 151	<i>pupoidca</i>	1853, 144
<i>helena</i>	1854, 311	<i>radata</i>	1854, 310
<i>humilis</i>	1855, 207	<i>recta</i>	1853, 145
<i>hybrida</i>	1853, 147		1853, 131
<i>inflata</i>	1855, 203	<i>redfieldii</i>	1854, 311
<i>intermedia</i>	1853, 135	<i>remyii</i>	1855, 207
<i>irregularis</i>	1855, 205	<i>reticulata</i>	1853, 143
<i>johnsonii</i>	1853, 147	<i>rubens</i>	1854, 310
<i>labiata</i>	1853, 141		1853, 154
<i>lilacea</i>	1850, 30	<i>rubiginosa</i>	1854, 310
<i>lineolata</i>	1853, 140	<i>rudis</i>	1855, 5
<i>livida</i>	1850, 54	<i>rufa</i>	1853, 130
<i>luctuosa</i>	1853, 204	<i>rugosa</i>	1853, 138
<i>lurida</i>	1855, 206		1853, 138
<i>macrostoma</i>	1855, 2	<i>rutula</i>	1854, 310
<i>maniensis</i>	1855, 207	<i>saccata</i>	1859, 30
<i>margarita</i>	1855, 206	<i>sanguinea</i>	1853, 135
	1853, 153	<i>semicarinata</i>	1853, 156
<i>mastersii</i>	1854, 311	<i>semicostata</i>	1855, 206
<i>melampoides</i>	1851, 262	<i>soricea</i>	1859, 31
<i>melanostoma</i>	1853, 132	<i>soltaria</i>	1853, 150
<i>melanotus</i>	1853, 144	<i>sordida</i>	1853, 139
<i>micans</i>	1859, 31	<i>soror</i>	1853, 143
<i>moesta</i>	1853, 157	<i>sowerhyana</i>	1855, 4
<i>monacha</i>	1855, 3	<i>splendida</i>	1853, 131

	Page		Page
<i>Achatinella subrostrata</i>	1859, 31	<i>Aciculina glabrata</i>	1851, 114
<i>subvirens</i>	{ 1853, 136	<i>labiata</i>	1851, 114
<i>succincta</i>	{ 1854, 310	<i>maculata</i>	1851, 114
<i>swainsonii</i>	1855, 209	<i>striata</i>	1851, 114
<i>swiftii</i>	1855, 4	<i>vittata</i>	1851, 114
<i>taeniolata</i>	1853, 133	<i>Aclesia areola</i>	1860, 24
<i>terebra</i>	1854, 310	<i>Aclis acuminata</i>	1860, 241
<i>teres</i>	1853, 144	<i>Acmea ancylus</i>	1856, 221
<i>tessellata</i>	1855, 206	<i>mammillata</i>	1856, 222
<i>tetrao</i>	{ 1853, 139	<i>marmorea</i>	1856, 222
<i>transversalis</i>	{ 1854, 311	<i>mitra</i>	1856, 222
<i>turgida</i>	1854, 311	<i>paleacea</i>	1856, 204
<i>umbilicata</i>	1855, 207	<i>patina</i>	1856, 221
<i>undulata</i>	1855, 204	<i>pelta</i>	1856, 221
<i>valida</i>	1853, 134	<i>persona</i>	1856, 221
<i>variabilis</i>	1855, 205	<i>radiata</i>	1856, 221
<i>ventrosa</i>	1855, 209	<i>scabra</i>	1856, 222
<i>venulata</i>	1855, 6	<i>scurra</i>	1856, 222
<i>vidua</i>	1853, 154	<i>scutum</i>	1856, 222
<i>violacea</i>	1855, 6	<i>spectrum</i>	1856, 222
<i>virgulata</i>	1853, 146	<i>Acrocera ferruginosa</i> ..	1858, 400
<i>viridans</i>	1855, 3	<i>triangularis</i>	1858, 400
<i>vitrea</i>	1853, 135	<i>Acontias elegans</i>	1858, 156
<i>zebrina</i>	1854, 311	<i>punctata</i>	1858, 157
(<i>Achatinellastrum</i>)	1854, 310	<i>Acostrea guaduasana</i> ..	1854, 129
<i>ovum</i>	1853, 142	<i>Acridotheres cristatellus</i>	1859, 433
(<i>Anriculella</i>) <i>cha-</i>	1855, 202	<i>fuscus</i>	1859, 150
<i>missoi</i>	1856, 334	<i>ginginianus</i>	{ 1858, 445
(<i>Labiella</i>) <i>callosa</i> ..	1855, 98	<i>griseus</i>	{ 1859, 480
(<i>Laminella</i>) <i>farcimen</i>	1856, 334	<i>javanicus</i>	{ 1860, 372
(<i>Leptachatina</i>) <i>ob-</i>	1856, 334	<i>nigricollis</i>	1859, 445
<i>clavata</i>	1855, 98	<i>tristis</i>	{ 1859, 151
(<i>Newcombia</i>) <i>cin-</i>	1855, 98	<i>tristis</i>	{ 1857, 97
<i>namomea</i>	1858, 22	<i>tristis</i>	{ 1858, 480
(—) <i>gemma</i>	1858, 22	<i>tristis</i>	{ 1859, 173
(—) <i>minuscula</i> ..	1858, 22	<i>Acrilla acuminata</i>	1860, 241
(—) <i>sulcata</i>	1858, 22	<i>gracilis</i>	1860, 241
<i>Achatinellastrum cle-</i>		<i>Acrocephalus arundina-</i>	
<i>mentinum</i>	1855, 205	<i>ceus</i>	1858, 493
<i>consersum</i>	1855, 7	<i>brunnescens</i>	1859, 183
<i>crassidentatum</i> ..	1855, 6	<i>fasciolatus</i>	1860, 349
<i>cuneum</i>	1855, 205	<i>orientalis</i>	1860, 349
<i>globosum</i>	1855, 7	<i>Acrocnus longimanus</i> ..	1860, 372
<i>gracile</i>	1855, 6	<i>Acronotus bubalis</i>	1860, 139
<i>liliaceum</i>	1859, 31	<i>caama</i>	1850, 140
<i>ovum</i>	1856, 334	<i>Actæon bevalepti</i>	1854, 59
<i>napus</i>	1855, 5	<i>cumingii</i>	1854, 59
<i>pulchellum</i>	1855, 6	<i>denticulata</i>	1854, 32
<i>saccatum</i>	1859, 30	<i>dianæ</i>	1854, 59
<i>validum</i>	1855, 6	<i>flammeus</i>	1854, 59
<i>ventrosus</i>	1855, 6	<i>mariae</i>	1854, 60
<i>Acheus torquatus</i>	1849, 67	<i>modestus</i>	1854, 60
<i>Acicula acicula</i>	1854, 201	<i>oryza</i>	1854, 59
<i>eulma</i>	1854, 201	<i>pudicus</i>	1854, 60
<i>Aciculina costata</i>	1851, 114	<i>punctostriatus</i>	1854, 59
		<i>senegalensis</i>	1854, 59

	Page		Page
<i>Actæon sieboldii</i>	1854, 59	<i>Adamsiella longicollis</i> ..	1854, 128
<i>tornatilis</i>	1854, 59	<i>Addax nasomaculata</i> ..	1850, 135
<i>venustus</i>	1854, 59		175
<i>virgatus</i>	1854, 59		140
<i>Actias lima</i>	1849, 36	<i>Adelomyia melano-</i>	1855, 145
<i>luna</i>	1856, 5	<i>genys</i>	1859, 63
<i>manas</i>	1859, 264		1860, 70
<i>selene</i>	1856, 5		1860, 94
<i>sinensis</i>	1859, 261	<i>Adenota kob</i>	1850, 129
<i>Actinella actinophora</i> ..	1854, 180	<i>leché</i>	1850, 130
<i>arcta</i>	1854, 180	<i>Admeta borealis</i>	1855, 122
<i>arridens</i>	1854, 180	<i>viridula</i>	1855, 122
<i>lentiginosa</i>	1854, 180	<i>Ægialites cantianus</i> ..	1860, 415
<i>stellaris</i>	1854, 180	<i>falklandicus</i>	1860, 386
<i>Actinia bellis</i>	1858, 145		1857, 127
	146	<i>vociferus</i>	1857, 206
	149		1857, 236
<i>biserialis</i>	1858, 148		1859, 369
<i>candida</i>	1856, 235		1859, 393
<i>clavata</i>	1858, 146	<i>Ægithalus flammiceps</i> ..	1858, 480
	148	<i>flaviceps</i>	1855, 75
	146		1856, 37
<i>coriacea</i>	1858, 148	<i>Ægoceros argali</i>	1856, 404
	148		1860, 129
<i>crassicornis</i>	1855, 85	<i>Ægosoma cingalense</i> ..	1853, 27
	1859, 435	<i>marginale</i>	1853, 27
	145	<i>ornaticolle</i>	1853, 27
<i>dianthus</i>	1858, 146	<i>scabricorne</i>	1853, 26
	149	<i>sinicum</i>	1853, 27
<i>equina</i>	1858, 146	<i>sulcipenne</i>	1853, 28
<i>gemmaea</i>	1858, 146	<i>tabiale</i>	1853, 28
<i>mesembryanthemum</i> ..	1858, 148	<i>Ægotheles wallacii</i>	1859, 154
<i>ornata</i>	1856, 237	<i>Æolis parvula</i>	1860, 35
<i>pallida</i>	1855, 236	<i>semidecora</i>	1860, 36
	145	<i>Æpyceros melampus</i> ..	1850, 116
<i>parasitica</i>	1858, 146	<i>Æquorea atlantica</i>	1851, 275
	149	<i>ciliata</i>	1851, 275
<i>rubida</i>	1855, 237	<i>danica</i>	1851, 275
<i>trogodytes</i>	1859, 434	<i>forskalea</i>	1851, 275
	146	<i>forakalina</i>	1851, 275
<i>viduata</i>	1858, 148	<i>groenlandica</i>	1851, 275
	148	<i>stauroglypha</i>	1851, 275
<i>vinosa</i>	1856, 172	<i>violacea</i>	1851, 275
<i>Actiniloba dianthus</i>	1858, 149	<i>Æthopyga mules</i>	1858, 496
<i>Actinodura rufifrons</i>	1854, 105	<i>siparaja</i>	1859, 461
<i>Actitis brevipes</i>	1860, 364		1858, 157
	1855, 50	<i>Agama colonorum</i>	1859, 470
<i>hypoleuca</i>	1859, 150	<i>cristata</i>	1860, 453
	1859, 151	<i>occipitalis</i>	1858, 157
	1858, 506	<i>torquata</i>	1860, 454
<i>hypoleucus</i>	1860, 364	<i>Agapornis azureus</i>	1859, 452
<i>ochropus</i>	1858, 506	<i>cana</i>	1860, 242
<i>schlegelii</i>	1860, 365	<i>pullaria</i>	1859, 212
<i>Actiturus bartramius</i> ..	1860, 253	<i>Agaronia cincta</i>	1858, 51
<i>Acus sartoria</i>	1859, 316	<i>contortuplicata</i>	1858, 52
	1858, 149	<i>hiatula</i>	1858, 52
<i>Adamsia palliata</i>	1859, 68	<i>indusica</i>	1858, 51
	1859, 432	<i>nitelina</i>	1858, 52
<i>typica</i>	1856, 357		

	Pago		Pago
<i>Agaronia testacea</i>	1858, 51	<i>Aglaia nigrocincta</i>	1850, 261
<i>Agathurses dubius</i>	1860, 411	<i>nigroviridis</i>	1856, 260
<i>florina</i>	1860, 411	<i>paradisea</i>	1856, 244
	411	<i>peruviana</i>	1850, 255
<i>furcellus</i>	1860, 413	<i>ruficervix</i>	1856, 259
	414	<i>schrunkii</i>	1856, 248
	411	<i>striata</i>	1856, 235
<i>lima</i>	1860, 413		1858, 453
<i>multistriatus</i>	1860, 411	<i>tatao</i>	1856, 244
<i>occlusus</i>	1860, 411	<i>tau</i>	1849, 34
<i>striatus</i>	1860, 411	<i>viridissima</i>	1856, 256
<i>sulcatus</i>	1860, 411	<i>vittata</i>	1856, 265
<i>Agathopus micropterus</i> ..	1858, 69		1855, 158
	1857, 127	<i>wilsonii</i>	1856, 18
<i>Agelæus gubernator</i> ..	1857, 213		1856, 261
	1859, 365	<i>yeni</i>	1850, 245
	1857, 205	<i>Agrias ædon</i>	1848, 46
<i>phoeniceus</i>	1859, 58	<i>Agrilorhinus bonapartei</i> ..	1855, 138
	1859, 381		78
	1860, 243	<i>Agriornis andicola</i>	1860, 92
<i>Agelaius coronatus</i>	1856, 114		1858, 553
<i>Agelasta amica</i>	1856, 410	<i>solitaria</i>	1860, 78
<i>callizona</i>	1856, 409		1860, 92
<i>newmannii</i>	1856, 410	<i>Agrodroma spraguei</i>	1857, 5
<i>polynesius</i>	1856, 410	<i>Ahaetulla irregularis</i> ..	1858, 161
<i>wallacii</i>	1856, 409	<i>lateralis</i>	1858, 380
<i>Agelastes meleagrides</i> ..	1849, 145		412
<i>Aglaeactis caumatotus</i> ..	1848, 12	<i>liocercus</i>	1859, 413
	1857, 17	<i>occidentalis</i>	1859, 412
	1860, 63	<i>mexicana</i>	1860, 457
<i>cupreipennis</i>	1860, 70	<i>smaragdina</i>	1858, 161
	1860, 81	<i>Aigocerus equinus</i>	1850, 132
<i>Aglaia atricapilla</i>	1856, 259	<i>leucophæus</i>	1850, 133
<i>aurulenta</i>	1856, 250		175
<i>cæruleocephala</i>	1856, 262	<i>niger</i>	1850, 133
<i>cayana</i>	1856, 254		175
<i>chilensis</i>	1856, 245	<i>Ailurus fulgens</i>	1848, 80
<i>chrysoptera</i>	1856, 255		1856, 399
<i>citrinella</i>	1856, 247	<i>ochraceus</i>	1856, 390
<i>cucullata</i>	1856, 253	<i>Aimophila rufescens</i> ..	1856, 305
<i>cyanicollis</i>	1856, 262		1857, 7
	247	<i>ruficauda</i>	1857, 7
<i>cycanocephala</i>	1856, 236	<i>superciliosa</i>	1856, 305
<i>cyanoptera</i>	1856, 254	<i>Aix galericulata</i>	1859, 206
<i>diva</i>	1856, 264		1859, 206
<i>erythrotis</i>	1856, 157	<i>sponsa</i>	1859, 477
	1856, 241		1860, 442
	142		1851, 145
<i>fanny</i>	1856, 261		1857, 12
<i>flava</i>	1856, 253	<i>Alauda arvensis</i>	1858, 484
<i>gyrola</i>	1856, 255		1859, 184
<i>gyroloides</i>	1856, 255		1860, 442
<i>igniventris</i>	1856, 242	<i>chendoala</i>	1857, 95
<i>labradorides</i>	1856, 262	<i>chrysolaema</i>	1856, 66
<i>melanota</i>	1856, 254	<i>deva</i>	1854, 161
<i>melanotis</i>	1856, 248	<i>erythropygia</i>	1850, 219
<i>mexicana</i>	1856, 258	<i>minor</i>	1856, 66
<i>montana</i>	1856, 230	<i>pratensis</i>	1854, 285

	Page		Page
<i>Alauda raytal</i>	1859, 185	<i>Alcyonium glaucum</i> ...	1859, 438
<i>spragui</i>	1857, 5	<i>latum</i>	1859, 438
<i>trivialis</i>	1860, 350	<i>ocellatum</i>	1858, 532
<i>Alcadia rhamplostyla</i> ..	1856, 301	<i>Alectheia uvilli</i> .. .	1860, 362
<i>rubella</i>	1853, 60	<i>Alectrion complanata</i> ..	1851, 104
<i>Alcedo asiatica</i>	1854, 269	<i>crenulata</i>	1851, 103
<i>atricapilla</i>	1854, 268	<i>hirta</i>	1851, 103
<i>bengalensis</i>	1858, 474	<i>jacksoniana</i>	1851, 103
<i>chlorocephala</i>	1859, 150	<i>monilis</i>	1851, 103
<i>collaris</i>	1859, 151	<i>nassoides</i>	1851, 103
<i>dea</i>	1859, 174	<i>nodifera</i>	1851, 103
<i>drops</i>	1854, 269	<i>papillosa</i>	1851, 103
<i>erythaca</i>	1854, 269	<i>seminodosa</i>	1851, 104
<i>fusca</i>	1854, 268	<i>variabilis</i>	1851, 103
<i>gaudichaudi</i>	1858, 171	<i>Aletes squamigerus</i> ...	1856, 226
<i>ispida</i>	1851, 145	<i>Alexia acuta</i>	1854, 33
<i>lazuli</i>	1859, 152	<i>bermudensis</i>	1854, 33
<i>leucocephala</i>	1859, 435	<i>biasolettiiana</i>	1854, 33
<i>meninting</i>	1860, 348	<i>denticulata</i>	1854, 32
<i>purpurea</i>	1860, 371	<i>kutschigiana</i>	1854, 33
<i>rubra</i>	1860, 346	<i>myosotis</i>	1854, 33
<i>rudis</i>	1854, 268	<i>personata</i>	1854, 32
<i>sacra</i>	1854, 269	<i>reflexilabris</i>	1854, 33
<i>senegalensis</i>	1854, 269	<i>Alopecion fasciatum</i> ..	1858, 150
<i>smyrnenus</i>	1854, 268	<i>Alopias vulpes</i>	1850, 253
<i>tridactyla</i>	1854, 269	<i>Alsodes monticola</i> ..	1858, 343
<i>Alcelaphus bubalis</i> .. .	1850, 172	<i>Alvearella abbreviata</i> ..	1854, 212
<i>caama</i>	1850, 172	<i>cassidula</i>	1854, 212
<i>lunatus</i>	1850, 172	<i>concinna</i>	1854, 212
<i>pygargus</i>	1850, 172	<i>gibba</i>	1854, 212
<i>senegalensis</i>	1850, 172	<i>Alycaeus distortus</i> .. .	1860, 10
<i>Alces malchis</i>	1850, 224	<i>Alytes obstetricans</i> ..	1858, 374
<i>Alcippe affinis</i>	1854, 277	<i>Amadina acuticauda</i> ..	1859, 444
<i>albogularis</i>	1854, 277	<i>cantans</i>	1850, 218
<i>cantoni</i>	1854, 277	<i>fasciata</i>	1850, 218
<i>cinerea</i>	1854, 276	<i>moluca</i>	1860, 355
<i>magurostris</i>	1854, 277	<i>nitens</i>	1850, 218
<i>monacha</i>	1858, 175	<i>punctularia</i>	1859, 443
<i>strata</i>	1854, 277	<i>Amalthea effodiens</i> ..	1856, 5
<i>Alcira elegans</i>	1860, 451	<i>grayana</i>	1856, 4
<i>Alcyon rubra</i>	1860, 436	<i>panamensis</i>	1856, 3
<i>subangulata</i>	1860, 436	<i>Amastira irregularis</i> ..	1855, 205
<i>Alcyon affinis</i>	1860, 348	<i>Amathella biserialis</i> ..	1858, 320
<i>azurea</i>	1858, 172	<i>uniserialis</i>	1858, 320
<i>lessonii</i>	1859, 155	<i>Amathia cornuta</i>	1858, 319
<i>pulchra</i>	1857, 25	<i>lendigera</i>	1858, 320
	1858, 172	<i>Amathina bicarinata</i> ..	1860, 399
		<i>Amazilia alticola</i> .. .	1860, 309
		<i>dumerilii</i>	1860, 283
		<i>riefferii</i>	1860, 94
			283
			287
			1837, 212
		<i>Amazilia arsinoe</i> .. .	1858, 297
			1859, 367
			1859, 386
		<i>castaneiventris</i> .. .	1850, 150

	Page		Page
<i>Amazilius castaneiventris</i>	1857, 16	<i>Ampelis garrula</i>	1860, 183
<i>cerviniventris</i>	1856, 150	<i>riefferi</i>	1854, 113
<i>corallirostris</i>	1858, 358	<i>Amphidesma decisa</i>	1856, 213
	1859, 386	<i>flavescens</i>	1856, 199
<i>dubusii</i>	1856, 287	<i>roseum</i>	1856, 213
	1859, 386	<i>rubrolineata</i>	1856, 212
<i>ocai</i>	1859, 367	<i>Amphiperas bimaculata</i>	1854, 131
	1856, 140	<i>concinna</i>	1854, 131
<i>riefferi</i>	1856, 287	<i>margarita</i>	1854, 130
	1857, 16	<i>ovum</i>	1853, 40
	1859, 145	<i>pudica</i>	1854, 131
<i>Ambassia thermalis</i>	1856, 372	<i>pyrulina</i>	1854, 131
<i>Amblypneustes ovum</i>	1855, 36	<i>rhodia</i>	1854, 130
<i>Ambystoma californiense</i>	1853, 11	<i>scitula</i>	1854, 131
<i>carolinæ</i>	1853, 11	<i>traillii</i>	1855, 222
<i>punctulatum</i>	1853, 11	<i>Amphisbæna fuliginosa</i>	1859, 89
<i>opacum</i>	1853, 144		402
<i>Ameiva dorsalis</i>	1848, 24	<i>Amphorella melampodea</i>	1854, 203
	27	<i>mitriformis</i>	1854, 203
	402	<i>tornatellina</i>	1854, 203
<i>sexscutata</i>	1859, 233	<i>Ampullaria celebensis</i>	1851, 74
	1860, 234		1860, 12
<i>Ammocetes bicolor</i>	1851, 241	<i>corrugata</i>	1860, 12
<i>branchialis</i>	1851, 240	<i>globosa</i>	1860, 12
<i>concolor</i>	1851, 241	<i>modesta</i>	1859, 168
<i>ruber</i>	1851, 241	<i>novæ-granadæ</i>	1859, 169
<i>unicolor</i>	1851, 241	<i>quitensis</i>	1859, 168
	1857, 214	<i>polita</i>	1860, 12
<i>Ammodromus ruficeps</i>	1859, 380	<i>solida</i>	1859, 168
<i>Ammoperdix bonhami</i>	1858, 503	<i>tischbeini</i>	1858, 134
<i>Amnicola P antipodarum</i>	1849, 169	<i>woodwardii</i>	1858, 134
<i>zelandiæ</i>	1849, 169	(<i>Lamistes</i>) <i>sinistrorsa</i>	1859, 349
<i>Amoria lineata</i>	1855, 64	<i>Anabasitta squamigera</i>	1855, 142
<i>maculata</i>	1855, 64	<i>Anabates amazonus</i>	1858, 61
<i>marmorata</i>	1855, 64	<i>atricapillus</i>	1856, 288
<i>reticulata</i>	1855, 64	<i>boissoneau</i>	1855, 141
<i>turneri</i>	1855, 64		1856, 288
<i>undulata</i>	1855, 64	<i>cervinigularis</i>	1859, 382
<i>zebra</i>	1855, 64		1856, 27
	1855, 152	<i>erythropterus</i>	1858, 61
<i>Ampelion arcuatus</i>	1858, 553	<i>erythrophthalmus</i>	1858, 62
	1860, 89	<i>ferruginolentus</i>	1856, 288
	1855, 152	<i>flammulatus</i>	1855, 141
<i>cinctus</i>	1860, 67		1856, 27
	1860, 89	<i>guianensis</i>	1858, 62
<i>rubricristatus</i>	1855, 152	<i>gutturatus</i>	1858, 62
	1858, 553	<i>infuscatus</i>	1858, 61
<i>rubrocristatus</i>	1860, 78	<i>lineaticeps</i>	1858, 61
	1860, 89	<i>melanopezus</i>	1858, 61
<i>rufocristatus</i>	1855, 152	<i>melanorhynchus</i>	1858, 61
	1856, 299	<i>ochraceus</i>	1858, 62
<i>Ampelis cedrorum</i>	1853, 302	<i>ochrolæmus</i>	1858, 61
	1859, 364	<i>pulvericolor</i>	1858, 62
	1855, 152	<i>pyrrhodes</i>	1858, 62
<i>cincta</i>	1860, 67		1856, 288
	1859, 212	<i>rubiginosus</i>	1859, 365
<i>garrula</i>	1859, 432		1856, 26
		<i>ruficaudatus</i>	1858, 61

	Page		Page
<i>Anabates ruficaudus</i>	1858, 456	<i>Anas rafflesii</i>	{ 1859, 96
<i>squamiger</i>	1856, 27	{ 1860, 389
<i>striaticollis</i>	1857, 17	<i>spinosa</i>	1860, 41
<i>subalaris</i> ..	1859, 141	<i>superciliosa</i>	{ 1859, 166
<i>temporalis</i>	1859, 141	{ 1860, 371
<i>Anabazenops guttulus</i> ..	1857, 272	<i>urophasianus</i>	1860, 389
<i>rufo-superciliaris</i> ..	1856, 289	<i>versicolor</i>	1860, 389
<i>variegaticeps</i>	{ 1856, 289	<i>Anastomus lamelligerus</i> ..	1860, 197
.....	{ 1859, 382	<i>Anatifa crassa</i>	1848, 44
<i>Anadema cœlata</i>	1854, 39	<i>Anatinnella dilatata</i>	1850, 41
.....	{ 1858, 510	<i>sibbaldii</i>	1850, 40
<i>Anas acuta</i>	{ 1860, 258	<i>ventricosa</i>	1850, 41
<i>antarctica</i>	1860, 388	<i>Anatomus angulatus</i>	1859, 203
.....	{ 1851, 146	<i>asper</i>	1859, 203
.....	{ 1858, 510	<i>bertheloti</i>	1859, 203
.....	{ 1859, 190	<i>conicus</i>	1859, 203
<i>boschas</i>	{ 1859, 437	<i>costatus</i>	1859, 203
.....	{ 1860, 303	<i>crispatus</i>	1859, 203
.....	{ 1860, 333	<i>d'orbignyi</i>	1859, 203
.....	{ 1860, 337	<i>indicus</i>	1859, 203
.....	{ 1860, 338	<i>lævigatus</i>	1859, 203
.....	{ 1859, 96	<i>reticulatus</i>	1859, 203
<i>brachyptera</i>	{ 1860, 389	<i>striatulus</i>	1859, 203
<i>cæruleata</i>	1860, 389	<i>Anaulus bombycinus</i> ..	1855, 105
<i>chiloensis</i>	1860, 389	<i>lorrainii</i>	1856, 36
<i>cinereus</i>	1860, 389	<i>Anazola acuminata</i>	1858, 50
<i>clangula</i>	1860, 336	<i>gibbosa</i>	1858, 50
.....	{ 1858, 510	<i>leucozonalis</i> ..	1858, 50
<i>clypeata</i>	{ 1860, 258	<i>paniculata</i> ..	1858, 51
.....	{ 1851, 146	<i>pulchella</i>	1858, 51
<i>crecca</i>	{ 1860, 258	<i>subulata</i> ...	1858, 50
<i>crecoides</i>	1860, 389	<i>undatella</i>	1858, 51
.....	{ 1859, 96	<i>Ancilla maculata</i>	1858, 52
<i>cristata</i>	{ 1860, 389	<i>Ancillaria candida</i>	1853, 35
.....	{ 1860, 389	<i>lineolata</i>	1851, 271
<i>cyanopterus</i>	1860, 389	<i>Anculotus carinatus</i> ...	1854, 94
<i>erythropus</i>	1860, 389	<i>Ancylus acutus</i>	1853, 89
<i>fretensis</i>	1860, 389	<i>albus</i>	1853, 87
<i>gambensis</i>	1860, 41	<i>aduncus</i>	1853, 80
.....	{ 1857, 128	<i>baconii</i>	1853, 89
<i>inornata</i>	{ 1858, 290	<i>bahiensis</i> ..	1853, 84
.....	{ 1860, 388	<i>barlensis</i> ...	1853, 81
<i>inornatus</i>	1860, 388	<i>beani</i>	1853, 81
<i>intermedia</i>	1860, 337	<i>caffer</i>	1853, 81
<i>leucomelas</i>	1860, 365	<i>calcarius</i>	1853, 81
<i>leucophrys</i>	1859, 166	<i>capuloides</i>	1853, 83
<i>maculirostris</i>	1860, 389	<i>charpentierianus</i> ..	1853, 81
<i>magellanca</i>	1860, 387	<i>compressus</i>	1853, 81
<i>maxima</i>	1859, 369	<i>concentricus</i>	1853, 81
<i>mergoides</i>	1860, 336	<i>corneus</i>	1853, 87
<i>mollissima</i>	1857, 215	<i>costatus</i>	1853, 86
<i>nigricollis</i>	1860, 338	<i>costulatus</i>	1853, 81
.....	{ 1859, 442	<i>crassus</i>	1853, 81
.....	{ 1860, 117	<i>culicoides</i>	1853, 81
.....	{ 1860, 337	<i>cumingianus</i>	1853, 91
<i>picta</i> ...	1860, 387	<i>cyclostoma</i>	1853, 82
<i>pœcilorhyncha</i> ...	1858, 510	<i>decussatus</i>	1853, 88
<i>punctata</i>	1859, 166	<i>deperditus</i>	1853, 82
<i>pyrogaster</i>	1860, 389		
<i>rajah</i>	1860, 365		

	Page		Page
<i>Ancylus depressus</i>	1853, 88	<i>Ancylus vitraceus</i>	1853, 88
<i>deshayesianus</i>	1853, 82	<i>Andigena baillonii</i>	1850, 93
<i>diaphanus</i>	1853, 82	<i>eucullatus</i>	1850, 93
<i>drouetianus</i>	1853, 92	<i>hypoglaucus</i>	1850, 93
<i>elegans</i>	1853, 88	1850, 93
<i>excentricus</i>	1853, 85	<i>laminirostris</i>	1859, 146
<i>fabrei</i>	1853, 86	1860, 95
<i>filosus</i>	1853, 82	1850, 93
<i>fluviatilis</i>	1853, 83	1854, 115
.....	1854, 218	<i>nigrirostris</i>	1855, 161
<i>frayssianus</i>	1853, 87	1858, 75
<i>fuscus</i>	1853, 82	1858, 149
<i>gayanus</i>	1853, 84	<i>spilorhynchus</i>	1858, 140
<i>gibbosus</i>	1853, 82	<i>Andiopadus erythropterus</i> ..	1858, 292
<i>gussonii</i>	1853, 89	1858, 292
<i>haldemanii</i>	1853, 83	<i>Anguinaria obtusa</i>	1860, 407
<i>havanensis</i>	1853, 83	414
<i>hermannii</i>	1853, 89	<i>rubra</i>	1860, 403
<i>irroratus</i>	1853, 83	414
<i>janni</i>	1853, 83	<i>Anguis flagilis</i>	1860, 174
<i>lacustris</i>	1853, 88	416
<i>luteolus</i>	1853, 86	<i>Anisocerus capucinus</i> ..	1856, 407
<i>marginatus</i>	1853, 83	<i>dulcissimus</i>	1856, 407
<i>matheronii</i>	1853, 89	<i>onca</i>	1850, 407
<i>meridionalis</i>	1853, 86	<i>Anisognathus igniventris</i>	1856, 242
<i>moquinianus</i>	1853, 89	1855, 157
<i>moreleti</i>	1853, 83	<i>lacrimosus</i>	1856, 242
<i>moricandii</i>	1853, 84	1857, 287
<i>navicula</i>	1853, 84	<i>Annella reticulata</i>	1859, 483
<i>nuttalli</i>	1853, 89	1856, 202
<i>obliquus</i>	1853, 84	<i>Anodon cicoma</i> ..	1856, 218
.....	83	<i>nuttalliana</i> ..	1856, 218
<i>oblongus</i>	1853, 89	<i>oregonensis</i>	1856, 218
<i>obscurus</i>	1853, 84	<i>vahlamatensis</i> ..	1856, 218
<i>obtusus</i>	1853, 84	<i>Anodonta arcuata</i> ..	1850, 199
<i>orbignyanus</i>	1853, 84	<i>callifera</i>	1860, 15
<i>parallelus</i>	1853, 84	<i>crepera</i>	1850, 198
<i>petitianus</i>	1853, 85	<i>cumingii</i> ..	1850, 199
<i>pileolus</i> ..	1853, 85	<i>gracilis</i>	1850, 197
<i>radiatilis</i>	1853, 85	<i>latomarginata</i>	1850, 199
<i>radiatus</i>	1853, 85	<i>subcrassa</i> ..	1850, 198
<i>radiolatus</i>	1853, 89	<i>tenuis</i> ..	1850, 198
<i>raymondii</i>	1853, 85	(<i>Lamproscapha</i>)	
<i>recurvus</i>	1853, 83	<i>schomburgkii</i>	1860, 15
<i>riparius</i>	1853, 85	<i>Anodus alburnus</i>	1859, 419
<i>rivularis</i>	1853, 85	<i>troscheli</i> ..	1859, 418
<i>rotundatus</i> ..	1853, 89	<i>Anolis aeneus</i>	1859, 89
<i>rubicola</i>	1853, 87	402
<i>sauleyanus</i>	1853, 92	<i>cristatellus</i> ...	1859, 89
<i>simplex</i>	1853, 86	402
<i>sinuosus</i>	1853, 87	1859, 407
<i>spina-rosæ</i>	1853, 82	<i>fraseri</i>	1860, 233
<i>stagnalis</i>	1853, 89	1860, 234
<i>striatus</i>	1853, 88	1860, 454
<i>strictus</i>	1853, 88	<i>sallæi</i>	1859, 421
<i>strigatus</i>	1853, 88	1860, 453
<i>tardus</i>	1853, 88	<i>Anomala angulata</i>	1854, 22
<i>thermalis</i>	1853, 87	<i>cumingii</i>	1854, 22
		<i>inflata</i>	1854, 23

	Page		Page
<i>Anomala insignis</i>	1854, 20	<i>Anomia striatula</i>	1849, { 115
<i>isocardioides</i>	1854, 22		118
<i>maritima</i>	1854, 345	<i>sulcata</i>	1849, 114
<i>nitidula</i>	1854, 21	<i>tenustriata</i>	1849, 118
<i>notabilis</i>	1854, 21	<i>undulata</i>	1849, 122
<i>Anomalurus beecrofti</i> ..	1852, 17	<i>violacea</i>	1849, 114
<i>fraseri</i>	1852, 16	<i>Anoplosthaeta jardinei</i> ..	1858, 405
<i>pelu</i>	1852, 17	<i>Anorrhinus galeritus</i> ..	1859, 450
<i>Anomia achæus</i>	1849, 116	<i>Anostoma carinatum</i> ..	1853, 57
<i>acontes</i>	1849, 116	<i>Anoura geoffroyi</i>	1858, 547
<i>aculeata</i>	1849, 115		1858, 509
<i>adamas</i>	1849, 117	<i>Anser albifrons</i>	{ 1860, 340
<i>æmigmatica</i> ..	1849, 118	<i>cygnoides</i>	1859, 435
<i>alectus</i>	1849, 117	<i>ferus</i>	1859, 189
<i>amabæus</i>	1849, 115	<i>finmarchicus</i>	1860, 341
<i>aspera</i>	1849, 115	<i>gambensis</i>	1860, 41
<i>belesis</i>	1849, 116	<i>leucopsus</i>	1860, 341
<i>bifida</i>	1849, 115	<i>minutus</i>	1860, 341
<i>cepa</i>	1849, 114		{ 1851, 146
<i>coronata</i>	1849, 115	<i>segetum</i>	{ 1857, 215
<i>costata</i>	1849, 114		1859, 477
<i>cucullata</i>	1849, 115		{ 1860, 340
<i>cylindrica</i>	1849, 115	<i>temminckii</i>	1860, 341
<i>cymbiformis</i>	1849, 115	<i>Antechinus maculatus</i> ..	1851, 284
<i>cytæum</i>	1849, 115	<i>minutissimus</i>	1851, 284
<i>dryas</i> ..	1849, 115	<i>Anthea cereus</i>	{ 1858, 148
<i>electrica</i>	1849, 114		1859, 434
<i>elegans</i>	1849, 115	<i>Antherea assama</i>	1859, 258
<i>elyros</i>	1849, 118	<i>frithi</i>	1859, 256
<i>ephippium</i>	1849, { 114	<i>helferi</i>	1859, 257
	118	<i>jana</i>	1859, 256
<i>fidenas</i>	1849, 116	<i>katinka</i>	1859, 260
<i>formicata</i>	1849, 115	<i>larissa</i>	1859, 258
<i>hamillus</i>	1849, 117	<i>lola</i>	1859, 246
<i>lampe</i>	1849, 117	<i>mylitta</i>	1859, 247
<i>larbas</i>	1849, 117	<i>paphia</i>	1859, 247
<i>lens</i> ..	1849, 115	<i>pernyi</i>	1859, 255
<i>macrochisma</i>	1849, 121	<i>perrotteta</i>	1859, 257
<i>margaritacea</i>	1849, 114	<i>royli</i>	1859, 256
<i>membranacea</i> ..	1849, 115	<i>simla</i> ..	1859, 257
<i>naviformis</i>	1849, 118	<i>thibeta</i>	1859, 260
<i>pacilus</i>	1849, 117	<i>zuleika</i> ..	1859, 245
<i>patellaris</i> ..	1849, 115	<i>Anthus buphthalmos</i> ..	1849, 145
<i>patelliformis</i>	1849, { 115	<i>gibbiceps</i>	1849, 145
	122	<i>Anthochaera senex</i> ..	1860, 349
<i>pectiniformis</i> ..	1849, 114	<i>Anthothreptes malaccen-</i>	
<i>phicata</i> ..	1849, 114	<i>sis</i> ..	1859, 461
<i>polymorpha</i>	1849, 114	<i>Anthreptes flavigaster</i> ..	1859, 460
<i>punctata</i>	1849, 115	<i>hypogrammica</i> ..	1859, 461
<i>pyriformis</i> ..	1849, 115	<i>maculana</i> ..	1859, 461
<i>radiata</i> ..	1849, 114	<i>malaccensis</i>	1859, { 151
<i>rosea</i> ..	1849, 118		461
<i>scabra</i>	1849, 115	<i>modesta</i>	1859, 460
<i>scabrella</i> ..	1849, 114	<i>nuchalis</i>	1859, 461
<i>sella</i> ..	1848, 114	<i>phænicotis</i>	1859, 463
<i>squama</i>	1849, 122	<i>Anthropoides virgo</i> ..	{ 1855, 34
<i>squamula</i>	1849, 115		1859, 436
<i>striata</i>	1849, 122	<i>Anthus agilis</i>	1858, 485

	Page		Page
<i>Anthus aquaticus</i>	1860, 417	<i>Antilope caama</i>	{ 1850, 132
<i>arboreus</i>	{ 1857, 13		{ 1850, 139
	1860, 350	<i>campestris</i>	{ 1860, 182
<i>bogotensis</i>	{ 1855, 109	<i>capreolus</i>	{ 1850, 118
	1855, 144		{ 1850, 126
	1858, 550	<i>cervicapra</i>	{ 1850, 135
<i>correndera</i>	{ 1859, 95		{ 1850, 167
	1860, 384	<i>chicara</i>	{ 1850, 117
<i>euonyx</i>	{ 1854, 285	<i>chickara</i>	{ 1850, 117
<i>gouldii</i>	{ 1860, 110	<i>chiru</i>	{ 1850, 112
	1856, 298	<i>christii</i>	{ 1850, 116
<i>ludovicianus</i>	{ 1857, 126	<i>cinerea</i>	{ 1850, 127
	1854, 285	<i>cœrulea</i>	{ 1850, 124
<i>malayensis</i>	{ 1859, 150	<i>colus</i>	{ 1850, 112
	1851, 142		{ 1850, 167
<i>pratensis</i>	{ 1859, 151	<i>cora</i>	{ 1850, 112
	1859, 150	<i>corrugum</i>	{ 1850, 140
<i>richardii</i>	{ 1859, 151	<i>crispa</i>	{ 1850, 136
	1858, 550	<i>cuvieri</i>	{ 1850, 113
<i>rufescens</i>	{ 1854, 285	<i>dama</i>	{ 1850, 114
	1858, 485	<i>dammah</i>	{ 1850, 134
<i>rufulus</i>	{ 1859, 151	<i>decula</i>	{ 1850, 145
	1858, 485	<i>defassa</i>	{ 1850, 131
<i>trivialis</i>	{ 1850, 116		{ 1850, 141
<i>Antidorcas euchore</i>	{ 1850, 137		{ 1849, 94
<i>Antilocapra americana</i> .	{ 1855, 10		{ 1850, 112
<i>anteflexa</i>	{ 1855, 10	<i>dorcas</i>	{ 1850, 113
	1850, 135		{ 1850, 140
<i>Antilope addax</i>	{ 1860, 183		{ 1850, 141
	1850, 129	<i>doria</i>	{ 1850, 142
<i>adenota</i>	{ 1850, 167	<i>dorsata</i>	{ 1850, 116
<i>albifrons</i>	{ 1850, 141	<i>durvaucellii</i>	{ 1850, 136
<i>albipes</i>	{ 1850, 146		{ 1850, 127
<i>algazella</i>	{ 1850, 134	<i>eleotragus</i>	{ 1850, 134
	1850, 136	<i>ellipsiprymnus</i>	{ 1850, 131
<i>americana</i>	{ 1850, 137	<i>ensicornis</i>	{ 1850, 134
	1850, 114	<i>euchore</i>	{ 1850, 116
<i>andra</i>	{ 1850, 115		{ 1848, 88
<i>annulipes</i>	{ 1850, 129	<i>euryceros</i>	{ 1850, 144
<i>arabica</i>	{ 1850, 113		{ 1850, 130
<i>arundinacea</i>	{ 1850, 127	<i>forfex</i>	{ 1850, 167
<i>aurita</i>	{ 1850, 132		{ 1850, 124
	1850, 132	<i>frederici</i>	{ 1850, 118
<i>barbata</i>	{ 1850, 133	<i>fulvo-rubescens</i>	{ 1850, 137
<i>beisa</i>	{ 1850, 134	<i>furcifer</i>	{ 1850, 112
<i>bennettii</i>	{ 1850, 116	<i>gazella</i>	{ 1850, 135
	1850, 168	<i>gibbosa</i>	{ 1850, 132
	1850, 117	<i>glauca</i>	{ 1850, 138
<i>bezoartica</i>	{ 1850, 134	<i>gnu</i>	{ 1850, 136
	1858, 522	<i>goral</i>	{ 1856, 403
<i>bharatensis</i>	{ 1850, 116	<i>gorgon</i>	{ 1850, 139
<i>bilineata</i>	{ 1850, 117	<i>goural</i>	{ 1850, 120
<i>bohor</i>	{ 1850, 128		{ 1850, 124
	1850, 135	<i>grimmia</i>	{ 1850, 118
<i>bubalina</i>	{ 1856, 403	<i>grisea</i>	{ 1850, 115
	1860, 183	<i>gutturosa</i>	{ 1850, 167
<i>bubalis</i>	{ 1850, 139		
<i>burchellii</i>	{ 1850, 120		

	Page		Page
<i>Antilope harrissii</i>	1850, 133	<i>Antilope osanne</i>	1850, 132
<i>hazenna</i>	1850, 116	<i>ourebi</i>	1850, 119
<i>hemprichianus</i>	1850, 120	<i>pallida</i>	1850, 118
<i>hemprichii</i>	1850, 120	<i>palmata</i> ..	1850, 137
<i>hodgsonii</i>	{ 1850, 112	<i>pediotragus</i>	1850, 118
.....	{ 1856, 403	<i>perpusilla</i>	1850, 124
<i>ibex</i>	1850, 116	<i>persica</i>	1850, 113
<i>interscapularis</i>	1850, 135	<i>personata</i>	1850, 141
<i>iridis</i>	1850, 113	<i>philantomba</i> ..	1850, 124
<i>isabellina</i>	1850, { 127	<i>picta</i>	1850, 146
.....	{ 128	<i>platous</i>	1850, 120
<i>kemas</i>	1850, { 112	<i>ptoox</i>	1850, 120
.....	{ 168	<i>pygarga</i>	1850, { 116
<i>kob</i>	1850, 129	{ 141
.....	{ 131	<i>pygargus</i>	1850, 132
<i>koba</i>	1850, { 140	<i>pygmaea</i>	1850, { 124
.....	{ 141	{ 126
<i>laevipes</i>	1850, 115	<i>quadricornis</i>	1850, 117
<i>lalandiana</i>	1850, 127	<i>recticornis</i>	1850, 134
<i>lalandi</i>	1850, 127	<i>redunca</i>	1850, { 127
<i>lanata</i>	1850, 126	{ 128
<i>lanigera</i>	1850, 137	<i>regia</i>	1850, 126
<i>leptoceros</i>	1850, 113	<i>reversa</i>	1850, 128
<i>leucophaeus</i>	1850, 133	<i>rubra</i>	1850, 114
<i>leucopus</i>	1850, 146	<i>rubro-albescens</i> ...	1850, 118
.....	{ 1849, 94	<i>rufa</i>	1850, 128
.....	{ 1850, 134	<i>rufescens</i>	1850, 113
<i>leucoryx</i>	{ 1860, 182	<i>ruficollis</i>	1850, 114
.....	{ 1860, 190	<i>rupestris</i>	1850, 113
<i>leucotis</i>	1860, 193	<i>rupicapra</i>	1850, 137
<i>lunata</i>	1850, 140	<i>saiga</i>	1850, 112
<i>maculata</i>	1850, 145	<i>saliens</i>	1850, 116
<i>madoqua</i>	1850, 122	<i>saltatrix</i>	1850, { 116
<i>marsupialis</i>	1850, 116	{ 119
<i>maxwelli</i>	1850, 124	<i>saltiana</i>	1850, 120
<i>mazama</i>	1850, 137	<i>scoparius</i>	1850, { 119
<i>melampus</i>	1850, { 116	{ 168
.....	{ 167	<i>scripta</i>	1850, 145
<i>melanotis</i>	1850, 118	{ 132
<i>melanura</i>	1850, 119	<i>senegalensis</i>	1850, { 140
.....	{ 120	{ 141
<i>mergens</i>	1850, { 121	<i>sing-sing</i>	1850, { 129
.....	{ 114	{ 131
<i>mohr</i>	1850, 114	<i>soemmeringii</i>	1850, 114
<i>montanus</i>	1850, 119	<i>spiniger</i>	1850, 126
<i>monticola</i>	1850, 124	<i>straticollis</i>	1850, 117
<i>mytilopus</i>	1850, 135	<i>subgutturosa</i>	1850, 113
<i>nasomaculata</i>	1849, 94	<i>subquadricornutus</i> ..	1850, 117
<i>nasomaculatus</i>	1850, 135	<i>sumatrensis</i>	1850, 135
<i>natalensis</i>	1850, 123	<i>suturosa</i>	1850, 135
<i>nictitans</i>	1850, { 120	<i>sylvatica</i>	1850, 146
.....	{ 121	<i>sylvicultrix</i>	1850, 122
.....	{ 123	<i>tao</i>	1850, 135
<i>niger</i>	1850, { 133	<i>taurina</i>	1850, 138
.....	{ 133	<i>tetracornis</i>	1850, 117
<i>ogilbii</i>	1850, 123	<i>thar</i>	1850, 135
<i>oreas</i>	1850, 143	<i>tragocamelus</i>	1850, 146
<i>oreotragus</i>	1850, 119	<i>tragulus</i>	1850, 118
.....	{ 134		
<i>oryx</i>	1850, { 143		

	Page		Page
<i>Antilope truteri</i>	1850, 132	<i>Aphantochroa gularis</i> ..	1860, 310
<i>unctuosa</i>	1850, 131	<i>Aphelia apollinaris</i> ..	1849, 61
<i>villosa</i>	1850, 126	<i>Aphruza virgata</i>	1850, 236
<i>zebra</i>	1850, 142	<i>Aphrocallistes beatrix</i> ..	1858, 115
<i>zebrata</i>	1850, 142	<i>Aphroceras albicornis</i> ..	1858, 114
(Mazama) <i>temma-</i>		<i>Aphrodita aculeata</i>	1856, 105
<i>mazama</i>	1850, 242	<i>Apistes panduatus</i>	1850, 58
(Tragelaphus) <i>phale-</i>		<i>Aploactis aspera</i>	1850, 60
<i>iata</i>	1850, 145	<i>milesi</i>	1850, 60
(—) <i>scripta</i> ..	1850, 145	<i>Aplocerus americanus</i> ..	1850, 174
<i>Antiope cristata</i>	1850, 68	<i>femmamazama</i> ..	1850, 137
<i>Antipathes abies</i>	1857, 292	<i>Aplocennia bispecularis</i> ..	1858, 401
<i>alopecuroides</i> ..	1857, 294	<i>Aplois atronitens</i>	1859, 164
<i>anguina</i>	1857, 291	<i>brevirostris</i>	1859, 163
<i>arbonea</i>	1857, 294	<i>cassini</i>	1859, 163
<i>atlantica</i>	1857, 291	<i>fusca</i>	1859, 163
<i>boschi</i>	1857, 290	<i>marginatus</i>	1859, 163
<i>clathrata</i>	1857, 290	<i>nigroviridis</i> ..	1859, 163
<i>compressa</i>	1857, 292	<i>obscura</i>	1859, 163
<i>corticula</i>	1857, 293	<i>striata</i>	1859, 163
<i>cupressina</i>	1857, 292	<i>tabuensis</i>	1859, 163
<i>cupressus</i>	1857, 292	<i>viridigrisea</i>	1859, 164
<i>dichotoma</i>	1857, 113	<i>zealandica</i>	1859, 163
<i>ericoides</i>	1857, 294	<i>Aplysia depilans</i>	1859, 45
<i>fiabellum</i>	1857, 294	<i>Aporthais pes-pelicanii</i> ..	1858, 41
<i>foeniculacea</i>	1857, 290	<i>Aprosinctus dorsalis</i> ..	1860, 227
<i>fruticosa</i>	1857, 291	<i>erythropterus</i>	1857, 27
<i>furcata</i>	1857, 291	<i>hypophonius</i>	1860, 227
<i>glaberrima</i>	1857, 290	<i>vulneratus</i>	1860, 356
<i>gracilis</i>	1857, 291	<i>Aptenodytes chrysocome</i> ..	1860, 390
<i>hirta</i>	1857, 293	<i>magellanicus</i>	1860, 390
<i>lacerata</i>	1857, 293	<i>papua</i>	1860, 390
<i>laux</i>	1857, 292	<i>patachonica</i>	1860, 390
<i>lingulata</i>	1857, 290	<i>pennantii</i>	1859, 98
<i>mimosella</i>	1857, 292	<i>apertus</i>	1860, 390
<i>myriophyllum</i> ..	1857, 292	<i>Apterionotus albifrons</i> ..	1853, 75
<i>paniculata</i>	1857, 294	<i>Apteryx australis</i>	1850, 211
<i>pectinata</i>	1857, 293	<i>mantellii</i>	1850, 275
<i>pedata</i>	1857, 291	<i>owenii</i>	1859, 350
<i>pinnacea</i>	1857, 293	<i>domingensis</i>	1860, 194
<i>pinnatifida</i>	1857, 292	<i>gouldingi</i>	1850, 211
<i>pluma</i>	1857, 291	<i>Apus cancriformis</i>	1852, 3
<i>pyramidata</i>	1857, 293	<i>domingensis</i>	1852, 5
<i>reticulata</i>	1857, 291	<i>gouldingi</i>	1852, 3
<i>scoparia</i>	1857, 293	<i>longicaudatus</i>	1852, 4
<i>spinescens</i>	1857, 292	<i>obtusius</i>	1852, 4
<i>spiralis</i>	1857, 114	<i>pisciformis</i>	1852, 19
<i>subpinnata</i>	1857, 293	<i>Aquila audax</i>	1850, 91
<i>triquetra</i>	1857, 294	<i>bifasciata</i>	1858, 470
<i>ulex</i>	1857, 292	<i>bonelli</i>	1859, 435
<i>wollastonii</i>	1857, 293	<i>canadensis</i>	1860, 416
<i>Antrostomus macromy-</i>		<i>canadensis</i>	1860, 417
<i>stax</i>	1858, 296	<i>chrysastot</i>	1855, 128
<i>vociferus</i>	1859, 367	<i>chrysastot</i>	1858, 470
<i>Aonyx sikimensis</i>	1856, 399	<i>chrysastot</i>	1860, 371

	Page		Page
<i>Aquila fusca</i>	1854, 3	<i>Arctocephalus galliespui</i> . 1859,	103
<i>imperialis</i>	1855, 128		358
	1857, 85	<i>hookeri</i> 1859,	109
	1860, 416		360
<i>malayensis</i>	1858, 471		110
	1859, 170	<i>lobatus</i> 1859,	358
	1859, 215		360
<i>nævia</i>	1854, 3	<i>monteriensis</i> 1859,	358
	1858, 470		109
<i>nævioides</i>	1860, 415	<i>nigrescens</i> 1859,	358
	417		360
<i>pennata</i>	1850, 215		103
(<i>Heteropus</i>) <i>gurneyi</i> 1860,	342	<i>usinus</i> 1859,	108
	1857, 266		358
<i>Ara aracanga</i>	1859, 59		359
	1859, 435	<i>Arctomys bobac</i> 1858,	521
<i>ararauna</i>	1859, 433	<i>tibetanus</i>	1856, 403
<i>chloroptera</i>	1850, 433		1858, 521
<i>glauca</i>	1860, 372	<i>Arctonetta fischeri</i> 1855,	212
	1857, 230	<i>Arctonyx collaris</i> 1856,	398
<i>militaris</i>	1858, 76	<i>isonyx</i> 1856,	398
	1860, 372	<i>Arctopithecus blainvillei</i> 1849,	71
<i>pachyrhyncha</i> 1859,	368		73
	1857, 266	<i>blainvillii</i> 1851,	208
<i>severa</i>	1860, 242	<i>flaccidus</i> 1849,	72
	1860, 371		70
<i>Arachnoides antipodarum</i> 1851,	126	<i>gularis</i>	1851, 208
<i>Arachnographis flavigaster</i> 1859,	460		1849, 71
<i>Arachnothera chryso-</i>		<i>marmoratus</i>	1851, 208
<i>genys</i> 1859,	460	<i>problematicus</i> 1849,	73
<i>flavigastra</i> 1859,	460	<i>Ardea affinis</i> 1850,	221
<i>flavigenys</i> 1859,	460	<i>alba</i> 1860,	363
<i>latirostris</i> 1859,	460	<i>albolineata</i> 1859,	166
<i>modesta</i> 1859,	460	<i>aruensis</i> 1858,	188
<i>novæ-guineæ</i> 1858,	173	<i>bicolor</i> 1850,	221
	1856, 143	<i>bubulcus</i> 1850,	221
<i>Aramides cayennensis</i> 1857,	206		1850, 221
	1859, 64	<i>caboga</i>	1855, 70
	1859, 393		1859, 166
	1857, 236	<i>caledonica</i>	1860, 364
<i>Aramus scolopaceus</i> 1859,	64	<i>chloriceps</i> 1860,	364
	1860, 290		1851, 146
<i>Arbelorhina cærebicolor</i> . 1854,	252		1855, 35
<i>Arboricola torquæola</i> 1858,	503		1857, 215
<i>Arca granosa</i> 1860,	17	<i>cinerea</i>	1858, 508
<i>nodifera</i> 1860,	17		1859, 188
<i>semitorta</i> 1858,	91		1859, 435
<i>tortuosa</i> 1858,	91		1860, 372
<i>Archiplanus leucorham-</i>		<i>comata</i> 1858,	508
<i>phus</i> 1855,	153	<i>coromandelensis</i> . . 1850,	221
<i>Arctibeus leucomus</i> 1848,	57	<i>coromandelica</i> 1860,	363
<i>hium</i> 1860,	212	<i>ferruginea</i> 1859,	166
<i>peispicillatus</i> 1860,	260	<i>flavicollis</i> 1860,	364
<i>pusillus</i> 1860,	260	<i>golhath</i> 1849,	106
	107	<i>javanica</i> 1860,	364
<i>Arctocephalus delalandi</i> 1859,	109	<i>jugularis</i> 1859,	166
	358	<i>leucophæa</i> 1848,	58
	360		

	Page		Page
<i>Ardea lucida</i>	1850, 221	<i>Arremon assimilis</i>	1856, 85
<i>minuta</i>	1851, 146	<i>atripileus</i>	1856, 91
<i>nigra</i>	1859, 188	<i>aurantiostotis</i>	1854, 114
<i>nycticorax</i>	1860, 364	1856, 83
.....	1851, 146	1859, 377
<i>purpurea</i>	1855, 71	1854, 97
<i>robusta</i>	1851, 146	<i>axillaris</i>	1855, 154
<i>ruficapilla</i>	1860, 363	1856, 82
.....	1850, 221	1855, 154
.....	1850, 221	<i>conirostris</i>	1856, 143
.....	1851, 146	1860, 275
.....	1860, 363	<i>devillii</i>	1856, 81
<i>scapularis</i>	1860, 364	<i>d'orbignii</i>	1856, 81
<i>sparrmannii</i>	1859, 166	1855, 83
<i>stellaris</i>	1851, 146	1855, 154
<i>symmatophorus</i>	1860, 363	<i>erythrorhynchus</i> .	1856, 83
<i>typhon</i>	1860, 363	1860, 85
<i>verrani</i>	1850, 221	1860, 274
<i>virgo</i>	1858, 507	1860, 293
(<i>Ardeola</i>) <i>coromanda</i>	1850, 221	<i>flavipectus</i>	1856, 90
(—) <i>russata</i>	1860, 363	<i>flavirostris</i>	1856, 81
(<i>Ardetta</i>) <i>flavicollis</i>	1860, 364	<i>frontalis</i>	1856, 86
(<i>Butorides</i>) <i>viridiceps</i>	1860, 364	<i>giganteus</i>	1856, 69
(<i>Egretta</i>) <i>alba</i>	1860, 363	<i>gutturals</i>	1856, 86
<i>Ardeola bubulcus</i>	1860, 197	<i>leucopterus</i>	1856, 87
<i>coromanda</i>	1850, 221	<i>mystacalis</i>	1855, 155
<i>Ardetta cinnamomea</i>	1859, 150	1856, 88
.....	1859, 150	1855, 155
<i>flavicollis</i>	1859, 151	<i>ophthalmicus</i>	1856, 89
.....	1860, 364	<i>pallidinucha</i>	1856, 87
<i>javanica</i>	1848, 40	<i>palmarum</i>	1856, 84
<i>macrorhyncha</i>	1848, 39	<i>personatus</i>	1856, 89
.....	1858, 508	<i>polonotus</i>	1856, 81
<i>minuta</i>	1860, 372	<i>rubirostris</i>	1856, 92
.....	150	<i>rufinucha</i>	1856, 87
<i>scapularis</i>	1859, 151	1855, 157
<i>Areopagia siamensis</i>	1860, 18	<i>rufivertex</i>	1856, 242
<i>Argala javanica</i>	1860, 364	1856, 259
<i>Arges brachycephalus</i>	1859, 92	<i>schistaceus</i>	1856, 88
<i>Argiope cistellula</i>	1852, 81	<i>schlegelii</i>	1856, 83
<i>cuneata</i>	1852, 81	<i>semirufus</i>	1856, 88
<i>decollata</i>	1852, 81	<i>semitorquata</i>	1854, 97
<i>forbesii</i>	1852, 81	<i>semitorquatus</i>	1856, 82
<i>neapolitana</i>	1852, 81	<i>silens</i>	1856, 80
<i>Argobuccinum nodosum</i>	1856, 209	1854, 114
<i>Argonauta cornu</i>	1850, 45	1855, 83
<i>Argyropelicus hemigymnus</i>	1850, 248	<i>spectabilis</i>	1856, 82
<i>olfersii</i>	1850, 247	1858, 72
<i>Argyrophis horsfieldii</i>	1860, 160	<i>superciliaris</i>	1856, 92
<i>Arion ater</i>	1854, 162	<i>taeniatus</i>	1856, 237
<i>empiricorum</i>	1854, 162	<i>torquatus</i>	1856, 80
<i>Aromochelys carinata</i>	1855, 199	<i>Arsenura erythrina</i>	1849, 36
<i>odorata</i>	1855, 199	<i>Arses kaupii</i>	1850, 278
<i>Arremon abeillii</i>	1856, 82	<i>chrysomelas</i>	1858, 177
<i>affinis</i>	1856, 84	<i>telescopthalmus</i>	1858, 177
<i>albifrenatus</i>	1856, 88	<i>Artamus cucullatus</i>	1851, 196
		1859, 151
		<i>fuscus</i>	1860, 354

	Page		Page
<i>Artamus leucorhynchus</i>	1860, 354	<i>Aspergillum vaginiferum</i>	1858, 309
<i>melaleucus</i>	1859, 163	<i>zeluensis</i>	1858, 313
<i>papuensis</i>	1858, 179	<i>Aspidelaps lubricus</i>	1859, 88
<i>Artemia arietina</i>	1852, 27	<i>Aspidochelys livingstoni</i>	1860, { 314
<i>eulmene</i>	1852, 26		316
<i>guildingii</i>	1852, 27		431
<i>koppeniana</i>	1852, 28	<i>Aspis intestinalis</i>	1859, 82
<i>milhauseni</i>	1852, 27	<i>Assiminea francisci</i>	1860, 11
<i>salina</i>	1852, 25	<i>Assiminia fasciata</i>	1856, 23
<i>Artemus guildingii</i>	1852, 27		{ 1853, 43
<i>Arthemis saccata</i>	1856, 201	<i>grayana</i>	{ 1856, 20
<i>Arvicola amphibius</i>	1857, 241		{ 1856, 21
<i>myothrix</i>	1856, 401	<i>Asterope elliptica</i>	1850, 257
<i>Arytene tuberculatum</i>	1858, 313	<i>Astraliu calcar</i>	1851, 231
<i>Ascaris bifaria</i>	1853, 19	<i>deplanatum</i>	1851, 231
<i>boddaerti</i>	1860, 447	<i>Astropyga depressa</i>	1855, 38
<i>dugonis</i>	1859, 149	<i>Astur atricapillus</i>	1858, 1
<i>halichloris</i>	1859, 149	<i>griseogularis</i>	1860, 343
<i>laevissima</i>	1853, 19	<i>hemicogrammus</i>	1860, 343
<i>leptocephala</i>	1858, 224	<i>iogaster</i>	1860, 343
<i>lonchoptera</i>	1859, 427	<i>longicauda</i>	1859, 153
<i>obconica</i>	1860, 447	<i>novæ-hollandiæ</i>	{ 1859, 432
<i>osculata</i>	1853, 18		{ 1860, 371
<i>salvini</i>	1860, 446	<i>palumbarius</i>	{ 1855, 128
<i>similis</i>	1853, 18		{ 1858, 473
<i>Asinus hemionus</i>	{ 1856, 406	<i>unicolor</i>	1854, 259
<i>kiang</i>	{ 1853, 531	<i>Asturina albifrons</i>	1859, 308
<i>Asio brachyotus</i>	1858, 473		{ 1856, 285
<i>Aspergillum agglutinans</i>	1858, 313		{ 1857, 261
<i>annulus</i>	1858, 312	<i>magnirostris</i>	{ 1858, 451
<i>australe</i>	1858, 310		{ 1859, 52
<i>clavatum</i>	1858, 313		{ 1859, 147
<i>cumingianum</i>	1858, 310		{ 1859, 363
<i>delessertianum</i>	1858, 309		{ 1860, 288
<i>dichotomus</i>	1858, 312		{ 1857, 201
<i>gracilis</i>	1858, 313	<i>nitida</i>	{ 1857, 227
<i>incertum</i>	1858, 310		{ 1859, 363
<i>incrassatum</i>	1858, 313		{ 1859, 389
<i>javanum</i>	1858, { 308		{ 1860, 283
<i>histeri</i>	1858, { 311	<i>schistacea</i>	1858, 123
<i>novæ-hollandiæ</i>	1858, 313	<i>Asychnia modestella</i>	1854, 224
<i>novæ-zelandiæ</i>	1858, 313	<i>Atalanta peronii</i>	1850, 45
<i>ornatum</i>	1858, 313	<i>Atalapha americana</i>	1857, 35
<i>philippense</i>	1858, 313	<i>Ateles beelzebub</i>	1860, 242
<i>pulchellum</i>	1858, 311	<i>paniscus</i>	{ 1852, 107
<i>pulchrum</i>	1858, 312		{ 1856, 422
<i>radix</i>	1858, 312	<i>pentadactylus</i>	1860, { 183
<i>recluzianum</i>	1858, 313		{ 372
<i>semifimbriatum</i>	1858, 312	<i>Athene brahma</i>	{ 1857, 86
<i>sparsum</i>	1858, 312	<i>brodiei</i>	{ 1858, 474
<i>strangei</i>	{ 1852, 91		{ 1857, 86
<i>strangulatum</i>	1858, 313	<i>cuculoides</i>	{ 1858, 474
<i>tuberculatum</i>	1858, 313		{ 1859, 150
<i>vaginiferum</i>	1858, 308	<i>dominicensis</i>	1857, 231
		<i>humeralis</i>	1858, 170
		<i>hypogæa</i>	1857, 201

	Page		Page
<i>Athene hypogramma</i> ..	1860, 344	<i>Attila bolivianus</i>	1859, 41
<i>infuscata</i>	1856, 285	<i>brasiliensis</i>	1859, 41
<i>malayensis</i>	1854, 262	<i>cimereus</i>	1859, 41
<i>noctua</i>	1860, 372	<i>citreopygia</i>	1857, 228
<i>radiata</i>	1854, 262	<i>citreopygius</i>	1859, { 41 366 383
<i>rufostrigata</i>	1860, 344	<i>citriniventris</i>	1859, 43
<i>squamipila</i>	1860, 344	<i>flammulatus</i>	1859, 41
<i>theomacha</i>	1858, 170	<i>rufus</i>	1859, 41
<i>undulata</i>	1854, 262	<i>spadiceus</i>	1859, 41
<i>Atherura africana</i>	1859, 432	<i>thamnophiloides</i> ..	1859, 41
<i>Athyma abiasa</i>	1858, 16	<i>torrida</i>	1860, 280
<i>asita</i>	1858, 13	<i>Attus abbreviatus</i>	1849, 5
<i>asura</i>	1858, 17	<i>cookii</i>	1849, 5
<i>bahula</i>	1858, 12	<i>darwini</i>	1849, 4
<i>cama</i>	1858, 14	<i>phrinoides</i>	1849, 5
<i>dama</i>	1858, 19	<i>Atys debilis</i>	1860, 20
<i>eurynome</i>	1858, 10	<i>elongata</i>	1860, 19
<i>gutama</i>	1858, 20	<i>semistrata</i>	1860, 20
<i>helicopis</i>	1858, 8	<i>Auchemia huamel</i>	1850, 236
<i>idita</i>	1858, 16	<i>Augasma smaragdineum</i>	1860, 305
<i>illigea</i>	1858, 19	<i>Aulacoprus reichii</i> ..	1859, 118
<i>inaia</i>	1858, 13	<i>Aulacohamphus albivitta</i>	1855, 161
<i>jina</i>	1858, 18	<i>albivittatus</i>	1858, 75
<i>kanwa</i>	1858, 17	<i>caeruleogularis</i> ..	1853, 45
<i>kasa</i>	1858, 19	<i>castaneirhynchus</i> ..	1855, 161
<i>kresna</i>	1858, 12	<i>haematopygius</i>	1859, 146
<i>larymna</i>	1858, 12	<i>prasinus</i>	{ 1853, 308 1859, 368
<i>leucothoe</i>	1858, 11	<i>wagleri</i>	1859, 388
<i>mehesa</i>	1858, 15	<i>Aulapoma grande</i>	1855, 104
<i>nefte</i>	1858, 13	<i>Aulica aulica</i>	1855, 56
<i>opalina</i>	1858, 11	<i>luteostoma</i>	1855, 57
<i>pravara</i>	1858, 19	<i>marmorata</i>	1855, 64
<i>ranga</i>	1858, 15	<i>nivosa</i>	1855, 56
<i>reta</i>	1858, 12	<i>norman</i>	1855, 56
<i>sankara</i>	1858, 18	<i>piperita</i>	1855, 56
<i>selenophora</i>	1858, 14	<i>pulchella</i>	1855, 56
<i>strophia</i>	1858, 18	<i>punctata</i>	1855, 57
<i>subrata</i>	1858, 13	<i>rutala</i>	1855, 56
<i>sulpitia</i>	1858, 18	<i>scapha</i>	1855, 62
<i>venilia</i>	1858, 20	<i>vespertilio</i>	1855, 56
<i>vikasi</i>	1858, 7	<i>Aurelia aurita</i>	1859, 201
<i>Atlapietes albinucha</i> ..	1856, 86	<i>Auricella carychium</i> ..	1854, 33
<i>chrysopogon</i>	1856, 86	<i>Auriculella auricula</i> ..	1855, 1
<i>pallidinucha</i>	1856, 88	<i>cerea</i>	1855, 2
<i>pileatus</i>	{ 1858, 304 1859, 380	<i>chamissoi</i>	1855, 98
<i>schistaceus</i>	1856, 88	<i>lurida</i>	1855, 206
<i>Atractaspis corpulentus</i> ..	1858, 163	<i>obelisca</i>	1855, 206
<i>Atropus undulatus</i>	1860, 316	<i>petitiana</i>	1855, 1
<i>Attacus atlas</i>	1859, 265	<i>pusilla</i>	1855, 1
<i>edwardsii</i>	{ 115 266	<i>Auricula acuta</i>	1854, 33
<i>guerinii</i>	1859, 269	<i>aequalis</i>	1854, 217
<i>lunula</i>	1859, 267	<i>alba</i>	1854, 36
<i>mylitta</i>	1859, 247	<i>angrostoma</i>	1854, 11
<i>ricini</i>	1859, 267	<i>angulifera</i>	1854, 31
<i>Attagus chimborazensis</i> ..	1860, 82	<i>auricella</i>	1854, 217
<i>Atticora pileata</i>	1858, 355		

	Page		Page
<i>Auricula australis</i>	1854, 34	<i>Auricula olivula</i>	1854, 11
<i>avena</i>	1854, 32	<i>ovata</i>	1854, 34
<i>bidentata</i>	1854, 36	<i>ovula</i>	1854, 10
<i>bivonæ</i>	1854, 36	<i>pallescens</i>	1854, 10
<i>caffra</i>	1854, 10	<i>pallida</i>	1854, 7
<i>callavensis</i>	1854, 35	<i>panamensis</i>	1854, 10
<i>ceylanica</i>	1854, 10	<i>papillifera</i>	1854, 7
<i>chinensis</i>	1854, 152	<i>pellucens</i>	1854, 33
<i>cingulata</i>	1854, 11	<i>pepita</i>	1854, 35
<i>columbiensis</i>	1854, 10	<i>personata</i>	1854, 33
<i>concinna</i>	1854, 34	<i>petiveriana</i>	1850, 147
<i>coniformis</i>	1854, 9	<i>philippi</i>	1854, 10
<i>cornea</i>	1854, 10	<i>plicata</i>	1850, 148
<i>coronula</i>	1854, 10	<i>polita</i>	1851, 72
<i>costata</i>	1854, 13	<i>protracta</i>	1854, 7
<i>cymbæformis</i>	1854, 35	<i>pulchella</i>	1854, 11
<i>dactyla</i>	1854, 161	<i>pygmæa</i>	1854, 33
<i>densata</i>	1854, 7	<i>pyriformis</i>	1854, 10
<i>doliolum</i>	1854, 31	<i>recluziana</i>	1854, 35
<i>elongata</i>	1854, 8	<i>reflexilabris</i>	1854, 33
<i>erosa</i>	1854, 36	<i>reticulata</i>	1854, 7
<i>exigua</i>	1854, 218	<i>rugata</i>	1854, 31
<i>faba</i>	1854, 32	<i>saccata</i>	1854, 121
<i>fasciata</i>	1854, 11	<i>sandwichensis</i>	1854, 34
<i>felis</i>	1851, 72	<i>sayi</i>	1854, 36
<i>firmum</i>	1854, 35	<i>scaabæus</i>	1850, 147
<i>floridiana</i>	1854, 11	<i>sheepmakerni</i>	1854, 7
<i>frumentum</i>	1854, 32	<i>sowerbyana</i>	1854, 32
<i>fusca</i>	1854, 9	<i>stagnalis</i>	1854, 7
<i>gracilis</i>	1854, 217	<i>sterna</i>	1856, 203
<i>granifera</i>	1854, 12	<i>subnodosa</i>	1851, 72
<i>granulosa</i>	1854, 7	<i>subula</i>	1854, 8
<i>helvacea</i>	1854, 8	<i>sulculosa</i>	1854, 31
<i>infrequens</i>	1854, 11	<i>tenella</i>	1854, 33
<i>judæ</i>	1854, 7	<i>tobagensis</i>	1854, 9
<i>kraussii</i>	1854, 31	<i>tornatelliformis</i>	1854, 7
<i>küsterii</i>	1854, 11	<i>turrita</i>	1854, 121
<i>kutschigiana</i>	1854, 33	<i>umlaasiana</i>	1854, 9
<i>leucodon</i>	1854, 9	<i>villosa</i>	1854, 35
<i>leucodonta</i>	1854, 10	<i>Auxis vulgaris</i>	1850, 248
<i>livida</i>	1854, 10	<i>Auxoclossa hopfferni</i>	1854, 224
<i>lutea</i>	1854, 10	<i>Aviceda reinwardtii</i>	1860, 343
<i>marinella</i>	1854, 35	<i>sumatrensis</i>	1860, 343
<i>miceli</i>	1854, 36	<i>Avocettinus eurypterus</i>	1857, 71
<i>microstoma</i>	1854, 36	<i>Axis ceylonensis</i>	1850, 233
<i>midæ</i>	1854, 7	<i>maculata</i>	1850, 157
<i>minima</i>	1854, 33	<i>major</i>	1850, 233
<i>monile</i>	1854, 9	<i>medius</i>	1850, 233
<i>mustelina</i>	1851, 72	<i>minor</i>	1850, 233
<i>myosotis</i>	1854, 32	<i>porcinus</i>	1856, 406
<i>nigra</i>	1854, 35		
<i>nitens</i>	1854, 10		
<i>nucleus</i>	1854, 31		
<i>oliva</i>	1854, 11		

	Page		Page
Babirussa	1848, 69	Basileuterus brasieri ..	1856, 292
	1849, 158		1859, 374
	1852, 131	chrysogaster	1859, 137
alfurus	1860, 442		1860, 273
	1860, 443		1855, 65
	1851, 2	chrysophrys	1857, 202
	1859, 353		1859, 374
	1860, 195	coronatus	1855, 144
Baleniceps rex	1860, 243		1859, 137
	1860, 324		1855, 66
	1860, 377	culicivorus	1856, 292
	1860, 461		1859, 374
Balantia orientalis	1858, 104	delatrii	1855, 144
Balea dominicensis	1851, 148		1860, 250
fragilis	1854, 215	mesochrysus	1860, 251
newcombii	1852, 67	nigricapillus	1860, 74
perversa	1854, 215	nigricristatus	1859, 440
Balearica pavonina ..	1859, 433	rubrifrons	1859, 363
	1860, 183		1856, 291
	1856, 301	rufifrons	1858, 299
Bananivorus affinis ..	1859, 365	semicervinus	1860, 84
Bankivia major	1851, 171		291
nitida	1851, 172	vermivorus	1855, 144
purpurascens	1851, 171	Basilinna leucotis	1856, 287
varians	1851, 171	Basiscus americanus ..	1860, 453
Barbastellus communis ..	1856, 395	bivittatus	1860, 85
daubentonii	1856, 395	seemannii	1860, 233
Barbatula atroflava	1859, 398	Bassaris astuta	1848, 81
chrysocoma	1859, 398	Batagur baska	1856, 182
duchaillii	1859, 397	ocellata	1856, 182
erythronotus	1859, 398	Batara cinerea	1858, 207
flavimentum	1859, 398	othello	1859, 208
flavisquamata	1859, 397	striata	1858, 207
formosa	1859, 398	Bathmidura d'orbignyi ..	1859, 197
fuliginosa	1859, 397	Bathmidurus atricapillus	1857, 77
leucolaima	1859, 398	major	1851, 48
minuta	1859, 399	marginatus	1857, 78
nana	1859, 399	melanoleucus	1851, 48
pusilla	1859, 399	minor	1857, 79
stellata	1859, 397	minor	1851, 48
subsulfurea	1859, 398	niger	1857, 76
Barita quoyi	1858, 180	surinamus	1857, 74
	150	tristis	1851, 48
	161	variegatus	1857, 77
	167	Batissa atrata	1854, 14
Barycephalus sykesii ..	1860, 170	australis	1854, 346
	171	compressa	1860, 320
	172	corbiculoides	1854, 14
	173	elongata	1860, 320
Baryphonus cyanocephalus	1857, 250	fortis	1860, 320
	255	fuscata	1860, 319
ruficapillus	1857, 258	gracilis	1860, 319
semirufus	1857, 254	humerosa	1854, 14
Basileuterus bellii ...	1855, 65	inflata	1860, 320
	1859, 374	insignis	1854, 13
bivittatus	1859, 137	lenticularis	1854, 14
brasieri	1855, 66	megadesma	1854, 14
		minor	1860, 320

	Page		Page
<i>Batissa producta</i>	1854, 13	<i>Biophorus paradisiacus</i> ..	1850, 84
<i>triquetra</i>	1854, 13	<i>Bison americanus</i>	1849, 90
<i>uniformis</i>	1860, 319	<i>europæus</i>	1848, 126
<i>Batocera hercules</i>	1858, 399	<i>poephagus</i>	1856, 405
<i>rubus</i>	1858, 399	<i>Bithyma inconspicua</i> ..	1857, 123
<i>una</i>	1858, 399	<i>orcula</i>	1857, 123
<i>Batrachia anura</i>	1858, 341	<i>stenothyroides</i> ..	1857, 123
<i>Batrachians</i>	1850, 9	<i>tentaculata</i>	1857, 123
<i>Batrachostomus auritus</i> ..	1854, 266	<i>truncata</i>	1860, 13
<i>cornutus</i>	1854, 266	<i>Bittium tricarinarum</i> ..	1860, 433
<i>javanensis</i>	1854, 266	<i>Blagrus leucogaster</i>	1854, 261
<i>psilopterus</i>	1860, 345	<i>Blandia bairdiana</i>	1857, 169
<i>stellatus</i>	1854, 266	<i>blandiana</i>	1857, 169
<i>Baza jerdoni</i>	1860, 342	<i>hilliana</i>	1857, 169
<i>lophotus</i>	1857, 86	<i>jeffreysiana</i>	1857, 169
<i>reinwardtii</i>	1860, 342	<i>macgillivrayana</i> ..	1857, 169
<i>stenozone</i>	1858, 169	<i>trailliana</i>	1857, 169
<i>Bela arctica</i>	1855, 121	<i>troscheliana</i>	1857, 169
<i>Belideus ariel</i>	1858, 109	<i>Blastocerus campestris</i> ..	1850, 237
<i>flaviventris</i>	1859, 212	<i>paludosus</i>	1860, 237
<i>Berenicornis comatus</i> ..	1859, 450	<i>Blastotrochus nutritrix</i> ..	1849, 76
<i>Bernicla antarctica</i> ..	1859, 96	<i>Blauneria gracilis</i>	1860, 145
<i>canadensis</i>	1860, 388	<i>Blennius palmicornis</i> ..	1859, 432
<i>hutchinsii</i>	1860, 418	<i>viviparus</i>	1859, 432
<i>indica</i>	1858, 509	<i>Blue Hawk of the Cata-</i>	
<i>inornata</i>	1857, 128	<i>racts, The</i>	1851, 55
<i>inornata</i>	1858, 290	<i>Boa</i>	1853, 386
<i>leucopsis</i>	1859, 96	<i>constrictor</i>	1859, 212
<i>magellanica</i>	1860, 387	<i>diviniloqua</i>	1860, 233
<i>melanoptera</i>	1859, 477	<i>hieroglyphica</i>	1860, 372
<i>poliocephala</i>	1860, 183	<i>liberensis</i>	1860, 416
<i>sandvicensis</i>	1860, 442	<i>regia</i>	1858, 164
<i>Berniera viridis</i>	1860, 387	<i>Boædon geometricus</i> ..	1858, 159
<i>Bethylus leverianus</i>	1857, 128	<i>lineatus</i>	1858, 158
<i>medius</i>	1860, 242	<i>niger</i>	1858, 158
<i>picatus</i>	1859, 206	<i>quadrivittatus</i>	1858, 158
<i>Bettongia cuniculus</i>	1858, 288	<i>quadrivittatus</i>	1858, 158
<i>gilbyi</i>	1856, 79	<i>unicolor</i>	1858, 159
<i>penicillata</i>	1856, 79	<i>Borgo</i>	1848, 27
<i>Bhuchanga annectans</i> ..	1856, 79	<i>Bolborhynchus catharina</i> ..	1857, 225
<i>Biancia nigra</i>	1860, 323	<i>Boletia pileolus</i>	1855, 36
<i>Bibos frontalis</i>	1860, 371	<i>Bolitoglossa mexicana</i> ..	1858, 144
<i>Bimna bicolor</i>	1860, 417	<i>rubra</i>	1858, 144
<i>Bingulus caudatus</i> ..	1860, 323	<i>Bombinator igneus</i>	1858, 342
	1860, 371		343
	1860, 371		395

	Page		Page
<i>Bombinator silckimmen-</i>		<i>Botaurus stellaris</i>	{ 1858, 508 1859, 188
<i>sis</i>	1860, 165	<i>Bothriocephalus antar-</i>	
<i>Bombycilla garrula</i> ...	1857, 55	<i>ticus</i>	1853, 25
<i>Bombycistomus fuller-</i>		<i>Bothriophis distinctus</i> ..	1858, 160
<i>toni</i>	1854, 266	<i>Bourciera fraseri</i>	1859, 28
<i>Bombyx alcinoe</i>	1849, 50	<i>Bourciera fulgidigula</i> .	{ 1859, 145 1860, 81
<i>argus</i>	1849, 49	<i>prunellii</i>	1857, 16
<i>atlas</i>	1859, 265	<i>torquata</i>	1857, 16
<i>caffraria</i>	1849, 50	<i>Brachycephalus ephip-</i>	
<i>certhia</i>	1849, 37	<i>pium</i>	1858, 343
<i>cynthia</i>	1859, 267	<i>Brachyceranium corpulen-</i>	
<i>cytherea</i>	1849, 44	<i>tum</i>	1858, 163
<i>dione</i>	1849, 45	<i>Brachygalba albigularis</i> .	1857, 262
<i>horsfieldi</i>	1859, 244	<i>albiventris</i>	1855, 15
<i>huttoni</i>	1859, 243	<i>inornata</i>	{ 1855, 15 1857, 16
<i>jana</i>	1859, 256	<i>melanosterna</i>	{ 1855, 15 1857, 262
<i>lugubris</i>	1859, 244	<i>Brachymerus fasciatus</i> ..	1858, 374
<i>mori</i>	1859, 237	<i>Brachyorrhos tenuiceps</i> .	1860, { 161 167 171
<i>mylitta</i>	1859, 247	<i>Brachyotus cassini</i>	1859, 390
<i>nictitans</i>	1849, 55	<i>Brachypodius melano-</i>	{ 1854, 278 1859, 160
<i>paphia</i>	1859, 247	<i>cephalus</i>	1854, 279
<i>perrotti</i>	1859, 257	<i>tristis</i>	1857, 100
<i>petiveri</i>	1849, 46	<i>Brachypternus auran-</i>	{ 1858, 475 1859, 174
<i>polyphemus</i> ..	1849, 45	<i>tius</i>	1854, 276
<i>religiosa</i>	1859, 242	<i>Brachypteryx acutirostris</i>	1854, 275
<i>spectabilis</i>	1849, 37	<i>albogularis</i>	1854, 74
<i>subnotata</i>	1859, 244	<i>cruralis</i>	1854, 273
<i>tyrhea</i>	1849, 44	<i>nigrocapitata</i>	1854, 276
<i>wallichii</i>	1849, 37	<i>nigrogularis</i>	1854, 74
<i>Bonasa sabini</i>	1859, 236	<i>nipalensis</i>	1854, 75
<i>Bornia corbuloides</i>	1856, 340	<i>scapularis</i>	1854, 75
<i>Borsonia bifasciata</i>	1860, 143	<i>Brachyrhamphus mar-</i>	
<i>crassicostata</i>	1860, 143	<i>moratus</i>	1859, 237
<i>lutea</i>	1860, 143	<i>Brachyurus calvus</i>	1849, 10
<i>nebulosa</i>	1860, 143	<i>couxii</i>	1852, 107
<i>Bos amee</i>	1855, 17	<i>macklotii</i>	1858, 175
<i>connochætes</i>	1850, 138	<i>novæ-guinææ</i>	1858, 175
<i>frontalis</i>	1852, 96	<i>ouakari</i>	{ 1849, 8 1849, 10 1852, 107
<i>gaurus</i>	1850, 157	<i>rubicundus</i>	1852, 107
<i>grunniens</i>	1856, 405	<i>Bradybates ventricosus</i> .	1858, 138
<i>pegaseus</i>	1850, 139	<i>Bradypus affinis</i>	1849, 68
<i>taurus</i>	{ 1848, 127 1850, 157	<i>crinitus</i>	{ 1849, 67 1849, 69 1851, 207
<i>urus</i>	1848, { 16 37	<i>didactylus</i>	{ 1848, 37 1849, 66
<i>zebu</i>	{ 1859, 436 1860, 415 1860, 417	<i>torquatus</i>	1849, { 66 68
<i>Boselaphus bubalis</i>	1850, 139		
<i>camu</i>	1850, 139		
<i>derbianus</i>	1850, 144		
<i>Botaurus heliosylus</i>	1859, 159		
<i>lentiginosus</i>	{ 1856, 310 1857, 127 1859, 369		
<i>stellaris</i>	{ 1850, 221 1856, 54 1857, 12		

	Page		Page
<i>Bradypus tridactylus</i> ..	1849, 68		
<i>Branchiopoda stagnalis</i> ..	1852, 19	<i>Buarremon brunneinuchus</i>	{ 1858, 303 1859, 138 1859, 304 1859, 377 1859, 441
<i>Branchipus birostratus</i> ..	1852, 24	<i>castaneiceps</i> . . .	{ 1860, 86 1856, 86
<i>cafer</i>	1852, 21	<i>chrysopogon</i>	{ 1856, 88 1856, 88
<i>ferox</i>	1852, 29	<i>fulviceps</i>	{ 1856, 86 1856, 87
<i>lacunæ</i>	1852, 24	<i>gutturalis</i>	{ 1858, 293 1860, 76 1860, 85
<i>melanurus</i>	1852, 19	<i>latinuchus</i>	{ 1855, 214 1856, 87 1859, 138 1855, 155 1855, 214 1856, 87 1858, 551
<i>middendorffianus</i> ..	1852, 25	<i>personatus</i>	{ 1856, 89 1856, 85
<i>milhanseni</i>	1852, 27	<i>phæopleurus</i>	{ 1856, 87 1858, 293 1855, 155 1855, 214 1856, 88 1858, 551
<i>pisciformis</i>	1852, 19	<i>rufinuchus</i>	{ 1856, 88 1856, 88 1856, 84 1856, 85 1856, 86
<i>schæfferi</i>	1852, 19	<i>Bubalia albifrons</i> . . .	{ 1850, 141 1850, 157 1850, 140 1850, 140 1850, 139 1850, 141
<i>spinosus</i>	1852, 20	<i>buffelus</i>	{ 1848, 98 1857, 86 1858, 473
<i>stagnalis</i>	1852, 19	<i>koba</i>	{ 1858, 451 1859, 435 1860, 99
<i>torvicornis</i>	1852, 21	<i>lunata</i>	{ 1858, 133 1854, 262 1853, 13 1859, 390 1860, 253
<i>Breviceps gouldii</i> . .	1850, 10	<i>mauretanica</i>	{ 1859, 316 1859, 275 1859, 299 1859, 316
<i>Briaræa scolopendra</i> . .	1853, 94	<i>pygarga</i>	{ 1859, 316 1859, 316 1859, 316 1859, 316
<i>Briareum suberosum</i> . .	1850, 482		
<i>Brochuna glabra</i>	1858, { 435 437		
<i>glabriformis</i>	1858, { 437 437		
<i>Brochus annulatus</i> . . .	1858, { 414 423 414 436 436 414 425 414 425		
<i>arcuatus</i>	1858, { 414 436 436 414 414 436 423 414 425		
<i>glaber</i>	1858, { 414 436 414 414 436 423 414 425		
<i>glabrus</i>	1858, { 414 436 423 414 425 414 425		
<i>lævis</i>	1858, { 414 436 423 414 425 414 425		
<i>reticulatus</i>	1858, { 414 436 423 414 425 414 425		
<i>striatus</i>	1858, { 414 436 423 414 425 414 425		
<i>trachiformis</i>	1858, { 414 436 423 414 425 414 425		
<i>Broderipia cumingii</i> . . .	1850, 39		
<i>iridescens</i>	1850, 39		
<i>rosea</i>	1850, 39		
<i>Brotogerys pyrrhopterus</i> .	1860, 287		
<i>Brycon dentex</i>	1800, { 234 240		
<i>Bryopa aperta</i>	1858, 314		
<i>lata</i>	1858, 315		
<i>melitensis</i>	1857, 244		
<i>Buarremon albifrenatus</i> .	{ 1855, 155 1856, 88 1855, 155 1856, 86 1857, 205 1859, 364 1859, 377 1855, 155 1856, 85 1859, 441 1860, 76 1856, 85 1856, 302 1858, 72		
<i>albinuchus</i>	{ 1857, 205 1859, 364 1859, 377 1855, 155 1856, 85 1859, 441 1860, 76 1856, 85 1856, 302 1858, 72		
<i>brunneinuchus</i>	{ 1857, 205 1859, 364 1859, 377 1855, 155 1856, 85 1859, 441 1860, 76 1856, 85 1856, 302 1858, 72		

	Page		Page
<i>Buccinum aethiops</i>	1859, 182	<i>Buccinum graniferum</i>	1851, 101
albescens	1851, 96	gruneri	1851, 96
allium	1859, 489	hastatum	1859, 282
ambiguum	1851, 101	hecticum	1859, 318
angulatum	1851, 104	hirtum	1851, 103
antillarum	1851, 95	horridum	1851, 101
arabicum	1855, 58	incrassatum	1851, 111
arcularia	1851, 94	isabeller	1851, 95
ascanias	1851, 111	jacksonianum	1851, 103
asperulum	1851, 111	jonasii	1851, 96
asperum	1859, 316	lacepedii	1851, 111
bifasciatum	1859, 290	lanceatum	1859, 283
bronni	1851, 104	letum	1851, 104
canaliculatum	{ 1851, 106 1859, 316	livescens	1851, 95
caperatum	1851, 96	lividulum	1859, 318
chalybeum	1859, 317	luteostoma	1851, 95
chinense	1859, 491	lyratum	1850, 205
cinereum	1859, 291	macula	1851, 111
clathratum	1851, 101	maculatum	1859, 280
coccinella	1851, 111	margaritifera	1851, 96
commaculatum	1859, { 309 317	marginulatum	1851, 94
concinnum	{ 1850, 205 1859, 287	miga	1851, 109
coronatum	1851, 94	minutum	1851, 111
corrugatum	1851, 104	monile	{ 1851, 103 1859, 319
costatum	1854, 313	mucronotum	1859, 319
costulatum	1851, 104	multigranum	1851, 112
crassum	1851, 96	muricatum	1851, 101
crenulatum	{ 1851, 103 1859, 276	muricatum	1859, 319
cuspidatum	1859, 317	murinum	1859, 319
cuvieri	1851, 104	mutabile	1851, 94
decussatum	1851, 111	nassoides	1851, 103
digitellum	1859, 317	niveum	{ 1859, 290 319
dimidiatum	1859, 281	nodiferum	1851, 95
dolium	1859, 491	noduliferum	1851, 109
duplicatum	1859, 292	nucleolus	1851, 109
echinophora	1851, 229	obliquephcatum	1851, 112
edentulum	1859, 290	obliquum	1859, 319
elegans	1851, 104	olearium	1859, 488
elongatum	1859, 280	olivaceum	1851, 106
erinaceum	1851, 229	ornatum	1851, 106
fasciatum	1851, 111	papillosum	1851, 103
fasciolatum	1859, 317	pauperatum	1851, 95
fehnum	1859, 281	perdix	1859, 492
ferussacii	1851, 104	pertusum	1859, 298
flumineum	1859, 318	phallus	1859, 319
fluviale	1859, 318	pictum	1851, 104
galea	1859, 487	plumbeum	1853, 182
geminum	1859, 318	polygonatum	1851, 94
gemma	1851, 96	poulsoni	1856, 227
gemmulatum	1851, 95	pugio	1859, 319
gibbosulum	1851, 101	pullus	1851, 94
glans	1851, 104	punctulatum	1859, 320
glaucum	1851, 229	pyrostoma	1850, 153
grana	1850, 205	radiatum	1859, 320
		reevianum	1851, 105
		retusum	1851, 113

	Page		Page
Buccinum roissyi	1851, 109	Bucco hyperrhynchus .	{ 1855, 196
rudis	1851, 111		{ 1858, 60
rufulum	1851, 104	indicus	1859, 454
scalariforme	1851, 109	lanceolatus	1855, 196
semigranosum	1851, 96	leucocrissus	1860, 284
senticosum	1850, 153	leuconotus	1850, 395
sepimentum	1853, 182	levallanti	1850, 395
signatum	1851, 112		{ 1855, 136
splendidulum	1851, 96		{ 1855, 193
stolatum	1851, 103	macrodactylus ..	{ 1857, 261
strigilatum	1850, { 287		{ 1858, 60
	{ 291		{ 1854, 110
sturni	1851, 95	macrorhynchus .	{ 1855, 193
subdiaphanum	1851, 103		{ 1855, 196
subspinosum	1851, 101	maculatus ..	1855, 196
subulatum	1850, 307	margaritatus	1859, 399
succinctum	1850, 320	mystacophanes ..	1850, 454
sulcosum	1850, 489	nanus	1850, 399
suturale	1851, 104	niger	1859, 395
tessellatum	1850, 492		{ 1855, 196
thersites	1851, 102	ordi	{ 1857, 202
tiarula	1851, 94	parvus	1859, 399
tigrinum	1850, 281	pectoralis ..	1855, 196
tritoniformis	1851, 111	personatus	1859, 395
tuberculatum	1850, 320		{ 194
unicolor	1851, 106	picatus ..	{ 1855, 196
variabile	1851, 103		{ 1855, 194
	{ 276	pulmentum	{ 1855, 196
varicosum	1850, { 321		{ 1857, 202
venustum	1851, 95	pusillus	1859, 399
vibex	1851, 101	quadricolor	1859, 454
virgineum	1850, 321		{ 1853, 122
zonale	1851, 103	radiatus ..	{ 1855, 196
			{ 1855, 196
Bucco atroflavus	1859, 398	rafflesii	1859, 454
aurovirens	1857, 268	rubecula ..	1853, 124
australis	1859, 455	ruficollis	1855, 196
barbatula	1859, 399	rufifrons	1859, 395
bicinctus	1855, 196	scolopaceus	1859, 397
calvus	1859, 397	striatipectus	{ 1853, 123
cayennensis	1857, 234		{ 1855, 196
chacuru	1855, 196	subsulfureus ...	1859, 398
chrysopogon ..	1859, 454	subtectus ..	1860, 296
chrysopterus	1859, 399	swainsonii	1855, 196
chrysozonicus ..	1859, 399		{ 194
	{ 1854, 110	tamatia	{ 1855, 196
collaris	{ 1855, 196		{ 1855, 196
		tectus ..	1855, 196
cyanotis	1859, 455	trimaculatus	1859, 455
dubius	1859, 394	versicolor	1859, 454
duvaucelli	1859, 455	Bucephalus capensis	1858, 162
	{ 193	Buceros africanus ..	1850, 446
dysonii	1855, { 196		1859, 448
		annulatus	1859, 451
elegans	1857, 268	anthracinus ..	1859, 449
erythronotus	1859, 398	bicolor	1859, 449
frontalis ..	1859, 455	bicornis	1859, 447
gigas	1855, 193	carinatus	1859, 450
grandis	1859, 173	cavatus	1859, 447
hayii	1859, 455		
hyperrhynchus	1855, 193		

	Page		Page
<i>Buceros comatus</i>	1859, 450	<i>Bufo aqua</i>	1860, { 233 452 460
convexus	1859, 448	arabicus	1858, 166
diadematus	1859, 446	caeruleostictus	1859, 415
elhotti	1859, 449	calamita	1858, 345
exaratus	1860, 356	chilensis	1858, 395
galeatus	1859, 446	cinereus	1858, 165
galeritus	1859, 450	garganzans	1860, 173
ginginianus	{ 1850, 276 1857, 99	granulosus	{ 1858, 395 1860, 460
homrai ..	1859, 447	guineensis	1858, 166
hydrocorax	1860, 356	intermedius ..	1859, { 89 415
intermedius	1859, 448	kelaartii	1858, 393
javanicus	1859, 451	laevis	1858, 166
javanus ..	1859, 451	lentiginosus	1858, 395
lugubris	1859, 450	maculatus	1858, 165
lunatus	{ 1859, 446 1860, 356		{ 1858, 393 1860, 116 1860, 165
malabaricus	1859, 448		{ 1860, 168 1860, 169 1860, 170 1860, 171 1860, 172
malayanus ...	1859, 448		{ 1858, 393 1860, 116 1860, 165
niger ..	1859, { 446 451	melanostictus ..	{ 1860, 168 1860, 169 1860, 170 1860, 171 1860, 172
nigrirostris	1859, 449	nebulifer	{ 1860, 452 460
obscurus ..	1859, 451	pantherinus	1858, 166
pusaran ...	1859, 451	tuberosus	1858, 165
payanensis	1860, 356	viridis ...	1859, { 470 473
placatus	{ 1859, 451 1860, 356		{ 1858, 390 1858, 391 1858, 395 1860, 165 1860, 167
poensis	1853, 14		{ 1860, 168 1860, 169 1860, 170 1860, 171 1860, 172 1860, 174
rhinoceros	1859, 446		{ 1856, 97 1855, 4
ruficollis	{ 1859, 158 1860, 356		{ 1855, 2 1855, 2 1859, 30 1855, 5 1859, 30 1855, 5 1855, 3 1855, 202 1855, 3 1859, 30 1855, 4 1855, 202 1855, 3
scutatus	1859, 446		
sylvestris	1859, 446		
undulatus	1859, 451		
violaceus	1859, 448		
<i>Bucorax abyssinicus</i> ...	1860, 197		
	1850, 173		
<i>Budorcas taxicolor</i> ...	{ 1853, 191 1856, 405		
<i>Budytes anthoides</i>	1854, 285		
beema ..	1854, 285		
extreola	{ 1858, 486 1859, 179		
dubia	1854, 285		
flava	1854, 285		
flaviventer	1854, 285		
melanocephala ..	{ 1850, 217 1858, 486		
neglecta ...	1854, 285		
rayi	1860, 371		
schisticeps ...	1854, 285		
	{ 1854, 285 1857, 95 1858, 486 1859, 150 1859, 179		
viridis	{ 89 415		
<i>Bufo aqua</i>	1859, { 89 415		

	Page		Page
<i>Bulimella sowerbyana</i> ..	1855, 4	<i>Bulimus clausilioides</i> ..	1850, 56
<i>swainsoni</i>	1855, 4	<i>clouei</i>	1856, 390
<i>vidua</i>	1855, 3	<i>cocapatensis</i>	1855, 115
<i>Bulimus abscissus</i>	1855, 116	<i>cochinchinensis</i>	1856, 331
<i>acalles</i>	1851, 258	<i>colubrinus</i>	1860, 188
<i>achatellinus</i>	1850, 56	<i>columbiensis</i>	1854, 124
<i>achilles</i>	1852, 137	<i>columellaris</i> {	1849, 100
<i>acus</i>	1852, 60	{	1850, 56
<i>acutus</i>	1854, 198	<i>confluens</i>	1855, 115
<i>adumbratus</i>	1854, 291	<i>coniformis</i>	1854, 9
<i>æquatorius</i>	1852, 155	<i>convexus</i>	1855, 116
<i>æstivus</i>	1856, 331	<i>cordovanus</i>	1850, 34
<i>alto-peruvianus</i> ..	1849, 99	<i>coriaceus</i>	1856, 318
<i>alutaceus</i>	1849, 99	<i>costato-striatus</i>	1856, 319
<i>amandus</i>	1855, 96	<i>costatus</i>	1848, 111
<i>anthisanensis</i>	1852, 155	<i>cotopaxiensis</i> .. .	1852, 155
<i>antioquiensis</i>	1854, 291	<i>cretaceus</i>	1854, 123
<i>arcuatostratus</i>	1855, 95	<i>cuencanus</i>	1850, 26
<i>ascendens</i>	1852, 136	<i>cuneus</i>	1852, 154
<i>attenuatus</i>	1851, 256	<i>cuticula</i>	1855, 95
<i>aulacostylus</i>	1852, 59	<i>cuzcoensis</i>	1849, 98
<i>aureus</i>	1858, 91	<i>cyathostomus</i> .. .	1856, 34
<i>aurifluus</i>	1856, 319	<i>cyrtopleurus</i>	1852, 139
<i>auris-felis</i>	1854, 31	<i>darnaudi</i>	1856, 34
<i>auris-judæ</i>	1854, 7	<i>deburghiæ</i>	1850, 123
<i>auris-midæ</i>	1854, 7	<i>decollatus</i>	1854, 109
<i>australis</i>	1854, 34	<i>decussatus</i>	1849, 99
<i>barangnullanus</i> ..	1852, 136	<i>denickei</i>	1851, { 92
<i>barbadensis</i> .. .	1852, 61	{	93
<i>belcheri</i>	1851, 261	<i>denticulatus</i>	1852, 67
<i>blandu</i>	1852, 85	<i>depstus</i>	1849, 97
<i>binneyanus</i>	1858, 257	<i>diaphanus</i>	1854, 125
<i>bivaricosus</i>	1854, 152	<i>dillwynianus</i>	1851, 258
<i>bogotensis</i>	1855, 93	<i>distans</i>	1856, 331
<i>boucardieri</i> .. .	1852, 153	<i>droueti</i>	1856, 319
<i>cærulescens</i>	1853, 257	<i>dubius</i>	1851, 257
<i>cæsar</i>	1854, 293	<i>dutaillii</i>	1856, 390
<i>caillaudii</i> ...	1859, 350	<i>eddystonensis</i> ...	1855, 8
<i>calvus</i> .. .	1850, 54	<i>eganus</i>	1851, 258
<i>candelaris</i> .. .	1856, 186	<i>elæodes</i>	1851, 250
<i>candidissimus</i>	1859, 26	<i>episcopalis</i>	1855, 115
<i>capillaceus</i> .. .	1855, 93	<i>eschariferus</i>	1850, 54
<i>cardinalis</i> .. .	1852, 58	<i>excelsus</i>	1856, 203
<i>castlensei</i>	1850, 332	<i>excoratus</i>	1854, 123
<i>catamarcanus</i> ..	1858, 256	<i>faubianii</i>	1857, 109
<i>catharinæ</i> ..	1856, 380	<i>fallax</i>	1852, 153
<i>catlowiæ</i>	1852, 154	<i>farrisi</i>	1858, 258
<i>ceratacme</i>	1855, 8	<i>filaris</i>	1853, 50
<i>chamæleon</i> .. .	1855, 116	<i>fimbriatus</i>	1850, 56
<i>charbonneri</i>	1856, 331	<i>flexilabris</i>	1853, 50
<i>chemnitzzioides</i> ...	1850, 55	<i>flexuosus</i>	1852, 136
<i>chion</i> .. .	1850, 332	<i>floridanus</i> .. .	1850, 390
<i>chlors</i> .. .	1851, 71	<i>fortunei</i>	1852, 137
<i>cinerosus</i>	1855, 107	<i>foveolatus</i>	1849, 97
<i>citrinus</i>	1851, 71	<i>fraseri</i>	1860, 137
<i>clarus</i> .. .	1856, 330	<i>fuligineus</i>	1852, 85
<i>clathratus</i>	1858, 258	<i>galapaganus</i>	1854, 58
<i>clausilioides</i>	1849, 96	<i>gayi</i>	1856, 389

	Page		Page
<i>Bulimus glaucophthal-</i>		<i>Bulimus meobambensis</i> .	1855, 96
mus	1851, 255	mercurius	1852, 59
gracillimus	1850, 56	microdon	1851, 261
grandis	1859, 350	miltecheilus	1850, 54
gueinzii	1850, 330	minimus	1854, 33
guttula	1852, 154	monachus	1856, 333
hæmastoma	1849, 97	monile	1854, 9
hamesii	1855, 115	monozonus	1848, 110
haplochrous	1854, 125	moussonii	1851, 147
hartwegi	1850, 54	musivus	1855, 95
hebraicus	1852, 60	myristicus	1849, 99
hermannii	1852, 140	newcombianus	1851, 261
histrio	1854, 124	nigroapicatus	1856, 333
hololeucus	1855, 93	nigrolimbatus	1851, 257
hyaloideus	1854, 292	nigropileatus	1849, 97
imperator	1848, 110	nuberculatus	1851, 257
inæqualis	1856, 330	nucula	1852, 60
incarnatus	1855, 95	nux	1850, 54
incrassatus	1852, 157	nystianus	1852, 154
infundibulum	1851, 255	otostomus	1854, 291
integer	1855, 114	ovoideus	1859, 350
intermedius	1854, 291	ovulus	1854, 10
iostomus	1850, 54	palawanensis	1856, 388
iris	1852, 136	pallidior	1856, 203
irroratus	1849, 16	parallelus	1856, 389
janus	1852, 85	patasensis	1858, 257
jucundus	1854, 290	peelii	1859, 123
juvenilis	1855, 97	peregrinus	1855, 9
kanaiensis	1856, 332	pervariabilis	1852, 59
kelleitii	1850, 54	perversus	1860, 9
keppellii	1853, 50	pervius	1853, 50
lacerta	1855, 94	petersii	1855, 97
lactifluus	1856, 330	phæostylus	1856, 329
lanceolatus	1854, 292	pictus	1854, 58
lardeus	1852, 157	planospius	1852, 60
lathlabris	1855, 7	platystomus	1858, 256
leptochilus	1848, 111	phcatus	1851, 261
liberianus	1859, 350	phiculus	1856, 390
librosus	1856, 388	plumbens	1855, 114
lindstedti	1856, 388	porphyrostomus	1851, 261
liratus	1851, 261	pretextus	1849, 98
lobbi	1849, 98	primularis	1849, 100
loricatus	1854, 293	pringi	1854, 292
lorraini	1856, 332	proletarius	1854, 292
loxostomus	1852, 59	protractus	1855, 94
luctuosus	1851, 255	ptychostylus	1858, 256
ludovici	1852, 139	puncticulatus	1856, 390
lusorius	1854, 291	purpuratus	1849, 98
macgillivrayii	1855, 108	pyrostomus	1860, 137
maconellii	1851, 198	radiatus	1854, 58
mahoganii	1849, 97	rectilinearis	1856, 96
marcidus	1852, 67	requieni	1852, 137
maræ	1858, 23	reversalis	1860, 9
maruatensis	1854, 125	rhodolarynx	1849, 98
martensii	1856, 318	riparius	1852, 155
mauritanus	1852, 150	rosaceus	1849, 97
melanacme	1855, 96	rugulosus	1850, 54
meleagris	1851, 257	sabatieri	1856, 389

	Page		Page
<i>Bulimus saccatus</i>	1855, 94	<i>Bullia elegans</i>	1856, 355
<i>saquinensis</i>	1854, 290	<i>Bullina lauta</i>	1860, 19
<i>saturanus</i>	1860, 136	<i>undata</i>	1860, 19
<i>scarabæus</i>	1850, 147	<i>vitrea</i>	1860, 19
<i>schomburgki</i>	1860, 137	<i>Bungarus annularis</i>	1855, 130
<i>scitulus</i>	1849, 97	<i>fasciatus</i>	1858, 383
<i>scyrtodes</i>	1851, 256	<i>Buprestis louisa</i>	1859, 120
<i>segregatus</i>	1856, 186	<i>Buselaphus caji</i>	1850, 139
<i>serratus</i>	1855, 94	<i>Bustramantia capitaurea</i>	1855, 159
<i>siamensis</i>	1860, 9	<i>Butalis lugens</i>	1860, 110
<i>signifer</i>	1855, 8	<i>Buteo abbreviatus</i>	1858, 131
<i>simpliculus</i>	1854, 124	<i>albonotatus</i>	1858, 131
<i>singaporensis</i>	1855, 96	1860, 253
<i>solidulus</i>	1854, 61	1857, 211
<i>speciosus</i>	1854, 290	<i>borealis</i>	1859, 368
<i>stenacme</i>	1856, 333	1859, 389
<i>strangei</i>	1855, 8	1857, 211
<i>stutchburyi</i>	1860, 137	1859, 93
<i>subfasciatus</i>	1852, 60	<i>erythronotus</i>	1859, 368
<i>subinterruptus</i>	1851, 256	1859, 389
<i>sugillatus</i>	1856, 389	1860, 384
<i>sulphureus</i>	1856, 318	<i>fuliginosus</i>	1858, 356
<i>suturalis</i>	1851, 255	<i>ghiesbreghtii</i>	1857, 227
<i>tasmanicus</i>	1851, 260	<i>harlani</i>	1857, 211
<i>tenuplicatus</i>	1852, 139	1859, 389
<i>terebralis</i>	1850, 56	<i>insignatus</i>	1856, 285
<i>tibetanus</i>	1856, 331	<i>lineatus</i>	1857, 211
<i>tornatilis</i>	1854, 59	<i>montanus</i>	1857, 211
<i>traihi</i>	1855, 106	1857, 211
<i>tricolor</i>	1852, 154	<i>pennsylvanicus</i> ..	1857, 261
<i>tristis</i>	1854, 124	1858, 451
<i>turneri</i>	1860, 138	1860, 71
<i>unifasciatus</i>	1850, 54	<i>poliosoma</i>	1860, 384
<i>varicosus</i>	1851, 256	<i>rufipennis</i>	1850, 214
<i>variegatus</i>	1854, 59	<i>scolopterus</i>	1855, 134
<i>vegetus</i>	1856, 203	<i>swainsonii</i>	1857, 211
<i>ventrosus</i>	1854, 198	<i>tachardus</i>	1859, 212
<i>verrucosus</i>	1855, 116	1860, 417
<i>vesicalis</i>	1856, 203	<i>teesa</i>	1854, 5
<i>vespertinus</i>	1858, 257	1859, 93
<i>victor</i>	1853, 128	<i>tricolor</i>	1860, 384
<i>vitellinus</i>	1854, 57	1859, 94
<i>wilhamsi</i>	1858, 257	<i>varius</i>	1860, 384
<i>woodwardii</i>	1856, 332	1860, 384
<i>yatesii</i>	1855, 93	<i>vulgans</i>	1860, 416
(<i>Laoma</i>) <i>leimonias</i> ..	1840, 167	1858, 130
(<i>Partula</i>) <i>decussatu-</i>		<i>Buteogallus squinotialis</i>	1858, 130
<i>lus</i>	1849, 131	<i>meridionalis</i>	1860, 288
(—) <i>navigatorius</i> ..	1849, 131	1858, 130
<i>Bulla canaliculata</i>	1859, 489	<i>nigricollis</i>	1860, 253
<i>carpentarii</i>	1858, 543	1854, 97
<i>culcitella</i>	1856, 203	<i>Buthraupis chloronota</i>	1856, 240
<i>marmorea</i>	1860, 431	1858, 551
<i>nebulosa</i>	1856, 220	<i>cucullata</i>	1855, 157
<i>solidula</i>	1854, 61	1856, 239
(<i>Akera</i>) <i>culcitella</i> ..	1856, 203	1854, 98
(<i>Tornatina</i>) <i>cerealis</i>	1856, 203	<i>eximia</i>	1856, 157
<i>Bullia cumingiana</i>	1856, 355	1856, 240

	Page		Page
<i>Buthraupis montana</i> ..	1856, 239	<i>Cadus sepa</i>	1859, 480
	{ 1856, 310	<i>Cæcella chinensis</i>	1854, 334
<i>Butorides virescens</i> ..	{ 1857, 236	<i>convexa</i>	1854, 334
	{ 1859, 63	<i>cumingiana</i>	1854, 334
	{ 1859, 309	<i>horsfieldi</i>	1854, 335
<i>Butorion capelli</i> ...	1859, 464	<i>lata</i>	1854, 334
<i>Buzzard, The long and</i>		<i>oblonga</i> ...	1854, 335
<i>slender-legged</i> ..	1851, 58	<i>tenuis</i>	1854, 336
<i>The Parrot-beaked</i>	1851, 59	<i>transversalis</i>	1854, 335
<i>Byssosarca pernoides</i> ..	1856, 202	<i>turgida</i>	1854, 333
		<i>zebuensis</i>	1854, 334
		<i>zelandica</i> ..	1854, 335
<i>Cabestana africana</i>	1854, 312	<i>Cæcilia rostrata</i> ..	1858, 164
<i>boltemana</i> ..	1854, 311	<i>Cæcum abnormale</i>	1858, 420
<i>Cacatua equatorialis</i> ..	1860, 228	<i>annulatum</i>	1858, 423
<i>cyamocristata</i>	1860, 226	<i>antillarum</i>	1858, 433
	{ 226	<i>bimarginatum</i> ..	1858, 431
<i>cristata</i>	{ 227	<i>clarkii</i>	1858, 432
	{ 358	<i>clathratum</i>	1858, 428
<i>ducorpsii</i> ..	{ 1859, 436	<i>corrugulatum</i>	1858, 433
<i>eos</i>	{ 1860, 228	<i>dextroversum</i>	1858, 433
<i>galerita</i>	{ 1857, 26	<i>diminutum</i>	1858, 427
<i>leadbeateri</i>	{ 1860, 415	<i>eburneum</i>	1858, 427
<i>leucolopha</i>	{ 1857, 26	<i>elegantissimum</i>	1858, 429
<i>moluccensis</i>	{ 1860, 358	<i>elongatum</i>	1858, 424
	{ 1859, 436	<i>farcimen</i>	1858, 431
<i>philippinarum</i>	{ 1860, 226	<i>firmatum</i>	1858, 427
<i>sanguinea</i>	{ 1860, 358	<i>floridanum</i>	1858, 428
<i>sulphurata</i>	{ 1857, 26	<i>glabrum</i>	1858, 436
	{ 1860, 358	<i>gracile</i>	1858, 420
	{ 1858, 184	<i>gurgulio</i>	1858, 426
<i>triton</i>	{ 1859, 159	<i>heptagonum</i> ..	1858, 422
	{ 1860, 227	<i>imbricatum</i> ..	1858, 422
	{ 1860, 371	<i>imperfectorum</i> ..	1858, { 413
<i>Caccabis barbara</i>	1859, 436		{ 425
<i>chukar</i>	{ 1858, 502	<i>incurvatum</i>	1858, 434
	{ 1859, 185	<i>insculptum</i> ...	1858, 420
<i>Cacia antennata</i>	1858, 401	<i>læve</i>	1858, 431
<i>grisella</i>	1858, 401	<i>laqueatum</i>	1858, 420
<i>latifasciata</i>	1858, 401	<i>liratocinctum</i> ...	1858, 421
<i>Cacicus bifasciatus</i> ..	1856, 300	<i>liratum</i> ..	1858, 421
<i>cristatus</i>	1858, 72	<i>mamillatum</i> ...	1858, 434
<i>devilli</i>	1857, 265	<i>monstrosum</i>	1858, 427
<i>icteronotus</i>	1858, 455	<i>nitidum</i> ..	1858, 439
	{ 1856, 300	<i>obsoletum</i> ..	1858, 426
	{ 1858, 358	<i>obtusum</i>	1858, 421
<i>montezumæ</i>	{ 1859, 57	<i>plicatum</i>	1858, 421
	{ 1859, 365	<i>pollicare</i> ..	1858, 432
<i>persicus</i>	1854, 114	<i>pulchellum</i> ..	1858, 424
<i>uropygialis</i>	1855, 173	<i>pygmæum</i> ..	1858, 427
<i>yuracari</i>	1858, 72	<i>quadratum</i> ..	1858, 428
<i>yuracarius</i> ..	1857, 265	<i>regulæ</i> ..	1858, 428
<i>Cacomantis bronzinus</i> ..	1859, 164	<i>reversum</i> ..	1858, 434
<i>sepulchralis</i>	1860, 359	<i>searles-woodii</i> ...	1858, 430
<i>tymbonotus</i>	1860, 359	<i>subimpressum</i> ..	1858, 424
<i>Cadus cassius</i>	1859, 491	<i>subquadratum</i> ..	1858, 433
<i>dolium</i>	1859, 491	<i>subspirale</i>	1858, 419
		<i>subulatum</i>	1858, 434

	Page		Page
<i>Cæcum teres</i>	1858, 434	<i>Calliphlox iridescens</i> ..	1860, 310
<i>trachea</i>	1858, 424	<i>Callispiza cayana</i>	1856, 252
<i>tumidum</i>	1858, 426	<i>citrinella</i>	1856, 247
<i>undatum</i>	1858, 430	<i>cyanoptera</i>	1856, { 19
<i>vitreum</i>	1858, 432	<i>festiva</i>	1856, 247
<i>Cæreba cærulea</i>	1857, 263	<i>flaviventris</i>	1856, 257
<i>carnerpes</i>	1859, 376	<i>gyrola</i>	1856, 255
<i>cyanea</i>	{ 1857, 263	<i>nigroviridis</i>	1856, 260
<i>lucida</i>	{ 1859, 376	<i>preciosa</i>	1856, 254
<i>nitida</i>	{ 1859, 53	<i>punctata</i>	1856, 249
<i>Caica barrabandi</i> ..	{ 1857, 266	<i>tatao</i>	1856, 244
<i>histrio</i>	{ 1858, 76	<i>thoracica</i>	1856, 248
<i>leucogastra</i>	{ 1857, 266	<i>tricolor</i>	1856, 246
<i>melanocephala</i> ..	{ 1857, 19	<i>vitrolina</i>	1856, 252
<i>xanthomeria</i>	{ 1858, 76	<i>Calliste albiventer</i>	1856, 256
<i>Cairina moschata</i>	{ 1857, 266	<i>analis</i>	1856, 243
<i>calceolaria</i>	{ 1859, 65	<i>argentea</i>	1856, { 19
<i>Calabaria fusca</i>	{ 1859, 437	<i>arthusi</i>	1856, { 19
<i>calceolaria</i>	{ 1860, 258	<i>atricapilla</i>	1856, { 251
<i>calceolaria</i>	{ 1860, 337	<i>atrocærulea</i>	1856, { 19
<i>Calceolaria nicobarica</i>	{ 1855, 155	<i>aurulenta</i>	1856, { 157
<i>(Phlegænas) stairii</i> ..	{ 1858, 7	<i>boliviana</i>	1856, { 158
<i>Calamania atrocincta</i> ..	{ 1860, 454	<i>bourcierii</i>	1856, { 258
<i>fuscata</i>	{ 1860, 161	<i>brasiliensis</i>	1856, { 256
<i>meleagris</i>	{ 1860, 163	<i>cæruleocephala</i> ...	1856, 266
<i>obscuristrata</i>	{ 1860, 161	<i>calliparæa</i>	1856, 266
<i>quadrimaculata</i> ..	{ 1860, 114	<i>castaneoventris</i> ...	1856, 206
<i>tenueps</i>	{ 1860, 161	<i>castanonota</i>	1856, { 19
<i>Calamohërpe orientalis</i> ..	{ 1860, 349	<i>cayana</i>	1856, { 252
<i>Calamophilus biarmicus</i> ..	{ 1859, 436	<i>chilensis</i>	1856, { 254
<i>Calandra palmarum</i> ..	{ 1850, 19	<i>chrysonota</i>	1856, 252
<i>Calandrella brachydac-</i>	{ 1855, 50	<i>chrysophrys</i>	{ 1855, 157
<i>tyla</i>	{ 1857, 95	<i>chrysotis</i>	{ 1856, 249
<i>Calao plicatus</i>	{ 1859, 451	<i>chrysotis</i>	1856, { 19
<i>calceolaria</i>	{ 1851, 146	<i>citrinella</i>	1856, { 247
<i>Calidris arenaria</i>	{ 1857, 230	<i>cælicolor</i>	{ 1855, 157
<i>calceolaria</i>	{ 1859, 369	<i>cælicolor</i>	{ 1856, 19
<i>Caligatus angasi</i> ..	{ 1849, 104	<i>cælicolor</i>	1856, 245
<i>Callene frontale</i>	{ 1854, 75		
<i>Callichthys littoralis</i> ..	{ 1856, 345		
<i>Callina rotula</i> ..	{ 1854, 183		
<i>Calliope camtschatkensis</i> ..	{ 1854, 120		
<i>cyana</i>	{ 1858, 492		
<i>pectoralis</i>	{ 1858, 492		
<i>Calliparæa bourcierii</i> ..	{ 1850, 180		
<i>phœnicotis</i>	{ 1856, 266		
<i>calceolaria</i>	{ 1857, 127		
<i>Callipepla californica</i> ..	{ 1859, 206		
<i>picta</i>	{ 1859, 432		
<i>picta</i>	{ 1859, 436		
<i>Callipara bullata</i>	{ 1858, 2		
<i>calceolaria</i>	{ 1858, 62		

	Page		Page
<i>Calliste cucullata</i>	1856, { 19 253	<i>Calliste icterocephala</i> ...	1860, 87
	{ 1856, 18	<i>inornata</i>	{ 1855, 158 1856, 19
<i>cyaneicollis</i>	{ 1856, 262 1858, 452 1860, 292		{ 1856, 258 1855, 158
<i>cyaneiventris</i>	1856, { 19 247	<i>labradorides</i>	{ 1856, 19 1856, 262
<i>cyanescens</i>	1856, 260		{ 1856, 294 1854, 248
<i>cyanicollis</i>	{ 1854, 115 1855, 158	<i>lamprotis</i>	{ 1856, 264 1850, 264
<i>cyanolæma</i>	1856, { 19 252	<i>larvata</i>	1856, { 18 19 142 260
	{ 19	<i>leucotis</i>	1856, 259
<i>cyanoptera</i>	1856, { 254 255		{ 1856, 19 1856, 263
	{ 1858, 294	<i>lunigera</i>	{ 1856, 263 1860, 87
<i>cyanotis</i>	{ 1859, 441 1850, 255	<i>melanonota</i>	1850, { 254 265
<i>cyanovertris</i>	1850, 255		{ 1855, 158 1856, 257
<i>desmaresti</i>	1856, { 19 256	<i>nigricincta</i>	1856, 261
<i>diaconus</i>	1856, 233		{ 1855, 158 1856, 19
<i>fanny</i>	1856, 261	<i>nigriviridis</i>	{ 1856, 260 1854, 115
<i>fastuosa</i>	1856, { 19 266		{ 1855, 158 1856, 19
	{ 19	<i>parzudaki</i>	{ 1856, 19 1856, 263
<i>festiva</i>	1856, { 246 19		{ 1856, 263 1856, 19
<i>flava</i>	1856, { 253 19	<i>peruviana</i>	1856, { 254 266
	{ 257	<i>phœnicotis</i> ...	1856, 206
<i>flaviventris</i>	1856, 142	<i>pretiosa</i>	1856, 254
<i>franciscæ</i>	1856, 201		{ 1856, 19 1856, 251
<i>frugilegus</i>	{ 1856, 235 1858, 453	<i>pulchra</i>	{ 1856, 74 1858, 74
	{ 19	<i>punctata</i>	1856, { 19 248
<i>graminea</i>	1856, { 250 249		{ 1855, 158 1856, 19
<i>guttata</i>	1856, 249	<i>ruficapilla</i>	{ 1856, 252 1855, 158
<i>guttulata</i>	{ 1855, 157 1856, 19 1856, 249		{ 1856, 19 1856, 259
	{ 19	<i>ruficervix</i> ...	{ 1856, 259 1850, 139
<i>gyrola</i>	1856, { 255 1854, 115 1855, 158 1856, 18 1856, 19 1856, 142 1856, 255	<i>rufigena</i>	1857, 66
	{ 1857, 264 1858, 74 1858, 453 1859, 139 1860, 87 1860, 292	<i>rufigenis</i>	1856, 311
<i>gyroloides</i>	{ 19 251	<i>rufigula</i>	1856, 19
	{ 19		{ 1856, 250 1859, 440 1860, 86 1854, 115
<i>icterocephala</i>	1856, { 19 251	<i>ruficularis</i>	{ 1856, 19 1856, 248 1857, 264 1858, 74 1858, 453
	{ 19	<i>schrunki</i>	{ 1857, 264 1858, 74 1858, 453

	Page		Page
<i>Calliste sclateri</i>	1855, 158	<i>Callopoma depressum</i> ..	1855, 234
	1856, 19	<i>fluctuatum</i>	1855, 234
	1856, 251	<i>saxosum</i>	1856, 44
<i>tatao</i>	1856, 19	<i>Callorhinus ursinus</i>	1859, 359
	1856, 244	<i>Callospiza barbadensis</i> ..	1856, 256
	1854, 115	<i>boliviana</i>	1856, 258
	1855, 158	<i>brasilhensis</i>	1856, 256
<i>thalassina</i>	1856, 18	<i>calliparæa</i>	1856, 266
	1856, 19	<i>cayennensis</i>	1856, 257
	1856, 261	<i>cyanicollis</i>	1856, 262
<i>thoracica</i>	1856, 19	<i>guttata</i>	1856, 249
	247	<i>gyrola</i>	1856, 255
<i>tricolor</i> ..	1856, 19	<i>mexicana</i>	1856, 257
	246	<i>schranks</i>	1856, 248
<i>vassorii</i>	1856, 264	<i>xanthocephala</i> ..	1854, 248
	1854, 248		1856, 264
	1855, 158	<i>yeni</i>	1856, 245
	1856, 19	<i>Calobates sulphurea</i>	1854, 248
<i>venusta</i>	1856, 264	<i>Calocitta bullockii</i>	1858, 358
	1858, 74	<i>formosa</i>	1859, 381
	1858, 294	<i>sinensis</i>	1859, 84
<i>vieilloti</i>	1856, 257	<i>Calocomus desmarestii</i> ..	1850, 11
<i>virescens</i> ..	1856, 250	<i>kreuckelyi</i>	1850, 11
<i>viridissima</i>	1856, 256	<i>lycius</i>	1850, 11
	1856, 252	<i>mososus</i>	1850, 11
<i>vitrolina</i>	1850, 86	<i>Calopsitta novæ hollan-</i>	
<i>vittata</i>	1856, 265	<i>dæ</i>	1850, 242
<i>wilsoni</i>	1856, 261	<i>Calornis amboinensis</i> ..	1850, 355
	1854, 115	<i>chalybeus</i>	1859, 445
	1854, 248	<i>dauricus</i>	1859, 445
<i>xanthocephala</i> .	1856, 19	<i>metallica</i>	1859, 156
	1856, 264	<i>metallicus</i>	1850, 355
	1858, 294	<i>obscura</i>	1850, 355
	1854, 115	<i>virescens</i>	1859, 158
<i>xanthogastra</i>	1855, 157	<i>viridescens</i>	1858, 181
	1856, 19	<i>Calospiza cayana</i>	1856, 252
	1856, 249	<i>pulchra</i>	1856, 251
	1856, 19		160
<i>yeni</i>	1856, 245	<i>Calotes mariae</i>	1850, 166
	1858, 453		167
<i>Callithea layardii</i>	1854, 135		170
<i>Callithrix personatus</i> .	1852, 107		160
<i>sciureus</i> ..	1852, 107		166
<i>torquatus</i>	1852, 107	<i>minor</i>	1850, 167
<i>Callocephalon galeatum</i> ..	1859, 433		173
<i>Calloctenus pulcher</i> ...	1850, 12		174
<i>Callogorgia flabella</i>	1859, 484		160
<i>gracilis</i>	1859, 484	<i>tricarinatus</i>	1850, 167
<i>plumatalis</i>	1859, 484		174
<i>verticillata</i>	1857, 286		114
	1859, 484		166
<i>Callophis bivirgatus</i>	1859, 81	<i>versicolor</i>	1850, 167
<i>calligaster</i>	1859, 84		169
<i>gracilis</i>	1859, 83		170
<i>intestinalis</i>	1859, 82	<i>Calothorax decoratus</i> ..	1850, 309
<i>maculiceps</i>	1859, 84	<i>eliza</i>	1856, 288
<i>trunaculatus</i>	1859, 83	<i>fanniae</i>	1858, 450
<i>univirgatus</i>	1859, 83		459

	Page		Page
<i>Calothorax heliodori</i> ..	1855, 141	<i>Campylopterus pampa</i> ..	1859, 355
<i>lucifer</i> ..	1856, 288	<i>Campylorhynchus brevi-</i>	
<i>micrurus</i> ..	1853, 109	<i>rostris</i> ..	1855, 143
	1855, 141	<i>capistratus</i> ..	1859, 363
<i>mulsanti</i> ..	1859, 146	<i>griseus</i> ..	1856, 97
	1860, 94	<i>gularis</i> ..	1860, 462
<i>pulchra</i> ..	1859, 386	<i>hypostictus</i> ..	1855, 68
<i>Calotragus melanotis</i> ..	1850, 118	<i>jocosus</i> ..	1859, 371
<i>tragulus</i> ..	1850, 118		1858, 298
<i>Calotriton punctulatus</i> ..	1858, 189	<i>megalopterus</i> ..	1859, 363
<i>Calurus antisianus</i> ..	1855, 137		1859, 371
<i>auriceps</i> ..	1854, 110	<i>nigriceps</i> ..	1860, 461
<i>fulgidus</i> ..	1855, 137	<i>nuchalis</i> ..	1857, 272
<i>neoxenus</i> ..	1856, 68	<i>pardus</i> ..	1857, 271
<i>resplendens</i> ..	1859, 52	<i>scolopaceus</i> ..	1855, 68
<i>Calypionena caudacuta</i> ..	1854, 267	<i>straticollis</i> ..	1857, 272
<i>raffesii</i> ..	1854, 267		1855, 143
<i>vindis</i> ..	1854, 267	<i>zonatorides</i> ..	1860, 272
<i>Calyptraea imbricata</i> ..	1856, 169		1856, 290
<i>sinensis</i> ..	1853, 44	<i>zonatus</i> ..	1859, 363
	1849, 7	<i>Cancellaria clathrata</i> ..	1855, 123
<i>Camelopardalis giraffa</i> ..	1849, 94	<i>crenulata</i> ..	1855, 124
	1860, 99	<i>excavata</i> ..	1848, 187
<i>Camelus dromedarius</i> ..	1849, 94	<i>foveolata</i> ..	1848, 187
<i>equinus</i> ..	1850, 236		1855, 123
<i>Camilia jamaicensis</i> ..	1860, 233	<i>melanostoma</i> ..	1848, 187
<i>Camitia grayi</i> ..	1854, 42	<i>nitidula</i> ..	1855, 123
<i>Campephaga atriceps</i> ..	1860, 353	<i>taeniata</i> ..	1848, 137
<i>aurea</i> ..	1860, 353	<i>tenuis</i> ..	1855, 123
<i>bicolor</i> ..	1860, 354	<i>undulata</i> ..	1848, 136
<i>cæruleogrisea</i> ..	1858, 179	<i>Cancer paludosus</i> ..	1852, 29
<i>caledonica</i> ..	1859, 102	<i>salinus</i> ..	1852, 26
<i>ceramensis</i> ..	1860, 354	<i>serratus</i> ..	1850, 95
<i>fimbriata</i> ..	1860, 354	<i>stagnatilis</i> ..	1852, 19
<i>hypoleuca</i> ..	1858, 179	<i>(Galene) dorsalis</i> ..	1848, 144
<i>magnirostris</i> ..	1860, 353	<i>Cancilla morchii</i> ..	1854, 134
<i>melanolora</i> ..	1860, 353		1857, 206
<i>melanops</i> ..	1858, 179		1857, 230
<i>melanotis</i> ..	1860, 353	<i>Cancroma cochlearia</i> ..	1859, 369
<i>nævia</i> ..	1859, 163		1860, 324
<i>novæ guineæ</i> ..	1860, 353		1860, 328
<i>papuensis</i> ..	1860, 354	<i>Candona lactea</i> ..	1850, 255
<i>polygrammica</i> ..	1858, 179	<i>reptans</i> ..	1850, 255
<i>(Lalage) aurea</i> ..	1860, 353		1850, 160
<i>Campephilus malherbii</i> ..	1855, 161	<i>Canis aureus</i> ..	1856, 397
<i>Camptostoma imberbe</i> ..	1857, 203		1858, 515
<i>Campylæa hispana</i> ..	1854, 169		1850, 166
<i>lowei</i> ..	1854, 169	<i>familiaris</i> ..	1858, 515
<i>porto-sanctiana</i> ..	1854, 169	<i>lupus</i> ..	1858, 515
<i>Campylopterus cuvieri</i> ..	1856, 140	<i>niloticus</i> ..	1860, 415
	53	<i>Canrena neritoidea</i> ..	1851, 231
<i>delatarii</i> ..	1859, 367	<i>Canthridus articularis</i> ..	1851, 169
	385	<i>artizona</i> ..	1851, 170
<i>latipennis</i> ..	1848, 14	<i>cinguliger</i> ..	1851, 169
<i>lazulus</i> ..	1857, 16	<i>indis</i> ..	1851, 169
<i>obscurus</i> ..	1848, 13	<i>moniliger</i> ..	1851, 169
	1856, 287	<i>nigricans</i> ..	1851, 170
<i>pampa</i> ..	1859, 367		

	Page		Page
<i>Canthiridus nitidulus</i> ..	1851, 169	<i>Capricornis thar</i>	1856, 403
<i>pallidulus</i>	1851, 170	<i>Caprimulgus cinerascens</i>	1854, 266
<i>punctulosus</i>	1851, 169	<i>europæus</i>	{ 1851, 146
<i>purpuratus</i>	1851, 169		{ 1857, 13
<i>rufozona</i>	1851, 170		{ 1860, 415
<i>tenebrosus</i>	1851, 170	<i>fulviventris</i>	1860, 109
<i>variegatus</i>	1851, 171	<i>imberbis</i>	1854, 266
<i>zealandicus</i>	1851, 169	<i>indicus</i>	1854, 266
<i>Capito amazonius</i>	1857, 268	<i>infuscatu</i>	1850, 216
<i>aurovirens</i>	1857, 268	<i>ironatus</i>	1854, 266
<i>bourcier</i>	1855, 162	<i>macromystax</i>	1858, 296
<i>capistratus</i>	1857, 268	<i>macrourus</i>	1854, 266
<i>cayennensis</i>	1857, 268	<i>macrurus</i>	{ 1858, 170
<i>glaucofulais</i>	1857, 267		{ 1859, 154
<i>hartlaubi</i>	1855, 162	<i>pulcher</i>	1854, 266
<i>margaritatus</i>	1859, 399	<i>saturator</i>	1854, 266
<i>maynensis</i>	1857, 268	<i>Caprolagus hispidus</i> . .	1856, 402
	{ 1854, 115	<i>Capromys prehensilis</i> .	1860, 371
<i>peruvianus</i>	{ 1855, 162	<i>Caprovis argali</i>	{ 1856, 404
	{ 1857, 267		{ 1858, 527
	{ 1858, 75	<i>vignei</i>	1858, 526
<i>richardsoni</i>	1855, 162	<i>Capsa chinensis</i>	1854, 348
<i>rubifrons</i>	1859, 399	<i>crassula</i>	1854, 349
<i>subulfureus</i>	1859, 398	<i>difficilis</i>	1854, 347
<i>Capra æthiopica</i>	1850, 182	<i>layardii</i>	1854, 348
<i>ahu</i>	1850, 113	<i>lunulata</i>	1854, 349
<i>americana</i>	1850, 136	<i>minor</i>	1854, 347
<i>bezoartica</i>	1850, 117	<i>radiata</i>	1854, 348
<i>caucasica</i>	1858, 525	<i>rosacea</i>	1854, 348
<i>cei vicapra</i>	1850, { 117	<i>rufa</i>	1854, 347
	{ 185, 137	<i>solenella</i>	1854, 349
<i>columbiana</i>	1850, { 112	<i>tenuis</i>	1854, 349
	{ 139, 134	<i>viescens</i>	1854, 349
<i>gazella</i>	1850, { 120	<i>Capsella violacea</i>	1860, 18
<i>grimmia</i>	1850, { 121	<i>Capulus hungaricus</i> . .	1853, 44
<i>himalayana</i>	1858, 523	<i>mitrula</i>	1856, 3
	{ 1850, 157	<i>subrufus</i>	1856, 4
<i>hircus</i>	{ 1860, 242	<i>Caragola lapicida</i>	1851, 239
	{ 1860, 417	<i>Carapus brachyurus</i> . . .	1853, 75
<i>jemlaica</i>	1856, 404	<i>Carbo cormoranus</i>	1859, 150
<i>montana</i>	1850, 137	<i>sulcirostris</i>	1860, 366
<i>perpusilla</i>	1850, 126	<i>Carcharias leucas</i>	1859, 223
<i>rupicapra</i>	1850, 137	<i>Cardellina amicta</i>	{ 1855, 66
<i>sylvestris africana</i> . .	1850, 121		{ 1858, 290
<i>tatarica</i>	1850, 112		{ 1856, 202
<i>Capreolus caprea</i>	1850, 235	<i>rubra</i>	{ 1852, 299
<i>europæus</i>	1850, 236		{ 1859, 363
<i>leucotis</i>	1849, 64		{ 1859, 374
	{ 1849, 64	<i>rubrifrons</i>	{ 1855, 66
<i>pygargus</i>	{ 1850, 236		{ 1858, 290
	{ 1850, 135		{ 1859, 374
<i>Capricornis bubalina</i> . .	{ 1856, 403	<i>Cardinalia virgata</i>	1851, 151
	{ 1858, 522	<i>Cardinalis virginiana</i> . .	1860, 243
<i>crispa</i>	1850, 136		{ 1856, 302
	{ 135, 136	<i>virginianus</i>	{ 1859, 365
<i>sumatrensis</i>	1850, { 135		{ 1859, 378
	{ 136, 101	<i>Cardita amabilis</i>	1852, 102
		<i>belcheri</i>	1852, 101

	Page		Page
<i>Cardita bimaculata</i>	1852, 102	<i>Cariama cristata</i>	1856, 348
<i>californica</i>	1852, 100	<i>Carmione ventricosa</i> ..	1858, 47
<i>castanea</i>	1852, 102	<i>Carocolla lapicida</i>	1854, 197
<i>coreensis</i>	1852, 101	<i>Carpenteria balaniformis</i>	1858, 269
<i>crenulata</i>	1852, 102	<i>Carpodacus erythrinus</i> }	1857, 97
<i>cuningii</i>	1852, 102	<i>familiaris</i>	1858, 482
<i>difficilis</i>	1852, 103	<i>frontalis</i>	1856, 304
<i>elegantula</i> ..	1852, 101	<i>hæmorrhous</i>	1856, 304
<i>essingtoniensis</i>	1852, 100	<i>rhodochrous</i>	1858, 308
<i>excavata</i>	1852, 100	<i>rhodocolpus</i> ...	1859, 380
<i>gunnii</i>	1852, 101	<i>rhodocolpus</i> ...	1858, 482
<i>jukesu</i>	1852, 101	<i>roseus</i>	1859, 178
<i>purpurata</i>	1852, 100	<i>thura</i>	1856, 304
<i>quoyi</i>	1852, 103	<i>thura</i>	1857, 127
<i>sowerbyi</i>	1852, 102	<i>roseus</i>	1859, 177
<i>umbilicata</i>	1852, 100	<i>thura</i>	1856, 215
<i>variegata</i>	1858, 269	<i>Carpophaga ænea</i>	1859, 150
<i>vestita</i>	1858, 270	<i>alba</i>	1860, 361
<i>zelandica</i>	1852, 102	<i>albugularis</i>	1860, 361
<i>Cardium aculeatum</i>	1858, 532	<i>assimilis</i>	1850, 201
<i>æquale</i>	1854, 332	<i>basalica</i>	1860, 360
<i>bicolor</i> ..	1854, 330	<i>chalybura</i> ..	1858, 187
<i>californianum</i>	1856, 217	<i>goliath</i>	1859, 165
<i>cruentatum</i>	1856, 201	<i>hypenochroa</i>	1859, 165
<i>cygnorum</i>	1854, 331	<i>leucomela</i>	1857, 27
<i>debile</i>	1854, 332	<i>luctuosa</i>	1858, 186
<i>fabricii</i>	1854, 333	<i>magnifica</i>	1850, 201
<i>festivum</i>	1854, 332	<i>mulleri</i> ..	1858, 186
<i>gossei</i>	1854, 330	<i>myristicivora</i>	1859, 466
<i>gratosum</i>	1854, 331	<i>perspicillata</i>	1860, 360
<i>hudsoniense</i>	1854, 331	<i>pinon</i>	1858, 186
<i>lobulatum</i>	1854, 332	<i>puella</i>	1859, 159
<i>Inteolabrum</i>	1856, 201	<i>rufigastra</i>	1859, 159
<i>mauritium</i>	1856, 217	<i>spilorrhoa</i>	1858, 186
<i>mauritanum</i>	1854, 331	<i>sylvatica</i> ..	1859, 466
<i>mirabile</i>	1854, 332	<i>zoem</i>	1858, 186
<i>nuttallii</i>	1856, 217	<i>zoem</i>	1859, 159
<i>productum</i> ..	1854, 333	<i>(Ducula) basalis</i> ..	1860, 360
<i>quadiagenarium</i> ..	1856, 217	<i>(Megaloprepia) for-</i>	
<i>rasticum</i>	1858, 557	<i>mosa</i>	1860, 360
<i>seruposum</i>	1854, 333	<i>(Myristicivora) me-</i>	
<i>serrulatum</i> ..	1854, 330	<i>lanura</i> ..	1860, 361
<i>substriatum</i> ..	1856, 218	<i>Carracra Hawk</i> . . .	1851, 55
<i>transversale</i> ..	1854, 333	<i>the Red-headed</i> .	1851, 56
<i>tumidum</i> ..	1854, 331	<i>the Yellow-headed</i> .	1851, 56
<i>xanthocheilum</i>	1856, 201	<i>Carracolina barbula</i>	1854, 196
<i>Carduelis caniceps</i>	1858, 483	<i>lenticula</i>	1854, 196
<i>magellanica</i>	1859, 184	<i>Carrion Crow, the Com-</i>	
<i>-mexicana</i>	1856, 304	<i>mon</i> . . .	1851, 53
<i>Cariacus lewisii</i>	1858, 303	<i>the Yellow-necked</i> .	1851, 54
<i>macrotis</i>	1855, 65	<i>Carychium exiguum</i> ..	1854, 33
<i>punctulatus</i> ..	1850, 239	<i>indicum</i> ..	1854, 34
<i>virginianus</i> ..	1850, 239	<i>minimum</i>	1854, 33
<i>Cariama</i> —	1860, 334	<i>myosotis</i>	1856, 22

	Page		Page
<i>Carychium nanum</i>	1854, 33	<i>Cassidula sowerbyana</i> ..	1854, 32
<i>personatum</i>	1854, 32	<i>sulculosa</i>	1854, 31
<i>pygmaeum</i>	1854, 33	<i>triticea</i>	1854, 32
<i>spectabile</i>	1854, 34	<i>zonata</i>	1854, 32
<i>spelaeum</i>	1854, 34	(<i>Siona</i>) <i>avena</i>	1854, 32
<i>Caryophyllea ramea</i>	1849, 77	(—) <i>frumentum</i> ..	1854, 32
<i>Caryothraustes atro-oli-</i>		(—) <i>triticea</i>	1854, 32
<i>vaceus</i>	1856, 65	<i>Cassidulus morio</i>	1853, 35
<i>brasiliensis</i>	1855, 15	<i>Cassis umbilicata</i>	1860, 436
1856, 66		<i>Castor americanus</i>	1860, 371
<i>cayanensis</i>	1855, 15	<i>fiber</i>	1860, 181
1856, 66		<i>Casuarium australis</i>	1857, 269
<i>episcopus</i>	1856, 66	1860, 210	
<i>Casarca cana</i>	1859, 442	1857, 269	
1860, 339		1858, 271	
<i>leucoptera</i>	1859, 150	<i>bennettii</i>	1859, 32
1858, 509		1859, 212	
1859, 189		1860, 205	
<i>rutula</i>	1859, 206	1860, 210	
1859, 442		<i>bicarunculatus</i>	1860, 211
<i>Caseolus abjectus</i>	1854, 185	1848, 37	
<i>calculus</i>	1854, 184	<i>emu</i>	1849, 95
<i>commixtus</i>	1854, 184	1858, 187	
<i>compactus</i>	1854, 184	1860, 362	
<i>consors</i>	1854, 184	1857, 269	
<i>sphaerulus</i>	1854, 185	<i>galeatus</i>	1858, 187
<i>Casiornis typus</i>	1859, 41	1860, 210	
<i>Cassidulus flavicrissus</i> ..	1860, 276	1860, 250	
<i>leucorhamphus</i>	1858, 552	<i>Catadromus elseyi</i>	1859, 117
<i>melanicterus</i>	1859, 380	<i>Catamblyrhynchus dia-</i>	
1856, 301		<i>dema</i>	1855, 159
1859, 57		<i>Catamenia anahis</i>	1855, 159
<i>prevosti</i>	1859, 365	<i>analoides</i>	1858, 450
1859, 380		1860, 455	
1860, 276		1852, 552	
1860, 293		<i>homochroa</i>	1858, 552
<i>Cassidea cornuta</i>	1851, 229	1860, 88	
<i>flammea</i>	1851, 229	<i>Cataulus aureus</i>	1855, 118
<i>pennata</i>	1851, 229	<i>cumingii</i>	1860, 339
<i>rufa</i>	1851, 229	<i>duplicatus</i>	1854, 303
<i>testicula</i>	1851, 229	<i>eurytrema</i>	1852, 145
<i>Cassidix crassirostris</i> ..	1859, 57	<i>haemastomus</i>	1856, 391
<i>oryzivora</i>	1858, 98	<i>layardi</i>	1852, 160
1859, 57		<i>marginatus</i>	1853, 52
1859, 140		<i>pyramidatus</i>	1852, 145
<i>Cassidula angulifera</i>	1854, 31	<i>thwaitesi</i>	1852, 147
<i>avena</i>	1854, 32	1857, 3	
<i>chemnitzii</i>	1854, 31	1857, 211	
<i>coflea</i>	1854, 31	<i>Cathartes atratus</i>	1859, 51
<i>cumingiana</i>	1854, 31	1860, 96	
<i>decussata</i>	1854, 32	1860, 237	
<i>doholium</i>	1854, 31	1860, 415	
<i>faba</i>	1854, 32	1857, 3	
<i>frumentum</i>	1854, 32	1857, 211	
<i>kraussi</i>	1854, 31	<i>aura</i>	1859, 51
<i>mustelina</i>	1854, 31	1859, 93	
<i>nucleus</i>	1854, 31	1860, 96	
<i>rugata</i>	1854, 31		

	Page		Page
<i>Cathartes aura</i>	1860, { 287 383	<i>Celeus castaneus</i>	1859, 388
<i>burrovianus</i>	1857, 3	<i>grammiceus</i>	1858, 74
<i>iota</i>	{ 1851, 53 1857, 3	<i>jumana</i>	1858, 74
<i>percnopterus</i>	1851, 145	<i>undatus</i>	1860, 286
<i>Catharus aurantiro-</i>	{ 1856, 294 1858, 97	<i>verreauxii</i>	1858, 74
<i>stris</i>	{ 1859, 136 1859, 323	<i>Cemoria flemingii</i>	1851, 228
<i>dryas</i>	1859, { 137 324	<i>noachina</i>	1851, 228
<i>fusca</i>	1859, { 137 324	<i>princeps</i>	1851, 228
<i>immaculatus</i>	1856, 294	<i>Cenchrus piscivorus</i> ..	1860, 452
<i>maculatus</i>	{ 1858, 64 1859, 137	<i>Centrolophus britannicus</i>	1860, 302
<i>melpomene</i>	{ 1859, 324 1860, 64	<i>morio</i>	1860, 302
<i>mexicanus</i>	{ 1858, 97 1859, 136	<i>Centrophorus squamosus</i>	1860, 253
<i>occidentalis</i>	{ 1859, 323 1859, 362	<i>Centropus affinis</i>	1859, 458
<i>Catoblepas brookesii</i> ..	1850, 139	<i>bicolor</i>	1860, 359
<i>gnu</i>	{ 1850, 138 1860, 243	<i>goliath</i>	1860, 359
<i>gorgon</i>	1850, 139	<i>lepidus</i>	1859, 458
<i>taurina</i>	{ 138 139	<i>medius</i>	1860, 359
<i>Catreus wallichii</i>	{ 1858, 499 1858, 545	<i>menebiki</i>	{ 1858, 184 1859, 150
<i>causus rhombeatus</i> ..	{ 1859, 205 1858, 163	<i>milo</i>	1856, 136
<i>Cavia cobaya</i>	1850, 157	<i>philippensis</i> . . .	{ 1854, 257 1859, 150
<i>Cebalephrys aureus</i> ...	1860, 353	<i>rufipennis</i>	{ 1859, 151 1857, 100
<i>plumbea</i>	1858, 179	<i>spilopterus</i>	1858, 181
<i>striga</i>	{ 1854, 272 1852, 107	<i>viridis</i>	1859, 457
<i>Cebus apella</i>	{ 1860, 183 1860, 416	<i>Centurus carolinus</i> ..	1857, 8
<i>capucinus</i>	1860, 422	<i>flaviventris</i>	{ 1857, 8 1860, 252
<i>cirrifer</i>	1860, 422	<i>pucheranii</i>	{ 1857, 229 1859, 60
<i>gracilis</i>	1852, 107	<i>rubriventris</i>	{ 1860, 286 1860, 297
<i>satanus</i>	1849, 9	<i>santacruzii</i>	{ 1855, 162 1856, 307
<i>Celeopicus verreauxii</i> .	1858, 74	<i>striatus</i>	{ 1857, 8 1858, 359
<i>Celeus badioides</i>	{ 1857, 229 1858, 359	<i>subelegans</i>	{ 1859, 60 1850, 367
<i>castaneus</i>	{ 1858, 359 1859, 60	<i>uropygialis</i>	1857, 234
		<i>Cephalophus burchelli</i>	{ 1855, 162 1856, 143
		<i>campbelliae</i>	1857, 8
		<i>coronatus</i>	{ 1857, 277 1860, 417
		<i>dorsalis</i>	1850, 121
		<i>gammia</i>	1850, 122
		<i>gammii</i>	1850, 170
		<i>madoqua</i>	1857, 277
		<i>maxwellii</i>	{ 1850, 122 1850, 124
			{ 1850, 170 1859, 435
			1860, 371

	Page		Page
<i>Cephalophus melanorheus</i>	1850, 125	<i>Cercopithecus griseoviridis</i>	1860, 421
<i>monticola</i>	{ 1850, 124 1860, 170 1860, 417	<i>ludio</i>	{ 1849, 8 1849, 7
<i>natalensis</i>	{ 1850, 123 1860, 170	<i>melanogenys</i>	{ 1860, 112 1860, 246
<i>niger</i>	1850, 123	<i>mona</i> .. .	1860, 371
<i>ogilbyi</i>	{ 1850, 123 1860, 170	<i>nictitans</i>	{ 1849, 8 1849, 8
<i>philantomba</i>	1850, 125	<i>petaurista</i>	{ 1860, 416 1860, 422
<i>punctulatus</i>	{ 1850, 125 1860, 170	<i>pluto</i>	{ 1848, 56 1849, 28
<i>quadriscopta</i>	1850, 120	<i>pygerythrus</i>	{ 1860, 183 1860, 242 1860, 421
<i>rufilatus</i>	{ 1850, 123 1860, 170	<i>ruber</i>	1860, 179
<i>sylvicultrix</i>	{ 1850, 122 1860, 170	<i>rufoviridis</i>	{ 1860, 372 1860, 420
<i>whitfieldii</i>	{ 1850, 125 1860, 170	<i>sabæus</i>	1860, 422
<i>zebra</i>	1850, 142	<i>Cercosaurus gaudichaudi</i>	1859, 89
<i>Cephalopterus glabri-</i>	1850, 92	<i>rhombifer</i>	1859, 405
<i>collis</i>	{ 1859, 143 1860, 206	<i>Cereopsis novæ-hollan-</i>	{ 1857, 215 1859, 206
<i>ornatus</i>	{ 1857, 18 1857, 265 1858, 71 1859, 143 1859, 142	<i>dæ</i> .. .	1859, 206
<i>penduliger</i>	{ 1860, 67 1860, 92	<i>Cereopsius helena</i>	1858, 412
<i>Cephalotes peronii</i>	1850, 38	<i>Ceres eolina</i>	{ 1856, 100 1856, 102
<i>Cerambyx formosus</i>	1856, 12	<i>salleana</i>	1856, 100
<i>marginalis</i>	1853, 27	<i>Cereus gemmaceus</i>	1858, 148
<i>scabricornis</i>	1853, 26	<i>Cerionis caboti</i>	1857, 161
<i>Cerastes hasselquistii</i> ..	1849, 95	<i>melanocephala</i> ..	{ 1858, 498 1858, 544 1859, 185
<i>nasicornis</i>	1858, 163	<i>Cerithidea albivaricosa</i> ..	1854, 85
<i>Ceratites pipenta</i>	1858, 403	<i>albonodosa</i>	1856, 205
<i>Ceratophrys cornutus</i> ..	1859, 434	<i>balteata</i>	1854, 84
<i>Cercocebus fuliginosus</i> {	1859, 433 1860, 422	<i>bicarinata</i>	1854, 84
<i>Cercoleptes caudivolvu-</i>		<i>caillaudi</i>	1854, 83
<i>lus</i>	1848, 76	<i>charbonnieri</i>	1854, 83
<i>Cercomacra atrothorax</i>	1858, { 245 288	<i>conica</i>	1854, 84
<i>cærulescens</i>	1858, 244	<i>cornea</i> .. .	1854, 85
<i>cinerascens</i>	1858, 245	<i>crassilabrum</i>	1854, 84
<i>maculosa</i>	1860, 279	<i>decollata</i> .. .	1854, 83
<i>nigricans</i>	{ 1858, 245 1858, 245	<i>diemenensis</i>	1854, 84
<i>tyrammina</i>	{ 1850, 55 1859, 383 1860, 294	<i>fortunei</i>	1854, 85
<i>Cercopithecus delalandii</i>	1860, 421	<i>fuscata</i> .. .	1856, 206
<i>diana</i>	{ 1848, 56 1860, 415 1860, 422	<i>hegewischii</i>	1854, 83
<i>engythina</i>	1859, 212	<i>lafondi</i> .. .	1854, 83
		<i>largillierii</i>	1854, 84
		<i>layardi</i>	1854, 86
		<i>montagnei</i>	1854, 83
		<i>obtusa</i>	1854, 83
		<i>pauilla</i>	1854, 86
		<i>pulchra</i>	1854, 83
		<i>rarcostata</i>	1854, 85

	Page		Page
<i>Cerithidea rhizophora-</i>		<i>Certhia mexicana</i>	1859, { 362
<i>rum</i>	1854, 85	<i>siparaja</i>	1859, 461
<i>sacrata</i>	1856, { 206	<i>sperata</i>	1859, 462
<i>similis</i>	1854, 84	<i>Certhilauda bifasciata</i> ..	1855, 47
<i>sinensis</i>	1854, 83	<i>dumetorum</i>	1855, 50
<i>varicosa</i>	1854, 83	<i>Certhiola luteola</i>	{ 1855, 138
<i>Cerithium asperum</i>	1860, 433	{ 1858, 452	
<i>batium</i> ..	1860, 433	{ 1860, 85	
<i>bicarinatum</i>	1854, 84	{ 1860, 202	
<i>caillaudi</i>	1854, 83	{ 1856, 286	
<i>charbonnieri</i>	1854, 83	<i>mexicana</i>	{ 1859, 364
<i>conicum</i>	1854, 84	{ 1859, 376	
<i>decollatum</i>	1854, 83	<i>Cervequus andicus</i>	1850, 236
<i>diemenense</i>	1854, 84	<i>Cervicapra bezoartica</i> ..	1850, { 117
<i>dislocatum</i>	1859, 295	{ 1850, 168	
<i>fucatum</i> ..	1860, 432	<i>Cervulus moschatus</i> ..	{ 1850, 234
<i>giganteum</i>	1860, 401	{ 1856, 405	
<i>gracile</i>	1860, 432	<i>reevesi</i>	1850, 235
<i>hegewischi</i>	1854, 83	{ 1850, 234	
<i>lafondi</i>	1854, 83	<i>vaginalis</i>	{ 1858, 530
<i>largillierii</i>	1854, 84	{ 1859, 435	
<i>lutulentum</i>	1854, 84	<i>Cervus affinis</i>	{ 1850, 228
<i>macrostoma</i>	1853, 176	{ 1856, 405	
<i>montagnei</i>	1854, 83	<i>ahu</i>	1850, 236
{ 1851, 73		<i>albipes</i> ..	1850, 117
<i>obtusum</i>	{ 1854, 83	{ 1850, 224	
{ 1860, 17		<i>alces</i>	{ 1860, 183
<i>paxillum</i>	1860, 433	<i>antisicensis</i>	1850, 236
<i>pulchrum</i>	1854, 83	<i>aristotelis</i>	1850, 231
<i>reevianum</i>	1854, 83	<i>aureus</i>	1850, 234
<i>sardoum</i>	1854, 84	<i>aureus</i>	1850, 240
<i>sinense</i>	1854, 83	{ 1850, 233	
{ 1851, 73		<i>axis</i>	{ 1856, 151
<i>unicarinatum</i>	{ 1854, 83	{ 1850, 227	
<i>unilineatum</i>	1860, 432	<i>barbarus</i>	{ 1860, 183
<i>validum</i>	1854, 83	<i>bengalensis</i>	1850, 231
<i>varicosum</i>	1854, 83	<i>bezoarticus</i>	1850, 237
{ 206		<i>bifurcatus</i> ..	1850, 137
<i>(Potamis) sacratum</i> 1850, { 226		<i>campestris</i>	1850, 237
<i>Cerosterna imitator</i>	1858, 404	{ 1850, 226	
<i>javana</i>	1858, 403	<i>canadensis</i>	{ 1850, 226
<i>plagiata</i>	1858, 403	{ 1860, 322	
<i>tessellata</i>	1858, 404	{ 1850, 235	
<i>Cerostoma nuttallii</i>	1856, 229	<i>capreolus</i>	{ 1850, 236
<i>Certhia albigula</i>	1855, 66	{ 1859, 477	
<i>americana</i>	{ 1856, 290	{ 1850, 228	
{ 1859, 235		<i>cashmeriensis</i>	{ 1858, 520
<i>brasiliana</i>	1859, 462	{ 1850, 228	
<i>chlorophæa</i> ..	1859, 160	<i>caspianus</i>	1850, 236
<i>fasciata</i>	1859, 160	<i>clavatus</i>	1850, 238
<i>himalayana</i>	1859, 174	<i>coronatus</i>	1850, 229
<i>incana</i>	1859, 160	{ 1850, 229	
<i>lepidula</i>	1859, 401	{ 1856, 151	
<i>longirostra</i>	1859, 460	<i>dichotomus</i>	1850, 237
<i>malaccensis</i>	1859, 461	<i>dimorphe</i>	1850, 231
{ 1856, 290		<i>dolichurus</i>	1850, 241
<i>mexicana</i>	{ 1858, 297	<i>eedui</i>	1850, 229
		<i>elaphus</i>	1850, 133

	Page		Page
<i>Cervus elaphus</i>	1850, { 227	<i>Cervus pygargus</i>	1850, { 236
— <i>v. canadensis</i>	1850, { 228	<i>ramosicornis</i>	1850, { 238
— <i>β. hippelaphus</i>	1850, { 227	<i>rangifer</i>	1850, { 225
<i>equinus</i>	1850, { 231	<i>ratwa</i>	1850, { 235
<i>germanicus</i>	1850, { 227	<i>reevesii</i>	1850, { 235
<i>gymnotis</i>	1850, { 238	<i>rufus</i>	1850, { 241
<i>hamatus</i>	1850, { 187	<i>rusa</i>	1850, { 242
<i>heteroceros</i>	1850, { 231	—	1850, { 232
	1849, { 94	<i>sika</i>	1850, { 228
	1850, { 231	—	1860, { 376
<i>hippelaphus</i>	1850, { 232	<i>simplicicornis</i>	1860, { 415
	1856, { 405	<i>smithi</i>	1850, { 241
	1860, { 182	<i>strongyloceros</i>	1850, { 229
<i>humilis</i>	1850, { 242	—	1850, { 226
<i>kuhlii</i>	1850, { 232	<i>subcornutus</i>	1850, { 238
<i>leschenaultii</i>	1850, { 232	<i>taiouanus</i>	1850, { 234
<i>leucogaster</i>	1850, { 237	—	1860, { 376
<i>leucurus</i>	1850, { 238	<i>tarandus</i>	1850, { 225
<i>lewisii</i>	1850, { 239	—	1860, { 182
<i>lyratus</i>	1850, { 229	— <i>americanus</i>	1850, { 225
<i>macrotis</i>	1850, { 239	— <i>var. arctica</i>	1850, { 225
— <i>β. columbiana</i>	1850, { 239	<i>tibetanus</i>	1856, { 405
<i>macrourus</i>	1850, { 239	<i>tunjuc</i>	1850, { 232
<i>major</i>	1850, { 226	<i>unicolor</i>	1850, { 157
<i>malaccensis</i>	1850, { 231	—	1850, { 231
<i>mangivorus</i>	1850, { 238	<i>vaginalis</i>	1850, { 234
<i>marianus</i>	1850, { 232	—	1849, { 94
—	1850, { 235	<i>virginianus</i>	1850, { 238
<i>melas</i>	1856, { 405	—	1850, { 239
<i>mexicanus</i>	1850, { 238	<i>vulgaris</i>	1850, { 227
<i>mirabilis</i>	1850, { 225	—	1850, { 227
<i>moschus</i>	1850, { 235	<i>wallichii</i>	1850, { 228
<i>muntjac</i>	1850, { 234	—	1856, { 520
<i>memoralis</i>	1850, { 238	<i>wapiti</i>	1850, { 220
—	1848, { 37	(<i>Capreolus</i>) <i>leucotis</i>	1850, { 236
<i>memorivagus</i>	1850, { 240	(<i>Dama</i>) <i>americanus</i>	1850, { 238
—	1850, { 242	(<i>Hippelaphus</i>) <i>lepi-</i>	
<i>memorum</i>	1850, { 241	— <i>da</i>	1850, { 233
<i>niger</i>	1850, { 234	(<i>Mazama</i>) <i>leucurus</i>	1850, { 238
<i>nobilis</i>	1850, { 227	(—) <i>virginianus</i>	1850, { 238
<i>nudipalpebra</i>	1850, { 233	(<i>Rusa</i>) <i>frontalis</i>	1850, { 230
<i>occidentalis</i>	1850, { 220	—	1857, { 233
<i>palmatius</i>	1850, { 225	<i>Ceryle alcyon</i>	1859, { 53
<i>paludosus</i>	1850, { 237	—	1859, { 236
<i>palustris</i>	1850, { 237	—	1859, { 367
<i>peroni</i>	1850, { 232	—	1860, { 252
<i>philippinus</i>	1850, { 232	—	1855, { 136
<i>platyceros</i>	1850, { 229	<i>amazona</i>	1857, { 202
<i>platyrhynchos</i>	1850, { 225	—	1859, { 53
—	1850, { 167	—	1855, { 136
<i>porcinus</i>	1850, { 234	—	1856, { 139
—	1856, { 406	—	1856, { 286
<i>pseudaxis</i>	1850, { 233	<i>americana</i>	1858, { 353
—	1860, { 376	—	1859, { 53
<i>pudu</i>	1850, { 235	—	1859, { 367
—	1850, { 242	—	1860, { 284
<i>pygargus</i>	1850, { 227	—	1860, { 296
		<i>domingensis</i>	1857, { 238

	Page		Page
<i>Ceryle rudis</i>	1850, 216	<i>Chalcopsitta rubiginosa</i> {	1850, 26
	1859, 174		1860, 227
	1857, 227	<i>rubrifrons</i>	1858, 182
<i>superciliosa</i>	1850, 53	<i>scintillans</i>	1860, 227
	1859, 387	<i>Chalcothraupis argentea</i>	1856, 259
	1856, 139	<i>atricapilla</i>	1856, 259
<i>torquata</i>	1857, 202	<i>atrocaerulea</i>	1856, 258
	1859, 53	<i>nigrocincta</i>	1856, 261
	1860, 284	<i>nigroviridis</i>	1856, 260
	1857, 89	<i>ruficervix</i>	1856, 259
<i>varia</i>	1859, 150	<i>Chama exogyra</i>	1856, 217
<i>Cetonia (Protætia) procera</i>	1856, 17	<i>frondosa</i>	1856, 217
(—) <i>schaumii</i> ..	1856, 17	<i>glycimeris</i> ..	1855, 218
<i>Ceyx azurea</i>	1858, 172	<i>mexicana</i>	1856, 217
<i>lepidæ</i>	1860, 348	<i>pellucida</i>	1856, 217
<i>lessonii</i>	1858, 172		1859, 434
<i>luzoniensis</i>	1854, 269		1859, 435
<i>meninting</i>	1858, 172	<i>Chamæleo africanus</i> ..	1859, 436
<i>microsoma</i>	1854, 269		1860, 416
<i>pusilla</i>	1858, 172		1860, 442
<i>rufidorsa</i> ..	1854, 270	<i>bibronii</i>	1858, 158
	1858, 172	<i>burchellii</i>	1858, 158
<i>soltaria</i>	1859, 155	<i>cristatus</i>	1858, 157
<i>tridactyla</i>	1854, 269	<i>dilepis</i>	1858, 157
<i>uropygialis</i>	1860, 348	<i>gracilis</i>	1858, 158
<i>Chæna agglutinans</i> ..	1854, 330	<i>granulosus</i>	1858, 158
<i>annulata</i>	1858, 316	<i>oweni</i> ..	1858, 158
	1857, 247	<i>planiceps</i>	1858, 157
<i>annulosa</i>	1857, 248	<i>senegalensis</i>	1858, 157
<i>grandis</i>	1854, 330	<i>tricornis</i>	1858, 158
<i>mumia</i>	1857, 244		1849, 95
	1857, 247		1851, 203
<i>tessellata</i>	1857, 247	<i>vulgaris</i>	1858, 157
	1857, 248		1859, 470
	1858, 315		1859, 473
<i>Chætodon gibbosus</i> ..	1850, 65		1859, 475
<i>monodactylus</i> ..	1850, 65	<i>Chamæospiza torquata</i> {	1858, 304
<i>Chætostoma lobarhynchus</i> ..	1850, 420		1860, 305
<i>Chætura brunneitorques</i> ..	1855, 135	<i>Chamæpelia amazilia</i> ..	1850, 30
	1850, 221		1855, 163
<i>Chætusia gregaria</i> ..	1858, 505	<i>granatina</i>	1858, 556
<i>Chaimarronis leucocephalus</i>	1854, 30		1855, 163
<i>Chalceus alburnus</i> ..	1859, 419		1857, 205
<i>brevirostris</i> ..	1859, 420		1857, 236
<i>Chalcites smaragdineus</i> ..	1860, 112	<i>passerina</i>	1859, 369
<i>xanthorhynchus</i> ..	1859, 151		1859, 391
<i>Chalcoparia cingalensis</i> ..	1859, 463		1860, 243
<i>phœnicotis</i>	1859, 463		1860, 417
<i>Chalcophaps angusta</i> ..	1859, 467		1857, 19
<i>chrysochlora</i>	1859, 165	<i>rufipennis</i>	1858, 359
	1859, 150		1859, 61
<i>indica</i>	1859, 467		1859, 369
<i>javanica</i>	1860, 361	<i>Chamæpetes goudoti</i> ..	1856, 30
<i>moluccensis</i>	1860, 361	<i>Chamæza brevicauda</i> ..	1858, 278
<i>stephanii</i>	1859, 159	<i>guatemalensis</i>	1856, 294
<i>Chalcopsitta atra</i>	1860, 227	<i>marginata</i>	1855, 145
		<i>meruloides</i>	1858, 278
		<i>molhssima</i>	1855, 89

	Page		Page
<i>Chamaeza mollissima</i> ..	{ 1855, 145	<i>Cheilodactylus nigricans</i>	1850, 63
<i>monticola</i>	{ 1858, 279	<i>nigripes</i>	1850, 66
<i>nana</i>	{ 1858, 281	<i>zonatus</i>	1850, 66
<i>nobilis</i>	{ 1858, 284	<i>Cheilotrema lapicida</i> ..	1854, 197
<i>olivacea</i>	{ 1855, 68	<i>mudas</i>	1860, 372
<i>Chamaezosa brevicauda</i> ..	{ 1858, 68	<i>Chelidon cashmeriensis</i> {	1858, 356
<i>marginata</i>	{ 1858, 279	{ 1858, 494	
<i>olivacea</i>	{ 1855, 145	{ 1859, 175	
<i>Chaptia malayensis</i>	{ 1858, 279	<i>Chelidoptera albipennis</i> .	1855, 196
<i>Charadella trifida</i>	{ 1858, 278	<i>tenebrosa</i>	1855, { 136
<i>Charadrius alexandrinus</i> .	{ 1858, 278	{ 1855, 196	
<i>annuligerus</i>	{ 1858, 278	<i>Chelifer pallipes</i>	1849, 6
<i>azaræ</i>	{ 1858, 278	<i>Chelodina collei</i>	1856, 370
<i>cantianus</i>	{ 1858, 278	<i>expansa</i>	1856, 370
<i>cirripedesmus</i>	{ 1858, 279	<i>longicollis</i>	1856, 370
<i>falklandicus</i>	{ 1858, 279	<i>oblonga</i>	1856, 370
<i>geoffroyi</i>	{ 1858, 279	<i>sulcata</i>	1855, 206
<i>glaucopus</i>	{ 1858, 279	<i>sulcifera</i>	1856, 370
<i>hiaticula</i>	{ 1858, 279	<i>Chelonia imbricata</i>	1850, 432
<i>inornatus</i>	{ 1858, 279	<i>Chelydra collei</i>	1855, 200
<i>leschenaulti</i>	{ 1858, 279	<i>longicollis</i>	1855, 200
<i>magnirostris</i>	{ 1858, 279	<i>oblonga</i>	1855, 200
<i>minor</i>	{ 1858, 279	<i>serpentina</i>	1856, 200
<i>pecuarius</i>	{ 1858, 279	<i>Chelymys macquaria</i> ..	1856, 371
<i>pluvialis</i>	{ 1858, 279	<i>Chemnitzia acicularis</i> ..	1853, 181
<i>pluvialis orientalis</i> .	{ 1858, 279	<i>bicarinata</i>	1856, 171
<i>resplendens</i>	{ 1858, 279	<i>bitaformis</i>	1856, 171
<i>rubecola</i>	{ 1858, 279	<i>boholensis</i>	1853, 180
<i>veredus</i>	{ 1858, 279	<i>candida</i>	1853, 181
<i>virginicus</i>	{ 1858, 279	<i>clathrata</i>	1853, 180
<i>vociferus</i>	{ 1858, 279	<i>communis</i>	1856, 170
<i>xanthocheilus</i>	{ 1858, 279	<i>concupna</i>	1853, 181
<i>Charmosyna papuana</i> ..	{ 1858, 279	<i>cornea</i>	1853, 181
<i>pulchella</i>	{ 1858, 279	<i>costulata</i>	1853, 180
<i>Chauncalcyon gaudichaudi</i> .	{ 1858, 279	<i>cumingi</i>	1856, 170
<i>Chaunax pictus</i>	{ 1858, 279	<i>curvicaudata</i>	1853, 180
<i>Chaus lybicus</i>	{ 1858, 279	<i>densecostata</i>	1853, 180
<i>Cheilodactylus aspersus</i> .	{ 1858, 279	<i>elegantissima</i>	1853, 179
<i>brachydactylus</i>	{ 1858, 279	<i>fenestrata</i>	1853, 179
<i>carponemus</i>	{ 1858, 279	<i>formosa</i>	1853, 179
<i>ciliaris</i>	{ 1858, 279	<i>fulvocincta</i>	1853, 179
<i>fasciatus</i>	{ 1858, 279	<i>fusca</i>	1853, 181
<i>gibbosus</i>	{ 1858, 279	<i>gracilis</i>	1853, 179
<i>hecaterus</i>	{ 1858, 279	<i>grandis</i>	{ 1853, 180
<i>lineatus</i>	{ 1858, 279	{ 1860, 241	
<i>macropterus</i>	{ 1858, 279	<i>indistincta</i>	1853, 179
		<i>interrupta</i>	1853, 179
		<i>lirata</i>	1853, 181
		<i>obliquata</i>	1853, 180
		<i>pallida</i>	1853, 180
		<i>polyzonata</i>	1856, 170
		<i>pusilla</i>	1853, 179
		<i>rubrofusca</i>	1856, 171
		<i>rufa</i>	1853, 179
		<i>rufescens</i>	1853, 179
		<i>scalaris</i>	1853, 179
		<i>tenacula</i>	1856, 207
		<i>torquata</i>	1856, 207

	Page		Page
<i>Chemnitzia trilineata</i> ..	1853, 180	<i>Chlamydotherrum gigan-</i>	
<i>turritella</i>	1853, 180	<i>teum</i>	1851, 216
<i>varicosa</i>	1853, 181	<i>humboldtii</i>	1851, 216
<i>Chenalopex ægyptiacus</i> {	1850, 221	<i>Chlamyphorus trunca-</i>	
	1859, 477	<i>tus</i>	1857, 8
<i>Chione californiensis</i> ..	1856, 216		1857, 128
<i>callosa</i>	1856, 216	<i>Chloephaga magella-</i>	
<i>gibbosula</i>	1853, 7	<i>nica</i>	1858, 239
<i>nuttallii</i>	1856, 216		1859, 96
<i>regularis</i>	1853, 7		1860, 387
<i>sphaericula</i>	1853, 8		1860, 416
<i>straminea</i>	1856, 215		1857, 128
<i>ustulata</i>	1853, 8	<i>poliocephala</i>	1858, 289
	1858, 99		1859, 96
<i>Chionis alba</i>	1859, 95		1859, 206
	1860, 386	<i>rubidiceps</i>	1860, 387
<i>Chiradota discolor</i>	1858, 366		1860, 415
<i>lævis</i> ..	1858, 366	<i>Chlorochrysa callipa-</i>	
<i>lumbicus</i>	1858, 366	<i>ræa</i>	1855, 158
<i>purpurea</i>	1858, 366		1856, 206
<i>verrucosa</i>	1858, 366	<i>phœnicotis</i>	1858, 74
<i>violacea</i> ..	1858, 366		1856, 266
<i>Chirocephalus birostra-</i>			1860, 87
<i>tus</i> ..	1852, 24	<i>Chloroenas albulinea</i> ..	1855, 163
<i>claviger</i>	1852, 24		1858, 556
<i>diaphanus</i>	1852, 23	<i>bicolor</i> ..	1856, 30
<i>lacunæ</i>	1852, 23	<i>fasciata</i>	1856, 309
<i>middendorffianus</i> ..	1852, 25	<i>1858, 305</i>	
<i>Chromachæris gutturosa</i>	1854, 114	<i>flavirostris</i>	1856, 309
	89	<i>rufina</i>	1856, 143
<i>manacus</i>	1860, 279		1857, 19
	296	<i>speciosa</i>	1856, 309
<i>Chiromys madagascari-</i>			1858, 76
<i>ensis</i>	1850, 111	<i>Chloronerpes ærugin-</i>	
<i>Chiroxipha melanoce-</i>		<i>phala</i>	1859, 388
<i>phala</i> ..	1855, 151		1860, 286
<i>regina</i>	1856, 141	<i>callonotus</i>	1860, 297
	1857, 266		1855, 161
<i>Chiton acutus</i>	1855, 232		1856, 143
	1856, 221	<i>cecilia</i>	1860, 286
<i>armatus</i>	1856, 221		1860, 297
<i>articulatus</i>	1855, 232	<i>erythrope</i>	1857, 208
<i>hartwegi</i>	1855, 231	<i>fumigatus</i>	1855, 161
<i>insculptus</i>	1852, 91		1859, 146
<i>macgillivrayi</i> ...	1855, 120		1856, 307
<i>montereyensis</i> ..	1855, 231	<i>oleagineus</i> ...	1859, 367
<i>muricatus</i>	1852, 91		1859, 388
<i>muscosus</i>	1856, 221	<i>passerinus</i>	1857, 234
<i>nuttallii</i>	1855, 231	<i>rubiginosus</i> ...	1856, 307
	1856, 221		1860, 286
<i>ornatus</i>	1855, 232	<i>sanguinolentus</i> ...	1859, 60
<i>regularis</i>	1855, 232	<i>selysi</i>	1858, 74
<i>versicolor</i>	1852, 92		1856, 307
<i>Chlamydera cerviniven-</i>		<i>yucatanensis</i>	1859, 60
<i>tris</i>	1850, 201		1859, 367
<i>maculata</i>	1850, 201		1855, 137
<i>nuchalis</i> ..	1850, 201	<i>Chlorophanes atrica-</i>	
	1857, 26	<i>pilla</i>	1857, 263
			1858, 61
			1858, 452
			1859, 138

	Page		Page
<i>Chlorophanes atricapilla</i>	1860, 292	<i>Chlorospingus supercil-</i>	1860, { 65
<i>Chlorophus heterodermus</i>	1858, 158	<i>liaris</i>	{ 86
<i>Chlorophonia frontalis</i> ..	1856, 270	<i>verticalis</i>	{ 1855, 155
<i>longipennis</i>	{ 1855, 158	{ 1856, 30	{ 93
<i>occipitalis</i>	{ 1856, 270	<i>xanthophrys</i>	{ 1856, 30
<i>pretrei</i>	{ 1856, 270	{ 1856, 93	{ 93
<i>viridis</i>	{ 1857, 205	<i>Chlorospiza chloris</i>	1857, 223
<i>Chloropsaris atricapillus</i>	1859, 364	<i>melanodera</i>	1860, 385
<i>cuvieri</i>	1855, 159	<i>xanthogramma</i>	1860, 385
<i>versicolor</i>	1856, 270	<i>Chlorostilbon acutica-</i>	
<i>Chloropsis gampsorhyn-</i>	1856, 269	<i>dus</i>	1860, 308
<i>chus</i>	1851, 45	<i>atala</i>	{ 1859, 145
<i>malabaricus</i>	1851, 45	<i>melanorhynchus</i> ..	{ 1860, 94
<i>zosterops</i>	1851, 45	<i>osberti</i>	{ 1860, 308
<i>Chlorornis prasina</i>	1854, 280	<i>argyrostoma</i>	1860, 309
<i>riefferi</i>	1858, 475	<i>Chlorostoma agreste</i> ..	1851, 180
<i>Chlorospingus albitem-</i>	1854, 280	<i>articulatum</i>	1851, 183
<i>poralis</i>	1856, 78	<i>atrum</i>	1851, 180
<i>atripileus</i>	1855, 154	<i>bicanaliculatum</i> ..	1851, 181
{ 1855, 155	{ 1855, 155	<i>carinatum</i>	1851, 181
{ 1856, 89	{ 1856, 89	<i>castaneum</i>	1851, 182
{ 1858, 293	{ 1858, 293	<i>cicer</i>	1851, 181
{ 1854, 157	{ 1854, 157	<i>corrugatum</i>	{ 1851, 182
{ 1855, 155	{ 1855, 155	{ 1854, 40	{ 1851, 181
{ 1856, 91	{ 1856, 91	<i>euryomphalus</i>	{ 1851, 181
{ 1860, 76	{ 1860, 76	<i>funebre</i>	{ 1854, 316
{ 1860, 86	{ 1860, 86	<i>fuscum</i>	{ 1854, 305
{ 1855, 155	{ 1855, 155	<i>gallina</i>	{ 1851, 182
<i>canigularis</i>	{ 1856, 90	<i>impervium</i>	{ 1851, 182
{ 1859, 138	{ 1859, 138	<i>laeve</i>	{ 1851, 181
<i>castaneicollis</i>	{ 1858, 293	<i>maculosum</i>	{ 1851, 183
{ 1858, 293	{ 1858, 293	{ 1856, 204	{ 1851, 181
{ 1855, 155	{ 1855, 155	<i>marginatum</i>	{ 1851, 181
<i>flavicularis</i>	{ 1856, 91	<i>merula</i>	{ 1851, 181
{ 1860, 86	{ 1860, 86	<i>mcestum</i>	{ 1851, 180
{ 1855, 155	{ 1855, 155	{ 1854, 317	{ 1851, 180
<i>flavipectus</i>	{ 1856, 90	<i>nigerrimum</i>	{ 1851, 180
{ 1856, 90	{ 1856, 90	{ 1854, 40	{ 1851, 182
<i>flaviventris</i>	{ 1856, 91	<i>odontas</i>	{ 1851, 181
{ 1856, 91	{ 1856, 91	<i>pfefferi</i>	{ 1851, 181
<i>leucophrys</i>	{ 1856, 89	<i>pulligo</i>	{ 1851, 182
{ 1856, 89	{ 1856, 89	<i>rugosum</i>	{ 1851, 182
<i>lichtensteini</i>	{ 1856, 30	<i>sagittiferum</i>	{ 1851, 181
{ 1856, 30	{ 1856, 30	<i>sauciatum</i>	{ 1851, 181
{ 1854, 157	{ 1854, 157	<i>seminodosum</i>	{ 1851, 183
{ 1855, 155	{ 1855, 155	<i>stenomphalus</i>	{ 1851, 181
{ 1856, 92	{ 1856, 92	<i>tabulare</i>	{ 1851, 181
{ 1858, 294	{ 1858, 294	<i>tigrinum</i>	{ 1851, 180
<i>olivaceus</i>	{ 1856, 90	<i>tropidophorum</i>	{ 1851, 183
{ 1856, 90	{ 1856, 90	<i>turbinatum</i>	{ 1851, 182
{ 1856, 89	{ 1856, 89	{ 1851, 183	{ 1851, 182
<i>ophthalmicus</i>	{ 1856, 302	<i>undulosum</i>	{ 1851, 183
{ 1856, 302	{ 1856, 302	<i>xanthostigma</i>	{ 1851, 183
{ 1859, 364	{ 1859, 364	<i>Choanopoma chittyi</i> ..	1857, 165
{ 1859, 377	{ 1859, 377	<i>fimbriatulum</i>	1857, 165
{ 1855, 155	{ 1855, 155	<i>Choiropotamus africanus</i>	1852, 181
<i>rubrirostris</i>	{ 1856, 92		
{ 1856, 92	{ 1856, 92		
{ 1858, 294	{ 1858, 294		
<i>spodocephalus</i>	{ 1856, 91		
{ 1856, 91	{ 1856, 91		
{ 1855, 155	{ 1855, 155		
{ 1856, 30	{ 1856, 30		
<i>superciliaris</i>	{ 1856, 92		
{ 1856, 92	{ 1856, 92		
{ 1860, 63	{ 1860, 63		

	Page		Page
<i>Choiropotamus larvatus</i>	1852, 131	<i>Chrysotrappis frugile-</i>	1856, 236
<i>pictus</i>	1852, 132	<i>gus</i>	1858, 453
	1849, 66	<i>icterocephala</i>	1856, 251
<i>Cholepus didactylus</i>	1851, 207	<i>parzudaki</i>	1850, 263
	1856, 139	<i>schrunkii</i>	1850, 243
<i>Chondestes grammica</i>	1859, 379	<i>thalassina</i>	1856, 262
<i>ruficanda</i>	1857, 7	<i>thoracica</i>	1856, 243
<i>Chondropoma angusta-</i>		<i>xanthocephala</i>	1856, 264
<i>tum</i>	1854, 128	<i>Chrysotis albifrons</i>	1858, 359
<i>puncticulatum</i>	1854, 128	<i>amazonica</i>	1858, 75
<i>venezuelense</i>	1853, 52		1857, 205
<i>Chromis fenestrata</i>	1860, 318	<i>autumnalis</i>	1857, 230
<i>nebulifera</i>	1860, 318		1859, 59
<i>rivulata</i>	1859, 418		1859, 389
	1860, 234	<i>coccineifrons</i>	1857, 230
<i>Chrysallida communis</i>	1856, 170	<i>dominicensis</i>	1857, 224
<i>crebristrata</i>	1856, 170	<i>farinosa</i>	1858, 75
<i>Chrysenis batesii</i>	1860, 132	<i>guatemalae</i>	1860, 253
<i>Chrysococyx basalis</i>	1859, 128	<i>leucocephala</i>	1857, 224
	1859, 128		225
<i>lucidus</i>	1859, 221	<i>mercenaria</i>	1858, 75
	1860, 359	<i>ochroptera</i>	1857, 230
<i>minutillus</i>	1859, 128	<i>ochropterus</i>	1859, 389
<i>Chrysocolaptes sultaneus</i>	1859, 456		433
<i>Chrysodema louisa</i>	1859, 120	<i>sallaei</i>	1857, 224
<i>Chrysodomus despectus</i>	1850, 15		234
<i>heros</i>	1850, 15	<i>vinaceicollis</i>	1857, 225
<i>Chrysolampis moschitus</i>	1859, 54	<i>viridigenalis</i>	1857, 230
<i>Chrysomitris columbiana</i>	1855, 159	<i>vittata</i>	1857, 224
	1858, 552		225
<i>icterica</i>	1860, 66	<i>Chrysouronia josephinae</i>	1857, 263
	1855, 65		1854, 111
	1856, 303	<i>cenone</i>	1855, 141
<i>mexicana</i>	1858, 303		1858, 460
	1859, 365	<i>Ciccaba gisella</i>	1856, 25
	1859, 380	<i>hubula</i>	1858, 96
	1856, 304	<i>nigrolineata</i>	1859, 131
<i>notata</i>	1858, 303	<i>torquata</i>	1857, 227
	1859, 365	<i>Cichalopia vulpina</i>	1855, 141
<i>spinescens</i>	1859, 380	<i>Cichla lineata</i>	1850, 68
<i>spinoides</i>	1855, 159	<i>Cichlerminna bonaparti</i>	1859, 335
<i>yarrellii</i>	1859, 184	<i>fusca</i>	1859, 335
	1857, 7		1857, 6
<i>Chrysomus icterocephalus</i>	1857, 18	<i>Cichlopsis leucogonyx</i>	1858, 542
<i>Chrysonotus intermedius</i>	1859, 456	<i>Cicindela megalcephala</i>	1851, 199
<i>rafflesii</i>	1859, 456	<i>Cicinnurus spinturnix</i>	1858, 181
	1858, 382	<i>Ciconia alba</i>	1850, 221
<i>Chrysopelea ornata</i>	1860, 115		1858, 508
<i>praernata</i>	1858, 158	<i>leucocephala</i>	1855, 72
<i>Chrysopoga typica</i>	1856, 86		1858, 508
<i>Chrysophilus campileus</i>	1855, 161	<i>nigra</i>	1851, 146
<i>cayanensis</i>	1855, 161		1858, 508
<i>punctigula</i>	1855, 161	<i>Cidaris annulata</i>	1855, 37
<i>Chrysotrappis arthurs</i>	1856, 251	<i>ornata</i>	1855, 37
<i>aurulenta</i>	1856, 250	<i>spinulosa</i>	1855, 38
<i>chrysotis</i>	1856, 263	<i>verticillata</i>	1855, 37
<i>citrinella</i>	1856, 247	<i>Cimohornis diomedæus</i>	1851, 28
		<i>Cinchidrum frontale</i>	1854, 75

	Page		Page
<i>Cinclocerthia brachyura</i>	1855, 214	<i>Circus pallidus</i>	1854, 6
<i>gutturalis</i>	1855, 214	<i>swainsonii</i>	1858, 472
<i>ruficauda</i>	1859, 338	<i>Cirrihippra flicauda</i>	1857, 265
<i>Cinclodes albidiventris</i>	1855, 214	<i>Curripathes sieboldii</i>	1858, 71
<i>antarcticus</i>	1859, 338	<i>Cirsotrema attenuatum</i>	1857, 291
<i>bifasciatus</i>	1860, 77	<i>Cissopis bicolor</i>	1860, 400
<i>excelsior</i>	1860, 385	<i>leveriana</i>	1856, 79
<i>vulgaris</i>	1858, 448	<i>media</i>	1856, 78
<i>Cinclops melanoleucus</i>	1860, 77	<i>minor</i>	1856, 79
<i>1855, 214</i>		<i>1855, 154</i>	
<i>Cinclousoma castaneotho-</i>	1859, 338	<i>1856, 79</i>	
<i>rax</i>	1858, 454	<i>Cistothorus platensis</i>	1858, 454
<i>setifer</i>	1848, 139	<i>Cistudo carolinensis</i>	1860, 384
<i>Cinclus americanus</i>	1858, 488	<i>clausa</i>	1855, 197
<i>aquaticus</i>	1858, 3	<i>dentata</i>	1860, 415
<i>cashmeriensis</i>	1859, 200	<i>mexicana</i>	1856, 183
<i>interpres</i>	1860, 258	<i>1849, 17</i>	
<i>leucocephalus</i>	1859, 494	<i>1855, 197</i>	
<i>leuconotus</i>	1860, 363	<i>Cistula cinchdodes</i>	1852, 142
<i>sordidus</i>	1857, 274	<i>Cithaia sinuata</i>	1856, 162
<i>Cinnicerthia canifrons</i>	1859, 362	<i>Cladiscus bipectinatus</i>	1852, 39
<i>unibrunnea</i>	1850, 494	<i>longipennis</i>	1852, 39
<i>unicolor</i>	1855, 143	<i>parranus</i>	1852, 39
<i>uniuafa</i>	1858, 550	<i>Cladoscopus temmincki</i>	1855, 142
<i>Cinnycincula javanica</i>	1860, 74	<i>Clanculus acuminatus</i>	1851, 160
<i>Cinnyris aspasia</i>	1855, 143	<i>agrestis</i>	1851, 158
<i>clementiae</i>	1859, 461	<i>albinus</i>	1851, 160
<i>novæ-guineæ</i>	1858, 173	<i>anus</i>	1851, 159
<i>orientalis</i>	1858, 173	<i>brunneus</i>	1851, 161
<i>sericea</i>	1854, 257	<i>carinatus</i>	1851, 162
<i>zenobia</i>	1858, 173	<i>cingulifer</i>	1851, 160
<i>Cinyxis denticulata</i>	1858, 166	<i>clanguloides</i>	1851, 158
<i>homeana</i>	1858, 166	<i>conspersus</i>	1851, 163
<i>Circaetus brachydactylus</i>	1850, 215	<i>corallinus</i>	1851, 158
<i>gallicus</i>	1858, 472	<i>corrugatus</i>	1851, 159
<i>solitarius</i>	1856, 145	<i>couturi</i>	1851, 158
<i>Circe latirostris</i>	1858, 297	<i>depictus</i>	1854, 316
<i>lenticularis</i>	1859, 367	<i>edentulus</i>	1851, 162
<i>metcalfei</i>	1853, 7	<i>floridus</i>	1851, 158
<i>personata</i>	1853, 7	<i>gibbosus</i>	1851, 162
<i>pulchra</i>	1853, 6	<i>guamcus</i>	1851, 158
<i>transversaria</i>	1853, 6	<i>jussieu</i>	1851, 159
<i>Circus æruginosus</i>	1858, 472	<i>kraussii</i>	1851, 159
<i>cinereus</i>	1859, 94	<i>limbatus</i>	1851, 158
<i>cyaneus</i>	1860, 384	<i>ludwigi</i>	1851, 159
<i>hudsonius</i>	1854, 5	<i>lupinus</i>	1851, 159
<i>montagui</i>	1857, 125	<i>maculosus</i>	1851, 160
<i>pallidus</i>	1857, 211	<i>margaritarius</i>	1851, 159
	1859, 390	<i>maugeri</i>	1851, 158
	1854, 5	<i>mediterraneus</i>	1851, 158
	1858, 472	<i>microdon</i>	1851, 162
	1850, 216	<i>minor</i>	1851, 161
		<i>nigricans</i>	1851, 162
		<i>noduliratus</i>	1851, 163
		<i>nodulosus</i>	1854, 39
		<i>ochroleucus</i>	1851, 159
		<i>omalomphalus</i>	1851, 162
		<i>ornithophorus</i>	1851, 159

	Page		Page
<i>Clanculus patagonicus</i> ..	1851, 158	<i>Clausilia strigata</i>	1849, 186
<i>personatus</i>	1851, 159	<i>thermopylarum</i>	1849, 189
<i>pharaonis</i>	1851, 157	<i>tristrami</i>	1860, 140
<i>ringens</i>	1851, 158	<i>turrita</i>	1849, 135
<i>scabrosus</i>	1851, 159	<i>Clausilia borneensis</i> ..	1854, 206
<i>smithi</i>	1851, 158	<i>crispa</i>	1854, 215
<i>spadiceus</i>	1851, 159	<i>deltostoma</i>	1854, 215
<i>stigmatarius</i>	1851, 161	<i>eburnea</i>	1854, 296
<i>sulcarius</i>	1851, 160	<i>exigua</i>	1854, 216
<i>textilosus</i>	1851, 161	<i>nivea</i>	1854, 296
<i>tubimoides</i>	1851, 160	<i>Clavagella aperta</i>	1858, 314
<i>turgidulus</i>	1851, 159	<i>australis</i>	1858, 315
<i>unedo</i>	1851, 161	<i>caillate</i>	1858, 314
<i>variegatus</i>	1851, 160	<i>coronata</i>	1858, 314
<i>zebrides</i>	1851, 161	<i>cristata</i>	1858, 314
<i>Clanophila auricularia</i> ..	1858, 48	<i>echinata</i>	1858, 314
<i>brasiliana</i>	1858, 48	<i>elongata</i>	1858, 315
<i>gibbosa</i>	1858, 48	<i>lagenalis</i>	1858, 314
<i>Clangula angustirostris</i> ..	1860, 336	<i>lata</i>	1858, 315
<i>glaucon</i>	1860, 242	<i>mammoi</i>	1858, 315
<i>Clathraria rubrinodis</i> ..	1859, 486	<i>melitensis</i>	1858, 314
<i>Clathurella balteata</i> ..	1860, 143	<i>rape</i>	1858, 315
<i>brunnea</i>	1860, 143	<i>vivens</i>	1858, 315
<i>buccinoides</i>	1860, 144	<i>Clea nigricans</i>	1855, 119
<i>cylindrica</i>	1860, 143	<i>Clementia cumingi</i> ..	1854, 346
<i>elegans</i>	1860, 144	<i>moretonensis</i>	1853, 18
<i>exilis</i>	1860, 144	<i>strangei</i>	1853, 17
<i>fuscomaculata</i>	1860, 144	<i>Clepsydra strangulata</i> ..	1858, 313
<i>harpa</i>	1860, 144	<i>Clerus æruginosus</i>	1852, 51
<i>paucicostata</i>	1860, 144	<i>atricornis</i>	1852, 51
<i>producta</i>	1860, 143	<i>bengala</i>	1852, 41
<i>pulchella</i>	1860, 144	<i>hilaris</i>	1852, 47
<i>Clausilia adamsiana</i> ..	1860, 140	<i>novemguttatus</i>	1852, 49
<i>belcheri</i>	1849, 195	<i>posticalis</i>	1852, 42
<i>bourcierii</i>	1852, 152	<i>sanguinalis</i>	1852, 36
<i>charpentieri</i>	1849, 140	<i>sepulchralis</i>	1852, 52
<i>claviformis</i>	1849, 135	<i>subfasciatus</i>	1852, 41
<i>canaliculata</i>	1849, 137	<i>ventralis</i>	1852, 51
<i>candida</i>	1849, 135	<i>zebratus</i>	1852, 43
<i>compressa</i>	1849, 136	<i>(Hoplocerus) biacu-</i>	
<i>cyclostoma</i>	1849, 135	<i>leatus</i>	1852, 52
<i>dunkeri</i>	1849, 141	<i>(Hydnocerus) bel-</i>	
<i>græca</i>	1849, 137	<i>lus</i>	1852, 47
<i>hanleyana</i>	1849, 139	<i>(—) exilis</i>	1852, 48
<i>homalorhaphæ</i>	1849, 137	<i>(—) flavolineatus</i> ..	1852, 48
<i>idæa</i>	1849, 140	<i>(—) flavovarius</i> ..	1852, 49
<i>lunellaris</i>	1849, 139	<i>(—) pectoralis</i>	1852, 48
<i>milleri</i>	1849, 136	<i>(—) V-reversus</i>	1852, 48
<i>negropontina</i>	1849, 139	<i>(Lemidius) coralli-</i>	
<i>puella</i>	1849, 136	<i>pennis</i>	1852, 47
<i>reeveana</i>	1849, 140	<i>(—) festivus</i>	1852, 47
<i>scalaris</i>	1849, 137	<i>(Omadius) medio-</i>	
<i>semidenticulata</i>	1849, 141	<i>fasciatus</i>	1852, 44
<i>sennaamensis</i>	1856, 36	<i>(—) olivaceus</i> ..	1852, 44
<i>sericata</i>	1849, 140	<i>(—) prasinus</i>	1852, 53
<i>shanghaiensis</i>	1852, 138	<i>(Stigmatius) dorsi-</i>	
<i>sieboldii</i>	1848, 111	<i>ger</i>	1852, 37
<i>sowerbyana</i>	1849, 141	<i>(—) elaphroides</i> ..	1852, 45

	Page		Page
<i>Clerus (Stigmatius) nebulifer</i>	1852, 36	<i>Coccothraustes viridis</i> ..	1856, 66
(—) <i>rufiventris</i> ..	1852, 45	<i>Coccystes coromandus</i> ..	1859, 459
(<i>Xylobius</i>) <i>albovarius</i> ..	1852, 40	<i>melanoleucos</i>	1857, 100
(—) <i>dulcis</i>	1852, 40	<i>Coccyzus americanus</i> ..	1860, 252
(<i>Xylotretus</i>) <i>chrysidens</i> ..	1852, 50	<i>hadius</i>	1859, 485
(—) <i>excavatus</i> ..	1852, 46	<i>dommicus</i>	1857, 234
<i>Clinteria atra</i>	1856, 15	<i>erythrophthalmus</i> ..	{ 1857, 214
<i>biguttata</i>	1856, 15	{ 1860, 252	
<i>ducalis</i>	1856, 15	<i>geoffroyi</i>	1849, 63
<i>funeraria</i> ..	1856, 15	<i>semiculus</i>	1857, 234
<i>hoffmeisteri</i>	1856, 15	<i>viridirostris</i>	1856, 308
<i>Clotho arietans</i>	1860, { 193	<i>Cochlea bengalensis</i> ..	1850, 148
<i>lateristriga</i>	1858, 163	<i>Cochleophasia tessellata</i> ..	1849, 35
<i>nasicornis</i>	1858, 163	<i>Cochlodesma leana</i>	1855, 229
	164	<i>Cocilia gracilis</i>	1859, 417
	167	<i>pachynema</i> ..	1859, 417
	169	<i>rostrata</i>	1859, 417
<i>Clothonia johmi</i>	1860, { 170		{ 1856, 287
	171	<i>Cœligena fulgens</i>	{ 1858, 297
	172		{ 1859, 307
	186		{ 1859, 386
<i>Clypidella baidiei</i>	1854, 136	<i>typica</i>	{ 1854, 111
<i>Clypidina acuminata</i> ..	1851, 88	<i>wilsoni</i>	{ 1855, 140
<i>annulata</i>	1851, 88		{ 1859, 145
<i>aspera</i> ..	1851, 87		{ 1860, 94
<i>candida</i>	1851, 88	<i>Cœlogenys fulvus</i>	1860, 268
<i>fungina</i>	1851, 87	<i>paca</i> ..	{ 1849, 28
<i>notata</i>	1851, 87		{ 1860, 268
<i>rudis</i>	1851, 87	<i>Cœlopeltis lacertina</i> ..	1858, 160
<i>rugosa</i> ..	1851, 87	<i>virgata</i>	1858, 158
<i>scabricula</i>	1851, 88	<i>Cœnurus cerebrahis</i>	1860, 185
<i>stellata</i>	1851, 87	<i>Cœpola rubescens</i>	1840, 83
<i>sulcifera</i>	1851, 87	<i>Cœreba cœrulea</i>	{ 1855, 137
<i>Clytolæma rubinoides</i> ..	1855, 140		{ 1857, 263
<i>Cnemidophorus undulatus</i>	1860, { 233	<i>cyanea</i>	{ 1856, 140
	454	<i>nitida</i> ..	{ 1857, 263
<i>Coassus auritus</i>	1850, 242		{ 1855, 162
<i>nemorivagus</i>	1850, 240	<i>Colaptes elegans</i>	{ 1858, 555
<i>pudu</i>	1850, 242		{ 1860, 81
<i>rufus</i> ..	1850, 241		{ 1860, 95
<i>superciliaris</i>	1850, 242		{ 1856, 307
<i>Cobitis barbatus</i>	1859, 435	<i>mexicanus</i>	{ 1857, 127
<i>fossilis</i>	1860, 442		{ 1858, 305
<i>Cocoborus chrysopeplus</i> ..	1858, 454		{ 1859, 236
<i>Coccothraustes abeillei</i> ..	1859, 365		{ 1850, 367
<i>americana cœrulea</i> ..	1856, 64	<i>Colaris orientalis</i>	1860, 345
<i>cœrulescens</i>	1856, 64	<i>Colibri anais</i>	1855, 139
<i>canadensis</i>	1856, 65	<i>cyanotis</i>	1855, 139
<i>chrysopeplus</i>	1858, 454	<i>delphinæ</i>	1855, 139
<i>erythromelas</i>	1856, 65	<i>Colibris thalassina</i>	1850, 287
<i>maculipennis</i>	1860, 251	<i>Colina costata</i>	1854, 86
<i>melanurus</i> ..	1860, 242	<i>macrostoma</i>	1853, 176
<i>olivaceus</i>	1858, 291	<i>pinguis</i>	1854, 86
<i>sinensis</i>	1859, 444	<i>pupiformis</i>	1853, 176
<i>vespertinus</i>	1860, 251	<i>Colius macrurus</i>	1850, 219
		<i>senegalensis</i>	1850, 219

	Page		Page
<i>Colius senegalensis</i>	1860, 197	<i>Columba albilinea</i>	1860, 72
<i>Collaris purpurascens</i> ..	1850, 216	<i>amboinensis</i>	1860, 361
<i>Collocalia arborea</i>	1858, 171	<i>bantamensis</i>	1859, 467
<i>esculenta</i>	1860, 345	<i>basalis</i>	1860, 360
<i>hypoleuca</i>	{ 1858, 170	<i>bicolor</i>	{ 1856, 30
<i>nidifica</i>	1860, 345	<i>cæruleocephala</i> ..	1859, 466
<i>Collonia candida</i>	1858, 170	<i>capellei</i> ..	1859, 464
<i>variabilis</i> ..	1860, 436	<i>chalconotera</i>	1860, 258
<i>Colluricincla fusca</i>	1859, 335	<i>corensis</i> ..	1857, 235
<i>Collurio lahtora</i> ..	1859, 180	<i>erythroptera</i>	1856, 6
<i>Colobathris macularia</i> ..	1858, 282	<i>fasciata</i>	1859, { 236
<i>rex</i> ..	1858, 280	<i>flavirostris</i> ..	{ 1859, 309
<i>tiamensis</i> ..	1858, 281	<i>gallus</i>	1860, 362
<i>Coloburiscus rufiventris</i> ..	1860, 350	<i>gumea</i>	1850, 219
<i>Colobus angolensis</i>	1860, 245	<i>hodgsonii</i>	1855, 126
<i>guereza</i> ..	1860, { 184	<i>holosericea</i> ..	1859, 165
<i>leucomeros</i> ..	1860, 246	<i>hyogastra</i> ..	1860, 359
<i>satanas</i>	1860, 246	<i>indica</i> ..	1859, 467
<i>usinus</i>	1860, 245	<i>intermedia</i>	1859, 151
<i>vellerosus</i> ..	1860, 246	<i>jambu</i> ..	1859, 465
<i>Colopterus cristatus</i> ..	1858, 70	<i>javanica</i>	1859, 467
<i>Coluber annulatus</i> ..	1860, 457	<i>leucocephala</i>	{ 1857, 235
<i>boddaerti</i> ..	1860, 456	<i>leuconota</i>	{ 1859, 61
<i>callicephalus</i>	1860, 162	<i>leucophrys</i>	{ 1850, 432
<i>cenchoa</i> ..	1860, 458	<i>leucoptera</i>	{ 1860, 417
<i>cliffordii</i>	1858, 162	<i>litoralis</i> ..	{ 1855, 126
<i>conspicillatus</i> ..	1858, 383	<i>livia</i>	{ 1858, 407
<i>constrictor</i>	1840, { 102	<i>malaccensis</i>	{ 1859, 187
<i>corais</i> ..	1860, 450	<i>monacha</i>	1850, 7
<i>corallinus</i> ..	1859, 84	<i>mulleri</i>	1860, 359
<i>crucifer</i> ..	1858, 160	<i>nigobarica</i>	1858, 186
<i>dumnades</i> ..	1860, 163	<i>nigrirostris</i>	1860, 362
<i>elegans</i> ..	1858, 160	<i>olax</i> ..	1859, 390
<i>fulvus</i> ..	1859, 85	<i>palumbus</i>	{ 1851, 146
<i>irregularis</i> ..	1858, 161	<i>perata</i>	{ 1855, 34
<i>irrorata</i> ..	1858, 159	<i>perspicillata</i>	{ 1858, 187
<i>lacteus</i> ..	1859, 88	<i>phasianella</i>	1859, 465
<i>laevis</i>	1858, 161	<i>pimonia</i>	{ 1851, 142
<i>latonia</i>	1859, 89	<i>purpurea</i>	{ 1857, 12
<i>lemniscatus</i>	1859, 85	<i>serpentina</i>	1859, 187
<i>melanurus</i>	1859, 83	<i>serpentina</i>	{ 1860, 258
<i>naja</i> ..	1860, 117	<i>serpentina</i>	1860, 416
<i>nasicornis</i> ..	1858, 163	<i>serpentina</i>	1858, 185
<i>nigromarginatus</i> ..	1860, 163	<i>serpentina</i>	1860, 360
<i>palmarum</i>	1858, 161	<i>serpentina</i>	1858, 187
<i>philippini</i> ..	1858, 160	<i>serpentina</i>	1859, 465
<i>quadrilineatus</i> ..	1858, 378	<i>serpentina</i>	{ 1851, 142
<i>rufescens</i>	1858, 161	<i>serpentina</i>	{ 1857, 12
<i>scaber</i> ..	1858, 161	<i>serpentina</i>	1859, 187
<i>sebae</i> ..	1858, 164	<i>serpentina</i>	{ 1860, 258
<i>sibilans</i> ..	1858, 160	<i>serpentina</i>	1860, 416
<i>Columba alba</i>	{ 1858, 186	<i>serpentina</i>	1858, 185
<i>albicapilla</i>	1859, 466	<i>serpentina</i>	1860, 360
<i>albilinea</i>	1860, 361	<i>serpentina</i>	1858, 187
<i>albilinea</i>	1860, 68	<i>serpentina</i>	1858, 186
		<i>serpentina</i>	1859, 465

	Page		Page
<i>Columba reinwardti</i> ..	1860, 361	<i>Colymbus glacialis</i>	1859, 206
<i>rufina</i>	{ 1859, 147	<i>pacificus</i>	1859, 207
<i>rupestris</i>	{ 1860, 97	<i>Comatula rosea</i>	1859, 494
<i>speciosa</i>	{ 1860, 289	<i>Cominella clocea</i>	1853, 97
<i>striata</i>	{ 1859, 400	<i>elongata</i>	1856, 356
<i>superba</i>	{ 1859, 61	<i>maura</i>	1854, 313
<i>superciliaris</i>	{ 1860, 298	<i>quoyana</i>	1854, 313
<i>suratensis</i>	{ 1860, 415	<i>Commia maculata</i>	1854, 102
<i>sylvatica</i>	{ 1859, 466	<i>Compsocoma elegans</i> ..	1856, 238
<i>tigrina</i>	{ 1859, 467	<i>flavinucha</i>	{ 1855, 84
<i>trigonigera</i>	{ 1850, 219	<i>notabilis</i>	{ 1856, 238
<i>trocax</i>	{ 1851, 142	<i>sumptuosa</i>	{ 1855, 84
<i>trudeauii</i>	{ 1856, 309	<i>victorinii</i>	{ 1856, 238
<i>turtur</i>	{ 1851, 146	<i>Compsothlypis brasiliانا</i>	1855, 143
<i>vernans</i>	{ 1857, 12	<i>mexicana</i>	1858, 299
<i>vinacea</i>	{ 1859, 465	<i>Conchoderma virgata</i> ..	1858, 372
<i>viridis</i>	{ 1856, 30	<i>Concholepas antiquatus</i>	1856, 3
<i>zoæa</i>	{ 1860, 289	<i>subrufus</i>	1856, 4
<i>Columbella albinodulosa</i>	1851, 3	(<i>Coralloba</i>) <i>fimbri-</i>	
<i>austriahs</i>	1851, 5	<i>ata</i>	1852, 93
<i>austriana</i>	1851, 9	<i>Conirostrum albifrons</i> {	{ 1855, 75
<i>baccata</i>	1851, 9	<i>atrocyaneum</i>	{ 1855, 138
<i>californiana</i>	1851, 12	<i>bicolor</i>	{ 1859, 138
<i>cancellata</i>	1851, 6	<i>cæruleifrons</i>	{ 1856, 75
<i>conspersa</i>	1851, 11	<i>cinereum</i>	{ 1855, 138
<i>contaminata</i>	1851, 7	<i>columbianum</i>	1855, 75
<i>formosa</i>	1851, 11	<i>ferrugineiventre</i> ..	1855, 74
<i>hirundo</i>	1851, 12	<i>flaviventre</i>	1854, 252
<i>interrupta</i>	1851, 3	<i>fraserii</i>	{ 1858, 452
<i>intexta</i>	1851, 7	<i>fuscum</i>	{ 1860, 63
<i>iodostoma</i>	1851, 13	<i>ornatum</i>	{ 1855, 75
<i>leucostoma</i>	1851, 4	<i>rufum</i>	{ 1856, 37
<i>lineata</i>	1860, 399	<i>sitticolor</i>	{ 1855, 75
<i>marquesa</i>	1851, 8	<i>superciliolum</i>	{ 1855, 75
<i>pacifica</i>	1851, 4	<i>Conopophaga angusti-</i>	1858, 299
<i>pellucida</i>	1860, 399	<i>rostris</i>	1855, 146
<i>pulla</i>	1851, 6	<i>ardesiaca</i>	1858, 252
<i>sagitta</i>	1851, 10	<i>aurea</i>	1855, 145
<i>santa-barbarensis</i>	1856, 208	<i>aurita</i>	{ 1857, 47
<i>tenuis</i>	1851, 2	<i>glacialis</i>	{ 1858, 286
<i>varicosa</i>	1851, 5	<i>glacialis</i>	{ 1854, 113
<i>Columbula cruziana</i> ..	{ 1858, 450	<i>glacialis</i>	{ 1858, 285
<i>colus strabomus</i>	{ 1858, 461		
<i>tartarica</i>	{ 1860, 289		
<i>Colus strabomus</i>	1850, 112		
<i>tartarica</i>	1850, 112		
<i>Colymbus adamsi</i>	1859, 201		
<i>arcticus</i>	1859, 207		
<i>glacialis</i>	1851, 146		

	Page		Page
<i>Conus sulciferus</i>	1853, 116	<i>Corbicula cyreniformis</i>	1860, 321
<i>traillii</i>	1855, 121	<i>grandis</i>	1854, 344
<i>vinctus</i>	1853, 118	<i>incrassata</i>	1854, 342
<i>Copiopteryx semiramus</i>	1849, 36	<i>malaccensis</i>	1854, 343
<i>Copyschus amoenus</i>	1854, 282	<i>maxima</i>	1860, 321
<i>mundanensis</i>	1854, 282	<i>obscura</i>	1854, 342
<i>saularis</i>	{ 1857, 94 1858, 491 1859, 150 1859, 151	<i>obsoleta</i>	1854, 343
<i>Copurus filicauda</i>	{ 1854, 113 1855, 148 1855, 148	<i>orientalis</i>	1860, 16
<i>leuconotus</i>	{ 1858, 71 1860, 294	<i>ovalina</i>	1854, 343
<i>pocilonotus</i>	{ 1860, 294	<i>ovalis</i>	1860, 321
<i>Coracia micans</i>	1853, 110	<i>regularis</i>	1860, 321
<i>Coracias abyssinica</i>	{ 1850, 216 1860, 197	<i>semisulcata</i>	1854, 343
<i>affinis</i>	{ 1859, 150 1859, 151	<i>squalida</i>	1854, 342
<i>caudata</i>	{ 1850, 216 1860, 109	<i>striatella</i>	1854, 344
<i>cayana</i>	1856, 70	<i>sulcatina</i>	1854, 345
<i>cayennensis</i>	1856, 70	<i>tenuistriata</i>	1860, 322
<i>garrula</i>	{ 1859, 172 1857, 98	<i>triangularis</i>	1854, 345
<i>indica</i>	{ 1858, 474 1859, 172	<i>trigona</i>	1854, 344
<i>levaillantii</i>	1850, 216	<i>tumida</i>	1854, 343
<i>nevra</i>	1850, 216	<i>Corbis caelatus</i>	1853, 69
<i>nuchalis</i>	1850, 216	<i>scutulus</i>	1853, 70
<i>orientalis</i>	{ 1854, 267 1860, 345	<i>Corbula decussata</i>	1850, 86
<i>pacifica</i>	{ 1858, 171 1859, 163	<i>polychroma</i>	1856, 198
<i>striata</i>	1859, 164	<i>Corethrura cayennensis</i>	{ 1854, 115 1859, 64
<i>sumatranus</i>	1854, 267	<i>rubra</i>	1860, 300
<i>varians</i>	1858, 180	<i>Coriocella perspicua</i>	1853, 35
<i>Coracopsis ? personata</i>	1848, 21	<i>Coriphilus placentis</i>	{ 1858, 182 1860, 357
<i>Corades enyo</i>	1848, 117	<i>solitarius</i>	1860, 357
<i>Coralliohia cancellata</i>	1860, 399	<i>Cornalia australasica</i>	1858, 321
<i>Coralliophila californica</i>	1855, 121	<i>Cornufer unicolor</i>	1858, 396
<i>radula</i>	{ 1854, 137 1854, 137	<i>Cornuoides major</i>	{ 1858, 414 1858, 425 1858, 414
<i>Corallium johnsonii</i>	1860, 393	<i>minor</i>	1858, 436
<i>nobile</i>	{ 1857, 287 1857, 285 1857, 287	<i>Coronaria coronata</i>	1854, 194
<i>rubrum</i>	{ 1859, 480 1860, 394 1857, 287	<i>coronula</i>	1854, 194
<i>secundum</i>	{ 1859, 480 1860, 394	<i>tiarella</i>	1854, 194
<i>Corbicula ambigua</i>	1854, 345	<i>Coronella australis</i>	1858, 384
<i>bengalensis</i>	1854, 344	<i>austriaca</i>	1858, 378
<i>benzonii</i>	1854, 345	<i>calicephala</i>	1860, 162
<i>cashmiriensis</i>	1854, 344	<i>cucullata</i>	{ 1858, 378 1859, 470 1860, 428
<i>convexa</i>	1854, 342	<i>decorata</i>	{ 1859, 412 1860, 455 1858, 162
		<i>fuliginoides</i>	{ 1860, 428 1858, 378
		<i>girundica</i>	1858, 378
		<i>olivacea</i>	1860, 428
		<i>puncticulata</i>	1860, 161
		<i>semionata</i>	1860, 428
		<i>triangularis</i>	1858, 161
		<i>(Mezodon) bitor-</i>	
		<i>quata</i>	1860, 428
		<i>(—) dumerilii</i>	1860, 429

	Page		Page
<i>Coronella (Meizodon) re-</i>		<i>Corvus pyrrhopterus</i> ...	1860, 355
<i>gularis</i>	1860, 428	<i>scapulatus</i>	1850, 127
<i>Corotoca melantho</i>	1853, 102	{ 1854, 143	
<i>phyllo</i>	1853, 102	{ 1855, 127	
<i>Corucia zebrata</i>	1855, 218	<i>splendens</i>	{ 1857, 97
<i>Corvus balcassius</i>	1854, 271	{ 1858, 477	
<i>cæsius</i>	1859, 162	{ 1859, 171	
<i>caledonicus</i>	{ 1850, 86	<i>thibetanus</i>	{ 1858, 477
{ 1859, 162		{ 1859, 171	
<i>carnivorus</i>	1860, 252	<i>umbrinus</i>	1850, 217
<i>cinereus</i>	1859, 162	<i>validissimus</i>	1860, 354
<i>collurio</i>	1856, 79	<i>validus</i>	1860, 354
{ 1851, 145		<i>violaceus</i>	1860, 354
{ 1858, 477		<i>yncas</i>	1854, 114
<i>corax</i>	{ 1859, 171	<i>Corsira caudata</i>	1856, 400
{ 1859, 436		<i>newera ellia</i>	1850, { 156
{ 1858, 477		{ 1850, 156	
<i>cornix</i>	{ 1860, 258	<i>nigrescens</i>	{ 1850, 150
{ 1851, 145		{ 1856, 400	
{ 1858, 478		<i>Corydon sumatranus</i>	1854, 267
<i>corone</i>	{ 1859, 163	<i>temminckii</i>	1854, 267
{ 1859, 171		<i>Corynactis allmanni</i>	1859, 434
<i>coronoides</i>	{ 1859, 157	<i>heterocera</i>	1853, 107
{ 1854, 144		<i>Corynetes compactus</i>	1852, 54
{ 1855, 127		{ 1858, 382	
<i>culminatus</i>	{ 1857, 98	{ 1860, 115	
{ 1858, 477		<i>Coryphodon blumen-</i>	1860, 163
{ 1859, 171		<i>bachii</i>	{ 1860, 168
{ 1859, 445		{ 1860, 170	
<i>cyaneus</i>	1850, 85	{ 1860, 171	
<i>enca</i>	1860, 354	{ 1860, 103	
{ 1856, 40		<i>carinatus</i>	1860, 167
<i>frugilegus</i>	{ 1858, 477	{ 1860, 163	
{ 1859, 171		<i>fasciolatus</i>	1860, 115
{ 1860, 258		<i>korros</i>	{ 1860, 163
<i>fuscicapillus</i>	{ 1859, 157	{ 1860, 233	
<i>galericulatus</i>	{ 1850, 79	{ 1860, 236	
{ 1859, 440		<i>rhombifer</i>	1860, 276
{ 1850, 81		<i>Coryphospingus cruentus</i>	1860, 160
<i>glandarius</i>	{ 1857, 215	<i>Coryphospiza pileata</i>	1855, 100
<i>inflatus</i>	1859, 163	<i>Corystes cassivelaunus</i>	1859, 494
<i>intermedius</i>	1859, 171	<i>Corythaux buffonii</i>	1860, 183
<i>jamaicensis</i>	1857, 232	<i>Corythophanes cristata</i>	1860, 453
<i>javanensis</i>	1859, 444	<i>Corythopsis anthoides</i>	1858, 288
<i>leucognathus</i>	1857, 232	<i>calcarata</i>	1858, 287
<i>leuconotus</i>	1850, 217	<i>nigricincta</i>	1858, 288
<i>leverianus</i>	1856, 79	<i>torquata</i>	1858, 288
{ 1858, 180		<i>Cossypha natalensis</i>	1860, 110
<i>macrorhynchus</i>	{ 1859, 446	<i>Cossyphus darwini</i>	1850, 240
<i>melanops</i>	1858, 179	<i>gouldii</i>	1850, 72
{ 1857, 12		<i>maldat</i>	1850, 72
<i>monedula</i>	{ 1853, 478	<i>vulpinus</i>	1850, 71
{ 1859, 171		<i>Cotinga amabilis</i>	{ 1857, 64
<i>moneduloides</i>	{ 1859, 163	{ 1860, 252	
{ 1858, 180		<i>cincta</i>	1857, 65
<i>orru</i>	{ 1859, 157	{ 1857, 65	
<i>peruvianus</i>	1854, 114	<i>maynana</i>	{ 1857, 265
<i>pica</i>	1857, 12		

	Page		Page
<i>Cotinga maynana</i>	1858, 71	<i>Craticula calathisca</i>	1854, 212
<i>nattererii</i>	1855, 152	<i>ferraria</i>	1854, 211
<i>tschudii</i>	1855, 152	<i>fusca</i>	1854, 211
<i>Coturniculus henslowii</i> {	1850, 305	<i>millegrana</i>	1854, 211
.....	1857, 82	<i>monticola</i>	1854, 212
<i>passerinus</i>	1857, 82	<i>Crax alberti</i>	1850, 246
.....	1859, 379	{ 1850, 246
<i>peruanus</i>	1858, 455	{ 1857, 19
<i>Coturnix argoondah</i> ..	1855, 31	<i>alector</i>	{ 1859, 61
<i>communis</i>	1858, 504	{ 1859, 212
<i>coromandelica</i> ..	1858, 504	{ 1860, 253
.....	1850, 220	{ 206
<i>dactylisonans</i>	1856, 31	<i>globicera</i>	{ 1860, 242
.....	1858, 504	{ 253
<i>pentah</i>	1859, 186	<i>Crenella bulla</i>	1856, 366
.....	1855, 31	<i>undulata</i>	1854, 108
.....	1857, 212	<i>Cremidens zebra</i>	1850, 67
<i>Cotyle flavigastra</i>	1859, 364	<i>Crepidula aculeata</i> ..	1856, 225
.....	1860, 274	<i>californica</i>	1856, 225
<i>fulvipennis</i>	1859, 364	{ 205
.....	1858, 495	<i>explanata</i>	{ 1856, 225
<i>riparia</i>	1859, 176	{ 205
<i>ruficollis</i>	1860, 292	<i>exuviata</i>	{ 1856, 225
.....	1856, 285	{ 205
<i>serripennis</i>	1859, 364	<i>lacustris</i>	1853, 87
.....	1858, 495	<i>minuta</i>	1856, 225
<i>sinensis</i>	1859, 176	<i>navicelloides</i>	1856, 225
<i>suboccata</i>	1857, 8	<i>nummaria</i>	1856, 225
<i>Coua cristata</i> ..	1857, 8	<i>oblonga</i>	1853, 87
<i>madagascariensis</i> ..	1857, 8	{ 205
<i>reynaudi</i>	1857, 8	<i>perforans</i>	{ 1856, 225
<i>ruficeps</i>	1857, 8	{ 224
<i>Crab-eater, The</i>	1851, 59	<i>rugosa</i>	1856, 224
<i>Cracticus destructor</i> ..	1860, 242	<i>Creseis rugulosa</i>	1858, 425
<i>nigrogularis</i>	1848, 40	<i>Creurgops verticalis</i> ..	1858, 73
.....	1858, 180	<i>Crex baillonii</i>	{ 1851, 146
<i>personatus</i>	1859, 157	{ 1858, 560
.....	1848, 40	<i>pratensis</i>	1850, 221
<i>picatus</i>	1858, 180	<i>Cribrina coriacea</i>	1858, 148
<i>quoyi</i>	1860, 234	<i>Cricula trifenestrata</i> ..	1859, 245
<i>Craneosaura seemanni</i> ..	1854, 193	<i>Criniger cantori</i>	1854, 279
<i>Craspedaria delphinula</i> ..	1849, 100	<i>flavicaudus</i>	1860, 351
.....	1849, 106	{ 1854, 279
<i>Craspedocephalus atrox</i> {	1859, 89	<i>Crithragra brasiliensis</i> ..	1859, 100
.....	1859, 414	<i>lutea</i>	1850, 218
.....	1859, 414	<i>Crocodylus acutus</i>	1858, 319
<i>bilineatus</i>	1859, 414	{ 402
.....	1859, 89	<i>americanus</i>	{ 1859, 434
<i>leucurus</i>	1859, 414	{ 50
<i>Craspedopoma lucidum</i> ..	1854, 216	<i>binuensis</i>	1857, 57
<i>lyonnetianum</i>	1854, 217	<i>cataphractus</i>	{ 1857, 167
<i>Crassatella bellula</i>	1852, 95	{ 1858, 116
.....	1852, 95	<i>galentus</i>	1857, 57
<i>compta</i>	1852, 95	{ 1857, 167
<i>concinna</i>	1852, 95	<i>leptorhynchus</i> ..	{ 1858, 167
<i>cumingii</i>	1852, 90	{ 1857, 49
<i>lævis</i>	1852, 94	<i>marginatus</i>	1857, 49
<i>obesa</i>	1852, 90	<i>vulgaris</i>	1857, 49
<i>obscura</i>	1852, 94	<i>Crotalus durissus</i>	1849, 98
<i>speciosa</i>	1852, 94	<i>horridus</i>	1858, 386
<i>truncata</i>	1852, 95	{ 1857, 234
		<i>Crotophaga ani</i>	{ 1860, 285

	Page		Page
<i>Crotophaga major</i>	1857, 268	<i>Cuculus curvirostris</i> ...	1859, 458
<i>rugirostris</i>	1858, 359	<i>dumetorum</i>	1857, 26
{ 1856, 309		<i>flavus</i>	1859, 458
{ 1859, 59		<i>fugax</i>	1859, 459
<i>sulcirostris</i>	1859, 368	<i>hyperythrus</i>	1856, 96
{ 1859, 388		<i>inornatus</i>	1859, 222
{ 1860, 285		<i>lathamii</i>	1859, 459
{ 1860, 297		<i>lucidus</i>	1859, 459
<i>Crucibulum auriculatum</i> ..	1856, 168	<i>lugubris</i>	1859, 459
<i>corrugatum</i>	1856, 204	<i>malayanus</i>	1859, 459
<i>cumingii</i> , var. <i>carib-</i>		<i>megarhynchus</i> ...	1858, 184
<i>beense</i>	1856, 167	<i>melanoleucus</i>	1850, 219
<i>imbricatum</i> , var. <i>bro-</i>		<i>merulinus</i>	1859, 458
<i>deripii</i>	1856, 168	<i>mexicanus</i>	1859, 388
<i>imbricatum</i> , var. <i>cu-</i>		<i>micropterus</i>	1859, 459
<i>mingii</i>	1856, 167	<i>niscolor</i>	1859, 459
<i>pectinatum</i>	1856, 168	<i>passerinus</i>	1850, 219
<i>rude</i>	1856, 168	<i>pica</i>	1850, 219
<i>spinosum</i>	1856, 225	<i>poliogaster</i>	1860, 359
<i>spinosum</i> , var. <i>com-</i>		<i>praesagus</i>	1860, 359
<i>presso-conicum</i> ..	1856, 167	<i>pravata</i>	1859, 458
<i>umbrella</i>	1856, 168	<i>sepulcralis</i>	1860, 359
<i>violascens</i>	1856, 166	<i>sonneratii</i>	1859, 458
<i>Crypsirhina varians</i> ..	{ 1859, 150	<i>strenuus</i>	1856, 96
{ 1860, 354		<i>striatus</i>	1859, 459
<i>Cryptaxius leonina</i>	1854, 168	<i>sumatranus</i>	1859, 458
<i>undata</i>	1854, 168	<i>tenuirostris</i>	1859, 458
<i>vulcania</i>	1854, 168	<i>tymbonotus</i>	1860, 359
<i>Crypticus apiaster</i>	1857, 258	<i>varius</i>	1859, 459
<i>carinatus</i>	1857, 257	<i>venustus</i>	1859, 458
<i>martii</i>	1857, 256	<i>viridis</i>	1859, 457
<i>superciliaris</i>	{ 257	<i>(Ocomantis) sepul-</i>	
{ 258		<i>cralis</i>	1860, 359
<i>Cryptodon nuttallii</i>	1856, 210	<i>(—) tymbonotus</i> ..	1860, 359
<i>Cryptolopha cinereoca-</i>		<i>Culex equinus</i>	1850, 258
<i>pilla</i>	1854, 271	<i>Culicivora poliohenys</i> ..	1854, 106
<i>Cryptomya californica</i> ..	1856, 210	<i>Culcivora atricapilla</i> ..	1855, 12
<i>Cryptopodus aubryi</i> ...	1858, 167	<i>bilineata</i>	1855, 12
<i>Cryptopus aubryi</i>	1860, 314	<i>boliviana</i>	{ 1852, 34
{ 1858, 167		{ 1855, 12	
<i>senegalensis</i>	{ 1860, 314	<i>dumicola</i>	1855, 12
{ 1860, 316		<i>leucogastra</i>	1855, 12
<i>Crystallus crystallina</i> ..	1854, 178	<i>mexicana</i>	1855, 12
<i>Oteniza antipodum</i> ...	1849, 3	<i>stenura</i>	1855, 11
<i>hexops</i>	1849, 3	<i>Cultellus caribæus</i> ...	1856, 212
<i>Cnuba grandis</i>	1860, 316	<i>cultellus</i>	1860, 369
<i>Cuculus albopunctatus</i> ..	1859, 459	<i>dombeii</i>	1856, 212
<i>assimilis</i>	1858, 184	<i>strigillatus</i>	1856, 212
<i>bengalensis</i>	1859, 457	<i>Cultrides rufipennis</i> ...	1849, 63
<i>bronzinus</i>	1859, 164	<i>Cuma sulcata</i>	1856, 42
<i>canoroides</i>	1860, 359	<i>Cumungia antillarum</i> ..	1860, 24
{ 1851, 145		<i>californica</i>	1856, 213
{ 1857, 215		<i>clerii</i>	1850, 24
<i>canorus</i>	{ 1858, 476	<i>fragilis</i>	1850, 25
{ 1859, 174		<i>similis</i>	1850, 24
<i>chlorophæus</i>	1859, 458	<i>sinuosa</i>	1850, 25
<i>collaris</i>	1859, 459	<i>striata</i>	1850, 25
<i>coromandus</i>	1859, 459		

	Page		Page
<i>Cuncuma leucogaster</i> ..	1858, 169	<i>Cyanocorax hyacinthinus</i>	1855, 153
<i>Cuneus truncatus</i>	1853, 1	incas	{ 1855, 153
<i>Cuon primævus</i>	{ 1856, 397	luxuosus	{ 1858, 72
<i>Cuora amboinensis</i>	1855, 198	melanocyaneus	{ 1856, 300
trifasciata	1855, 198	nanus	{ 1859, 365
<i>Curimatus gilberti</i>	1859, 419	ornatus	{ 1858, 359
<i>Cursorius chalcopterus</i> .	1850, 220	peruvianus	{ 1857, 204
coromandelicus	1858, 504	pumilo	{ 1859, 365
<i>Curruca conspicillata</i> ..	1851, 142	turcosus	{ 1857, 204
heinekeni	1851, 142	ultramarinus	{ 1859, 365
<i>Cuscus albus</i>	1858, 104	unicolor	{ 1857, 204
amboinensis	1858, 104	violaceus	{ 1859, 365
brevicaudatus	1858, 102	yncas	{ 1855, 153
celebensis	{ 1858, 105	Cyanoloxia parellina ..	{ 1858, 72
macrourus	{ 1860, 2	Cyanomyia cyanoce-	{ 1853, 456
maculatus	{ 1858, 101	phala	{ 1854, 114
orientalis	{ 1858, 109	francisæ	{ 1856, 302
ornatus	{ 1860, 2	quadricolor	{ 1857, 212
quoyii	{ 1860, 3	sordida	{ 1859, 367
ursinus	{ 1860, 1	violiceps	{ 1855, 141
<i>Custa bicarinata</i>	1858, 103	Cyanophonia aureata ..	{ 1856, 287
<i>Cyanalcyon funebris</i>	1859, 404	musica ..	{ 1859, 386
<i>Cyanecula suecica</i>	1860, 346	Yanoptera discors	{ 1856, 272
<i>Cyanicterus venustus</i> . .	1858, 492	Cyanospiza curus	{ 1856, 271
<i>Cyanocitta californica</i> .	{ 1856, 122	cyanea ..	{ 1850, 86
coronata	{ 1857, 127	melanocephala	{ 1850, 85
crassinotris	{ 1858, 302	pallasi	{ 1850, 85
diademata	{ 1859, 381	vallanti	{ 1850, 85
floridana	{ 302, 359	Cyanopolus cooki	{ 1850, 86
nana	1858, 359	Cyanoptera discors	{ 1850, 83
ornata	1859, 57	Cyanospiza curus	{ 1859, 379
stelleri	1860, 252	cyanea	{ 1859, 379
turcosa	{ 1856, 300	versicolor	{ 1859, 379
ultramarina	{ 1857, 82	Cyanotrogon monachus .	{ 1860, 359
<i>Cyanocorax armillatus</i> .	{ 1857, 204	Cyanura coronata	{ 1859, 381
azureus	1859, 381	Cyanurus bullocki	{ 1850, 84
bicolor	1859, 381	collier ..	{ 1850, 84
coronatus	1857, 127	coronatus	{ 1859, 286
cyanocapillus	{ 1858, 552	cubo	{ 1850, 84
guatemalensis	{ 1860, 88	diardi	{ 1850, 84
harrisi	1857, 82	dimidiatus	{ 1859, 286
	{ 1855, 153	maculophus	{ 1859, 286
	{ 1857, 18	stelleri	{ 1859, 286
	1857, 265	<i>Cyathina smithi</i>	{ 1849, 74
	1857, 204	<i>Cyclanorbus petersii</i>	{ 1852, 135
	1859, 365		{ 1858, 167
	1855, 153	<i>Cyclanosteus frenatus</i> .	{ 1860, 5
	1859, 57		{ 1860, 6
	1855, 153		{ 1860, 314

	Page		Page
<i>Cyclanosteus frenatus</i>	1860, 431	<i>Cyclorhynchus breviros-</i>	
	{ 1858, 167	<i>tris</i>	1859, 45
<i>petersii</i>	{ 1860, 5	<i>cinereiceps</i>	1859, 384
	{ 1860, 314	<i>fulvipectus</i>	1860, 92
	{ 1860, 315	<i>olivaceus</i>	{ 1858, 70
<i>Cyclemys dentata</i>	1855, 198	<i>subbrunneus</i>	{ 1859, 45
<i>platynota</i>	1855, 198	<i>subbrunneus</i>	{ 1860, 282
<i>Cyclina bombycina</i>	1860, 124	<i>subbrunneus</i>	{ 1860, 295
<i>pectunculus</i>	1860, 125	<i>Cyclostoma adolfi</i>	1852, 142
<i>producta</i>	1856, 161	<i>alabastrinum</i>	1854, 126
<i>sinensis</i>	1853, 25	<i>alatum</i>	1851, 250
<i>splendida</i>	1860, 124	<i>alternans</i>	1851, 249
<i>subquadrata</i>	1856, 201	<i>amboinense</i>	1852, 144
<i>Cycloderma frenatum</i>	1860, 431	<i>amoenum</i>	1852, 62
<i>Cyclope (Nasa) neriti-</i>		<i>angustatum</i>	1854, 128
<i>nea</i>	1856, 42	<i>aplustre</i>	1849, 15
<i>Cyclophis calamaria</i>	1858, 383	<i>appendiculatum</i>	1852, 61
<i>Cyclophorus æquivocus</i>	1857, 112	<i>articulatum</i>	1859, 204
<i>alabastrinus</i>	1854, 126	<i>bairdii</i>	1852, 144
<i>cereus</i>	1854, 301	<i>barclayanum</i>	1852, 158
<i>confluens</i>	1860, 140	<i>belauri</i>	1857, 209
<i>convexusculus</i>	1855, 104	<i>bensonii</i>	1852, 153
<i>cytora</i>	1849, 167	<i>biciliatum</i>	1851, 72
<i>deplanatus</i>	1854, 301	<i>bicolor</i>	1852, 145
<i>exaltatus</i>	1854, 300	<i>birostre</i>	1854, 300
<i>excellens</i>	1854, 126	<i>blandum</i>	1852, 143
<i>flavidus</i>	1860, 11	<i>boivini</i>	1857, 209
<i>floridus</i>	{ 1854, 300	<i>borneensis</i>	1851, 71
<i>forbesi</i>	{ 1860, 10	<i>borni</i>	1852, 63
<i>involvulus</i>	1855, 104	<i>bourcierii</i>	1852, 151
<i>labiosus</i>	1860, 11	<i>caesescens</i>	1851, 245
<i>lignarius</i>	1853, 51	<i>carinatum</i>	1859, 204
<i>pirreanus</i>	1857, 112	<i>carolinense</i>	1852, 65
<i>pirreanus</i>	1853, 51	<i>castaneum</i>	1851, 251
<i>polynema</i>	1854, 126	<i>castum</i>	1854, 150
<i>punctatus</i>	1860, 11	<i>cattaroensis</i>	1854, 305
<i>shiplayi</i>	1856, 337	<i>cereum</i>	1854, 301
<i>siamensis</i>	1860, 10	<i>chinense</i>	1854, 299
<i>spironema</i>	1854, 127	<i>chlorticum</i>	1854, 151
<i>sumatranus</i>	1854, 301	<i>chrysalis</i>	1852, 153
<i>tæniatus</i>	1854, 301	<i>cinclodes</i>	1852, 142
<i>thwaitesi</i>	1854, 127	<i>comorense</i>	1854, 151
<i>Cyclopsitta diophthalma</i>	1858, 183	<i>conula</i>	1854, 127
<i>Cyclorhamphus mar-</i>		<i>crassum</i>	1851, 242
<i>moratus</i>	{ 1850, 415	<i>cumanense</i>	1851, 248
<i>Cyclorhis flavipectus</i>	1858, 448	<i>cumingii</i>	1850, 56
	{ 1856, 299	<i>cuvierianum</i>	1849, 15
<i>flaviventris</i>	{ 1858, 448	<i>densehneatum</i>	1852, 62
	{ 1859, 363	<i>deplanatum</i>	1854, 301
<i>guianensis</i>	1858, 448	<i>desciscens</i>	1851, 243
<i>nigrirostris</i>	{ 1855, 151	<i>diaphanum</i>	1851, 248
	{ 1858, 448	<i>disculus</i>	1851, 243
<i>ochrocephalus</i>	1858, 448	<i>dysom</i>	1851, 243
<i>virenticeps</i>	1860, 274	<i>elatum</i>	1852, 159
<i>viridis</i>	1858, 448	<i>elegans</i>	1856, 147
<i>Cyclorhynchus æquino-</i>		<i>euchilum</i>	1851, 242
<i>tialis</i>	1858, 70	<i>eugenæ</i>	1857, 209
<i>brevirostris</i>	1856, 296	<i>eusarcum</i>	1852, 143

	Page		Page
<i>Cyclostoma exaltatum</i>	1854, 300	<i>Cyclostoma pirreanum</i>	1853, 51
<i>excellens</i>	1854, 126	<i>pleurophorum</i>	1851, 245
<i>expansilabre</i>	1852, 150	<i>plicosum</i>	1852, 61
<i>expansum</i>	1851, 242	<i>poculum</i>	1854, 302
<i>fallax</i>	1852, 65	<i>polynema</i>	1854, 126
<i>fasciculare</i>	1851, 245	<i>ponderosum</i>	1851, 243
<i>filosum</i>	1857, 210	<i>psilomitum</i>	1851, 250
<i>flammeum</i>	1854, 127	<i>pterocycloides</i>	1854, 300
<i>floridum</i>	1854, 300	<i>puncticulatum</i>	1854, 128
<i>formosum</i>	1849, 15	<i>purum</i>	1850, 56
<i>fornicatum</i>	1852, 146	<i>quntense</i>	1852, 61
<i>fortunei</i>	1852, 146	<i>radula</i>	1851, 246
<i>fulguratum</i>	1852, 63	<i>recluzianum</i>	1853, 51
<i>fusculum</i>	1851, 251	<i>regulare</i>	1851, 244
<i>globosum</i>	1852, 151	<i>rostratum</i>	1852, 66
<i>gradatum</i>	1854, 303	<i>rusticum</i>	1851, 250
<i>grateloupi</i>	1851, 246	<i>saccatum</i>	1852, 65
<i>griseum</i>	1853, 51	<i>scalare</i>	1851, 250
<i>guatemalense</i>	1851, 235	<i>sechellarum</i>	1854, 302
<i>guttatum</i>	1851, 251	<i>semiclausum</i>	1854, 302
<i>harpa</i>	1851, 247	<i>sericatum</i>	1851, 244
<i>heliciniforme</i>	1852, 151	<i>shuttleworthi</i>	1851, 246
<i>hemiotum</i>	1852, 143	<i>simplex</i>	1852, 143
<i>himalayanum</i>	1851, 242	<i>spironema</i>	1854, 127
<i>histrio</i>	1851, 247	<i>striatum</i>	1852, 147
<i>ibyatense</i>	1852, 62	<i>subconicum</i>	1850, 27
<i>ignescens</i>	1851, 251	<i>sublratum</i>	1852, 65
<i>insulare</i>	1852, 64	<i>sumatrense</i>	1854, 301
<i>integrum</i>	1851, 247	<i>tæniatum</i>	1854, 301
<i>jucundum</i>	1852, 66	<i>tenulabiatum</i>	1851, 71
<i>kneneri</i>	1854, 302	<i>thwaitesi</i>	1854, 127
<i>kraussianum</i>	1852, 64	<i>trochlea</i>	1851, 249
<i>kusteri</i>	1851, 249	<i>truncatulum</i>	1856, 22
<i>labiosum</i>	1853, 51	<i>tubuliferum</i>	1853, 51
<i>leucostomum</i>	1852, 144	<i>tubulum</i>	1857, 209
<i>ligatum</i>	1849, 16	<i>turritum</i>	1851, 248
<i>lineatum</i>	1852, 65	<i>undatum</i>	1851, 71
<i>liratum</i>	1852, 64	<i>unicolor</i>	1851, 243
<i>longicollis</i>	1854, 128	<i>venezuelense</i>	1853, 51
<i>loweanum</i>	1852, 142	<i>ventricosum</i>	1854, 304
<i>loxostomum</i>	1852, 146	<i>violaceum</i>	1851, 245
<i>lugubre</i>	1851, 249	<i>virgo</i>	1854, 150
<i>luridum</i>	1852, 63	<i>vitellinum</i>	1852, 64
<i>lutescens</i>	1851, 250	<i>(Aulopoma) grande</i>	1855, 104
<i>magnificum</i>	1852, 142	<i>(Chondropoma) cor-</i>	
<i>margarita</i>	1851, 244	<i>dovanum</i>	1856, 323
<i>minutissimum</i>	1854, 305	<i>(Cyclophorus) æqui-</i>	
<i>mite</i>	1852, 63	<i>vocum</i>	1857, 112
<i>montanum</i>	1854, 300	<i>(—) boucardii</i>	1856, 323
<i>multilratum</i>	1852, 150	<i>(—) convexiuscu-</i>	
<i>nobile</i>	1852, 142	<i>lum</i>	1855, 104
<i>orbigny</i>	1851, 149	<i>(—) forbesianum</i>	1855, 104
<i>ovatum</i>	1851, 246	<i>(—) lignarium</i>	1857, 112
<i>pallidum</i>	1851, 248	<i>(—) shiplayi</i>	1856, 337
<i>parvispirum</i>	1854, 128	<i>(Cyclostomus) an-</i>	
<i>patera</i>	1852, 61	<i>natonense</i>	1855, 105
<i>picturatum</i>	1852, 62	<i>(—) boivini</i>	1856, 338
<i>pingue</i>	1851, 248	<i>(—) leve</i>	1855, 118

	Page		Page
<i>Cyclostoma</i> (<i>Cyclostoma</i>) <i>microchasma</i>	1856, 338	<i>Cyclotus bairdianus</i>	1857, 153
(—) <i>principalis</i> ..	1859, 27	<i>beswicki</i>	1857, 145
(—) <i>sarcodes</i>	1850, 339	<i>birostratus</i>	1854, 300
(—) <i>sinuatum</i> ..	1855, 104	<i>bogotensis</i>	1855, 117
(<i>Cyclotus</i>) <i>bogotense</i>	1855, 117	<i>chinensis</i>	1854, 299
(—) <i>daucinum</i> ..	1856, 337	<i>conicus</i>	1860, 10
(—) <i>glauco-</i>		<i>corrugator</i>	1857, 145
<i>mum</i> ..	1855, 103	<i>corrugator</i>	1857, 149
(—) <i>irregulare</i> ..	1855, 117	<i>corrugatissimus</i>	1857, 145
(—) <i>lindstedti</i> ..	1856, 391	<i>corrugatus</i>	1857, 143
(—) <i>macgillivrayi</i>	1855, 103	<i>crassus</i>	1857, 145
(—) <i>sordidum</i> ..	1855, 103	<i>cycloatus</i> ...	1857, 143
(<i>Leptopoma</i>) <i>barbatum</i> ..	1855, 104	<i>daucinus</i>	1856, 337
(—) <i>duplicatum</i> ..	1856, 338	<i>deburghæanus</i>	1857, 145
(—) <i>hanleyanum</i>	1856, 384	<i>dentistigmatus</i> ..	1857, 154
(—) <i>signatum</i> ..	1856, 338	<i>dubiosus</i>	1857, 145
(—) <i>wallacei</i> ..	1857, 112	<i>duffianus</i>	1857, 142
(<i>Opisthoporus</i>) <i>co-</i>		<i>gemma</i>	1857, 145
<i>chinchinensis</i> ..	1856, 337	<i>glauco-</i>	
(—) <i>euryompha-</i>		<i>lum</i> ..	1856, 338
<i>lum</i> ..	1856, 337	(<i>Otopoma</i>) <i>listeri</i> ..	1859, 204
(<i>Otopoma</i>) <i>listeri</i> ..	1859, 204	<i>Cyclostomus annatonensis</i>	1855, 105
<i>Cyclostomus annatonensis</i>	1855, 105	<i>boivini</i>	1856, 338
<i>boivini</i>	1856, 338	<i>gradatus</i>	1854, 303
<i>gradatus</i>	1854, 303	<i>kieneri</i>	1854, 302
<i>kieneri</i>	1854, 302	<i>levis</i>	1855, 118
<i>levis</i>	1855, 118	<i>microchasma</i>	1856, 338
<i>microchasma</i>	1856, 338	<i>parvispirus</i>	1854, 128
<i>parvispirus</i>	1854, 128	<i>sarcodes</i>	1856, 339
<i>sarcodes</i>	1856, 339	<i>sinuatus</i>	1855, 105
<i>sinuatus</i>	1855, 105	<i>Cyclostrema angulata</i> ..	1850, 44
<i>Cyclostrema angulata</i> ..	1850, 44	<i>cancellata</i> ..	1850, 41
<i>cancellata</i> ..	1850, 41	<i>cingulifera</i>	1850, 43
<i>cingulifera</i>	1850, 43	<i>cobijensis</i> ...	1850, 42
<i>cobijensis</i> ...	1850, 42	<i>elegans</i>	1850, 44
<i>elegans</i>	1850, 44	<i>excavata</i>	1856, 169
<i>excavata</i>	1856, 169	<i>granulata</i>	1853, 183
<i>granulata</i>	1853, 183	<i>micans</i>	1850, 44
<i>micans</i>	1850, 44	<i>nitida</i>	1850, 43
<i>nitida</i>	1850, 43	<i>nivea</i>	1850, 42
<i>nivea</i>	1850, 42	<i>octolirata</i>	1856, 169
<i>octolirata</i>	1856, 169	<i>pentagoniostoma</i> ..	1856, 169
<i>pentagoniostoma</i> ..	1856, 169	<i>plana</i>	1850, 43
<i>plana</i>	1850, 43	<i>planorbula</i>	1850, 43
<i>planorbula</i>	1850, 43	<i>reeviana</i>	1850, 42
<i>reeviana</i>	1850, 42	<i>spirula</i>	1850, 42
<i>spirula</i>	1850, 42	<i>sulcata</i>	1850, 44
<i>sulcata</i>	1850, 44		
	1851, 219		
<i>Cyclothurus didactylus</i> {	1856, 139		
	1859, 450		
<i>Cyclotus asperulus</i>	1857, 143		
<i>bairdianus</i>	1857, 145		

	Page		Page
<i>Cyclotus portlandensis</i> .. 1857,	145	<i>Cylindrella flammulata</i> .. 1852,	141
	147	ghiesbreghtii..... 1856,	380
pretiosus 1857,	145	gouldiana 1851,	149
ptercycloides 1854,	153	grandis 1860,	139
recluzianus 1853,	300	greyana 1857,	163
	51	macrostoma 1857,	111
ruber 1857,	145	malleata 1852,	140
	153	menkeana 1852,	140
rudis-planusque .. 1857,	145	mexicana 1860,	139
	152	monilifera 1851,	148
rufilabris 1857,	145	polygyra..... 1856,	322
	156	punctura 1852,	141
rupis-frontis 1857,	145	salleana 1851,	149
	155	seminula 1860,	410
	144	senecia 1849,	134
seminudus 1857,	145	splendida 1860,	139
	152	turris 1856,	380
sordidus 1855,	103	zebrina 1852,	68
striatus 1857,	145	<i>Cylindrophis maculata</i> .. 1858,	383
	156	<i>Cylindrus erythrostoma</i> .. 1858,	42
	143	nigellus 1858,	42
subrugosus..... 1857,	145	<i>Cyllene concinna</i> 1850,	205
	149	fuscata 1850,	205
	143	glabrata 1850,	206
suturalis..... 1857,	145	grana 1850,	205
	149	grayi 1850,	205
tubulifera 1853,	51	lugubris 1850,	205
	144	lyrata 1850,	205
variatus 1857,	145	orientalis 1850,	205
	149	oweni 1850,	205
westmorelandensis . 1857,	145	pallida 1850,	205
	156	pulchella 1850,	205
zigzag 1857,	145	striata 1850,	205
	150	unimaculata 1855,	123
<i>Cyclura collei</i> 1849,	106	<i>Cymatium polygonum</i> .. 1851,	230
lophoma..... .. 1848,	99	<i>Cymba cymbium</i> 1855,	52
	1859,	gracilis 1855,	52
<i>Cygnus atratus</i> { 1860,	258	neptuni 1855,	52
	1860,	olla 1855,	51
coscoroba 1860,	388	patula..... 1855,	52
ferus 1849,	28	porcina 1855,	52
gambensis 1860,	42	proboscidalis 1855,	52
	1859,	rubiginosa 1855,	52
mgricollis { 1859,	206	tarionis 1855,	52
	1860,		112
<i>Cyliclchna carpenteri</i> 1858,	543	<i>Cymbilanius lineatus</i> . { 1854,	65
<i>Cyliclchna cylchna</i> .. 1854,	206		1858,
ovuliformis 1854,	206		206
<i>Cylindrella adamsiana</i> .. 1851,	148	<i>Cymbiola ancilla</i> 1855,	57
apiostoma 1856,	322	beckii 1855,	53
arctospira 1860,	139	brasiliiana 1855,	57
blandiana 1852,	68	colocynthus 1855,	57
boucardi 1856,	321	ferussaci 1855,	58
carinata 1852,	68	festiva 1855,	61
chordata..... 1855,	117	magellanica 1855,	57
clava 1856,	380	mitis 1855,	56
cretacea 1860,	140	nivosa 1855,	56
eximia 1858,	23	pacifica 1855,	58
		tuberculata 1855,	58

	Page		Page
<i>Cymbiola turnerii</i>	1853, 36	<i>Cyphorinus albigularis</i> {	1855, 76
<i>vespertilio</i>	1855, 56	<i>griseicollis</i>	1857, 4
<i>Cymburhynchus affinis</i> .	1859, 150	<i>leucostictus</i>	1860, 64
<i>macrorhynchus</i>	1854, 267	<i>modulator</i>	1855, 77
<i>Cymbium aethiopicum</i> ..	1855, 53	<i>phaeocephalus</i>	1858, 63
<i>armatum</i>	1855, 54	<i>prostheleucus</i>	1858, 96
<i>broderipii</i>	1855, 53	<i>pusillus</i>	1858, 63
<i>cisium</i>	1855, 54	<i>Cypraea adusta</i>	1860, 291
<i>coronatum</i>	1855, 52	<i>barclayi</i>	1858, 64
<i>cymbium</i>	1855, 54	<i>bicolor</i>	1858, 96
<i>diadema</i>	1855, 53	<i>clara</i>	1859, 363
<i>georginae</i>	1855, 54	<i>compta</i>	1859, 372
<i>gracile</i>	1855, 52	<i>cribellum</i>	1859, 372
<i>indicum</i>	1855, 53	<i>eximia</i>	1848, 97
<i>manilla</i>	1855, 55	<i>flaveola</i> , var.	1857, 208
<i>melo</i>	1855, 53	<i>gracilis</i>	1848, 92
<i>mltonis</i>	1855, 53	<i>grando</i>	1851, 13
<i>neptuni</i>	1855, 52	<i>heliola</i>	1860, 189
<i>olla</i>	1855, 51	<i>humphreysii</i>	1849, 22
<i>papillatum</i>	1855, 51	<i>marginata</i>	1849, 23
<i>patulum</i>	1855, 52	<i>nivea</i>	1849, 124
<i>porcinum</i>	1855, 52	<i>obscura</i>	125
<i>proboscideale</i>	1855, 52	<i>onyx</i>	1848, 97
<i>rubiginosum</i>	1855, 52	<i>oryza</i>	1848, 98
<i>tessellatum</i>	1855, 54	<i>piperita</i>	1848, 97
<i>tritoni</i>	1855, 52	<i>producta</i>	1848, 98
<i>umbilicatum</i>	1855, 53	<i>pulex</i> , var.	1849, 23
<i>Cymindis cayennensis</i> .	1859, 52	<i>pulicaria</i>	1848, 97
<i>uncinata</i>	1860, 289	<i>pulla</i>	1848, 97
<i>wilsonii</i>	1857, 3	<i>quadrifaculata</i> , var	1848, 97
<i>Cynanthus cyanurus</i> ..	1855, 140	<i>sulcata</i>	1848, 95
<i>Cynictis maccarthiae</i> ...	1860, 70	<i>thersites</i>	1848, 90
<i>Cynocephalus anubis</i> ..	1851, 131	<i>turdus</i>	1848, 98
<i>babuin</i>	1860, 421	<i>umbilicata</i>	1849, 124
<i>hamadryas</i>	1849, 94	<i>vitrea</i>	125
<i>olivaceus</i>	1860, 372	<i>Cypressus marinus</i>	1848, 95
<i>sphinx</i>	1860, 422	<i>Cypricardia californica</i> ..	1857, 292
<i>thoth</i>	1860, 421	<i>duperoyi</i>	1856, 217
<i>Cynophis helena</i>	1859, 434	<i>Cypricia nuttalli</i>	1856, 217
<i>Cynopithecus nigrescens</i>	1860, 421	<i>Cypridina adamsi</i>	1856, 210
<i>Cynops chinensis</i>	1860, 421	<i>albomaculata</i>	1860, 199
<i>pyrrhogaster</i>	1858, 138	<i>bimaculata</i>	1860, 199
<i>Cynopteris horsfieldii</i> ..	1859, 229	<i>brenda</i>	1860, 199
<i>marginatus</i>	1858, 537	<i>caerulea</i>	1860, 199
	1850, 156	<i>elliptica</i>	1860, 199
	1858, 35	<i>excisa</i>	1860, 200
	1858, 537	<i>formosa</i>	1860, 200
		<i>gibbosa</i>	1860, 200
		<i>globosa</i>	1860, 200

	Page		Page
Cypridina godehevi	1860, 200	Cypselus niger	1859, 236
hieroglyphica	1850, 256	palmarum	1855, 28
interpuncta	1850, 257	subfurcatus	1854, 264
interpunctata	1860, 199	unicolor	1851, 142
luteola	1860, 200	vittatus	1854, 264
macandrei	1850, 257	Cypsnagra ruficollis	1856, 112
macandrewii	1860, 199	Cyrena aequalatera	1854, 20
maræ	{ 1850, 257	affinis	1854, 16
mediterranea	{ 1860, 199	altilis	1856, 202
norvegica	1860, 199	ambigua	1856, 186
norvegica	1860, 200	angulata	1854, 22
oblonga	1860, 200	anomala	1854, 21
olivaceus	1860, 200	arctata	1854, 20
ovum	1860, 201	brunnea	1860, 321
punctata	1860, 200	cochinensis	1858, 543
reynaudii	1860, 199	compta	1854, 18
zealandica	{ 1850, 102	conjuncta	1854, 15
	{ 1850, 257	consobrina	1856, 186
	{ 1860, 199	cor	1856, 186
Cyprinodon dispar	1859, 470	cumingii	1854, 22
hammonis	1856, 371	decipiens	1854, 17
lunatus	1859, 474	divaricata	1854, 17
moseas	1859, 474	dura	1854, 20
Cyprinus auratus	1859, 229	essingtonensis	1854, 19
bithynicus	1856, 372	euphratica	1856, 186
carpis	1856, 372	fallax	1854, 15
elatus	1856, 372	flava	1860, 320
flavipinnis	1856, 372	fluminalis	1856, 186
hungaricus	1856, 372	gammellarii	1856, 186
nordmanni	1856, 372	impressa	1854, 18
Cypris belcheri	1852, 7	incerta	1854, 19
cuneata	1850, 255	inflata	1854, 23
cylindrica	1850, 233	inquinata	1854, 15
—, var major	1859, 233	insignis	1854, 20
dentatomarginata	1859, 233	isocardioides	1854, 22
donnetii	1850, 254	jukesii	1854, 19
schomburgkii	1852, 8	lauta	1854, 15
subglobosa	1859, 232	mactroides	1854, 17
triangularis	1854, 6	maritima	1854, 345
Cyprocula eximia	1849, 125	mexicana	1856, 202
umbilicata	1849, 125	moretonensis	1854, 341
	{ 1854, 265	nitida	1854, 23
	{ 1855, 28	nitidula	1854, 21
Cypselus affinis	{ 1855, 50	notabilis	1854, 21
	{ 1857, 88	oblonga	1854, 341
	{ 1858, 477	obscura	1860, 321
	{ 1859, 175	oviformis	1854, 16
	{ 1858, 477	pallida	1854, 17
apus	{ 1859, 175	panormitana	1856, 186
australis	1854, 204	philippinarum	1854, 340
cayennensis	1857, 232	pisiformis	1854, 341
giganteus	1854, 266	placida	1854, 19
melba	{ 1858, 477	senegalensis	1854, 341
	{ 1859, 175	similis	1854, 16
murarius	1851, 142	sinuosa	1854, 18
mystaceus	{ 1858, 170	sphaerocula	1854, 340
	{ 1860, 345	tennentii	1858, 23
		triangularis	1851, 74

	Page		Page
<i>Cyrena triangularis</i> ...	1856, 186		
<i>trigonula</i>	1856, 186		
<i>sublobata</i>	1854, 18	<i>Dacnis angelica</i>	{ 1854, 251 1855, 137 1857, 263 1858, 452
<i>subquadrata</i>	1854, 21	<i>archangelica</i>	1857, 263
<i>ventricosa</i>	1854, 16	<i>atricapilla</i>	1854, 110
(<i>Corbicula</i>) <i>orientalis</i>	1860, 16	<i>cærebicolor</i>	{ 1854, 252 1855, 137 1854, 110 1854, 252
<i>Cyrenella lenticularis</i> ..	1854, 341	<i>cayana</i>	{ 1855, 137 1857, 263 1858, 61 1858, 452
<i>poliocephala</i>	1854, 271	<i>cyanomelas</i>	{ 1854, 252 1854, 251 1855, 137 1860, 65
<i>Cyrtactis clavata</i>	1858, 148	<i>egregia</i>	{ 1860, 85 1860, 274 1860, 292 1854, 252
<i>Cyrtionops punctipennis</i>	1853, 29	<i>flaviventris</i>	{ 1857, 263 1854, 251 1855, 138
<i>Cyrtonyx massena</i>	1858, 305	<i>hartlaubii</i>	1854, 251
<i>Cyrtophis scutatus</i> ...	1859, 88	<i>leucogenys</i>	1855, 138
<i>Cyrtostomus flammoxil-</i>		<i>melanotis</i>	1857, 263
<i>laris</i>	1859, 462	<i>nigripes</i>	1857, 263
<i>frenatus</i>	1860, 348	<i>plumbea</i>	{ 1854, 252 1854, 252 1855, 84 1855, 137
<i>Cystignathus senegalen-</i>		<i>pulcherrima</i>	{ 1855, 84 1855, 137 1855, 75 1854, 252
<i>sis</i>	1858, 165	<i>rufocinerea</i>	{ 1855, 138 1854, 252 1855, 138
<i>Cystophora antillarum</i> ..	1849, 93	<i>Dacosta australis</i>	1858, 315
<i>cristata</i>	1849, { 91 93	<i>Dactylethra capensis</i> ..	1853, 166
<i>Cystosoma saundersii</i> ..	1852, 14	<i>lævis</i>	1858, 166
<i>Cythara garretti</i>	1860, 147	<i>mulleri</i>	1858, 166
<i>pusilla</i>	1860, 147	<i>Dactylocalyx pumiceus</i> ..	1859, 439
<i>varia</i>	1860, 147	<i>Dactylopsala trivirgata</i> ..	{ 1858, 111 1857, 206 1859, 190 1859, 437
<i>Cythere setosa</i>	1850, 255	<i>Dafile acuta</i>	{ 1860, 303 1860, 337 1860, 338 1860, 339
<i>tarentina</i>	1850, 255	<i>urophasianus</i>	1860, 339
<i>Cytherea callosa</i>	1856, 216	<i>Dama vulgaris</i>	1850, 229
<i>elegans</i>	1853, 6	<i>Damalis albifrons</i>	1850, 141
<i>nobilis</i>	1849, 126	<i>lunatus</i>	1850, 140
<i>scripta</i>	1853, 6	<i>pygarga</i>	1850, 141
<i>subtrigona</i>	1856, 357	<i>senegalensis</i>	{ 1850, 141 1850, 142
(<i>Meretrix</i>) <i>impudica</i>	1860, 17	? <i>zebra</i>	1850, 142
(—) <i>zonaria</i>	1860, 17	(<i>Acronotus</i>) <i>lunatus</i>	1850, 140
(<i>Trigonella</i>) <i>crassa-</i>			
<i>telloides</i>	1856, 216		
<i>Cythereis australis</i>	1850, 255		
<i>deformis</i>	1850, 256		
<i>fistulosa</i>	1850, 256		
<i>prava</i>	1850, 256		
<i>runcinata</i>	1850, 256		
<i>sentiosa</i>	1850, 256		
<i>Cyzicus</i>	1849, 85		
<i>bravaisii</i>	1849, { 85 87		
	{ 1858, 333 1860, 164 1860, 168 1860, 170		
<i>Daboia elegans</i>			
<i>Dacelo buccoides</i>	1854, 268		
<i>chlorocephalus</i>	1853, 172		
<i>gaudichaudi</i>	{ 1858, 171 1859, 154 1860, 371		
<i>gigas</i>	1859, 154		
<i>macrorhinus</i>	1854, 268		
<i>pulchella</i>	1858, 171		
<i>tyro</i>	1854, 110		

	Page		Page	
<i>Damalis</i> (<i>Acronotus</i>) <i>se-</i>		<i>Delphinula atrata</i>	1854, 42	
<i>negalensis</i>	1850, 140	<i>calcar</i>	1850, 51	
(<i>Boselaphus</i>) <i>canna</i>	1850, 143	<i>cobijensis</i>	1850, 42	
(—) <i>oreas</i>	1850, 143	<i>costata</i>	1853, 186	
(<i>Portax</i>) <i>risia</i>	1850, 146	<i>euracantha</i>	1850, 51	
<i>Dandridgia dysderoides</i>	1849, 5	<i>martinii</i>	1854, 42	
<i>Daphnella bella</i>	1860, 147	<i>nivea</i>	1850, 42	
<i>interrupta</i>	1860, 147	<i>reeviana</i>	1850, 42	
<i>maculosa</i>	1860, 148	<i>stellaris</i>	1850, 52	
<i>sandwicensis</i>	1860, 148	<i>tyrria</i>	1854, 42	
	84	<i>Delphinus eutropia</i>	1849, 1	
<i>Daphnia gigas</i>	1849, { 87	<i>globiceps</i>	1853, { 63	
	88	<i>orca</i>	1853, 103	
<i>newportii</i>	1860, 446	<i>Demegretta ludoviciana</i>	1860, 253	
<i>Dasycephala albifrons</i>	1858, 273	<i>Dendraspis angusticeps</i>	1858, 160	
<i>cinerea</i>	1859, 41	<i>jamesoni</i>	1858, 160	
<i>citropyga</i>	1859, 41	<i>Dendrexetastes capitoides</i>	1855, { 77	
<i>haematodes</i>	1859, 41	<i>Dendrochelidon mysta-</i>	<i>ceus</i>	1860, 345
<i>rubra</i>	1859, 41	<i>wallacii</i>	1859, 100	
<i>uropygialis</i>	1859, 41	<i>Dendrocicla anabatina</i>	1859, { 54	
<i>Dasyptilus inornata</i>	1858, 161	<i>Dendrocitta rufa</i>	1857, 98	
<i>palmarum</i>	1858, 161	<i>aurea</i>	1859, 479	
<i>scabra</i>	1858, { 161	<i>sinensis</i>	1858, 479	
	379	<i>vagabunda</i>	1859, 172	
<i>Dasyprocta aguti</i>	1860, 442	<i>Dendrocolaptes atrirostris</i>	1858, 63	
<i>aurea</i>	1859, 436	<i>cayennensis</i>	1857, 265	
<i>azaræ</i>	1849, 64	<i>eytoni</i>	1853, 69	
<i>caudata</i>	1860, 216	<i>lineatocephalus</i>	1855, 142	
<i>fuliginosa</i>	1860, 216	<i>perroti</i>	1855, 142	
<i>nigra</i>	1860, 216	<i>promeropirhynchus</i>	1855, 142	
<i>nigricans</i>	1860, 216	<i>sancti-thomæ</i>	{ 1858, 96	
<i>Dasyptilus pecqueti</i>	1860, 227	<i>1859</i> , 54		
<i>Dasytus encoubert</i>	1800, 372	<i>Dendrocops albirostris</i>	1860, 88	
<i>gigas</i>	1858, 340	<i>atrirrostris</i>	1860, { 66	
<i>minutus</i>	1851, 214	<i>tyranninus</i>	1855, 142	
<i>peba</i>	{ 1859, 51	<i>Dendrocopus sordidus</i>	1859, 455	
<i>punctatus</i>	{ 1860, 177	<i>Dendrocygna arcuata</i>	1859, 150	
<i>sexcinctus</i>	1851, 213	<i>autumnalis</i>	1858, 360	
<i>villosus</i>	1851, 214	<i>badia</i>	1860, 366	
<i>Dasythamnus xantho-</i>		<i>viduata</i>	1850, 221	
<i>pterus</i>	1857, 132	<i>Dendroeca æstiva</i>	1859, 363	
<i>Dasyurus maculatus</i>	1860, 415	<i>auduboni</i>	1860, 250	
<i>ursinus</i>	1860, 242	<i>aureola</i>	1860, 291	
<i>Defrancia intercalaris</i>	1856, 163	<i>blackburniæ</i>	1859, 303	
<i>serrata</i>	1856, 163	<i>chrysoparia</i>	1860, 298	
<i>Delattnia clemenciæ</i>	{ 1858, 297	<i>coronata</i>	1859, 363	
<i>henrici</i>	{ 1859, 367	<i>icterocephala</i>	1859, { 363	
<i>rhani</i>	{ 1856, 287	<i>maculosa</i>	1859, { 374	
	1858, 297	<i>nigrescens</i>	1859, 374	
	1859, 367	<i>olivacea</i>	1859, 363	
	1856, 287			
	1857, 212			
	1858, 297			
	1859, 367			
<i>Delichon nipalensis</i>	1854, 104			
<i>Delphinula aculeata</i>	1850, 51			

	Page		Page
<i>Dendroeca superciliosa</i> .. 1859,	{ 363	<i>Desmodus rufus</i> 1860,	212
<i>townsendi</i> 1859,	{ 374	<i>Desmognathus fuscus</i> .. 1858,	144
<i>virens</i> 1859,	{ 374	<i>Desmophyllum stokesii</i> .. 1849,	74
<i>Dendroeca auduboni</i> 1858,	{ 363	<i>Desmoulea abbreviata</i> .. 1851,	113
<i>blackburniæ</i> 1860,	{ 373	<i>crassa</i> 1851,	113
<i>nigrescens</i> 1858,	{ 298	<i>japonica</i> 1851,	113
<i>olivacea</i> 1858,	{ 64	<i>pinguis</i> 1851,	113
	{ 84	<i>pyramidalis</i> 1851,	113
	{ 298	<i>retusa</i> 1851,	113
	{ 298	<i>ringens</i> 1854,	42
	{ 1848,	<i>Deucalion wollastoni</i> .. 1856,	406
	{ 98	<i>Diadema deois</i> 1858,	464
<i>Dendrolagus inustus</i> . { 1852,	103	<i>pandarus</i> 1858,	464
	{ 1858,	<i>Diaphonia metallescens</i> . 1859,	119
	{ 1860,	<i>Diardigallus crawfurdi</i> . 1859,	353
<i>ursinus</i> 1858,	106	<i>fasciolatus</i> 1859,	{ 40
<i>Dendromanes anabatinus</i> 1859,	382		{ 353
<i>homochrous</i> 1859,	382	<i>prælatas</i> 1859,	353
<i>Dendrophis albovariatâ</i> . 1858,	161	<i>Diastocera catherina</i> ... 1858,	402
<i>chenoni</i> 1858,	161	<i>Dicæum cruentatum</i> ... 1859,	{ 150
<i>colubrina</i> 1858,	162		{ 151
<i>flavigularis</i> 1858,	162	<i>erythrothorax</i> 1860,	349
<i>hocercus</i> 1859,	413	<i>ignicapillum</i> 1859,	463
<i>negrolineatus</i> 1858,	160	<i>ignicolle</i> 1858,	173
	{ 1858,	<i>nigrum</i> 1858,	173
<i>picta</i> { 1860,	163	<i>rubrocanum</i> 1860,	349
<i>præornatus</i> 1858,	158	<i>rushie</i> 1858,	291
	{ 382	<i>schistaceps</i> 1860,	349
<i>punctulata</i> 1858,	{ 384	<i>trigonostigma</i> ... 1859,	150
	{ 158	<i>Dicholophus burmeisteri</i> 1860,	335
<i>smaragdina</i> 1858,	161	<i>cristatus</i> 1860,	334
<i>viridis</i> 1859,	412	<i>Dicotyles albirostris</i> 1860,	{ 262
<i>Dendromis brevirostris</i> . 1858,	63		{ 442
<i>erythropygia</i> 1859,	{ 366		{ 443
	{ 381	<i>labiatus</i> { 1848,	70
<i>flavigastra</i> { 1856,	289		{ 1860,
	{ 1859,		262
<i>guttata</i> , 1854,	111		{ 1859,
<i>pallidirostris</i> 1858,	63		{ 1860,
	{ 77		181
<i>temmincki</i> 1855,	{ 142		{ 1860,
	{ 1855,		206
<i>triangularis</i> . . . { 1856,	289	<i>torquatus</i> { 1860,	242
	{ 1859,		{ 1860,
	{ 1857,		262
<i>Dendrotyx barbata</i> .. { 1859,	369		{ 1860,
	{ 414		417
<i>Dentalium glabrum</i> 1858,	{ 435		{ 1860,
	{ 414		443
<i>imperfuratum</i> 1858,	{ 425	<i>Dicranoceros americanus</i> 1850,	174
<i>incurvum</i> 1858,	{ 425		{ 158
<i>minutum</i> 1858,	{ 413	<i>Dicroglossus adolfi</i> 1860,	{ 164
	{ 435		{ 168
<i>trachea</i> 1858,	{ 414		{ 170
	{ 425	<i>Dicruvus affinis</i> 1854,	272
<i>Dentiger ponticerianus</i> . 1854,	262	<i>amboinensis</i> 1860,	354
<i>Dermophrys maja</i> 1859,	444	<i>assimilis</i> { 1858,	179
<i>Desmodus d'orbigny</i> .. 1858,	547		{ 1859,
<i>rufus</i> 1858,	547	<i>atrocæruleus</i> 1860,	354
		<i>aurita</i> 1860,	268
		<i>balicassius</i> 1854,	271
		<i>bracteatus</i> 1858,	179
		<i>cærulescens</i> 1858,	495
		<i>campanensis</i> 1850,	217

	Page		Page
<i>Dicrurus divaricatus</i> . . .	1850, 217	<i>Dinornis casuarinus</i> . . .	1848, 1
<i>longicaudatus</i> . . .	{ 1858, 495	<i>crassus</i>	1856, 55
<i>lugubris</i>	{ 1859, 180	<i>curtus</i>	1848, 1
<i>macrocercus</i>	{ 1850, 217	<i>didiformis</i>	1848, 1
<i>malabaricus</i>	{ 1854, 47	<i>elephantopus</i>	1856, 54
<i>megalornis</i>	{ 1857, 90	<i>giganteus</i>	{ 1848, 1
<i>musicus</i>	{ 1859, 150	<i>gracilis</i>	1850, 45
<i>paradiseus</i>	{ 1854, 272	<i>otidiformis</i>	1850, 208
<i>Didelphys asiaticus</i> . . .	1858, 179	<i>rheides</i>	1852, 10
<i>azaræ</i>	1850, 217	<i>robustus</i>	1856, 55
<i>cancrivora</i>	1857, 90	<i>struthioides</i>	1854, 244
<i>cinerea</i>	1858, 106	<i>Diomedea fuliginosa</i> . .	{ 1859, 98
<i>crassicaudata</i>	{ 1848, 37	<i>melanophrys</i>	1860, 390
<i>noctivaga</i>	{ 1860, 268	<i>phasianella</i>	1859, 98
<i>orientalis</i>	{ 1858, 548	<i>rufescens</i>	1860, 390
<i>ornata</i>	1860, 60	<i>Diphylla ecaudata</i> . . .	1853, 2
<i>pusilla</i>	1858, 104	<i>Diphyllodes wilsoni</i> . . .	1853, 2
<i>virginianus</i>	1860, 268	<i>Diplodonta globulosa</i> . .	1853, 2
<i>waterhousii</i>	{ 1858, 548	<i>orbella</i>	1856, 212
	{ 1860, 188	<i>semiaspersa</i>	1857, 6
	{ 1860, 303	<i>subquadrata</i>	1855, 226
	{ 1848, 2	<i>Diplommatina bensoni</i> . .	1857, 202
<i>Didus</i>	{ 1848, 3	<i>cantori</i>	1856, 218
	{ 1848, 4	<i>capillacea</i>	1856, 202
	{ 1848, 5	<i>chordata</i>	1855, 230
	{ 1860, 443	<i>huttoni</i>	1852, 94
<i>ineptus</i>	1851, 281	<i>macgillivrayi</i>	1856, 336
<i>nazarenus</i>	1851, 284	<i>capillacea</i>	1854, 303
<i>solitarius</i>	1851, 283	<i>chordata</i>	1855, 105
	{ 1855, 138	<i>huttoni</i>	1852, 157
<i>Diglossa albilateralis</i> . .	{ 1859, 138	<i>macgillivrayi</i>	1854, 303
	{ 1860, 85	<i>Diplopterus excellens</i> . .	{ 1857, 229
	{ 1855, 138	<i>nævius</i>	1859, 60
	{ 1858, 551	<i>dipsadoboa unicolor</i> . .	1860, 285
<i>aterrima</i>	{ 1859, 440	<i>dipsadomorphus biscu-</i>	1858, 162
	{ 1860, 76	<i>tatus</i>	{ 1860, 452
	{ 1860, 85	<i>ceylonensis</i>	1858, 383
	{ 1856, 286	<i>nigromarginatus</i>	1858, 383
<i>baritula</i>	{ 1859, 364	<i>trigonatus</i>	1860, 164
	{ 1859, 376	<i>Dipsas annulata</i>	1859, 89
<i>d'orbigny</i>	1855, 138	<i>biscutata</i>	1860, 457
<i>humeralis</i>	1855, 138	<i>blandingi</i>	1858, 159
<i>indigotica</i>	1860, 85	<i>carinatus</i>	1858, 161
<i>intermedia</i>	1855, 138	<i>cenchoa</i>	{ 1858, 336
<i>lafresnayii</i>	{ 1855, 138	<i>fasciatus</i>	1860, 457
	{ 1858, 551	<i>ferruginea</i>	1858, 162
<i>personata</i>	{ 1859, 138	<i>fusca</i>	1860, 163
	{ 1860, 76	<i>globiceps</i>	1858, 384
	{ 1860, 85	<i>hippocrepis</i>	1858, 161
<i>similis</i>	1855, 138	<i>pulverulenta</i>	1858, 162
<i>Dinophis angusticeps</i> . .	1858, 160	<i>regalis</i>	1858, 162
<i>hammondii</i>	1858, 160	<i>taigonata</i>	1860, 167

	Page		Page
<i>Dipsas trigonata</i>	1860, { 170	<i>Dolium dunkeri</i>	1859, { 481
<i>valida</i>	1858, 162	<i>fasciatum</i>	1859, 489
<i>Dipus ægyptius</i>	{ 1849, 24	<i>favannii</i>	1859, { 430
	{ 1849, 28		{ 490
	{ 1859, 432	<i>fimbriatum</i>	1859, 491
<i>Discula attrita</i>	1854, 188	<i>galea</i>	1859, 487
<i>discina</i>	1854, 190	<i>kueneri</i>	1859, 490
<i>lincta</i>	1854, 189	<i>lutescens</i>	1859, 489
<i>papilio</i>	1854, 190	<i>latesulcatum</i>	1859, 489
<i>polymorpha</i>	1854, 187	<i>maculatum</i>	1859, 491
<i>pulvinata</i>	1854, 188	<i>marginatum</i>	1859, 493
<i>senilis</i>	1854, 189	<i>marmoreum</i>	1859, 489
<i>tabellata</i>	1854, 189	<i>melanostoma</i>	1859, 488
<i>testudinalis</i>	1854, 191	<i>minjac</i>	1859, 492
<i>Dispholides lalandii</i>	1858, 162	<i>olearium</i>	1859, 488
<i>Dispotæa striata</i>	1855, 234	<i>pennatum</i>	1859, 493
<i>Distichocera ferruginea</i>	1851, 76	<i>perdix</i>	1859, 492
<i>fulvipennis</i>	1851, 76	<i>plumatum</i>	1859, 489
<i>kuhyi</i>	1851, 79	<i>reevei</i>	1859, 493
<i>macleayi</i>	1851, 81	<i>rufum</i>	1859, 492
<i>maculicollis</i>	1851, 75	<i>tenue</i>	1859, 488
<i>par</i>	1851, 78	<i>variegatum</i>	1859, 490
<i>rufipennis</i>	1851, 76	<i>zonatum</i>	1859, 488
<i>thomsonella</i>	1859, 122	<i>Dolomedes lateralis</i>	1849, 4
<i>Distichurus maculatus</i>	1858, 163	<i>mirificus</i>	1849, 4
<i>Distichopora coccinea</i>	1860, 244	<i>sagittiger</i>	1849, 4
<i>Distoma hepaticum</i>	1859, 427	<i>Domicella garrula</i>	1860, 356
<i>microcephalum</i>	1853, 22	<i>punicea</i>	1849, 142
<i>Distorsio pusilla</i>	1860, 397	<i>Donacola castaneothorax</i>	1860, 371
<i>Distortrix anus</i>	1851, 231	<i>flavipyrmyna</i>	1857, 26
<i>reticulata</i>	1851, 231	<i>Donax acuminata</i>	1854, 352
<i>Ditropa gadus</i>	1858, 413	<i>acutangula</i>	1854, 350
<i>Diucopsis atra</i>	1856, 67	<i>ænea</i>	1854, 350
<i>capistrata</i>	1856, 67	<i>affinis</i>	1854, 351
<i>fasciata</i>	1856, 68	<i>bella</i>	1854, 351
<i>leucophæa</i>	1856, 67	<i>californicus</i>	1856, { 200
<i>speculigera</i>	1856, 68		{ 213
<i>Diva albiventris</i>	1855, 158	<i>clathrata</i>	1854, 353
<i>vassori</i>	{ 1855, 158	<i>conradi</i>	{ 1854, 351
	{ 1856, 264		{ 1856, 213
	{ 1860, 87	<i>culminatus</i>	1856, 200
<i>Docimastes derbianus</i>	1855, 139	<i>dysonii</i>	1854, 353
<i>ensiferus</i>	{ 1855, 139	<i>flexuosus</i>	1856, 200
	{ 1858, 555	<i>granifera</i>	1854, 353
	{ 1860, 81	<i>interrupta</i>	1854, 353
<i>Dolabella variegata</i>	1860, 22	<i>keyii</i>	1854, 87
<i>Dolabrifera olivacea</i>	1860, 22	<i>lævigata</i>	1854, 352
<i>Dolichonyx oryzivorus</i>	1858, 72	<i>nitida</i>	1854, 350
<i>Dolium amphora</i>	1859, 493	<i>obesula</i>	1854, 352
<i>ampulaceum</i>	1859, 491	<i>obesus</i>	1856, { 200
<i>australe</i>	1859, 491		{ 213
<i>cepa</i>	1859, 489	<i>ovalina</i>	1854, 352
<i>chinense</i>	1859, 491	<i>peruviana</i>	1854, 350
<i>costatum</i>	1859, 489	<i>petalina</i>	1854, 350
<i>crenulatum</i>	1859, 488	<i>pulchellus</i>	1856, 230
<i>cumingi</i>	1859, 491	<i>rostratus</i>	1856, 200
<i>deshayesi</i>	1859, 490	<i>semistriatus</i>	1856, 230

	Page		Page
<i>Donax striatella</i>	1854, 352	<i>Dromæus irroratus</i>	1860, 371
<i>truncata</i>	1854, 351	{ 1859, 205	
<i>Dopasia gracilis</i>	1860, 160	{ 1860, 205	
{ 172		<i>novæ-hollandiæ</i> ..	1860, 211
<i>Doras costata</i>	1856, 345	{ 1860, 248	
<i>Dorcopsis asiaticus</i>	1858, 106	{ 1860, 372	
<i>Dorifera johannæ</i>	1855, 139	<i>Dromicus margaritif-</i>	
<i>ludovicæ</i>	{ 1855, 139	<i>rus</i>	1860, 456
{ 1860, 95		<i>Dromococyx mexica-</i>	{ 1856, 308
<i>Doriopsis granulosa</i>	1860, 32	<i>nus</i> ..	{ 1859, 368
<i>Doris albopustulosa</i> ...	1860, 30	<i>Drymocetaphus nigroca-</i>	
<i>cærulea</i>	1859, 66	<i>pitatus</i> ..	1854, 273
<i>decora</i>	1860, 29	<i>Drymodes brunneopygia</i>	1850, 201
<i>echinata</i>	1860, 27	<i>superciliaris</i> ..	1850, 201
<i>excavata</i>	1860, 26	<i>Drymoica nipalensis</i> ...	1854, 77
<i>foetida</i> ..	1860, 31	<i>Drymonax niger</i>	1854, 271
<i>grandiflora</i>	1860, 30	<i>Drymophila atra</i> ..	1858, 246
<i>marginata</i>	1860, 30	<i>cinerascens</i>	1860, 351
<i>nucleola</i>	1860, 29	<i>cinnamomea</i>	1858, 249
<i>papillosa</i>	1860, 30	<i>leucopus</i>	1858, 248
<i>picta</i>	1860, 29	<i>longipes</i>	1858, 249
<i>pulosa</i>	1860, 27	<i>loricata</i>	1858, 248
<i>prismatica</i> , var. <i>im-</i>		<i>myiotherina</i>	1858, 251
<i>perialis</i> ..	1860, 32	<i>ruficauda</i>	1858, 239
<i>prismatica</i> , var. <i>li-</i>		<i>trifasciata</i>	1858, 246
<i>neata</i>	1860, 32	<i>variegata</i>	1858, 239
<i>propinquata</i>	1860, 28	<i>velata</i>	1854, 270
<i>reticulata</i>	1860, 26	{ 1858, 75	
<i>rugosa</i> ...	1860, 31	<i>Dryocopus albirostris</i> .	{ 1858, 460
<i>scabriuscula</i> ..	1860, 27	{ 1859, 146	
<i>setosa</i>	1860, 26	{ 1860, 71	
<i>vibrata</i>	1860, 28	{ 1856, 306	
<i>Dorx pentamera</i>	1856, 9	<i>erythroptus</i>	{ 1857, 229
<i>Dosinia amethystina</i> ...	1860, 118	{ 1860, 286	
<i>callosa</i>	1856, 216	<i>fuscipennis</i>	{ 1857, 297
<i>coryne</i>	1855, 223	{ 1855, 161	
<i>cydippe</i> ..	1855, 224	<i>grayi</i>	{ 1859, 146
<i>derupta</i>	1860, 123	{ 1857, 229	
<i>deshayesi</i>	1855, 223	{ 1858, 359	
<i>dilecta</i> ..	1855, 224	<i>guatemalensis</i>	{ 1859, 367
<i>eburnea</i>	1860, 120	{ 1859, 388	
<i>erythroea</i>	1860, 117	{ 1855, 161	
<i>eunice</i>	1855, 224	<i>hæmatogaster</i> ...	{ 1858, 75
<i>lineolata</i>	1855, 223	{ 1857, 229	
<i>ovalis</i>	1860, 119	<i>leucorhamphus</i> ..	{ 1858, 359
<i>rustica</i> ..	1860, 121	<i>puleatus</i> ...	1858, 2
<i>salebrosa</i>	1860, 122	<i>pollens</i>	1855, 161
<i>simplex</i>	1855, 224	<i>regius</i>	1857, 229
<i>specularis</i>	1860, 121	{ 1856, 306	
<i>tenella</i>	1860, 118	{ 1857, 229	
<i>trallii</i>	1855, 223	<i>scapularis</i>	{ 1858, 359
<i>tripla</i>	1860, 122	{ 1859, 60	
<i>Drillia nodifera</i>	1860, 145	{ 1859, 367	
<i>punctato-striata</i> ..	1856, 164	<i>sclateri</i> ..	1860, 71
{ 1859, 205		<i>Dryophis kirtlandii</i>	1858, 159
<i>Dromæus irroratus</i>	{ 1860, 205	{ 1859, 382	
{ 1860, 211		<i>prasina</i>	1860, 417
{ 1860, 248			

	Page		Page
<i>Dryophis (Coluber) acuminatus</i>	1860, 233	<i>Echidna nasicornis</i>	1858, 163
<i>Dryoscopus angolensis</i>	1860, 111	<i>Echimypera kalulu</i>	1858, 113
<i>Dubusia auricrissa</i>	1855, 227	<i>Echimys cayennensis</i>	1858, 548
	1856, 236		1860, 265
<i>cynocephala</i>	1855, 157	<i>semispinosus</i>	1860, 264
	1855, 227	<i>Echinanthus australasie</i>	1851, 34
	1856, 236	<i>coleæ</i>	1851, 35
<i>gigas</i>	1855, 157	<i>explanatus</i>	1851, 35
<i>olivicyanea</i>	1856, 240	<i>oblongus</i>	1851, 35
	1855, 157	<i>productus</i>	1851, 35
<i>selysia</i>	1856, 237	<i>testudinarius</i>	1851, 35
<i>tæniata</i>	1856, 237	<i>Echinoceros cibarius</i>	1848, 48
	1855, 157	<i>Echinococcus veterinorum</i>	1852, 110
<i>Ducula basalis</i>	1860, 360	<i>Echinocyamus australis</i>	1851, 38
<i>Dujardinia mediterranea</i>	1858, 270	<i>Echinoglyphus frondosus</i>	1851, 37
<i>Dulus dominicus</i>	1857, 232	<i>Echinolampas depressus</i>	1851, 38
<i>palmarum</i>	1856, 84	<i>oviformis</i>	1851, 37
<i>poliocephalus</i>	1856, 84	<i>Echinus mammillaris</i>	1856, 138
<i>Dysactis biserialis</i>	1858, 148	<i>Echiodon drummondii</i>	1852, 14
<i>Dysidea fragilis</i>	1858, 559	<i>Echis carinata</i>	1858, 375
<i>papillosa</i>	1858, 531		1858, 378
	1857, 557	<i>squamigera</i>	1858, 163
<i>Dysthamnus guttulatus</i>	1858, 221	<i>Eclectus aruensis</i>	1858, 182
<i>leucostictus</i>	1858, 66	<i>cardinalis</i>	1860, 227
	1855, 90		1860, 357
	1858, 221	<i>ceylonensis</i>	1849, 143
<i>mentalis</i>	1860, 67		1860, 357
	1860, 278	<i>cornelia</i>	1849, 143
	1858, 541		1860, 242
<i>olivaceus</i>	1860, 89		1860, 357
	1858, 222	<i>grandis</i>	1849, 143
<i>plumbeus</i>	1858, 457		1860, 226
	1858, 66	<i>intermedius</i>	1860, 357
<i>schistaceus</i>	1858, 222		1860, 358
	1855, 90	<i>linnaei</i>	1849, 143
	1855, 147		1858, 182
<i>semicinereus</i>	1858, 66		1859, 158
	1858, 222	<i>polychlorus</i>	1858, 182
	1860, 278		1860, 358
<i>unicolor</i>	1859, 141	<i>puniceus</i>	1849, 142
	1860, 89		1858, 182
<i>xanthopterus</i>	1857, 132	<i>westermanni</i>	1860, 358
	1858, 222	<i>Ecpleopus gaudichaudi</i>	1850, 405
<i>Dyticus marginalis</i>	1850, 19	<i>Ectopistes migratorius</i>	1849, 172
			1860, 416
<i>Eagle, The Crested and Booted</i>	1851, 59	<i>Edela ruficeps</i>	1854, 79
<i>Eburna australis</i>	1853, 182	<i>Edolius malabaricus</i>	1854, 272
<i>Echeneis vittata</i>	1850, 252	<i>paradiseus</i>	1850, 150
<i>Echidna atricauda</i>	1858, 378		1850, 151
<i>communiformis cytherea</i>	1849, 44	<i>rangoonensis</i>	1854, 272
<i>gaboonica</i>	1858, 163	<i>retifer</i>	1854, 272
<i>hystrix</i>	1848, 37	<i>Eglisia cumingi</i>	1850, 204
<i>mauritania</i>	1858, 378	<i>Egretta leuca</i>	1860, 200
		<i>Elaimia agilis</i>	1859, 46
		<i>albiceps</i>	1859, 46
		<i>aurifrons</i>	1860, 467

	Page		Page
<i>Elainia cayennensis</i>	1859, 46	<i>Elaps lemniscatus</i>	1859, 85
<i>griseigularis</i>	{ 1853, 554	<i>lubricus</i>	1859, 88
<i>interventris</i>	{ 1859, 46	<i>maculiceps</i>	1859, { 83
<i>modesta</i>	{ 1859, 46	<i>marcgravi</i>	1859, 85
<i>olivacea</i>	{ 1859, 46	<i>melanurus</i>	1859, { 83
<i>pagana</i>	{ 1859, 46	<i>mipartitus</i>	1859, 85
<i>placens</i>	{ 1859, 46	<i>nigrocinctus</i>	1860, 457
<i>risui</i>	{ 1860, 314	<i>nigromaculatus</i>	1859, 83
<i>stictoptera</i>	{ 1858, 554	<i>occipitalis</i>	1859, 87
<i>texensis</i>	{ 1859, 46	<i>psyche</i>	1859, 84
<i>variegata</i>	{ 1860, 68	<i>sempartitus</i>	1859, 414
<i>Elania cayennensis</i>	{ 1860, 79	<i>subradiatus</i>	1858, 383
<i>Elanus axillaris</i>	1859, 127	<i>surinamensis</i>	1859, 85
<i>hypoleucus</i>	1859, 127	<i>tener</i>	1859, 86
<i>inscriptus</i>	1859, 127	<i>trimaculatus</i>	1859, 83
<i>leucurus</i>	{ 1857, 201	<i>tristis</i>	1859, 85
<i>melanopterus</i>	{ 1859, 126	<i>univirgatus</i>	{ 1859, 83
<i>minor</i>	{ 1854, 3	<i>zonatus</i>	1860, 164
<i>Elaphis quadrivirgatus</i>	{ 1854, 5	<i>Elasmatina reclusiana</i>	1859, 87
<i>subradiatus</i>	{ 1854, 259	<i>Electra verticillata</i>	1849, 167
<i>virgatus</i>	{ 1858, 472	<i>Electrina succinea</i>	1858, 306
<i>Elapomorphus galvensis</i>	{ 1859, 126	<i>Electragus adenota</i>	1857, 166
<i>Elaps alternans</i>	{ 1859, 85	<i>arundinaceus</i>	1850, 170
<i>bipunctiger</i>	{ 1859, 85	<i>capreolus</i>	1850, { 126
<i>bivirgatus</i>	{ 1859, 81	<i>ellipsiprymnus</i>	1850, { 170
<i>calligaster</i>	{ 81, 84	<i>isabellinus</i>	1850, 170
<i>circinalis</i>	{ 1859, 84	<i>leché</i>	1850, 170
<i>collaris</i>	{ 1859, 84	<i>reduncus</i>	1850, { 127
<i>corallinus</i>	{ 1860, 452	<i>sing-sing</i>	1850, { 171
<i>decoratus</i>	{ 1860, 457	<i>Elephas indicus</i>	1850, 170
<i>decussatus</i>	{ 1859, 85	<i>sumatranus</i>	1850, 158
<i>diastema</i>	{ 1859, 85	<i>Eleuchus apicinus</i>	1849, 144
<i>divaricatus</i>	{ 1859, 87	<i>australis</i>	1851, 171
<i>dorsalis</i>	{ 1859, 87	<i>badius</i>	1851, 171
<i>epistema</i>	{ 1859, 88	<i>bellulus</i>	1851, 171
<i>fetzingeri</i>	{ 1859, 85	<i>irisodontes</i>	1851, 171
<i>filiformis</i>	{ 1860, 458	<i>leucostigma</i>	1851, 171
<i>flaviceps</i>	{ 1859, 86	<i>lineatus</i>	1851, 170
<i>flavifrons</i>	{ 1859, 81	<i>roseus</i>	1851, 170
<i>fulvius</i>	{ 1859, 85	<i>rutilus</i>	1851, 171
<i>fulvus</i>	{ 1860, 452	<i>splendidulus</i>	1851, 171
<i>furcatus</i>	{ 1859, 85	<i>vulgaris</i>	1851, 171
<i>gastrodelus</i>	{ 1859, 82	<i>Elisma acutum</i>	1854, 198
<i>hygæ</i>	{ 1859, 87	<i>ventrosum</i>	1854, 198
<i>jamesoni</i>	{ 1859, 88	<i>Ellipura cærulescens</i>	1858, 244
<i>jamesoni</i>	{ 1858, 160	<i>ferruginea</i>	1858, 239
		<i>grisea</i>	1858, 238
		<i>maculata</i>	1858, 242
		<i>malina</i>	1858, 241
		<i>rufa</i>	1858, 240
		<i>squamata</i>	1858, 241
		<i>Ellisella coccinea</i>	1857, 287

	Page		Page
<i>Ellisella coccinea</i>	1859, 481	<i>Emarginula excurvata</i> ..	1851, 85
<i>elongata</i>	1857, 287	<i>eximia</i>	1851, 86
	1859, 481	<i>fissura</i>	1851, 82
<i>juncea</i>	1857, 287	<i>fissurata</i>	1851, 82
	1859, 481	<i>fuliginea</i>	1851, 84
<i>pectinata</i>	1857, 287	<i>fungina</i>	1851, 87
	1859, 481	<i>galericulata</i>	1851, 84
<i>Ellobium auris-judæ</i> ..	1854, 7	<i>huzardii</i>	1851, 83
<i>auris-midæ</i>	1854, 7	<i>incisura</i>	1851, 84
<i>ceylanicum</i>	1854, 8	<i>lævicostata</i> ..	1851, 87
<i>elongatum</i>	1854, 8	<i>lævis</i>	1851, 82
<i>granulum</i>	1854, 7	<i>micans</i>	1851, 84
<i>helvaceum</i>	1854, 8	<i>obovata</i>	1851, 83
<i>incrassatum</i>	1854, 8	<i>ossea</i>	1851, 88
<i>oparicum</i>	1854, 9	<i>panihensis</i> ..	1851, 90
<i>oryx</i>	1854, 8	<i>parmophoroidea</i> ..	1851, 89
<i>pallidum</i>	1854, 7	<i>puleolus</i> ..	1851, 82
<i>politum</i>	1854, 7	<i>planulata</i>	1851, 86
<i>pusillum</i>	1854, 8	<i>pulchra</i>	1851, 85
<i>semisculptum</i> ..	1854, 9	<i>punctata</i>	1851, 84
<i>sheepmakeri</i>	1854, 7	<i>puncticulata</i> ..	1851, 84
<i>simplex</i>	1854, 8	<i>retecosa</i> ..	1851, 86
<i>simplicatum</i>	1854, 8	<i>reticulata</i> ..	1851, 82
<i>subnodosum</i>	1854, 7	<i>rosea</i>	1851, 82
<i>subula</i>	1854, 8	<i>rubra</i>	1851, 82
<i>tornatelliforme</i> ..	1854, 7	<i>rugosa</i>	1851, 87
<i>Elasma albiceps</i>	1858, 71	<i>scabricostata</i>	1851, 85
	1855, 65	<i>scabrinuscula</i>	1851, 83
<i>cayennensis</i>	1855, 150	<i>solidula</i> ..	1851, 83
	1858, 458	<i>striatula</i> ..	1851, 83
<i>luteiventris</i>	1858, 71	<i>vanicorensis</i>	1851, 83
<i>pagana</i>	1858, 71	<i>variegata</i>	1851, 84
<i>texensis</i>	1856, 296	<i>viminea</i>	1851, 85
<i>variegata</i>	1856, 297	<i>Emballonura fuliginosa</i> ..	1859, 77
<i>Elysia ocellata</i> ..	1860, 85	<i>monticola</i>	1859, 77
<i>Emarginula aculeata</i> ..	1851, 86	<i>saxatilis</i>	1859, 79
<i>aspera</i>	1851, 87	<i>villosa</i>	1859, 79
<i>australis</i> ..	1851, 90	<i>Embalonura canina</i> ...	1860, 261
<i>bellula</i> ..	1851, 86	<i>Emberiza albida</i>	1850, 184
<i>cancellata</i> ..	1851, 82	<i>aureola</i>	1860, 108
<i>candida</i> ..	1851, 85	<i>belli</i>	1857, 7
<i>capuliformis</i>	1851, 82	<i>bilineata</i>	1857, 7
<i>cinerea</i>	1851, 88	<i>caniceps</i>	1858, 483
<i>clathrata</i> ..	1851, 90		1850, 184
<i>clypeus</i>	1851, 83	<i>castanceps</i>	1855, 215
<i>concinna</i> ..	1851, 85	<i>cia</i> ..	1855, 215
<i>conica</i> ..	1851, 82	<i>cioides</i>	1859, 148
<i>conoida</i> ..	1851, 87	<i>citrinella</i>	1857, 13
<i>crassa</i>	1851, 82	<i>cyanopsis</i>	1858, 461
<i>cucullata</i> ..	1851, 86	<i>flavifrons</i> ..	1856, 271
<i>curvirostris</i> ..	1851, 82	<i>fucata</i>	1860, 242
<i>cuvieri</i> ..	1851, 83	<i>fulviceps</i>	1850, 88
<i>depressa</i> ..	1851, 90	<i>melanocephala</i>	1854, 160
<i>dilecta</i> ..	1851, 85	<i>melanodera</i> ..	1860, 385
<i>elargie</i> ..	1851, 90	<i>pusilla</i> ..	1860, 108
<i>elongata</i>	1851, 83	<i>quadricolor</i>	1858, 461
	221	<i>rustica</i>	1860, 108
<i>emarginata</i>	1851, 89	<i>schoeniclus</i>	1857, 215

	Page		Page
<i>Emberiza stewartii</i>	1858, 483	<i>Engina albocincta</i>	1860, 142
<i>stracheyi</i>	1855, 215	<i>costata</i>	1860, 142
<i>striolata</i>	1850, 219	<i>monilifera</i>	1860, 142
<i>Emberizoides macrurus</i> ..	1856, 30	<i>Engystoma carolinense</i> ..	1860, { 452 460
<i>marginalis</i>	1856, 30	<i>guttatum</i>	1858, 343
<i>Embernagra albinucha</i> ..	1856, 86	<i>Enicognathus rhodogas-</i>	
<i>chlorura</i>	1860, 275	<i>ter</i>	1858, 380
<i>chrysoma</i>	1860, { 275 293	<i>Enicurus frontalis</i>	1854, 284
<i>conirostris</i>	{ 1856, 143 1860, 275	<i>leschenaultii</i>	1854, 284
<i>longicauda</i>	1860, 275	<i>maculatus</i>	{ 1858, 489 1859, 179
<i>mexicana</i>	1856, 86	<i>nigrifrons</i>	1859, 102
<i>olivascens</i>	1860, 275	<i>scouleri</i>	{ 1858, 489 1859, 179
<i>platensis</i>	1860, 275	<i>Ennea anodon</i>	1855, 100
<i>pyrgotoides</i>	1857, 7	<i>ceylanica</i>	1855, 9
<i>rufinucha</i>	1856, 87	<i>insignis</i>	1856, 388
<i>rufivirgata</i>	{ 1856, 306 1858, 304 1859, 380 1860, 275	<i>obovata</i>	1855, 9
<i>silens</i>	1856, 81	<i>reeveana</i>	1855, 101
<i>striaticeps</i>	1856, 143	<i>Enneactonus cristatus</i> ..	1854, 272
<i>torquata</i>	1856, 84	<i>superciliosus</i>	1854, 272
<i>viridis</i>	1860, 275	<i>taigrinus</i>	1854, 272
<i>Empagrus flavescens</i> ..	1860, 159	<i>Enophium pustuliferum</i> ..	1852, 52
<i>Empidonax bairdii</i>	1858, 301	<i>Ensatina eschscholtzia</i> ..	1855, 144
<i>flaviventris</i>	1859, 366	<i>Ensiculus cultellus</i>	1860, 369
<i>fulvifrons</i>	{ 1858, 301 1859, 45	<i>Entomophila spilodera</i> ..	1859, 155
<i>minus</i>	1859, 384	<i>Enyalius laticeps</i>	1859, { 89 409
<i>Emyda aubryi</i>	1858, 167	<i>Eolis adelaidæ</i>	1859, 66
<i>ceylonensis</i>	1855, 201	<i>cærulea</i>	1859, 66
<i>punctata</i>	{ 1855, 201 1860, 159 1860, 168 1860, 170	<i>coronata</i>	1859, 68
<i>senegalensis</i>	{ 1858, 167 1860, 316	<i>landsburgii</i>	1859, 68
<i>Emys caspica</i>	1848, 38	<i>papillosa</i>	1859, 68
<i>crassicollis</i>	1856, 182	<i>Eopsaltria caledonica</i> ..	1859, 162
<i>fuliginosus</i>	1860, 232	<i>capito</i>	1851, 285
<i>hamiltonii</i>	1859, 433	<i>variegata</i>	1859, 162
<i>holbrookii</i>	1855, 197	<i>Eos ater</i>	1860, 357
<i>laticeps</i>	{ 1852, 134 1858, 166	<i>cardinalis</i>	1860, 228
<i>nigra</i>	1856, 182	<i>cervicalis</i>	1850, 27
<i>ocellata</i>	1856, 182	<i>coccinea</i>	{ 1850, 27 1860, 227
<i>ornata</i>	1855, 197	<i>cochinchinensis</i> ..	{ 1850, 27 1860, 356
<i>scripta</i>	1855, 197	<i>cyanogenia</i>	{ 1850, 27 1860, 227 1860, 357
<i>siamensis</i>	1860, 114	<i>cyanostriata</i>	{ 1850, 29 1860, 226
<i>tectum</i>	1859, 433	<i>fusca</i>	1859, 155
<i>tentoria</i>	1856, 182	<i>guebiensis</i>	1860, 227
<i>trygus</i>	1848, 37	<i>indica</i>	1850, 28
<i>Enclope michelini</i>	1851, 37	<i>isidori</i>	{ 1850, 28 1860, 357
<i>oblonga</i>	1851, 37	<i>isidori</i>	1850, 27
<i>subclausa</i>	1851, 37	<i>ornata</i>	{ 1860, 356 1850, 27
<i>valenciennesi</i>	1851, 37		

	Page		Page
<i>Eos reticulata</i>	1860, 226	<i>Erethizon dorsatum</i>	1860, 181
	1850, 27	<i>Erimaceus collaris</i> ..	1858, 520
	1850, 29	<i>Erinna newcombi</i> ..	1855, 120
<i>riciniata</i>	1860, 226	<i>Eriocnemis aureliae</i>	1855, 140
	1860, 227	<i>isaacsomi</i>	1855, 140
	1860, 356	<i>luciani</i>	1860, { 81
	1850, 28		{ 94
<i>rubra</i>	1850, 450	<i>simplex</i>	1855, 140
	1860, 226	<i>squamata</i>	1860, 311
	1860, 356	<i>vestita</i>	1855, 140
<i>scintillata</i>	1850, 26	<i>Eriopus cupreiventris</i> ..	1849, 96
<i>semilarvata</i>	1850, 27	<i>simplex</i>	1849, 96
	1860, 357	<i>Erismatura dominica</i> ..	1857, 206
<i>squamata</i>	1860, { 226		{ 1860, 254
	{ 357	<i>rubida</i>	1859, 393
<i>unicolor</i>	1860, 357	<i>Erycina australis</i> ..	1856, 183
<i>variegata</i>	1850, 27	<i>bullula</i>	1855, 182
(<i>Chalcopsitta</i>) <i>tor-</i>		<i>cycladiformis</i>	1856, 181
<i>rida</i>	1859, 158	<i>denticulata</i>	1855, 182
<i>Epeira verrucosa</i> ..	1849, 5	<i>donacina</i>	1856, 341
<i>Ephialtes albopunctata</i> ..	1855, 135	<i>dubia</i>	1856, 183
<i>flammeola</i>	1858, 96	<i>grata</i>	1855, 183
<i>lempiji</i>	1854, 262	<i>guttula</i>	1855, 182
	1859, 150	<i>macrodonta</i>	1856, 182
<i>leucospila</i>	1860, 344	<i>papyracea</i>	1855, 183
<i>magicus</i>	1860, 345	<i>parva</i>	1856, 182
<i>nudipes</i>	1858, 133	<i>rotunda</i>	1855, 181
<i>Ephippium anghcanum</i>		<i>zebuensis</i>	1855, 182
<i>maximum</i>	1848, 114	<i>Erymanthus horridus</i> ..	1852, 35
<i>Epimachus magnificus</i> ..	1859, 155	<i>Erythrolamprus venus-</i>	{ 1850, { 80
<i>Epomophorus crypturus</i> ..	1860, 52	<i>tissimus</i>	{ 402
<i>frangueti</i>	1860, 54	<i>Erythronota elegans</i> ..	1860, 307
<i>gambianus</i>	1860, 52	<i>Erythrosteria erythaca</i> ..	1854, 283
<i>labiatus</i>	1860, 55		{ 1854, 284
<i>macrocephalus</i>	1860, 50	<i>leucura</i>	{ 1858, 492
<i>schoensis</i>	1860, 56	<i>Erythrura cyanovirens</i> ..	1858, 462
<i>whitei</i>	1860, { 42	<i>pealii</i>	{ 1858, 462
	{ 50	<i>phaeton</i>	{ 1858, 462
<i>Equus americanus</i>	1850, 65	<i>prasina</i>	1858, 461
<i>Equus asinus</i>	1850, 158	<i>psittacea</i>	{ 1858, 462
<i>burchellii</i>	1849, 30		{ 1859, 164
<i>caballus</i>	1850, 158	<i>pucheranii</i>	1858, 462
	1848, 62	<i>trichroa</i>	1858, 461
<i>hemionus</i>	1849, 20	<i>tricolor</i>	1858, 462
	1849, 64	<i>viridis</i>	1858, 461
	1849, 29	<i>Eryx jaculus</i>	1858, 278
<i>kiang</i>	1859, 353	<i>reinhardtii</i>	1858, 164
	1859, 435	<i>Esacus magnirostris</i> ..	1858, 187
<i>polyodon</i>	1848, 62	<i>recurvirostris</i>	1850, 151
<i>zebra</i>	1849, 30		{ 1856, 106
<i>Erato columbella</i>	1856, 206	<i>Esox lucius</i>	{ 1850, 477
<i>fraserii</i>	1851, 47	<i>Estheria burchii</i>	1860, 392
<i>inquisitor</i>	1851, 47		{ 1849, 89
<i>leucophaea</i>	1856, 206		{ 1860, 188
<i>maugeriae</i> , var. <i>pa-</i>		<i>brasiliensis</i>	1849, 80
<i>namensis</i>	1856, 162	<i>compressa</i>	1860, 188
<i>sandwicensis</i>	1860, 148	<i>cycladoides</i>	1849, 87
<i>Erethizon dorsatum</i> ...	1859, 436	<i>dahalacensis</i>	1849, 86

	Page		Page
<i>Estheria dahalacensis</i>	1849, 89	<i>Eudynamis picatus</i>	1860, 359
<i>dallasi</i>	1850, 257	<i>Eudynamys maculatus</i>	1854, 257
<i>donaciformis</i>	1852, 30	<i>orientalis</i>	1857, 101
<i>gigas</i>	1849, 85	<i>punctatus</i>	1859, 150
<i>hislopi</i>	1849, 87	<i>ransomi</i>	1859, 151
<i>melitensis</i>	1859, 232	<i>chrysolophus</i>	1859, 459
<i>polita</i>	1860, 188	<i>diadematus</i>	1859, 159
<i>similis</i>	1849, 88	<i>nigrirostris</i>	1860, 359
<i>tetracera</i>	1849, 88	<i>pachyrhynchus</i>	1860, 359
<i>annulosa</i>	1849, 88	<i>papua</i>	1860, 359
<i>lateralis</i>	1860, 188	<i>Eudypetes chrysocome</i>	1860, 390
<i>musica</i>	1849, 90	<i>chrysolophus</i>	1860, 390
<i>psittacea</i>	1860, 188	<i>diadematus</i>	1860, 419
<i>ruficauda</i>	1860, 188	<i>nigrirostris</i>	1860, 418
<i>squamifrons</i>	1860, 188	<i>pachyrhynchus</i>	1860, 418
<i>Ethalia guamensis</i>	1849, 86	<i>papua</i>	1860, 98
<i>striolata</i>	1849, 90	<i>Eugenes fulgens</i>	1859, 53
<i>Eubucco aurantiacollis</i>	1858, 481	<i>Eugenia imperatrix</i>	1855, 192
<i>bourcierii</i>	1859, 151	<i>Eulabeornis castaneo-</i>	
<i>erythrocephalus</i>	1857, 26	<i>ventris</i>	1858, 188
<i>glaucogularis</i>	1859, 432	<i>Eulabes javanus</i>	1859, 445
<i>hartlaubi</i>	1850, 218	<i>Eulima aciculata</i>	1860, 438
<i>pictus</i>	1859, 164	<i>aclis</i>	1851, 277
<i>richardsoni</i>	1860, 371	<i>acuta</i>	1851, 276
<i>Eucephala caeruleolavata</i>	1860, 306	<i>cumingi</i>	1851, 277
<i>hypocyanea</i>	1860, 306	<i>cuspidata</i>	1851, 276
<i>Euchaetes coccineus</i>	1858, 73	<i>elegantissima</i>	1853, 179
<i>Euchele alabastrum</i>	1857, 209	<i>flexuosa</i>	1851, 277
<i>Euchelus asper</i>	1854, 316	<i>grandis</i>	1851, 276
<i>corrugatus</i>	1860, 435	<i>gouldingii</i>	1851, 277
<i>denigratus</i>	1854, 316	<i>modicella</i>	1851, 276
<i>fimbriatus</i>	1860, 435	<i>obesula</i>	1851, 276
<i>indicus</i>	1854, 316	<i>polygyra</i>	1851, 277
<i>proximus</i>	1854, 316	<i>porcellana</i>	1851, 276
<i>Euchlornis frontalis</i>	1858, 446	<i>pyramidalis</i>	1851, 277
<i>scilateri</i>	1854, 113	<i>teinostoma</i>	1851, 276
<i>Eucometis albicollis</i>	1850, 441	<i>vitrea</i>	1851, 277
<i>cristata</i>	1856, 117	<i>Eulimene albida</i>	1852, 26
<i>penicillata</i>	1856, 118	<i>Eumomota superciliosa</i>	1857, 257
<i>Eudæmonia semiramis</i>	1849, 49	<i>ris</i>	1859, 54
<i>uroarge</i>	1849, 49	<i>Eunectes murinus</i>	1849, 106
<i>Eudromias urvillii</i>	1860, 386	<i>Euparypha pisana</i>	1854, 171
		<i>ustulata</i>	1854, 171
		<i>Eupetes macrocerus</i>	1854, 273
		<i>Eupetomena macrura</i>	1857, 263
		<i>Euphema elegans</i>	1859, 434
		<i>Euphonia aenea</i>	1856, 276
		<i>affinis</i>	1856, 303
		<i>aureata</i>	1856, 272
		<i>bicolor</i>	1856, 279
		<i>brevirostris</i>	1856, 275
		<i>castaneiventris</i>	1856, 279
		<i>cayana</i>	1856, 278
		<i>cayennensis</i>	1856, 279
		<i>chalybea</i>	1856, 276
		<i>chlorotica</i>	1854, 98

	Page		Page
<i>Euphonia chlorotica</i>	1856, { 273 276	<i>Euphonia pumila</i>	{ 1855, 159 1856, 275 1855, 159
<i>cinerea</i>	1856, 280	<i>pyrrhophrys</i>	{ 1856, 270 1856, 276
<i>coelestis</i>	1856, 272	<i>pyrrhuloides</i>	{ 1856, 276 1856, 276
<i>cæruleocephala</i> ..	1856, 271	<i>ruficeps</i>	{ 1856, 18 1856, 279
<i>concinna</i>	{ 1854, 98 1855, 159 1856, 275	<i>rufiventris</i>	{ 1856, 18 1857, 66 1858, 74
<i>crassirostris</i>	{ 1856, 277 1857, 19 1860, 275	<i>sclateri</i>	{ 1856, 271 1856, 273
<i>elegantissima</i>	{ 1856, 66 1856, 272 1856, 303 1858, 303 1859, 364 1859, 378	<i>sp. nov. ?</i>	{ 1856, 303 1855, 159
<i>flavifrons</i>	1856, 271	<i>strictifrons</i>	{ 1856, 275 1856, 273
<i>fortirostris</i>	{ 1854, 98 1856, 277	<i>tabicen</i>	{ 1856, 274 1856, 279
<i>frontalis</i>	1856, 270	<i>trinitatis</i>	{ 1856, 279 1854, 98
<i>fulvicrissa</i>	1856, 276	<i>umbilicalis</i>	{ 1854, 98 1856, 277
<i>gouldi</i>	1857, { 66 229	<i>violacea</i>	{ 1856, 269 1855, 159
<i>hirundinacea</i>	{ 1854, 98 1856, 275 1856, 278 1856, 303 1859, 364 1859, 378	<i>viridis</i>	{ 1855, 159 1856, 275 1858, 74
<i>hirundinirostris</i>	1854, 98	<i>xanthogastra</i>	{ 1858, 452 1859, 140 1860, 87 1860, 275
<i>jamaicensis</i>	1856, 280	<i>Euphranor multifene-</i>	
<i>lanirostris</i>	{ 1854, 98 1856, 277	<i>strata</i>	1859, 246
<i>leucopyga</i>	{ 1856, 278 1856, 275	<i>trifenestrata</i>	1859, 245
<i>longipennis</i>	{ 1855, 158 1856, 270	<i>Euplectes bengalensis</i> ..	1854, 159
<i>melanura</i>	{ 1854, 98 1855, 159 1856, 278	<i>flammeiceps</i>	1860, 111
<i>minuta</i>	{ 1855, 150 1856, 274	<i>Euplocamus albocrista-</i>	
<i>musica</i>	{ 1856, 271 1857, 231 1855, 159 1856, 272	<i>tus</i>	1858, 499
<i>nigricollis</i>	{ 1858, 551 1860, 65 1860, 87	<i>melanotus</i>	1858, 499
<i>occipitalis</i>	1856, 270	<i>Eupodotis denhami</i>	1850, 220
<i>olivacea</i>	1856, 274	<i>edwardi</i>	1858, 504
<i>pardalotes</i>	1856, 276	<i>Euprepis albilabris</i>	1858, 156
<i>pectoralis</i>	{ 1856, 279 1857, 66	<i>blandingii</i>	1858, 156
<i>plumbea</i>	1856, 281	<i>frenatus</i>	1858, 156
<i>poliocephala</i>	1856, 281	<i>harlani</i>	1858, 156
<i>pretrei</i>	1856, 270	<i>perrotetii</i>	1858, 156
		<i>quinqueteniatus</i> ..	1858, 156
		<i>raddoni</i>	1858, 156
		<i>stangeri</i>	1858, 156
		<i>striata</i>	1858, 156
		<i>Euprepiste boliviana</i> ..	1855, 158
		<i>mexicana</i>	1855, 158
		<i>Euproctus poireti</i>	1858, 301
		<i>rusconii</i> ..	1858, 139
		<i>Eupsilostoma eximium</i> .	1860, 69
		<i>pusillum</i>	1860, { 68 283
		<i>Eupsychortyx hypoleu-</i>	
		<i>cus</i>	1860, 62
		<i>leucotis</i>	1855, 163
		<i>parvicristatus</i>	1855, 163

	Page		Page
<i>Falco peregrinus</i>	1800, 442	<i>Felis uncioides</i>	1856, 395
<i>poliosoma</i>	1800, 384	<i>viverrina</i>	{ 1849, 1
<i>ponticernanus</i>	1854, 261	{ 1860, 117
<i>rubens</i>	1850, 215	<i>Ferussacia folliculus</i>	1854, 200
<i>rufipes</i>	1848, 37	<i>gracilis</i> ..	1854, 200
<i>soloensis</i>	1800, 344	<i>Feylenia currori</i>	1858, 156
.....	{ 1851, 142	<i>Fiber zibethicus</i> ..	1860, 416
.....	{ 1854, 6	<i>Fibularia australis</i>	1851, 38
<i>tinnunculus</i>	{ 1857, 215	<i>oblonga</i>	1851, 37
.....	{ 1859, 170	<i>Ficedula bengalensis</i> ..	1854, 281
.....	{ 1860, 258	<i>phoenicura</i>	1854, 25
.....	{ 1860, 348	<i>Fish-Hawk, The Large</i>	
<i>unicinctus</i>	1858, 180	<i>Awl-beaked</i>	1851, 56
<i>urubitinga</i>	1858, 129	<i>Small Awl-beaked</i> ..	1851, 57
<i>virgatus</i>	1854, 260	<i>Fishing-Hawk, The</i>	1851, 55
<i>zonurus</i>	1858, 129	<i>Fissurella alba</i>	1855, 234
(Lophotes) <i>rein-</i>		<i>aspera</i> ..	1856, 223
<i>wardni</i>	1860, 342	<i>crenulata</i>	1856, 223
<i>Falcon, The Chestnut-</i>		<i>densicathrata</i>	1856, 223
<i>bellied</i>	1851, 60	<i>exarata</i>	1856, 223
<i>Fasciolaria bistrata</i>	1856, 207	<i>macrolechisma</i>	1850, 202
<i>salmo</i>	1856, 42	<i>nigrocincta</i>	1855, 234
<i>tarentina</i>	1850, 274	<i>nigropunctata</i>	1855, 234
<i>Fastigiella carinata</i>	1848, 15	<i>noachina</i>	1851, 228
<i>Felis charltoni</i>	1850, 396	<i>ornata</i>	1856, 222
<i>chaus?</i>	1850, 156	<i>Fistulana clava</i>	1858, 315
<i>chaus</i>	{ 1856, 396	<i>Flabellum aculeatum</i> ..	1849, 76
.....	{ 1858, 514	<i>affine</i>	1849, 75
<i>domestica</i>	1850, 156	<i>bairdi</i>	1849, 76
<i>duvaucelli</i>	1856, 396	<i>candeanum</i>	1849, 76
<i>eyra</i>	1860, 415	<i>compressum</i> ..	1849, 76
<i>jubata</i>	1849, 94	<i>crassum</i> ..	1849, 76
<i>leo</i>	{ 1849, 94	<i>crenulatum</i>	1849, 76
.....	{ 1860, 243	<i>cumingii</i> ..	1849, 76
<i>leopardus</i> ..	1860, { 183	<i>debile</i>	1849, 76
.....	{ 371	<i>distinctum</i> ..	1849, 76
.....	{ 1853, 191	<i>elegans</i>	1849, 76
<i>macrosceloides</i> ..	{ 1855, 126	<i>elongatum</i> ..	1849, 76
.....	{ 1856, 395	<i>macandrewii</i>	1849, 75
<i>melas</i>	1850, 156	<i>owenii</i>	1849, 76
<i>mitis</i>	{ 1849, 94	<i>pavoninum</i>	1849, 75
.....	{ 1859, 433	<i>profundum</i>	1849, 76
<i>murmensis</i> ..	{ 1855, 126	<i>spinosum</i>	1849, 76
.....	{ 1856, 395	<i>stokesii</i>	1849, 76
<i>neglecta</i>	1860, 246	<i>sumatrense</i>	1849, 76
<i>ogilbyi</i>	1855, 126	<i>thouarsii</i>	1849, 76
<i>pardalis</i>	{ 1859, 477	<i>Florida cærulea</i>	{ 1859, 69
.....	{ 1860, 416	{ 1860, 253
<i>pardochrous</i> ..	{ 1855, 126	{ 1859, 53
.....	{ 1856, 396	<i>Florisuga mellivora</i> ..	1860, 95
<i>pardus</i> ..	1858, 513	<i>Flustra verticillata</i> ..	1858, 306
<i>serval</i>	1859, 435	<i>Fluvicola albiventris</i> ..	1855, 148
<i>servalina</i>	1860, 246	<i>atripennis</i>	1860, 280
.....	{ 1850, 156	<i>bicolor</i>	1855, 148
<i>tigris</i>	{ 1855, 129	<i>leucophrys</i>	1856, 28
.....	{ 1856, 395	<i>cenanthoides</i> ..	1856, 28
.....	{ 1858, 513	<i>pica</i>	1855, 148
<i>uncia</i>	1856, 395	<i>ruficeps</i>	1855, 149

	Page		Page
<i>Foegia agglutinans</i>	1858, 313	<i>Formicivora consobrina</i> .	1860, 294
	1858, 68	<i>deluzæ</i>	1858, 238
<i>Formicarius analis</i>	1858, 277	<i>domicella</i>	1858, 246
	1860, 294	<i>erythroceræ</i>	1858, 240
<i>brevicauda</i>	1858, 281	<i>erythronota</i>	1858, 236
	1855, 69		1854, 255
<i>cayennensis</i>	1855, 145	<i>ferruginea</i>	1858, 239
	1857, 46	<i>genæi</i>	1858, 239
	1858, 277	<i>grisea</i>	1858, 238
	1855, 69	<i>guttata</i>	1858, 289
<i>erythropterus</i>	1857, 47	<i>hæmatonota</i>	1857, 48
	1858, 276		1858, 235
<i>fuscater</i>	1855, 145		1857, 131
<i>lineatus</i>	1858, 247	<i>hauxwelli</i>	1858, 67
	1856, 294		1858, 236
	1857, 47	<i>hemimelæna</i>	1858, 249
<i>moniliger</i>	1858, 278	<i>intermedia</i>	1858, 238
	1859, 383	<i>lafresnayana</i>	1858, 289
	1855, 68	<i>leucophrys</i>	1858, 238
	1855, 145	<i>loricata</i>	1858, 248
<i>nigrifrons</i>	1857, 47		1855, 90
	1858, 68	<i>maculata</i>	1858, 241
	1858, 277		1858, 242
	1857, 47	<i>malura</i>	1858, 241
<i>nigromaculatus</i> ..	1858, 68	<i>maura</i>	1858, 246
	1858, 276		1857, 180
<i>torquatus</i>	1858, 275	<i>melæna</i>	1858, 237
	1857, 46	<i>melanaria</i>	1858, 245
<i>trivittatus</i> ..	1858, 278	<i>melanura</i>	1858, 245
	1858, 280		1855, 67
<i>varius</i>	1858, 245	<i>menetriesi</i>	1858, 237
<i>Formicivora alapi</i> . .	1858, 245	<i>nigricollis</i>	1858, 238
	1858, 246		1855, 147
<i>atra</i>	1858, 288	<i>ornata</i>	1858, 67
	1855, 147		1858, 235
<i>axillaris</i>	1858, 236	<i>pileata</i>	1858, 233
	1858, 300		1855, 147
	1859, 55	<i>pygmæa</i>	1858, 67
<i>boucardi</i>	1859, 383		1858, 234
	1860, 279	<i>quadrivittata</i>	1858, 234
<i>brevicauda</i>	1857, 131		1858, 241
	1858, 237	<i>quixensis</i>	1860, 279
	1854, 112	<i>rufa</i>	1858, 240
<i>cærulescens</i>	1857, 131	<i>rufatra</i>	1858, 239
	1858, 244	<i>rufimarginata</i> ..	1858, 233
	1855, 89	<i>squamata</i>	1858, 241
<i>callinota</i>	1855, 147	<i>strigilata</i>	1858, 242
	1858, 242		1857, 130
<i>caloptera</i>	1859, 142	<i>urosticta</i>	1858, 238
	1854, 254		1855, 186
	1855, 147	<i>Fossar adansonii</i>	1853, 187
<i>caudata</i>	1858, 67	<i>bicarinatus</i>	1853, 186
	1858, 240	<i>clathratus</i>	1853, 186
	1859, 142	<i>costatus</i>	1853, 186
	1857, 131	<i>cumingi</i>	1853, 187
<i>cinerascens</i>	1858, 67	<i>minutus</i>	1853, 186
	1858, 245	<i>multicostatus</i> ..	1860, 398
<i>cinnamomea</i>	1858, 249		1853, 186
<i>consobrina</i>	1860, 279	<i>reticulatus</i>	1856, 205

	Page		Page
<i>Fossar trochlearis</i>	1853, 187	<i>Fringilla trichroa</i>	1858, 481
<i>variegatus</i>	1853, 187	<i>tricolor</i>	1858, 462
(<i>Isapis</i>) <i>ovoideus</i> ..	1856, 205	<i>viridis</i>	1856, 66
<i>Francolinus clappertoni</i> ..	1850, 210	<i>zena</i> ..	1856, 231
<i>pouticerianus</i>	{ 1855, 31	<i>Fulgoraria chinensis</i> ..	1855, 60
<i>ruppelli</i> ..	{ 1859, 186	<i>Fulgoraria fulgura</i>	1855, 60
<i>sinensis</i>	1850, 220	(<i>Aurima</i>) <i>dubia</i> ..	1855, 55
<i>spadiceus</i>	1855, 31	<i>fuliginea</i> ..	{ 1857, 206
<i>vulgaris</i>	{ 1855, 41	<i>Fulica americana</i>	{ 1850, 64
<i>yemensis</i>	{ 1858, 502	<i>atrata</i> ..	{ 1850, 369
<i>Fregata aquila</i>	{ 1850, 186	<i>chilensis</i>	{ 1849, 146
<i>Fregilus graculus</i>	{ 1851, 128	<i>ferina</i> ..	{ 1851, 146
<i>himalayanus</i> ..	{ 1858, 318	<i>homeyeri</i> ..	{ 1855, 79
<i>Frickella amona</i> ..	{ 1857, 13	<i>nyroca</i> ..	{ 1857, 13
<i>Fringalauda nemoricola</i> ..	{ 1858, 478	<i>rufostris</i> ..	{ 1858, 508
<i>Fringilla analis</i>	{ 1859, 172	<i>sinensis</i> ..	{ 1859, 188
<i>autumnalis</i> ..	{ 1860, 206	<i>viridis</i> ..	{ 1860, 258
<i>Fringilla balearica</i> ..	1855, 2	<i>zosterops</i> ..	{ 1860, 442
<i>Fringilla balearica</i> ..	1859, 184	<i>chilensis</i>	{ 1860, 82
<i>autumnalis</i> ..	1855, 159	<i>ferina</i> ..	{ 1859, 309
<i>bahamensis</i>	1856, 252	<i>fuliginea</i> ..	{ 1850, 437
<i>bella</i>	1856, 231	<i>americana</i>	{ 1860, 337
<i>blandingiana</i>	1856, 217	<i>collaris</i> ..	{ 1850, 437
<i>butyracea</i>	1857, 7	<i>cristata</i> ..	{ 1800, 337
<i>cana</i>	1851, 142	<i>ferina</i> ..	{ 1800, 337
<i>cannabina</i>	1856, 230	<i>ferina</i> ..	{ 1859, 442
<i>carduelis</i>	1851, 142	<i>ferina</i> ..	{ 1860, 242
<i>cayennensis</i>	1851, 142	<i>ferina</i> ..	{ 337
<i>celano</i>	1856, 66	<i>ferina</i> ..	{ 442
<i>chloris</i> ..	1856, 65	<i>ferina</i> ..	{ 1854, 95
<i>coelebs</i>	1851, 145	<i>ferina</i> ..	{ 1860, 337
<i>detruncata</i>	1857, 13	<i>ferina</i> ..	{ 1860, 338
<i>domestica</i>	1850, 218	<i>ferina</i> ..	{ 337
<i>episcopus</i>	{ 1851, 145	<i>ferina</i> ..	{ 338
<i>gnatho</i>	{ 1857, 13	<i>ferina</i> ..	{ 1858, 510
<i>haemorrhoea</i>	{ 1856, 66	<i>ferina</i> ..	{ 1860, 337
<i>jamaica</i>	{ 1856, 64	<i>ferina</i> ..	{ 1858, 510
<i>jugularis</i>	{ 1856, 304	<i>ferina</i> ..	{ 1859, 437
<i>macroura</i>	{ 1856, 280	<i>ferina</i> ..	{ 1860, 337
<i>maja</i>	{ 1856, 77	<i>ferina</i> ..	{ 1859, 437
<i>montana</i>	{ 1856, 30	<i>ferina</i> ..	{ 1860, 337
<i>nisoria</i>	{ 1856, 444	<i>ferina</i> ..	{ 1859, 437
<i>oryzivora</i>	{ 1859, 443	<i>ferina</i> ..	{ 1860, 337
<i>passer</i>	{ 1859, 443	<i>ferina</i> ..	{ 1859, 437
<i>petrona</i>	{ 1860, 179	<i>ferina</i> ..	{ 1860, 337
<i>psittacea</i>	{ 1851, 142	<i>ferina</i> ..	{ 1859, 437
<i>pulchella</i>	{ 1858, 462	<i>ferina</i> ..	{ 1860, 337
<i>punctularia</i>	{ 1859, 164	<i>ferina</i> ..	{ 1859, 437
<i>quadrivittata</i>	{ 1858, 462	<i>ferina</i> ..	{ 1860, 337
<i>rubrifrons</i> ..	{ 1859, 164	<i>ferina</i> ..	{ 1859, 437
<i>sphenura</i> ..	{ 1858, 462	<i>ferina</i> ..	{ 1860, 337
<i>texensis</i>	{ 1859, 164	<i>ferina</i> ..	{ 1859, 437
<i>tintillon</i>	{ 1856, 303	<i>ferina</i> ..	{ 1860, 337
	1851, 142	<i>ferina</i> ..	{ 1859, 437

	Page		Page
<i>Fusus albinus</i>	1855, 222	<i>Galeola volvarioides</i>	1858, 50
<i>ambustus</i>	1856, 208	<i>Galeomma ambigua</i> ...	1855, 168
<i>assimilis</i>	1855, 222	<i>angusta</i>	1855, 170
<i>dilectus</i>	1855, 221	<i>argentea</i>	1855, 169
<i>fasciolanus</i>	1858, 144	<i>chloroleuca</i> ...	1855, 170
<i>kelletii</i>	1850, 274	<i>formosa</i>	1855, 170
<i>nodicinctus</i>	1855, 222	<i>indecora</i>	1855, 169
<i>oregonensis</i>	1850, 274	<i>inflata</i>	1855, 170
<i>pallidus</i>	1856, 41	<i>layardi</i>	1855, 169
<i>salebrosus</i>	1850, 274	<i>macrochisma</i> ..	1855, 171
<i>spiralis</i>	1855, 221	<i>paucistriata</i> ...	1855, 170
<i>turbinella</i>	1858, 144	<i>polita</i>	1855, 169
<i>turbinelloides</i>	1856, 41	<i>splendida</i>	1855, 169
<i>turricula</i>	1855, 222	<i>turtoni</i>	1855, 167
<i>Gafrarium celatum</i>	1858, 69		168
<i>scitulum</i>	1853, 70		336
<i>Galago</i> — P	1852, 73	<i>Galeoscoptes carolinensis</i>	1859, 362
<i>Galbalcyrrhynchus leuco-</i>			370
<i>tis</i>	1855, 137	<i>plumbeus</i>	1857, 231
<i>Galbula albigularis</i> ...	1855, 15		1859, 337
	1857, 262	<i>rubripes</i>	1857, 231
<i>albirostris</i>	1855, 14		1859, 336
<i>chalocephala</i>	1855, 14	<i>Galera barbara</i>	1859, 51
	1857, 262		1855, 50
<i>chalcothorax</i> ...	1854, 110	<i>Galerida chendoola</i> ..	1858, 485
	1855, 14	<i>cristata</i>	1850, 219
	1858, 61	<i>Galeus fuscus</i> ..	1855, 233
<i>cyanicollis</i> ..	1855, 14	<i>mamillaris</i>	1855, 233
<i>cyanopogon</i>	1855, 14	<i>regularis</i>	1855, 233
	1855, 13	<i>sinensis</i>	1855, 233
<i>fuscicapilla</i> ...	1855, 136	<i>striatus</i>	1855, 234
	1857, 262	<i>subreflexus</i> ..	1855, 233
<i>leucogaster</i>	1858, 61	<i>Galicdictis striata</i> ..	1848, 21
<i>maculicauda</i> ...	1855, 13	<i>vittata</i>	1848, 22
	1855, 13	<i>Gallinago burka</i> ...	1860, 365
	1856, 189	<i>gallinula</i>	1858, 506
<i>melanogenia</i>	1858, 357		1859, 189
	1859, 53	<i>magellanicus</i> ...	1860, 387
	1859, 387	<i>media</i>	1860, 365
<i>quadricolor</i>	1855, 13	<i>nemorica</i>	1858, 506
	1855, 13	<i>nobilis</i>	1856, 31
<i>ruficauda</i>	1855, 136		1858, 506
<i>rufoviridis</i> ...	1855, 13	<i>scolopacina</i> ..	1859, 189
<i>tombacea</i> ..	1855, 13		1860, 365
	1857, 262	<i>solitaria</i> ..	1859, 189
<i>viridicauda</i> ..	1855, 13	<i>stenura</i> ..	1859, 150
<i>viridis</i> ..	1855, 13		1856, 310
<i>Galbuloides boersii</i>	1855, 15	<i>wilsoni</i>	1859, 64
<i>Galeodea echinophora</i>	1851, 229		1859, 369
<i>Galeola avellana</i> ..	1858, 49		1851, 146
<i>carniola</i>	1858, 49	<i>Gallinula chloropus</i> .	1858, 508
<i>dactyola</i> ...	1858, 49		1859, 188
<i>irians</i> ..	1858, 48	<i>crex</i>	1860, 258
<i>lepada</i> ..	1858, 49	<i>galeata</i>	1857, 237
<i>picta</i> ..	1858, 50	<i>phoenicura</i> ...	1859, 150
<i>pygmæa</i>	1858, 50		151
<i>tigrina</i>	1858, 49	<i>Gallopavo sylvestris</i>	1856, 62
		<i>Gallophasis albocristatus</i>	1858, 544

	Page		Page
<i>Gallophasis albocris-</i>	1858, 545	<i>Garrulus ornatus</i>	1850, 83
<i>tus</i>	1859, 186	<i>ultramarinus</i>	1850, 84
	1859, 205	<i>vigorsi</i>	1850, 81
	1858, 544	<i>Garzetta candidissima</i> ..	1859, 64
<i>horsfieldii</i>	1858, 545		360
	1859, 205	<i>Gastodon fanellensis</i> ..	1854, 208
<i>melanonotus</i> ...	1859, 205	<i>Gastrochrena apertissi-</i>	
<i>melanotus</i>	1858, 545	<i>ma</i>	1854, 326
<i>Gallus senes</i>	1840, 63	<i>cucullata</i>	1854, 320
	1857, 46	<i>cuneiformis</i>	1858, 316
	1858, 498	<i>denticulata</i>	1854, 327
<i>bankiva</i>	1859, 150	<i>difficilis</i>	1854, 328
	1860, 242	<i>hians</i>	1858, 316
	1860, 442	<i>humilis</i>	1854, 327
	1858, 498	<i>impressa</i>	1854, 327
<i>ferrugineus</i>	1859, 185	<i>indistincta</i>	1854, 328
	1859, 185	<i>interrupta</i>	1854, 329
<i>furcatus</i>	1860, 417	<i>intersecta</i>	1854, 327
	442	<i>laevigata</i>	1854, 326
<i>sonneratii</i> ...	1855, 29	<i>lamellosa</i>	1854, 328
	1860, 415	<i>macroschisma</i> ...	1854, 326
<i>tamminckii</i> ...	1849, 62	<i>modiolina</i>	1858, 316
	1859, 393	<i>philippinensis</i> ...	1854, 328
<i>Gambetta flavipes</i> ...	1860, 290	<i>plicatilis</i>	1854, 329
	1860, 364	<i>pupina</i>	1854, 326
<i>griseopygia</i> ...	1859, 237	<i>ruppellii</i>	1854, 328
<i>melanoleuca</i> ...	1860, 253	<i>spathulata</i>	1854, 329
	1852, 19	<i>spreuxlex</i>	1858, 316
<i>Gammarus stagnalis</i> ...	1854, 88	<i>tenera</i>	1854, 327
<i>Ganga dilatata</i>	1854, 88	<i>Gastrodon anconostoma</i> ..	1854, 208
<i>neritoides</i>	1854, 88	<i>fanallensis</i> ..	1854, 208
<i>olivacea</i>	1854, 88	<i>umbilicata</i> ..	1854, 207
<i>Garelia equalis</i>	1855, 38		
<i>clavata</i>	1855, 38	<i>Gavia roseiventris</i>	1859, 97
	1850, 79		1860, 391
<i>Garrula rufula</i>	1859, 446	<i>Gavialis schlegeli</i> ...	1849, 144
<i>torquata</i>	1850, 86		167
	1859, 150	<i>Gazella bennettii</i> ...	1850, 168
<i>Garrulax albogularis</i> ..	1859, 151	<i>colus</i>	1850, 168
	1850, 82	<i>corinna</i> ...	1850, 112
<i>Garrulus atricapillus</i> ..	1850, 83	<i>cuvierii</i>	1849, 62
<i>bispecularis</i>	1850, 82	<i>dama</i>	1850, 114
<i>brandti</i>	1850, 84		1850, 112
<i>burneti</i>	1850, 84	<i>dorcas</i>	1850, 115
<i>californicus</i>	1858, 302		1850, 168
<i>coronatus</i>	1858, 302	<i>euchore</i>	1850, 168
<i>cristatus</i>	1859, 433	<i>gutturosa</i>	1850, 115
	1850, 81		1850, 168
<i>glandarius</i>	1850, 82	<i>isabella</i>	1850, 113
	1860, 442	<i>kemas</i>	1850, 108
<i>gubernatrix</i> ...	1850, 84	<i>kevella</i>	1850, 112
	1850, 81		114
<i>gularis</i>	1858, 479	<i>mohr</i>	1850, 115
	1859, 172		168
<i>histrionicus</i>	1850, 79	<i>pygarga</i>	1850, 141
<i>iliceti</i> ..	1850, 82	<i>ruficollis</i>	1850, 114
<i>japonicus</i>	1850, 82	<i>rufifrons</i> ...	1850, 115
<i>krynckii</i>	1850, 82	<i>soemmeringu</i>	1850, 114
<i>lanceolatus</i> ..	1850, 81		
<i>lidhi</i> ...	1850, 80		
<i>melanocephalus</i> ...	1850, 82		

	Page		Page
<i>Gazella soemmeringi</i> .. 1850,	115	<i>Geophis</i> (Catostoma)	
	168	<i>chalybea</i> 1830,	316
<i>subgutturosa</i> ... 1850,	113	<i>Geospiza cyanovirens</i> .. 1858,	462
	168	<i>prasina</i> 1858,	462
<i>Gazola caledonica</i> 1850,	86	<i>Geospizopsis melanotis</i> {	1856, 306
<i>Gazzola caledonica</i> . . 1859,	162		1858, 98
<i>Gecinus dimidiatus</i> .. 1859,	150	<i>typus</i> {	1856, 306
<i>squamatus</i> 1858,	475		1858, 98
<i>Gecko rapicauda</i> 1848,	61	<i>Geothlypis macgillivraii</i> 1859,	363
<i>reevesii</i> 1858,	92		373
	114	<i>semiflava</i> 1860,	273
<i>verus</i> 1860,	167		291
	170	<i>speciosa</i> 1858,	447
	417	<i>trichas</i> 1859,	363
<i>Gelochelidon anglicus</i> . 1858,	509		373
<i>Gena asperulata</i> .. 1850,	38	<i>Geotria australis</i> ... 1851,	239
<i>auricula</i> 1850,	37	<i>Geotriton fuscus</i> ... 1858,	144
<i>concinna</i> 1850,	38		391
<i>irasata</i> 1850,	38		1858, 98
<i>lineata</i> 1850,	39	<i>Geotrygon albifacies</i> .. {	1859, 368
<i>lntricula</i> 1850,	38		1859, 391
<i>minima</i> 1850,	38	<i>bourcieri</i> 1860,	72
<i>nebulosa</i> 1850,	38	<i>caniceps</i> 1858,	99
<i>nigra</i> 1850,	37		1856, 143
<i>ornata</i> 1850,	39	<i>chiriquensis</i> . . {	1857, 200
<i>planulata</i> .. 1850,	36		1858, 98
<i>plumbea</i> 1850,	37	<i>linearis</i> {	1855, 163
<i>pulchella</i> . . . 1850,	38		1856, 309
<i>striatula</i> .. 1850,	37		1857, 19
<i>strigosa</i> . . . 1850,	37	<i>montana</i> {	1857, 235
<i>varia</i> 1850,	37		1859, 368
<i>Genetta abyssinica</i> ... 1860,	247		1859, 433
<i>bonapartei</i> 1859,	353		1860, 416
<i>Gennæus lineatus</i> .. 1859,	150	<i>mystacea</i> 1855,	163
<i>Geocichla albogularis</i> . 1854,	274	<i>sylvatica</i> 1860,	416
<i>innotata</i> 1854,	274	<i>Geranoastus melanoleucus</i> 1855,	184
	231	<i>Geranoospiza cærulescens</i> 1860,	288
<i>Geoclemmys annulata</i> .. 1860,	233	<i>gracilis</i> 1856,	285
	234	<i>Gerbillus indicus</i> 1858,	520
<i>macrocephala</i> 1859,	479	<i>Geronoætus aguiæ</i> 1856,	145
	1858, 305	<i>Geronticus calvus</i> 1859,	435
<i>Geococcyx affinis</i> {	1859, 368	<i>Gerrhonotus imbricatus</i> . 1860,	316
	1859, 387	<i>tessellatus</i> 1860,	316
<i>mexicanus</i> .. 1857,	205	<i>wiegmanni</i> .. . 1860,	454
<i>Geomyda spinosa</i> ... 1860,	395	<i>Gerrhosaurus nigrolinea-</i>	
<i>Geoffroius aruensis</i> 1860,	227	<i>tus</i> 1858,	156
	226	<i>Gerygone chrysogaster</i> .. 1858,	174
<i>cyanicollis</i> .. . 1860,	227	<i>Geryonia æquorea</i> 1851,	272
<i>heteroclitus</i> 1860,	228	<i>Gibbula adansonii</i> . . . 1851,	185
<i>jukesii</i> 1860,	226	<i>adelaidæ</i> 1851,	186
<i>personatus</i> . . . 1860,	226	<i>agathensis</i> .. . 1851,	185
<i>pucherani</i> 1860,	227	<i>capensis</i> . . . 1851,	185
<i>Geoffroyus cyanicollis</i> .. 1860,	358	<i>cineraria</i> . . . 1851,	184
<i>Geomelania greyana</i> . 1857,	163	<i>cinerea</i> . . . 1851,	184
<i>jamaicensis</i> . . 1849,	169	<i>declivis</i> 1851,	184
<i>Geopelia striata</i> 1859,	466	<i>divaricata</i> 1851,	184
<i>tranquilla</i> 1857,	27	<i>fanulum</i> 1851,	184
<i>Geophaps plumifera</i> .. 1857,	27	<i>fasciata</i> 1851,	185

	Page		Page
<i>Gibbula fumosa</i>	1851, 186	<i>Glossina longipalpis</i>	1850, 262
<i>fuscata</i>	1851, 184	<i>morsitans</i>	1850, 261
<i>jucunda</i>	1851, 185	<i>tabaniformis</i>	1850, 268
<i>kalnota</i>	1851, 187	<i>tachinoides</i>	1850, 267
<i>lehmanni</i>	1854, 41	<i>Glossiptila ruficollis</i>	1856, 269
<i>leucosticta</i>	1851, 187	<i>Glossoliga poireti</i>	1858, 138
<i>magus</i>	1851, 184	<i>Glossophaga ecaudata</i> ..	1858, 547
<i>mindorensis</i>	1851, 186	<i>Glossotherium</i>	1851, 210
<i>multicolor</i>	1851, 185		1850, 221
<i>nivosa</i>	1851, 187	<i>Glottis canescens</i>	1859, 151
<i>obliquata</i>	1851, 186		1859, 189
<i>philberti</i>	1851, 185	<i>chloropus</i>	1850, 221
<i>porcellana</i>	1851, 186	<i>horsfieldi</i>	1860, 304
	1854, 40		1855, 163
<i>pulcherrima</i>	1854, 39		1857, 215
	1851, 187	<i>melanoleuca</i>	1858, 450
<i>pulchra</i>	1854, 41		1858, 461
<i>puncto-costata</i> ..	1851, 187	<i>Glycimeris margaritaceus</i>	1858, 314
<i>quadrata</i>	1851, 184	<i>Glyciphila modesta</i> ..	1858, 174
<i>rotelliformis</i> ..	1851, 186		1859, 160
<i>scabra</i>	1851, 184	<i>ocularis</i>	1858, 174
<i>sulcosa</i>	1851, 186	<i>poliotis</i>	1859, 160
<i>tumida</i>	1851, 184	<i>Glyphis aspera</i>	1856, 223
<i>umbilicata</i> ..	1851, 185	<i>Glyphisodon biocellatus</i>	1859, 222
<i>undosa</i> ..	1851, 186	<i>Glyphorhynchus castel-</i>	
<i>varia</i> ..	1851, 185	<i>naudi</i>	1859, 141
<i>venusta</i>	1851, 187	<i>cuneatus</i>	1855, 142
<i>vulnerata</i>	1857, 185		1858, 63
<i>Gisella harrisi</i> ..	1856, 25	<i>pectoralis</i>	1860, 299
<i>Gladus (Rostellaria) me-</i>		<i>Glyptodon clavipes</i>	1851, 216
<i>lanocheilus</i> ..	1854, 42	<i>ornatus</i>	1851, 216
<i>Glandina albersi</i> ..	1854, 295	<i>reticulatus</i>	1851, 216
<i>conularis</i>	1855, 100	<i>tuberculatus</i>	1851, 217
<i>filosa</i>	1855, 100	<i>Gnathodon cuneatus</i> ...	1858, 23
<i>flexuosa</i>	1854, 150	<i>mendica</i>	1856, 200
<i>insignis</i> ..	1855, 100	<i>trigona</i> ..	1856, 200
<i>nystiana</i> ..	1856, 100	<i>Goliathus africanus</i>	1856, 14
<i>Glandinaria californica</i>	1856, 227	<i>drurii</i>	1856, 14
<i>Glareola grallaria</i>	1860, 363	<i>giganteus</i>	1856, 14
<i>limbata</i>	1850, 220	<i>Golunda newera</i>	1850, 157
<i>nuchalis</i>	1849, 63		1857, 158
<i>orientalis</i>	1850, 220		1856, 164
	1855, 82	<i>Gongylophis conicus</i> ..	1860, 168
<i>pratnocola</i>	1858, 100		1857, 170
			1857, 171
<i>Glaucidium californicum</i>	1857, 4		
<i>ferrugineum</i>	1860, 289	<i>Gongylus ocellatus</i> ...	1849, 95
<i>gnoma</i> ..	1857, 4		1859, 470
<i>infuscatum</i>	1857, 126		1859, 473
	1860, 289	<i>Goniaphea cærulea</i> ..	1856, 301
<i>Glaucis melanura</i> ..	1860, 304	<i>concreta</i>	1857, 302
<i>ruckeri</i> ..	1860, 296		1857, 228
			1856, 302
<i>Glaucome psammotella</i>	1853, 1	<i>parellina</i> ..	1857, 228
<i>rostralis</i> ..	1853, 1	<i>Gonigoria clavata</i> ..	1851, 125
<i>Glaucopsis leucopterus</i> ..	1859, 446	<i>Goniocidaris pistillaris</i> ..	1855, 35
<i>Glenargus leucopterus</i> ..	1859, 446	<i>Gonodactylus chiragra</i> ..	1850, 97
<i>Globiocephalus macro-</i>		<i>cultrifer</i> ..	1850, 96
<i>rhynchus</i>	1860, 423	<i>edwardsi</i>	1850, 97

	Page		Page
<i>Granatellus sallæi</i>	{ 1856, 292 1858, 97 1859, 374 1858, 97 1859, 375	<i>Gymnobucco peli</i>	{ 1859, 397 1858, 274 1859, 55
<i>venustus</i>	{ 1859, 375 1858, 114*	<i>Gymnocorvus senex</i>	{ 1859, 157 1850, 157
<i>Grantia botryoides</i>	{ 1858, 114* 1848, 38 1858, 179	<i>Gymnodactylus caudi-</i> <i>scutatus</i>	{ 1850, 410 1857, 205
<i>Graucalus hypoleucus</i> .	{ 1858, 179 1860, 353 1858, 179	<i>Gymnogaster arcticus</i> ..	{ 1851, 117 1854, 114
<i>magnirostris</i>	{ 1860, 353 1858, 179	<i>Gymnomystax mexicanus</i>	{ 1854, 114 1848, 38
<i>melanotis</i>	{ 1858, 179 1858, 162	<i>Gymnopus ægyptiacus</i>	{ 1848, 38 1860, 242
<i>Grayia silurophaga</i>	{ 1858, 162 1857, 8 1860, 329	<i>Gymnorhina tibicen</i>	{ 1860, 242 1853, 75
<i>Grus americana</i>	{ 1857, 8 1860, 329 1849, 95 1857, 215 1858, 507 1860, 329 1850, 221	<i>Gymnotus electricus</i> ..	{ 1853, 75 1853, 75 1858, 407 1859, 170
<i>antigone</i>	{ 1858, 507 1860, 329 1850, 221	<i>Gypaetus barbatus</i>	{ 1858, 407 1859, 170 1859, 51
<i>cinerea</i>	{ 1858, 507 1859, 353 1860, 418 1857, 8 1859, 353 1860, 417 1858, 258 1860, 329	<i>Gyparchus papa</i>	{ 1859, 51 1860, 193 1854, 258 1858, 469 1859, 170 1858, 468 1859, 170
<i>fraterculus</i> ...	{ 1860, 418 1857, 8 1859, 353 1860, 417 1858, 258 1860, 329	<i>Gyps bengalensis</i> ...	{ 1858, 469 1859, 170 1858, 468 1859, 170
<i>hoynana</i>	{ 1857, 8 1859, 353 1860, 417 1858, 258 1860, 329	<i>indicus</i>	{ 1859, 170 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1856, 255 1856, 255 1850, 256
<i>montignesia</i>	{ 1859, 353 1860, 417 1858, 258 1860, 329	<i>Gyrineum bufonium</i> ...	{ 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1856, 255 1856, 255 1850, 256
<i>paradisea</i>	{ 1860, 417 1858, 258 1860, 329	<i>caudatum</i>	{ 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1856, 255 1856, 255 1850, 256
<i>pavonina</i>	{ 1860, 329 1855, 34 1859, 353 1860, 108	<i>echinatum</i>	{ 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1856, 255 1856, 255 1850, 256
<i>virgo</i>	{ 1855, 34 1859, 353 1860, 108	<i>natator</i>	{ 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1856, 255 1856, 255 1850, 256
<i>Gryllivora brevirostris</i> ..	{ 1854, 282 1854, 283 1854, 282 1854, 282	<i>rana</i>	{ 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1856, 255 1856, 255 1850, 256
<i>longicauda</i>	{ 1854, 282 1854, 283 1854, 282 1854, 282	<i>scrobiculatus</i> ...	{ 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1856, 255 1856, 255 1850, 256
<i>magnirostra</i>	{ 1854, 282 1854, 282 1854, 282 1854, 282	<i>verrucosum</i>	{ 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1851, 231 1856, 255 1856, 255 1850, 256
<i>rosea</i>	{ 1854, 282 1860, 303 1860, 304 1859, 434	<i>Gyrola chrysoptera</i> . .	{ 1856, 255 1856, 255 1850, 256 1850, 256
<i>Grymæomys scapulatus</i> .	{ 1860, 303 1860, 304 1859, 434	<i>cyaniventris</i>	{ 1856, 255 1856, 255 1850, 256 1850, 256
<i>Grypus spixi</i>	{ 1860, 304 1859, 434	<i>viridissima</i>	{ 1850, 256 1850, 256 1850, 256 1850, 256
<i>Gubernatrix cristatellus</i> .	{ 1859, 434 1850, 365 1859, 378 1859, 378 1857, 213 1859, 365 1859, 378	<i>Habroptila wallacii</i>	{ 1860, 365 1850, 265 1860, 386 1860, 386 1860, 386 1860, 386 1858, 188 1860, 386 1860, 386 1860, 386 1859, 96 1860, 387
<i>Guiraca cærulea</i>	{ 1850, 365 1859, 378 1857, 213 1859, 365 1859, 378	<i>bachmanni</i>	{ 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1858, 188 1860, 386 1860, 386 1860, 386 1859, 96 1860, 387
<i>concreta</i>	{ 1859, 378 1857, 213 1859, 365 1859, 378	<i>fuliginosus</i>	{ 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1858, 188 1860, 386 1860, 386 1860, 386 1859, 96 1860, 387
<i>melanocephala</i>	{ 1857, 213 1859, 365 1859, 378	<i>leucopus</i>	{ 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1858, 188 1860, 386 1860, 386 1860, 386 1859, 96 1860, 387
<i>parellina</i> ...	{ 1859, 365 1859, 378	<i>longirostris</i>	{ 1858, 188 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1858, 188 1860, 386 1860, 386 1860, 386 1859, 96 1860, 387
<i>Gymnetrus</i> —	{ 1849, 82 1849, 82 1849, 81 1849, 82 1849, 83 1860, 187 1860, 187	<i>luctuosus</i>	{ 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1858, 188 1860, 386 1860, 386 1860, 386 1859, 96 1860, 387
<i>ascanii</i>	{ 1849, 82 1849, 82 1849, 81 1849, 82 1849, 83 1860, 187 1860, 187	<i>niger</i>	{ 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1858, 188 1860, 386 1860, 386 1860, 386 1859, 96 1860, 387
<i>banksii</i>	{ 1849, 82 1849, 82 1849, 81 1849, 82 1849, 83 1860, 187 1860, 187	<i>ostralegus</i>	{ 1858, 188 1860, 258 1860, 386 1860, 386 1860, 386 1860, 386 1858, 188 1860, 386 1860, 386 1860, 386 1859, 96 1860, 387
<i>glesne</i>	{ 1860, 187 1860, 187	<i>townsendii</i>	{ 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1858, 188 1860, 386 1860, 386 1860, 386 1859, 96 1860, 387
<i>gryllii</i>	{ 1849, 81 1849, 82 1849, 83 1860, 187 1860, 187	<i>unicolor</i>	{ 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1860, 386 1858, 188 1860, 386 1860, 386 1860, 386 1859, 96 1860, 387
<i>hawkeni</i>	{ 1849, 80 1860, 187	<i>Hæmatornis cafer</i>	{ 1854, 48 1857, 85 1850, 217 1858, 98
<i>hawkinsii</i>	{ 1849, 79 1849, 82 1849, 82 1849, 82	<i>cheela</i>	{ 1857, 85 1850, 217 1858, 98
<i>northumbrius</i>	{ 1849, 82 1849, 82	<i>lugubris</i>	{ 1850, 217 1858, 98
<i>remipes</i>	{ 1849, 82 1859, 397 1859, 397	<i>Hæmophilæ rufescens</i> .	{ 1859, 380 1858, 98 1859, 154 1854, 208 1859, 150 1859, 151
<i>Gymnobucco bonapartæi</i> .	{ 1859, 397 1859, 397	<i>superciliosa</i>	{ 1858, 98 1859, 154 1854, 208 1859, 150 1859, 151
<i>calvus</i>	{ 1859, 397	<i>Halcyon albicilla</i>	{ 1859, 154 1854, 208 1859, 150 1859, 151

	Page		Page
<i>Halcyon brunniceps</i> . . .	1854, 268	<i>Haliichthys tæniophora</i> . . .	1859, 39
<i>cinereifrons</i> . . .	1860, 110	<i>Haliotis albicans</i> . . .	1856, 147
	1854, 269	<i>californiensis</i> . . .	1856, 223
<i>collaris</i>	1858, 171	<i>cracherodii</i> . . .	1856, 223
	1859, 151	<i>splendens</i> . . .	1856, 223
	1860, 346	<i>Haliplana fuliginosa</i> . . .	1859, 166
<i>diops</i>	1860, 346	<i>Halmaturus bennettii</i> . . .	1860, 323
<i>fulgidus</i> . . .	1857, 65		1859, 433
<i>funebis</i>	1860, 346	<i>billardieri</i>	1860, 323
<i>gural</i>	1854, 268		1860, 371
<i>javanica</i>	1854, 268	<i>brunnei</i>	1858, 106
<i>lazuli</i>	1860, 346	<i>ruficollis</i>	1860, 323
	1854, 268	<i>stigmaticus</i>	1860, 375
<i>leucocephalus</i> . . .	1859, 150	<i>thetidis</i>	1860, 323
	1859, 151		371
<i>pileatus</i>	1854, 268	<i>Hamadryas hannah</i> . . .	1855, 131
	1857, 25	<i>Haminea crocata</i>	1860, 19
	1858, 172		432
<i>sanctus</i>	1859, 154	<i>galba</i>	1860, 432
	1859, 160	<i>pusilla</i>	1860, 20
	1860, 346	<i>escula</i>	1856, 203
<i>semicærulea</i>	1860, 197	<i>Hapalot s albipes</i>	1851, 126
	1854, 268	<i>apicalis</i>	1851, 126
<i>smyrnensis</i>	1855, 28	<i>cervinus</i>	1851, 127
	1857, 88	<i>conditor</i>	1851, 127
	1858, 474	<i>gouldii</i>	1851, 127
<i>sordida</i>	1858, 172	<i>hemileucura</i>	1857, 243
<i>varia</i>	1854, 268	<i>hirsutus</i>	1851, 127
<i>(Syma^p) flavirostris</i> . . .	1850, 200	<i>longicaudatus</i>	1851, 127
<i>Haliaetus agria</i> . . .	1848, 112	<i>macrotis</i>	1851, 127
<i>albicollis</i>	1859, 435	<i>melanura</i>	1857, 243
	1859, 93	<i>mitchellii</i>	1851, 127
<i>erythronotus</i> . . .	1860, 384	<i>murinus</i>	1851, 127
	1858, 169	<i>r chardsonii</i>	1851, 127
<i>girrenera</i>	1854, 261	<i>Hapsidophrys cæruleus</i> . . .	1858, 161
<i>indus</i>	1854, 261	<i>lineatus</i>	1858, 160
<i>leucogaster</i>	1858, 169	<i>Harpa solidula</i>	1851, 173
	1858, 169	<i>stratula</i>	1853, 173
<i>leucosternus</i> . . .	1860, 342	<i>Harpactes diardi</i>	1859, 460
<i>lineatus</i>	1854, 259	<i>duvancelli</i>	1859, 459
<i>macei</i>	1858, 471	<i>kasumba</i>	1859, 460
	1859, 170	<i>Harpagus circumcinctus</i> . . .	1851, 43
<i>plumbeus</i>	1854, 260	<i>diodon</i>	1857, 261
<i>sphenurus</i>	1854, 261	<i>Harpes redivivus</i>	1859, 339
<i>vocifer</i>	1860, 197	<i>Harpiprion cayennensis</i> . . .	1858, 77
<i>(Cuncuma) leuco-</i>		<i>Harpohynchus crissalis</i> . . .	1859, 339
<i>gaster</i>	1860, 342	<i>cuvirostris</i>	1859, 339
	1857, 85	<i>lecontii</i>	1859, 339
<i>Haliastur indus</i> . . .	1858, 471	<i>longirostris</i>	1859, 362
	1859, 151	<i>redivivus</i>	1859, 339
	1859, 153	<i>rufus</i>	1859, 340
<i>leucosternus</i> . . .	1860, 342	<i>Harpula bullata</i>	1855, 62
<i>Halichoerus gryphus</i> . .	1848, 84	<i>carneolata</i>	1855, 59
<i>Halcore australis</i> . . .	1856, 352	<i>fulminata</i>	1855, 60
	1858, 107	<i>fulva</i>	1855, 59
<i>dugong</i>	1850, 157	<i>guineaica</i>	1855, 59
<i>Haligenes tristrami</i> . . .	1859, 471		
	476		

	Page		Page
<i>Harpula harpa</i>	1855, 61	<i>Helianthus clarisse</i>	1855, 140
<i>hebraea</i>	1855, 59	<i>mavors</i>	1848, 12
<i>lapponica</i>	1855, 60	<i>spencei</i>	1848, 12
<i>laevigata</i>	1855, 59	<i>strophianus</i>	1848, 12
<i>lyriformis</i>	1855, 60	1880, 95
<i>mitriformis</i>	1855, 61	<i>viola</i>	1853, 61
<i>musica</i>	1855, 59	<i>Helianthus spinescens</i>	1859, 481
<i>nodulosa</i>	1855, 59	<i>Helianthus aurigaster</i> ..	1855, 139
<i>nucleus</i>	1855, 61	<i>aurora</i>	1853, 61
<i>polyzonahs</i>	1855, 59	1848, 11
<i>sulcata</i>	1855, 59	<i>bonapartii</i>	1855, 139
<i>thiarella</i>	1855, 59	<i>eos</i>	1848, 11
<i>vexillum</i>	1855, 60	<i>helianthus</i>	1848, 11
<i>Harpura destructor</i>	1851, 61	<i>iris</i>	1853, 61
<i>Harrier, The Brown-</i>		<i>lutetiae</i>	1860, 81
<i>backed</i>	1851, 58	<i>typica</i>	1855, 139
<i>Chestnut</i>	1851, 58	<i>Helicella nitida</i>	1856, 136
<i>Hawk, Carracarra</i>	1851, 55	<i>Helicina acuta</i>	1848, 119
<i>The Bird</i>	1851, 58	<i>adamsiana</i>	1848, 119
<i>of the Cataracts, The</i>		<i>amena</i>	1848, 119
<i>Blue</i>	1851, 55	<i>articulata</i>	1853, 53
<i>Brown-backed Short-</i>		<i>aruna</i>	1850, 29
<i>winged</i>	1851, 60	<i>barbadensis</i>	1853, 50
<i>Fishing</i>	1851, 55	<i>beimana</i>	1850, 29
<i>Large Awl-beaked</i>		<i>besckei</i>	1848, 120
<i>Fish</i>	1851, 56	<i>bicolor</i>	1852, 146
<i>Large Sea-fishing</i> ..	1851, 58	<i>brevilabris</i>	1856, 380
<i>Laughing</i>	1851, 56	<i>bulia</i>	1852, 145
<i>Plaid-chested Short-</i>		<i>campanula</i>	1848, 120
<i>winged</i>	1851, 60	<i>chiapensis</i>	1856, 380
<i>Red-headed Carra-</i>		<i>cingulata</i>	1852, 141
<i>carra</i>	1851, 56	<i>concentrica</i>	1848, 120
<i>Small Awl-beaked</i>		<i>conoidea</i>	1853, 53
<i>Fish</i>	1851, 57	<i>constricta</i>	1848, 120
<i>Two-toothed Baridi</i>	1851, 60	<i>convexa</i>	1848, 120
<i>Yellow-cered Short-</i>		<i>cordillera</i>	1856, 328
<i>winged</i>	1851, 60	<i>cumingiana</i>	1848, 121
<i>Yellow-headed Car-</i>		<i>denticulata</i>	1855, 103
<i>racarra</i>	1851, 56	<i>diaphana</i>	1850, 98
<i>Hedurus androphora</i> ..	1858, 224	<i>dommicensis</i>	1851, 149
<i>siredonis</i>	1858, 225	<i>draytonensis</i>	1850, 392
	1855, 133	<i>dysonii</i>	1848, 121
	1856, 301	<i>egregia</i>	1855, 118
<i>Helymelas ludoviciana</i>	1859, 58	<i>electrina</i>	1850, 28
.....	1859, 365	<i>exigua</i>	1848, 121
	1860, 293	<i>foviata</i>	1853, 53
	1857, 213	<i>funckii</i>	1848, 121
<i>melanocephalus</i> ..	1858, 303	<i>ghiesbreghtii</i>	1856, 381
	1859, 365	<i>gonochila</i>	1848, 121
<i>Helarctos malayanus</i> ..	1849, 95	<i>gossei</i>	1848, 122
<i>tibetanus</i>	1858, 518	<i>gratiosa</i>	1856, 385
	1859, 435	<i>guldmgiana</i>	1848, 122
<i>Helodytes griseus</i>	1856, 97	<i>hanleyana</i>	1848, 122
<i>minor</i>	1856, 97	<i>heatei</i>	1856, 392
<i>Helictis bellis</i>	1858, 149	<i>heloise</i>	1856, 322
<i>Helianthus amethysti-</i>		<i>idæ</i>	1856, 389
<i>collis</i>	1848, 12	<i>mæqualis</i>	1859, 28
<i>clarisse</i>	1848, 12	<i>kieneri</i>	1848, 122

	Page		Page
<i>Helicina lindeni</i>	1848, 123	<i>Heliomaster longirostris</i>	1857, 16
<i>macgillivrayi</i>	1855, 102	<i>mesoleucus</i>	1853, 100
<i>merdugera</i>	1855, 102	<i>Heliophoca atlantica</i> ..	1854, 48
<i>merguensis</i>	1857, 111	<i>Heliothrix auriculatus</i> ..	1855, 87
<i>minuscule</i>	1859, 29	<i>auritus</i>	1855, 87
<i>modesta</i>	1853, 52	<i>barroti</i>	1855, 87
<i>norfolkensis</i>	1856, 391	<i>phaiolæma</i>	1855, 87
<i>notata</i>	1856, 323	<i>purpureiceps</i>	1855, 87
<i>oleosa</i>	1852, 141	<i>purpureiceps</i>	1860, 296
<i>orbigny</i>	1848, 123	<i>Heliotrypha parzudaki</i> ..	1855, 140
<i>oweniana</i>	1848, 123	<i>viola</i>	1859, 145
<i>paraensis</i> ..	1859, 28	<i>viola</i>	1860, 63
<i>pictella</i> ..	1856, 392	<i>Helix abjecta</i> ..	1854, 185
<i>pisum</i> ..	1857, 162	<i>abnormis</i> ..	1854, 56
<i>plicatula</i> ..	1848, 123	<i>acalles</i> ..	1856, 327
<i>reeveana</i> ..	1848, 123	<i>acmella</i> ..	1860, 135
<i>repanda</i> ..	1856, 101	<i>actinophora</i> ..	1854, 180
<i>riparia</i> ..	1853, 53	<i>acutimargo</i> ..	1860, 8
<i>rohri</i> ..	1848, 124	<i>adamsi</i> ..	1850, 53
<i>rubella</i> ..	1853, 60	<i>adelaidæ</i> ..	1856, 387
<i>rudis</i> ..	1855, 102	<i>advena</i> ..	1854, 165
<i>rufa</i> ..	1856, 392	<i>æquatorialis</i> ..	1860, 133
<i>salleana</i> ..	1852, 141	<i>ærginosa</i> ..	1854, 56
<i>sanguinea</i> ..	1848, 124	<i>afia</i> ..	1854, 36
<i>shanghaiensis</i> ..	1855, 102	<i>africana</i> ..	1849, 128
<i>sowerbiana</i> ..	1848, 124	<i>aglaia</i> ..	1854, 289
<i>sphæroidea</i> ..	1855, 102	<i>alata</i> ..	1856, 33
<i>spumifera</i> ..	1855, 118	<i>albersiana</i> ..	1851, 147
<i>sprucei</i> ..	1857, 111	<i>albersii</i> ..	1854, 192
<i>suavis</i> ..	1856, 385	<i>albicans</i> ..	1849, 127
<i>sublaevigata</i> ..	1852, 141	<i>albicostis</i> ..	1860, 134
<i>tenulabris</i> ..	1848, 124	<i>albizonata</i> ..	1858, 133
<i>tenuris</i> ..	1848, 124	<i>alpha</i> ..	1852, 58
<i>turbinella</i> ..	1855, 103	<i>amazonica</i> ..	1854, 286
<i>unidentata</i> ..	1848, 125	<i>ambigua</i> ..	1853, 186
<i>versicolor</i> ..	1851, 149	<i>ammiralis</i> ..	1856, 328
<i>virens</i> ..	1856, 339	<i>ammonoceras</i> ..	1854, 54
<i>zebrulata</i> ..	1855, 101	<i>angelica</i> ..	1856, 33
(<i>Alcudia</i>) <i>rhamphostyla</i> ..	1856, 391	<i>annatonensis</i> ..	1854, 288
(<i>Trochatella</i>) <i>semi-lunata</i> ..	1848, 124	<i>annulifera</i> ..	1851, 260
<i>Helicohmax lamarekui</i> ..	1854, 164	<i>anomala</i> ..	1848, 110
<i>Helicomela bowdichiana</i> ..	1854, 172	<i>antrorsa</i> ..	1855, 113
<i>punctulata</i> ..	1854, 172	<i>aphrodite</i> ..	1859, 26
<i>Helictis nipalensis</i> ..	1853, 191	<i>apollo</i> ..	1860, 133
<i>Helictis nipalensis</i> ..	1856, 398	<i>appendiculata</i> ..	1854, 149
<i>Helictis nipalensis</i> ..	1849, 96	<i>arcinella</i> ..	1854, 181
<i>Heliodoxa jacula</i> ..	1855, 139	<i>arcta</i> ..	1854, 180
<i>jamesoni</i> ..	1860, 94	<i>areolata</i> ..	1850, 53
<i>leadbeateri</i> ..	1849, 96	<i>arguta</i> ..	1856, 327
<i>leadbeateri</i> ..	1857, 16	<i>armida</i> ..	1853, 58
<i>otero</i> ..	1849, 96	<i>armillata</i> ..	1854, 170
<i>rubina</i> ..	1849, 96	<i>armitageana</i> ..	1854, 179
<i>rubinoides</i> ..	1849, 96	<i>aridens</i> ..	1854, 180
<i>Helomaster constantii</i> ..	1856, 140	<i>aspersa</i> ..	1850, 53
<i>longirostris</i> ..	1856, 140	<i>atata</i> ..	1852, 153
		<i>attrita</i> ..	1854, 188
		<i>audebardi</i> ..	1851, 147
		<i>aulica</i> ..	1852, 56

	Page		Page
<i>Helix anricula</i>	1855, 1	<i>Helix castrensis</i>	1856, 383
<i>aurs</i>	1854, 286	<i>catenifera</i>	1852, 162
<i>aurs-judæ</i>	1854, 7	<i>cellaria</i>	1854, 177
<i>aurs-midæ</i>	1854, 7	<i>ceres</i>	1853, 49
<i>avus</i>	1852, 83	<i>ceroides</i>	1853, 58
<i>bactriana</i>	1850, 186	<i>chamissoi</i>	1855, 91
<i>barrakporensis</i>	1852, 156	<i>charpentieri</i>	1853, 127
<i>basidentata</i>	1856, 320	<i>cheiranthicola</i>	1854, 187
<i>baskervillei</i>	1849, 130	<i>chiapensis</i>	1856, 377
<i>batesi</i>	1867, 135	<i>chimmoi</i>	1856, 328
<i>bella</i>	1854, 145	<i>chionodiscus</i>	1856, 387
<i>beta</i>	1852, 58	<i>chrysomela</i>	1854, 167
<i>bicarinata</i>	1854, 180	<i>ciliosa</i>	1859, 25
<i>biciliata</i>	1855, 112	<i>cimex</i>	1854, 288
<i>bicolor</i>	1854, 170	<i>circe</i>	1853, 49
<i>biconcava</i>	1852, 149	<i>cleryi</i>	1856, 385
<i>bicurvis</i>	1857, 109	<i>coagulata</i> ..	1856, 82
<i>bifrons</i>	1854, 178	<i>coarctata</i> ..	1849, 128
<i>binaria</i>	1856, 33	<i>cobresiana</i> ..	1854, 181
<i>birmana</i>	1857, 107	<i>coffa</i> ..	1855, 111
<i>bisulcata</i>	1852, 135	<i>columbiana</i>	{ 1850, 53
<i>bituberculata</i>	1852, 153	{ 1856, 220	
<i>bogotensis</i>	1854, 288	<i>commixta</i>	1854, 184
<i>bombycina</i>	1854, 54	<i>compacta</i>	1854, 184
<i>bornensis</i>	1849, 127	<i>compar</i>	1854, 105
<i>bougainvillei</i>	1860, 133	<i>concavospira</i> ..	1853, 124
<i>bourciei</i>	1852, 153	<i>conferta</i>	1850, 328
<i>bourgnignatii</i>	1856, 387	<i>confusa</i>	1855, 112
<i>bowdichiana</i>	1854, 172	<i>congrua</i>	1858, 21
<i>brardiana</i>	1851, 253	<i>connivens</i>	1849, 130
<i>brevibarbis</i>	1859, 25	<i>conicoides</i>	1851, 71
<i>brevipila</i>	{ 1849, 130	<i>concomphala</i>	1853, 59
{ 1850, 385		<i>consors</i>	1854, 184
<i>bridwilli</i>	{ 1853, 40	<i>consul</i>	1854, 289
{ 1855, 114		<i>continua</i>	1853, 128
<i>brookei</i>	1851, 70	<i>convexiuscula</i>	1855, 91
<i>bullacea</i>	1854, 53	<i>cordovana</i> ..	1856, 318
<i>bulveriana</i>	1854, 192	<i>coronata</i>	1854, 104
<i>busbyi</i>	1849, 166	<i>coronula</i>	1854, 194
<i>cæcilia</i>	1855, 92	<i>corrugata</i>	1854, 108
<i>calabrica</i>	1856, 327	<i>costata</i> ...	{ 1854, 176
<i>calathus</i>	1854, 178	{ 1856, 180	
<i>calcareo</i>	{ 1848, 110	<i>costulifera</i>	1854, 287
{ 1854, 171		<i>costulosa</i>	1852, 136
<i>calculus</i>	{ 1854, 140	<i>crassidens</i>	1854, 148
{ 184, 184		<i>crebriflammis</i>	1852, 148
<i>californensis</i>	{ 1850, 55	<i>crystallina</i> ..	1854, { 177
{ 1850, 220		{ 178	
<i>calva</i>	1854, 183	<i>cumulus</i>	1854, 145
<i>camelus</i>	1855, 111	<i>curvidens</i>	1854, 147
<i>canicalensis</i>	1854, 173	<i>damahoyi</i>	1854, 328
<i>caperata</i>	1854, 169	<i>darnaudi</i>	1856, 327
<i>capitanea</i>	1854, 49	<i>dealbata</i>	1854, 196
<i>capsella</i>	1854, 181	<i>decidua</i>	1857, 108
<i>carneola</i>	1854, 148	<i>deflorata</i>	1854, 170
<i>carychium</i>	1854, 33	<i>delphinula</i> ..	1854, 193
<i>caseus</i>	1860, 134	<i>delta</i>	1856, 386
<i>casta</i>	1848, 110	<i>dennisoni</i>	1853, 57

	Page		Page
<i>Helix depauperata</i>	1854, 174	<i>Helix goniomphala</i>	1854, 147
<i>difficilis</i>	1853, 127	<i>granum</i>	1857, 107
<i>dillwyniana</i>	1851, 254	<i>greenwoodii</i>	1849, 165
<i>dimorpha</i>	1852, 148	<i>grevillei</i>	1856, 387
<i>discina</i>	1854, 190	<i>grimardi</i>	1856, 385
<i>ductilis</i>	1850, 385	<i>groviana</i>	1854, 168
<i>dunkeri</i>	1852, 157	<i>guayaquilensis</i>	1852, 152
<i>dunnæ</i>	1849, 165	<i>guenzii</i>	1856, 329
<i>duplicata</i>	1854, 186	<i>guermeana</i>	1854, 176
<i>dupuyana</i>	1852, 159	<i>guttata</i>	1853, 58
<i>echinulata</i>	1854, 186	<i>harnesi</i>	1856, 32
<i>egesta</i>	1849, 166	<i>heldiana</i>	1852, 148
<i>elegantissima</i>	1853, 179	<i>helicinoides</i>	1856, 385
<i>ellipsostoma</i>	1854, 288	<i>helictomphala</i>	1856, 377
<i>emiliana</i>	1852, 83	<i>heroica</i>	1855, 114
<i>entodonta</i>	1859, 24	<i>hetæra</i>	1860, 184
<i>epsilon</i>	1852, 57	<i>hispana</i>	1854, 169
<i>erubescens</i>	1854, 165	<i>hombroni</i>	1856, 382
<i>eta</i>	1852, 57	<i>hondana</i>	1854, 53
<i>euspira</i>	1854, 54	<i>horionophala</i>	1854, 146
<i>eustoma</i>	1856, 383	<i>huahneinsis</i>	1853, 59
<i>eva</i>	1852, 84	<i>hyæna</i>	1854, 165
<i>exalbida</i>	1854, 166	<i>hyphasma</i>	1853, 124
<i>exaltata</i>	1855, 113	<i>hypopolia</i>	1852, 148
<i>exarata</i>	1857, 108	<i>hystricella</i>	1859, 25
<i>excisa</i>	1854, 54	<i>ide</i>	1849, 166
<i>exserta</i>	1856, 32	<i>ignava</i>	1855, 92
<i>fanelleni</i>	1856, 382	<i>inaequalis</i>	1854, 286
<i>fanula</i>	1856, 33	<i>incisa</i>	1860, 401
<i>farrisi</i>	1859, 23		408
<i>fatua</i>	1857, 107		413
<i>fausta</i>	1854, 182	<i>infans</i>	1854, 290
<i>fictilis</i>	1854, 196	<i>intusphcata</i>	1850, 98
<i>fidelis</i>	1856, 220	<i>iota</i>	1852, 57
<i>flammigera</i>	1852, 147	<i>isabellina</i>	1854, 52
<i>flexilabris</i>	1856, 382	<i>isis</i>	1860, 183
<i>flexuosa</i>	1855, 112	<i>isodon</i>	1852, 84
<i>fluctuosa</i>	1854, 167	<i>jacquinoti</i>	1849, 123
<i>forsteriana</i>	1851, 254	<i>jaspidea</i>	1859, 24
<i>foveata</i>	1853, 126	<i>jeffreysiana</i>	1852, 148
<i>fraseri</i>	1850, 244	<i>juliformis</i>	1854, 194
<i>fricki</i>	1858, 21	<i>kappa</i>	1852, 58
<i>fringilla</i>	1855, 113	<i>kawaiensis</i>	1854, 52
	1856, 385	<i>kelletti</i>	1850, 55
<i>fucata</i>	1853, 59	<i>keppellii</i>	1854, 50
<i>funiculata</i>	1854, 147	<i>kermadeci</i>	1856, 326
<i>furva</i>	1854, 165	<i>labyrinthus</i> , var. <i>si-</i>	
<i>gilestostoma</i>	1849, 130	<i>punculata</i>	1850, 53
<i>gamma</i>	1852, 57	<i>lacera</i>	1853, 126
<i>ganoma</i>	1853, 124		1850, 244
<i>gartneriana</i>	1851, 253	<i>laciniosa</i>	1854, 174
<i>gaskoini</i>	1851, 260		243
<i>gemma</i>	1848, 109	<i>lactea</i>	1850, 244
<i>generalis</i>	1854, 123	<i>læta</i>	1854, 287
<i>gramica</i>	1854, 173	<i>lais</i>	1853, 49
<i>glaberrima</i>	1854, 52	<i>lalloensis</i>	1855, 111
<i>glabruscula</i>	1851, 262	<i>lambda</i>	1852, 57
<i>glutinosa</i>	1851, 70	<i>lamellosa</i>	1858, 22

	Page		Page
<i>Helix lampra</i>	1854, 53	<i>Helix moretonensis</i>	1854, 52
<i>lapidica</i>	1854, 197	<i>mormonum</i>	1857, 109
<i>latens</i>	1854, 174	1855, 113
<i>launcestonensis</i>	1852, 31	<i>motacilla</i>	1856, 385
<i>layardi</i>	1851, 253	<i>mozambicensis</i>	1855, 91
<i>lenticula</i>	1854, 193	<i>mucida</i>	1856, 329
<i>lentiginosa</i>	1854, 180	<i>mucronata</i>	1852, 149
<i>leonina</i>	1854, 168	<i>muhlfeldtiana</i>	1852, 156
<i>leptosticta</i>	1854, 195	<i>muralis</i>	1854, 167
<i>leucorhapha</i>	1851, 147	<i>murina</i> ..	1856, 384
<i>leucostyla</i>	1855, 112	<i>mustelina</i>	1854, 186
<i>lightfootii</i>	1852, 158	<i>nævia</i>	1854, 61
<i>linctæ</i> ..	1854, 189	<i>nagporensis</i>	1860, 135
<i>lundstedti</i>	1856, 387	<i>nasuta</i>	1851, 70
<i>liratula</i>	1860, 195	<i>navigatorium</i>	1854, 55
<i>liturata</i>	1851, 253	<i>nematophora</i>	1854, 49
<i>livesayi</i>	1860, 134	<i>nepos</i>	1855, 91
<i>lombei</i> ..	1856, 382	<i>newcombi</i>	1854, 51
<i>lowei</i> ..	1854, { 169	<i>niciensis</i> ..	1854, 166
	170	<i>nickliniana</i> ..	1856, 220
<i>lucida</i> ..	1854, 177	<i>niphas</i>	1857, 108
<i>ludersi</i>	1855, 112	<i>nitida</i>	1854, 177
<i>lurida</i>	1854, { 173	<i>nutidiuscula</i>	1854, 173
	174		174
<i>lutacea</i>	1857, 108	<i>nyvosa</i>	1854, 166
<i>lutea-cornea</i>	1854, 56	<i>nobilis</i> ..	1849, 127
<i>lyelliana</i>	1854, 191	<i>novæ-hollandiæ</i> ..	1856, 385
<i>macandrewiana</i> ..	1853, 57	<i>novella</i>	1854, 50
<i>maculosa</i>	1850, 243	<i>nucleus</i>	1854, 31
<i>maderensis</i>	1854, 195	<i>nuda</i>	1852, 83
<i>majuscula</i>	1856, 381	1850, 53
<i>malaccana</i>	1854, 147	<i>nuttalliana</i>	1856, 220
<i>mansueta</i>	1854, 57	<i>nymphea</i>	1849, 129
<i>margarita</i>	1851, 189	<i>oblita</i>	1851, 263
<i>marmatensis</i> ..	1854, 57	<i>obscurata</i>	1854, 182
<i>martinii</i>	1854, 149	<i>obtecta</i>	1854, 175
<i>matura</i>	1855, 92	<i>œnostoma</i>	1854, 167
<i>mauritiana</i>	1852, 149	<i>omega</i>	1852, 56
<i>maxima</i>	1853, 48	<i>omissa</i>	1856, 32
<i>mediocris</i>	1854, 51	<i>ophelia</i>	1854, 146
<i>meleagris</i>	1855, 107	<i>ophiria</i>	1856, 326
<i>membranacea</i>	1854, 165	<i>oregonensis</i> ..	1856, 220
<i>membranica</i>	1854, 55	<i>ornatella</i> ..	1850, 53
<i>mendicaria</i> ..	1860, 136	<i>otostoma</i>	1851, 260
<i>mechambensis</i>	1856, 328	<i>oweniana</i>	1853, 49
<i>merziana</i> ..	1852, 135	<i>oxytrepis</i> ..	1854, 186
<i>meta</i> ..	1856, 381	<i>pacimana</i>	1854, 167
<i>micans</i> ..	1853, 109	<i>pagodula</i> ..	1854, 145
<i>richaudi</i> ..	1854, 170	<i>palawanica</i> ..	1855, 107
<i>micromphala</i>	1854, 195	<i>pandoræ</i> ..	1850, 55
<i>microspira</i>	1853, 127	<i>papilio</i>	1854, 190
.....	{ 1855, 108	<i>partita</i>	1853, 125
<i>migratoria</i> ..	1856, 385	<i>patasensis</i>	1859, 24
<i>miguilina</i>	1856, 33	<i>patricia</i> ..	1850, 23
<i>militaris</i> ..	1855, 111	<i>paupercula</i>	1854, 175
<i>minerva</i>	1852, 84	<i>periferi</i> ..	1856, 385
<i>monacha</i>	1859, 25	<i>phædra</i> ..	1852, 138
<i>monsoni</i>	1849, 126	<i>phlebophora</i>	1854, 166

	Page
<i>Helix philogophora</i>	1849, 127
<i>phthisica</i>	1856, 383
<i>pinicola</i>	1854, 287
<i>purriana</i>	1854, 55
<i>pisana</i>	1854, 171
<i>plagioglossa</i>	1859, 26
<i>plagiostoma</i>	1856, 381
<i>planorbis</i>	1860, 8
<i>plattii</i>	1854, 51
<i>platystyla</i>	1849, 130
<i>pluculosa</i>	1856, 386
<i>poecilocostata</i> ..	1852, 147
<i>poiretiana</i>	1851, 254
<i>politissima</i>	1853, 125
<i>polymorpha</i>	1854, 187
<i>portia</i>	1849, 165
<i>portosanctana</i> ..	1854, 169
<i>praestans</i>	1853, 126
<i>procera</i>	1853, 127
<i>propinqua</i>	1857, 109
<i>pruinosa</i>	1852, 139
<i>psammophora</i> ..	1854, 166
<i>ptychomphala</i> ..	1851, 254
<i>ptychostyla</i>	1860, 8
<i>pubescens</i>	1851, 147
<i>pulchella</i>	1854, 176
{ 1854, 177	
{ 1856, 186	
<i>pulvinata</i>	1854, 188
<i>punctulata</i>	1854, 172
<i>purchasi</i>	1858, 21
<i>purpurascens</i> ..	1853, 126
<i>pusilla</i>	1854, 176
<i>pythia</i>	1850, 147
<i>pyxis</i>	1856, 385
<i>quercina</i>	1856, 382
<i>quitensis</i>	1854, 49
<i>radians</i>	1851, 252
<i>radiaria</i>	1854, 55
<i>radiatula</i>	1854, 177
<i>rapida</i>	1853, 58
<i>recedens</i>	1849, 129
<i>redfieldi</i>	1852, 83
<i>reglis</i>	1851, 70
<i>regularis</i>	1854, 50
<i>rehbeinii</i>	1852, 84
<i>rejecta</i>	1859, 25
<i>resplendens</i>	1851, 70
<i>rhea</i>	1855, 111
<i>rhodostoma</i>	1854, 171
<i>richmondiana</i> ..	1851, 252
<i>rosarium</i>	1849, 131
<i>rotula</i>	1854, 183
<i>rotundata</i>	1854, 176
<i>saccata</i>	1854, 49
{ 1855, 114	
<i>sachalensis</i>	1856, 385
<i>salleana</i>	1849, 129

	Page
<i>Helix sandvicensis</i> ...	1849, 128
<i>sannio</i>	1854, 57
<i>santanaensis</i>	1854, 52
<i>scabra</i>	1854, 168
<i>scarabæus</i>	1850, { 147
{ 148	
<i>scepasma</i>	1854, 57
<i>schumacheriana</i> ..	1851, 70
<i>sciadium</i>	1857, 108
<i>scintilla</i>	1854, 177
<i>scytodes</i>	1854, 56
<i>sebacea</i>	1856, 383
<i>selenostoma</i>	1852, 152
<i>semiconvexa</i>	1854, 55
<i>semidecussata</i> ..	1851, 252
<i>senilis</i>	1854, 189
<i>serculata</i>	1849, 127
<i>shanghaiensis</i> ..	1853, 59
<i>shiplayi</i>	1856, 327
<i>siamensis</i>	1856, 32
<i>simularis</i>	1860, 8
<i>singularis</i>	1854, 289
<i>solida</i>	1851, 263
<i>solidula</i>	1854, 148
<i>sophia</i>	1854, 152
<i>souleyetiana</i>	1851, 252
<i>sphaerula</i>	1854, 185
<i>spirorbis</i>	1854, 195
<i>squalida</i>	1854, 174
<i>stellaris</i>	1854, 180
<i>stumpsoni</i>	1854, 149
<i>strangei</i>	1848, 108
<i>striata</i>	1854, 170
<i>strigella</i>	1856, 186
<i>striolata</i>	1860, 439
<i>strongylodes</i>	1854, 53
<i>strumosa</i>	1852, 139
<i>sturmiana</i>	1851, 253
<i>stutchburyi</i>	1856, 386
<i>subangula</i>	1854, 53
<i>subcononidea</i>	1854, 51
<i>subdecussata</i> ..	1857, 107
<i>subfusca</i>	1848, 109
<i>subopaca</i>	1853, 125
<i>subplicata</i>	1854, 171
<i>subrudis</i>	1854, 287
<i>subrugata</i>	1851, 259
<i>subtecta</i>	1855, 91
<i>subtilis</i>	1854, 196
<i>subvitrea</i>	1854, 148
<i>sulphurea</i>	1859, 492
<i>swiftii</i>	1854, 51
<i>tabellata</i>	1854, 189
<i>tapeina</i>	1860, 9
<i>tectiformis</i>	1850, 244
{ 1854, 192	
<i>testudinalis</i>	1854, 191
<i>testudo</i>	1853, 21

	Page		Page
<i>Helix textrix</i>	1855, 92	<i>Helminthophaga celata</i> {	1858, 298
<i>thomasi</i>	1854, 54	{	1859, 235
<i>thwaitesi</i> ..	1853, 125	{	1859, 373
<i>tiarella</i>	1854, 194	<i>peregrina</i>	1859, 373
<i>tomentosa</i>	1854, 289	<i>ruficapilla</i>	1859, 363
<i>tourannensis</i> ..	1860, 8	{	373
<i>townsendiana</i>	{ 1850, 53	<i>Helmitheros celatus</i> ..	1857, 212
{	1856, 220	<i>chrysopterus</i>	1855, { 133
<i>tralli</i>	1855, 107	{	143
<i>tricolor</i> ..	1849, 129	<i>rubricapillus</i>	1856, 291
<i>triflora</i>	1853, 125	<i>soltarius</i> ...	1856, 291
<i>tristrami</i>	1860, 136	<i>sp. nov ?</i>	1856, 291
<i>turneri</i>	1860, 135	<i>vermivorus</i> ..	1859, 363
<i>turricula</i>	{ 1850, 244	<i>Heloderma horrida</i>	1857, 62
{	1854, 186	<i>Helotarsus ecaudatus</i> ..	1850, 215
<i>umbraculum</i>	1852, 147	<i>Hemicercus brunneus</i> ..	1859, 457
<i>undata</i>	{ 1850, 244	<i>concretus</i>	1859, 455
{	1854, 168	<i>Hemichelidon fuligino-</i>	1858, 493
<i>undina</i>	1856, 34	<i>sa</i> ...	{ 1859, 182
<i>undulata</i>	1860, 7	{	1854, 270
<i>urnula</i>	1854, 49	<i>latirostris</i>	1859, 151
<i>ursina</i> ..	1856, 384	<i>Hemidactylus angulatus</i>	1858, 157
<i>ustulata</i> ..	1854, 171	<i>formosus</i> ..	1858, 157
<i>vallicola</i>	1854, 289	<i>Hemipekten forbesianus</i> ..	1848, 133
<i>vancouverensis</i> ..	1856, 220	<i>Hemiparis bakewellii</i> ..	1859, 119
<i>vargasiana</i>	{ 1848, 109	<i>emilia</i>	1850, 16
{	1854, 172	<i>ida</i> ..	1856, 16
<i>varicosa</i>	1852, 148	<i>insularis</i>	1856, 16
<i>vellicata</i> ..	1850, 55	<i>Hemiplacuna rozieri</i> ..	1849, 124
<i>venulata</i> ..	1857, 108	<i>Hemisalamandra cristata</i>	1858, 143
<i>veracruzensis</i>	1856, 318	<i>marmorata</i> ..	1858, 140
<i>vermetiformis</i>	1854, 186	<i>Hemispingus rubrirostris</i>	1856, 92
<i>veronica</i>	1853, 58	<i>superciliaris</i>	1856, 93
<i>verrucula</i> ..	1854, 50	<i>veneris</i>	1856, 90
<i>vexillaris</i> ..	1855, 113	<i>Hemisthirus guttatum</i> ..	1858, 343
<i>vieta</i>	1854, 167	<i>Hemithraupis flavirostris</i>	1856, 110
<i>vilis</i>	1851, 263	<i>guira</i> ..	1856, 109
<i>villaris</i> ..	1854, 146	<i>melanoxantha</i>	1856, 110
<i>v. pera</i> ..	1850, 24	<i>peruana</i>	1856, 111
<i>vitellina</i>	1848, 109	<i>ruficeps</i>	1856, 111
<i>vitensis</i>	1855, 108	<i>Hemitragus jemlaicus</i> ..	{ 1856, 404
<i>vittata</i>	1851, 70	{	1858, 523
<i>volutella</i>	1856, 33	<i>quadrimammis</i>	1856, 404
<i>vulcan'a</i>	1854, 108	<i>Hemitriton alpestris</i>	1858, 142
<i>vulgata</i>	1854, 173	<i>asper</i>	1858, 139
<i>wallacei</i>	1858, 20	<i>bibronii</i>	1858, 139
<i>webbiana</i>	1854, 197	<i>cinereus</i>	1858, 139
<i>wollastoni</i> ..	1854, 198	<i>punctulatus</i> ..	1858, 139
<i>woodiana</i> ..	1851, 254	<i>rugosus</i> ..	1858, 139
<i>xiphias</i> ..	1856, 383	<i>Hemicocichla auricapilla</i> ..	1853, 203
<i>yatesi</i>	1855, 92	<i>Hemicopernis longicauda</i>	1850, 153
<i>yorkensis</i>	1854, 145	<i>Henucha? delegorguei</i> ..	1849, 59
<i>zollingeri</i> ..	1852, 159	<i>grinamia</i> ..	1849, 59
<i>zosterophora</i> ..	1854, 146	<i>? smilax</i> ..	1849, 59
(<i>Carocolla</i>) <i>zelandica</i>	1849, 165	<i>Heptathya aubryi</i> ..	1860, 315
(<i>Nanina</i>) <i>dohrniana</i>	1860, 136	<i>Hermes nassatella</i> ..	1853, 117
(—) <i>mouhoti</i> ..	1860, 136	<i>spectabilis</i>	1853, 117
(<i>Zemites</i>) <i>coma</i>	1849, 166	<i>violaceus</i>	1853, 117

	Page		Page
<i>Herodias alba</i>	1853, 503	<i>Herpsilochmus argenta-</i>	
<i>albolineata</i>	1859, 166	<i>tus</i>	1853, 250
<i>bubulcus</i>	1853, 503	<i>pectoralis</i>	1857, 132
<i>candidissima</i>	1857, 233	<i>pileatus</i>	1858, 233
<i>egretta</i>	1859, 369	<i>rufimarginatus</i>	1857, 132
<i>flavicollis</i>	1860, 253	<i>des</i>	1858, 233
<i>garzetta</i>	1830, 364	<i>Hesperiphona icterio-</i>	1858, 483
<i>leuce</i>	1859, 150	<i>arviculoides</i>	1859, 178
<i>picata</i>	1857, 236	<i>Hesperomys albigularis</i>	1860, 264
<i>Herpestes badius</i>	1838, 188	<i>arviculoides</i>	1860, 262
<i>fasciatus</i>	1849, 11	<i>aureus</i>	1860, 219
<i>1849, 28</i>		<i>bicolor</i>	1860, 217
<i>1859, 212</i>		<i>bimaculatus</i>	1860, 221
<i>1860, 156</i>		<i>caliginosus</i>	1860, 263
<i>1852, 89</i>		<i>cephalotes</i>	1858, 548
<i>1853, 516</i>		<i>darwinii</i>	1860, 221
<i>1859, 436</i>		<i>elegans</i>	1830, 213
<i>1860, 416</i>		<i>latimanus</i>	1860, 263
<i>1860, 442</i>		<i>longicaudatus</i>	1858, 548
<i>mutigella</i>	1849, 11	<i>longipilus</i>	1860, 221
<i>nepalensis</i>	1860, 416	<i>maculipes</i>	1860, 262
<i>nyula</i>	1856, 397	<i>minutus</i>	1860, 215
<i>ochraceus</i>	1853, 516	<i>nasutus</i>	1860, 221
<i>punctulatus</i>	1848, 138	<i>renggei</i>	1860, 262
<i>smithii</i>	1849, 11	<i>squampes</i>	1858, 548
<i>vitticollis</i>	1851, 131	<i>tumidus</i>	1860, 221
<i>Herpetodryas bernieri</i>	1850, 156	<i>Hesta splendens</i>	1860, 8
<i>biserialis</i>	1858, 380	<i>vallicola</i>	1860, 8
<i>1860, 97</i>		<i>Heterocardia cumingii</i>	1854, 339
<i>boddaerti</i>	1860, 452	<i>fabagella</i>	1854, 340
<i>1859, 412</i>		<i>gibbosula</i>	1854, 340
<i>1860, 233</i>		<i>Heterocnemis albigularis</i>	1858, 67
<i>1860, 452</i>		<i>bambula</i>	1855, 146
<i>1860, 456</i>		<i>marginata</i>	1855, 145
<i>flavigularis</i>	1860, 452	<i>nævia</i>	1858, 247
<i>frenatus</i>	1860, 163	<i>Heterocyathus æquicos-</i>	
<i>fuscus</i>	1859, 89	<i>tatus</i>	1849, 77
<i>margaritiferus</i>	1859, 412	<i>cochlea</i>	1849, 77
<i>quadrilineatus</i>	1853, 380	<i>eupsammides</i>	1849, 77
<i>1859, 412</i>		<i>hemisphaerica</i>	1849, 77
<i>1860, 452</i>		<i>rousseanus</i>	1849, 77
<i>1860, 456</i>		<i>Heterodon diadema</i>	1859, 80
<i>rappii</i>	1860, 456	<i>diversidens</i>	1851, 216
<i>Herpeton tentaculatum</i>	1860, 114	<i>Heteroglossa africana</i>	1858, 165
<i>1860, 156</i>		<i>Heterolepis bicarinatus</i>	1858, 162
<i>Herpetoreas sieboldii</i>	1860, 163	<i>poensis</i>	1858, 162
<i>1860, 167</i>		<i>Heteronotus triangularis</i>	1858, 161
<i>1860, 171</i>		<i>Heteropelma amazonum</i>	1860, 466
<i>1855, 134</i>		<i>aurifrons</i>	1860, 467
<i>1857, 201</i>		<i>flavicapillum</i>	1860, 466
<i>1859, 52</i>			467
<i>Herpetotheres cachin-</i>	1859, 368		
<i>nans</i>	1859, 368		
<i>1860, 389</i>			
<i>1860, 238</i>			
<i>1860, 298</i>			

	Page		Page
<i>Heteropelma rufo-oliva-</i>		<i>Hipponyx panamensis</i> .	1856, 3
<i>ceum</i>	1860, 467	<i>radiatus</i>	1856, 4
<i>turdinum</i>	1860, 467	<i>serratus</i>	1856, 3
<i>unicolor</i>	1860, 467	<i>subrufus</i>	1856, 4
<i>verae-pacis</i>	1860, { 300	<i>tuberculatus</i>	1856, 4
	467	(<i>Amalthea</i>) <i>effodiens</i>	1856, 4
<i>Heterornis pyrrhogenys</i> .	1860, 355	(—) <i>grayanus</i> . .	1856, 4
<i>Heterura sylvana</i>	1859, 185	<i>Hippopotamus amphi-</i>	{ 1849, 163
<i>Heterurus arctifasciatus</i> .	1858, 380	<i>bius</i>	{ 1850, 160
<i>gaimardii</i>	1858, 380		{ 1860, 195
<i>rufescens</i>	1858, 161	<i>Hipposideros armiger</i> .	1856, 394
<i>Hexabanchus nebulosus</i> .	1860, 33	<i>aruensis</i>	1858, 107
<i>pulchellus</i>	1860, 33	<i>insignis</i>	1858, 108
<i>Hiaticula azarae</i>	1860, 298	<i>speoris</i>	1858, 108
<i>cantiana</i>	1860, 372	<i>Hircus megaceos</i>	1858, 525
<i>collaris</i>	1860, 290	<i>Hirundinea ferruginea</i> .	1855, 150
<i>falklandica</i>	1860, 386	<i>Hirundo albicollis</i> . .	1854, 110
<i>inornata</i>	{ 1858, 187	<i>apus</i>	1857, 13
	{ 1860, 363	<i>bicolor</i>	1860, 131
<i>philippina</i>	{ 1858, 505	<i>brevirostris</i>	1858, 171
<i>rufinella</i>	{ 1859, 188	<i>collaris</i>	1854, 110
<i>Hiaticula lamarchii</i> . . .	1858, 505	<i>daurica</i>	{ 1858, 494
<i>Hierax caerulescens</i> . .	{ 1858, 52		{ 1859, 175
	{ 1854, 258	<i>domicola</i>	{ 1854, 264
<i>malayensis</i>	{ 1860, 343		{ 1855, 29
<i>Hierocoteyx varius</i> . . .	1854, 258	<i>filifera</i>	{ 1857, 88
<i>Himantopus candidus</i> . .	1859, 459		{ 1858, 494
<i>mexicanus</i>	1858, 505		{ 1859, 175
<i>nigricollis</i>	{ 1857, 237	<i>flavigastra</i>	1860, 292
	{ 1857, 206	<i>frontalis</i>	1859, 154
<i>Himella fluviatilis</i> . . .	{ 1860, 290	<i>fuciphaga</i>	1858, 171
<i>Hindsia acuminata</i> . . .	1860, 203	<i>gutturalis</i>	{ 1854, 264
<i>angicostata</i>	1853, 182		{ 1860, 345
<i>bitubercularis</i>	1860, 142	<i>javanica</i>	{ 1854, 264
<i>carduus</i>	1853, 183		{ 1860, 345
<i>egregia</i>	1853, 182	<i>jewan</i>	1854, 264
<i>nassoides</i>	1853, 183	<i>melanogaster</i>	1858, 206
<i>nivea</i>	1853, 182	<i>nidifica</i>	1858, 171
<i>nodicostata</i>	1853, 182	<i>nigricans</i>	1858, 171
<i>suturalis</i>	1853, 183	<i>panayana</i>	1854, 264
<i>varicifera</i>	1853, 183	<i>panayensis</i>	1860, 345
	{ 159	<i>riparia</i>	{ 1851, 143
<i>Hinulia indica</i>	{ 167		{ 1857, 13
	{ 171	<i>robini</i>	1855, 135
	{ 172	<i>ruficollis</i>	1860, 292
	{ 173		{ 1851, 146
<i>Hippocamelus dubius</i> . .	1850, 236		{ 1854, 264
<i>Hippocampus brevirostris</i>	1859, 212	<i>rustica</i>	{ 1857, 13
<i>Hipponece sardica</i>	1855, 36		{ 1858, 494
<i>Hipponyx antiquatus</i> . .	1856, 3		{ 1859, 150
<i>australis</i>	1856, 3		{ 1859, 151
<i>barbatus</i>	1856, 3		{ 1859, 175
<i>costellatus</i>	1856, 4	<i>rusticoides</i>	1854, 264
<i>foliaceus</i>	1856, 3	<i>rutila</i>	1855, 135
<i>granulata</i>	1853, 176	<i>serripennis</i>	1856, 285
<i>grayanus</i>	1856, 226	<i>subfusca</i>	1856, 137
<i>mitrula</i>	1856, 3	<i>thalassina</i>	1859, 235
		<i>urbica</i>	1851, 146

	Page		Page
<i>Hirundo urbica</i>	1857, 13	<i>Hydrobata melanogaster</i>	1859, 181
<i>Huspidella armitageana</i>	1854, 179	<i>Hydrocena acutilirata</i>	1855, 106
<i>deflorata</i>	1854, 179	<i>albescens</i>	1854, 306
<i>Histiophorus maculatus</i>	1860, 36	<i>aurantiaca</i>	1854, 307
<i>Histiotus velatus</i>	1858, 546	<i>brevicula</i>	1854, 306
<i>Holcostoma setigerum</i>	1858, 174	<i>bridgesii</i>	1854, 305
<i>Holocnemis cinnamomea</i>	1858, 249	<i>cattaroensis</i>	1854, 305
<i>flammatus</i>	1858, 247	{ 1850, 11	
<i>lineata</i>	1858, 247	<i>chinensis</i>	1857, 112
<i>naevia</i>	1858, 247	<i>cornea</i>	1854, 306
<i>Holopneustes porissimus</i>	1855, 36	<i>dubia</i>	1854, 308
<i>Holothuria digitata</i>	1858, 361	<i>erosa</i>	1854, 307
<i>flava</i>	1858, 366	<i>expansilabris</i>	1854, 309
<i>inhærens</i>	1858, 360	<i>exquisita</i>	1854, 307
	368	<i>exserta</i>	1854, 308
<i>Holuropholis olivaceus</i>	1858, 159	<i>fragilis</i>	1860, 439
<i>Homalocranium atrocinctum</i>	1860, 454	<i>glabrata</i>	1854, 308
<i>Homalocranium laticeps</i>	1860, 240	<i>globosa</i>	1854, 308
<i>melanocephalum</i>	1859, 412	<i>granum</i>	1854, 308
	1859, 433	<i>gutta</i>	1854, 305
<i>Homarus vulgaris</i>	1860, 371	<i>hieroglyphica</i>	1854, 307
<i>Homonotus audax</i>	1858, 159	<i>huaheiniensis</i>	1854, 308
<i>Homarus bicornis</i>	1859, 447	<i>malleata</i>	1854, 308
<i>Hoplocephalus supeibus</i>	1860, 371	<i>minutissima</i>	1854, 305
<i>Hoploclerus biaculeatus</i>	1852, 52	<i>multilirata</i>	1854, 308
<i>Hoplophorus euphractus</i>	1851, 217	<i>oblonga</i>	1854, 305
<i>selloi</i>	1851, 217	<i>obtusa</i>	1854, 306
	1859, 63	<i>plicosa</i>	1854, 308
<i>Hoplopterus cayanus</i>	1860, 290	<i>pupoides</i>	1854, 307
<i>persicus</i>	1850, 221	<i>pyramis</i>	1854, 306
<i>spinosus</i>	1850, 221	<i>radiata</i>	1854, 308
<i>ventralis</i>	1859, 150	<i>rosea</i>	1854, 307
<i>Horeites major</i>	1854, 105	<i>rubens</i>	1854, 307
<i>Hortulia regia</i>	1858, 164	<i>scitula</i>	1854, 307
<i>sebæ</i>	1858, 164	<i>sirkii</i>	1854, 305
<i>Huhua nipalensis</i>	1854, 263	<i>solidula</i>	1854, 305
<i>pectoralis</i>	1854, 263	<i>terebialis</i>	1854, 307
<i>Humphreyia strangei</i>	1858, 317	<i>vallata</i>	1854, 307
<i>Hyæna crocuta</i>	1860, 417	<i>vulpina</i>	1857, 112
	1856, 397	<i>(Omphalotropis) ce-</i>	
<i>striata</i>	1858, 514	<i>rea</i>	1857, 112
	1859, 477	{ <i>guamensis</i>	1857, 113
<i>virgata</i>	1856, 397	{ <i>navigantium</i>	1857, 113
<i>Hyalonema mirabilis</i>	1857, 279	{ <i>vestita</i>	1855, 106
<i>sieboldii</i>	1857, 279	<i>Hydrochelidon nigra</i>	1850, 221
<i>Hydnocerus bellus</i>	1852, 47	<i>Hydrocissa albirostris</i>	1859, 150
<i>exilis</i>	1852, 48	<i>convexa</i>	1859, 448
<i>flavolineatus</i>	1852, 48	<i>galerita</i>	1859, 450
<i>flavovarius</i>	1852, 49	<i>malayana</i>	1859, 448
<i>pectoralis</i>	1852, 48	<i>nigrirostris</i>	1859, 449
<i>V-reversus</i>	1852, 48	<i>Hydromedusa subde-</i>	
<i>Hydra tuba</i>	1859, 201	<i>pressa</i>	1852, 134
<i>Hydraspis spixii</i>	1852, 134	<i>Hydrophasianus chirurgus</i>	1858, 507
	1858, 489	<i>sinensis</i>	1859, 150
<i>Hydrobata asiatica</i>	1859, 180	<i>Hydropsalis lyra</i>	1855, 135
	1858, 489	<i>segmentatus</i>	1855, 135
<i>cinctus</i>	1859, 180	<i>Hyelaphus porcinus</i>	1850, 233

	Page		Page
<i>Hyelaphus porcinus</i> ..	{ 1856, 406	<i>Hyperoodon rostratum</i> ..	{ 1860, 373
<i>Hygrobium lucidum</i> ..	{ 1858, 530		{ 422
	{ 1854, 216		{ 420
<i>Hyla arborea</i>	{ 1858, 390	<i>Hyphantes baltimoren-</i>	{ 1857, 205
	{ 1838, 391	sis	{ 1850, 57
	{ 1858, 395	<i>Hyphantidium sericarium</i>	{ 1850, 305
	{ 1860, 372	<i>Hyphantornis custaneo-</i>	{ 1850, 207
aubryi	{ 1858, 165	fusca	{ 1850, 433
euphorbiacea	{ 392	textor	{ 1850, 433
fasciata	{ 1858, 395		{ 1854, 254
holochlora	{ 1850, 89	<i>Hypocnemis cantator</i> ..	{ 1858, 67
punctata	{ 1860, 460		{ 1858, 250
rhodopepla	{ 1858, 165	elegans	{ 1857, 47
versicolor	{ 1850, 89		{ 1858, 252
viidis	{ 1858, 395	erythrophrys	{ 1855, 146
<i>Hylæora eucalypti</i> ..	{ 1859, 433		{ 1858, 252
<i>Hylarana erythræa</i> ..	{ 1848, 118		{ 1855, 146
	{ 1858, 303	leucophrys	{ 1858, 252
	{ 1860, 116		{ 1854, 254
<i>Hylobates lar</i>	{ 1859, 8	melanolæma	{ 1855, 146
syndactylus	{ 1859, 5		{ 1858, 251
<i>Hylocharis cæruleigula-</i>		melanopogon	{ 1857, 130
ris	{ 1856, 140		{ 1858, 253
chrysogaster	{ 1857, 17		{ 1854, 254
goudoti	{ 1857, 17	melanosticta	{ 1855, 147
portmanni	{ 1855, 141		{ 1858, 67
<i>Hylodes conspicillatus</i> ..	{ 1859, 89		{ 1858, 251
lineatus	{ 416		{ 1855, 146
unistrigatus	{ 1859, 89	myiotherina	{ 1857, 130
<i>Hylomanes gularis</i> ..	{ 1859, 416		{ 1858, 67
	{ 1857, 256		{ 1858, 251
	{ 1857, 201	nævia	{ 1858, 252
	{ 1857, 256		{ 1857, 265
momotula	{ 1859, 54	nævioides	{ 1858, 253
	{ 1859, 387		{ 1858, 254
<i>Hylophilus cæruleus</i> ..	{ 1856, 100	ornata	{ 1860, 204
cinereiceps	{ 1860, 290		{ 1858, 67
cyanoleucus	{ 1856, 100		{ 1854, 254
flavipes	{ 1855, 144	pœcilonota	{ 1857, 13
guira	{ 1856, 109		{ 1857, 130
	{ 1855, 155		{ 1858, 67
leucophrys	{ 1856, 93		{ 1858, 251
melanoxanthus	{ 1856, 110	schistacea	{ 1858, 252
ochraceiceps	{ 1859, 375	theresæ	{ 1858, 67
ruficeps	{ 1856, 111		{ 253
semibrunneus	{ 1855, 144	tinnabulata	{ 1858, 250
<i>Hylotomus pileatus</i> ..	{ 1859, 236	<i>Hypogrammica nuchalis</i>	{ 1859, 461
<i>Hyonecterns albiventer</i> ..	{ 1856, 179	<i>Hypopyrrhus pyrhogas-</i>	
discifera	{ 1856, 179	ter	{ 1855, 154
<i>Hypotamias vectianus</i> ..	{ 1849, 153	<i>Hypostomus erinaceus</i> ..	{ 1850, 420
	{ 154	<i>Hypothlypis callophrys</i> ..	{ 1856, 268
<i>Hyperolius marmoratus</i> ..	{ 1858, 165	nidina	{ 1856, 267
ocellatus	{ 1858, 165	<i>Hypothyris cæsia</i> ..	{ 1850, 299
plicatus	{ 1858, 165	melanops	{ 1859, 182
viridiflavus	{ 1858, 165	<i>Hypotrionchis aurantius</i> ..	{ 1850, 285
<i>Hyperoodon butzkopf</i> ..	{ 1860, 424	columbarius	{ 1858, 450
latifrons	{ 1860, 424	femorialis	{ 1850, 285

	Page		Page
<i>Iguanodon</i>	1848, 101	<i>Isidella coralloides</i>	1857, 284
<i>Imperator</i> , n. sp. ?	1856, 44	<i>elongata</i>	1857, 283
<i>Indm</i>	1849, 10	<i>Isis aurantia</i>	1857, 285
<i>Infundibulum californi-</i>		<i>coccinea</i>	1859, 486
<i>cum</i>	1851, 153	<i>coralloides</i>	1857, 284
<i>cariniferum</i>	1851, 152	<i>dichotoma</i>	1857, 284
<i>chloromphalus</i>	1851, 153	<i>elongata</i>	1859, 486
<i>conceavum</i>	1851, 152	<i>encrinula</i>	1857, 283
<i>delicatulum</i>	1851, 152	<i>gracilis</i>	1857, 283
<i>depressum</i>	1851, 153	<i>hippuris</i>	1857, 283
<i>kochii</i>	1851, 152	<i>nobilis</i>	1857, 287
<i>radiatum</i>	1851, 152	<i>ochracea</i>	1857, 285
<i>saga</i>	1851, 152	<i>Isognomon costellata</i>	1859, 485
<i>Ino stagnalis</i>	1852, 19	<i>Isopida bicincta</i>	1856, 219
<i>Insect-eater</i> , The	1851, 59	<i>bitorquata</i>	1850, 216
<i>Iodopleura isabellæ</i>	1857, 266	<i>Ispidula variabilis</i>	1854, 269
<i>laplaci</i>	1857, 266	<i>Isxalus aurifasciatus</i>	1850, 216
<i>pipra</i>	1857, 266	<i>concolor</i>	1854, 269
<i>Iolæma schreibersi</i>	1854, 111	<i>leucorhinus</i>	1850, 216
<i>Iora scapularis</i>	1854, 281	<i>psoclopleurus</i>	1854, 269
<i>typhia</i>	1854, 48	<i>variabilis</i>	1850, 216
<i>viridissimus</i>	1854, 281	<i>Ixidia cyaniventris</i>	1854, 278
<i>zeylanica</i>	1858, 496	<i>Ixos atriceps</i>	1854, 270
<i>Ioteron eugeniae</i>	1856, 137	<i>erythrotis</i>	1854, 278
<i>iogastra</i>	1860, 359	<i>inornatus</i>	1850, 217
<i>Ipalura variegata</i>	1860, 160	<i>metallicus</i>	1854, 270
<i>Iphigenia psammobialis</i>	1854, 346	<i>monticolus</i>	1854, 278
<i>Iphis elegans</i>	1851, 39	<i>obscurus</i>	1850, 217
<i>Ips gigas</i>	1856, 10	<i>pyrrhotis</i>	1858, 202
<i>Irena puella</i>	1854, 282	<i>vidua</i>	1854, 270
<i>malayana</i>	1859, 150	<i>Ixothraupis chrysogaster</i>	1850, 249
<i>Iridina (Pterodon) speki</i>	1854, 282	<i>guttulata</i>	1854, 240
<i>Iridornis analis</i>	1859, 348	<i>punctata</i>	1850, 240
<i>dubusia</i>	1855, 227	<i>pusilla</i>	1854, 250
<i>porphyrocephala</i>	1856, 243	<i>Ixulus castaniceps</i>	1854, 141
<i>Iridosornis dubusia</i>	1855, 157	<i>occipitalis</i>	1854, 141
<i>rufivertex</i>	1856, 243	<i>Jacamaralecyon tridactyla</i>	1855, 16
<i>Iris depauperata</i>	1854, 174	<i>Jacamerops grandis</i>	1855, 16
<i>laciniosa</i>	1854, 174	<i>Jacchina</i>	1857, 263
<i>squalida</i>	1854, 174	<i>Jacchus bicolor</i>	1849, 10
<i>Irisor erythrorhynchus</i>	1850, 216	<i>tamarin</i>	1852, 107
<i>senegalensis</i>	1850, 216	<i>Janella antipodarum</i>	1852, 107
<i>Isanda coronata</i>	1853, 189	<i>Janulus bifrons</i>	1853, 111
<i>lepida</i>	1853, 190	<i>calathus</i>	1854, 178
<i>pulchella</i>	1853, 190	<i>Jemania henslowana</i>	1854, 178
<i>sulcifera</i>	1853, 190	<i>Johnstonella catharina</i>	1850, 217
<i>Isaura cycladoidea</i>	1849, 85	<i>Juuda chalybea</i>	1856, 368
<i>tetracera</i>	1849, 90	<i>eytoni</i>	1856, 368
<i>Ischnognathus dekayi</i>	1858, 387	<i>longicauda</i>	1850, 217
<i>occipitomaculatus</i>	1860, 456		

	Page		Page
<i>Juida nitens</i>	1857, 215	<i>Kinosternon pennsylvan-</i>	
<i>rufiventris</i>	1850, 217	<i>nicum</i>	1855, 198
<i>Juliamyia amabilis</i> ..	{ 1857, 17	<i>punctatum</i> ...	1855, 198
	{ 1860, 296	<i>scorpiodes</i> ..	1849, 17
<i>typica</i>	{ 1857, 17	<i>Kinyx belliana</i> ...	1858, 166
	{ 1860, 283	<i>castanea</i>	1858, 166
<i>Julis cyanogramma</i> ...	1850, 73	<i>erosa</i>	1858, 166
<i>dussumieri</i>	1850, 73	<i>homeana</i>	1858, 166
<i>Jumbi Bird</i>	1851, 61	<i>shoensis</i>	1858, 166
<i>Junceella juncea</i> . . .	1857, 287	<i>Kite, The Scissors-tailed</i>	1851, 57
	{ 1850, 306	<i>Kittacincla macroura</i> ..	{ 1854, 283
	{ 1857, 7		{ 1857, 94
<i>Junco cinereus</i> . . .	{ 1858, 304	<i>Kobus adansonii</i>	1850, 129
	{ 1859, 365	<i>ellipsiprymnus</i>	1850, 130
<i>hyemalis</i>	1857, 7	<i>leché</i>	1850, { 130
<i>oregonus</i>	1857, 7	<i>sing-sing</i>	1850, 131
<i>phaenotus</i>	1856, 306	<i>Kraussia deshayesi</i>	1852, 80
		<i>lamarckiana</i>	1852, 80
<i>Kakadoe albocristata</i> ..	1860, 358	<i>pisum</i>	1852, 80
<i>cristata</i>	1860, 358		
<i>Kakapo</i>	1852, 31	<i>Labiella callosa</i>	1856, 334
<i>Kaloula pulchra</i> . . .	{ 1853, 393	<i>dentata</i>	1856, 7
	{ 1860, 116	<i>Labio articulata</i> . . .	1851, 178
<i>Katostoma phlebophora</i> .	1854, 166	<i>cingulata</i>	1851, 178
<i>psammophora</i> ...	1854, 166	<i>concolor</i>	1851, 180
<i>Kellia tellinoides</i> . . .	1856, 340	<i>constrictor</i>	1851, 177
<i>Kemas hodgsonii</i> . . .	{ 1850, 112	<i>corrosa</i>	1851, 180
	{ 1856, 403	<i>crinita</i>	1851, 179
<i>Kerivoula aërosa</i> ...	1858, 333	<i>fulgurata</i>	1851, 179
<i>brasiliensis</i> . . .	1858, 336	<i>fulginea</i>	1851, 180
<i>formosa</i>	1858, { 82	<i>indecora</i>	1851, 179
	{ 336	<i>lineata</i>	1851, 179
<i>grisea</i>	1858, 336	<i>melanoloma</i>	1851, 179
<i>hardwickii</i>	1858, 329	<i>nigerrima</i>	1851, 178
<i>lanosa</i>	1858, { 331	<i>pica</i>	1851, 179
	{ 337	<i>porcata</i>	1851, 179
<i>papulosa</i>	1858, 327	<i>porcifera</i>	1851, 179
	{ 1850, 156	<i>reticularis</i>	1851, 178
	{ 1856, 175	<i>rudis</i>	1851, 179
	{ 1858, 78	<i>scorpio</i>	1851, 179
<i>picta</i>	{ 1858, 120	<i>striolata</i>	1851, 178
	{ 1858, 325	<i>subrostrata</i>	1851, 178
	{ 1858, 336	<i>sulcata</i>	1851, 178
	{ 1858, 337	<i>tæniata</i>	1851, 178
<i>poensis</i>	1858, 336	<i>tamsii</i>	1851, 179
<i>rufopicta</i>	1858, 85	<i>tergestina</i>	1851, 179
<i>sykesii</i>	1858, 336	<i>tessellata</i>	1851, 178
<i>trilatoides</i>	1858, 336	<i>zealandica</i>	1851, 178
<i>Ketupa ceylonensis</i> ..	{ 1858, 473	<i>zebra</i>	1851, 178
	{ 1859, 150	<i>Labrus gouldi</i>	1850, 72
<i>javanica</i>	1854, 263	<i>larvatus</i>	1850, 249
<i>Kevel</i>	1850, { 112	<i>maculatus</i>	1859, 433
	{ 115	<i>mixtus</i>	1850, 249
<i>gris</i>	1850, 112	<i>scrofa</i>	1850, 249
<i>Kiang</i>	1848, 62	<i>tetricus</i>	1850, 70
<i>King Vulture</i>	1851, 53	<i>Lacerta ocellata</i> ...	{ 1858, 155
<i>Kinosternon hippocrepis</i>	1855, 198		{ 1859, 470

	Page		Page
<i>Lacerta ocellata</i>	1859, 473	<i>Laminella luctuosa</i>	1855, 204
<i>viridis</i>	1859, 212	<i>nicans</i>	1859, 31
<i>Lachesis ntidus</i>	1859, 414	<i>rudis</i>	1855, 5
<i>Lachnolaimus gouldii</i>	1850, 72	<i>sericea</i>	1859, 31
<i>Lacuna carinifera</i>	1851, 225	<i>serrata</i>	1860, 439
<i>unifasciata</i>	1856, 205	<i>subiustrata</i>	1859, 31
<i>Lafresnaya flavicaudata</i>	1856, 140	<i>transversalis</i>	1855, 204
<i>gayi</i>	1860, 81	<i>umbilicata</i>	1856, 204
<i>Lagena californica</i>	1851, 94	<i>Lampadia webbiana</i>	1854, 197
<i>Lagenorhynchus clanculus</i>	1849, 2	<i>Lampetra caeca</i>	1851, 241
<i>thioleae</i>	1849, 2	<i>fluvialis</i>	1851, 237
<i>Lagomys nipalensis</i>	1856, 402	<i>lamottenii</i>	1851, 238
<i>roylei</i>	1858, 520	<i>major</i>	1851, 236
<i>Lagopus hemileucurus</i>	1858, 354	<i>minima</i>	1851, 241
<i>scoticus</i>	1849, 140	<i>neunauge</i>	1851, 241
<i>Lagothrix</i>	1849, 10	<i>planeri</i>	1851, 238
<i>humboldtii</i>	1852, 107	<i>rondeletii</i>	1851, 236
<i>Laimodon albiventris</i>	1850, 393	<i>sanguisuga</i>	1851, 238
<i>bifrenatus</i>	1859, 395	<i>subcinerea</i>	1851, 238
<i>hirsutus</i>	1859, 396	<i>Lampornis aurescens</i>	1857, 263
<i>leucocephalus</i>	1859, 397	<i>aurulenta</i>	1857, 233
<i>leucomelas</i>	1859, 395	<i>mango</i>	1857, 16
<i>merithorax</i>	1859, 395	<i>prevosti</i>	1857, 263
<i>saktii</i>	1859, 396	<i>veraguensis</i>	1856, 140
<i>undatus</i>	1859, 396	<i>Lamprocolius splendidus</i>	1860, 112
<i>unidentatus</i>	1859, 395	<i>Lampronetta fischeri</i>	1855, 212
<i>vieilloti</i>	1859, 396	<i>Lamprophus modestus</i>	1858, 163
<i>Laimodonta concinna</i>	1854, 34	<i>Lamproscapha schomburgki</i>	1860, 15
<i>layardi</i>	1854, 34	<i>Lamprospiza habia</i>	1856, 78
<i>sandwichensis</i>	1854, 34	<i>melanoleuca</i>	1856, 78
<i>sulcata</i>	1854, 34	<i>Lamprotes albicristatus</i>	1855, 156
<i>tamata</i>	1854, 34	<i>loricatus</i>	1856, 121
<i>Lalage aurea</i>	1860, 353	<i>rubricollis</i>	1850, 121
<i>naevia</i>	1850, 163	<i>rubrigularis</i>	1850, 121
<i>orientalis</i>	1854, 272	<i>viridis</i>	1856, 122
<i>rufiventris</i>	1858, 170	<i>Lamprotornis cantor</i>	1858, 181
<i>Lama huanacos</i>	1860, 183	<i>cyantotis</i>	1859, 445
<i>Lambdium oniscus</i>	1851, 229	<i>obscura</i>	1850, 217
<i>Lamellaria ophione</i>	1849, 109	<i>purpureoptera</i>	1860, 355
<i>Lamia asnamensis</i>	1850, 14	<i>pyrrhopogon</i>	1860, 197
<i>nobilis</i>	1850, 12	<i>Lamproteron holosericea</i>	1859, 165
<i>pedicornis</i>	1859, 123	<i>superba</i>	1855, 184
(<i>Cerosterna</i>) <i>trifasciella</i>	1850, 13	<i>lamar us chrysogaster</i>	1860, 300
<i>Laminella albida</i>	1855, 203	<i>erythrogaster</i>	1860, 197
<i>extincta</i>	1855, 204	<i>Laniisoma arcuatum</i>	1854, 114
<i>farcimen</i>	1856, 334	<i>grayana</i>	1855, 156
<i>ferussaci</i>	1855, 203	<i>glossa</i>	1856, 118
<i>fusiformis</i>	1855, 5	<i>inflata</i>	1858, 72
<i>glutiosa</i>	1855, 204		1858, 454
<i>gonostigma</i>	1855, 203		
<i>grayana</i>	1855, 204		
<i>glossa</i>	1855, 204		
<i>inflata</i>	1856, 203		

	Page		Page
<i>Lanio aurantius</i>	1856, 119	<i>Lanius lictor</i>	1851, 44
	1856, 303	<i>lineatus</i>	1858, 206
	1857, 229	<i>longicaudatus</i>	1859, 151
	1855, 83	<i>lucionensis</i>	1854, 272
<i>auritus</i>	1855, 156	<i>luctuosus</i>	1858, 211
	1856, 116	<i>ludovicianus</i> ..	1857, 126
<i>cristatus</i>	1856, 115	<i>lunulatus</i> ..	1858, 208
<i>tenuirostris</i>	1856, 114	<i>macrocerus</i> ..	1860, 197
	1856, 119	<i>maculatus</i> ..	1858, 208
<i>versicolor</i>	1857, 264	<i>magnirostris</i> ..	1854, 272
<i>viellotti</i>	1856, 115	<i>melanocephalus</i> ..	1854, 278
<i>Lamistina concinna</i> ..	1856, 366	<i>melanotis</i>	1854, 272
<i>nana</i>	1856, 365	<i>melaner</i>	1858, 208
<i>Lanius algeriensis</i>	1850, 217	<i>mexicanus</i> ..	1859, 375
<i>arenarius</i>	1850, 217	<i>mitratus</i> ..	1857, 75
	1857, 77	<i>musicus</i>	1854, 282
<i>atricapillus</i>	1858, 215	<i>nævius</i> ..	1858, 213
<i>aurantius</i>	1856, 118	<i>niger</i>	1857, 72
	212	<i>notodelos</i>	1858, 246
<i>cæsius</i>	1858, 223	<i>nubicus</i> ..	1850, 217
<i>canadensis</i>	1858, 215	<i>palliatu</i>	1858, 219
	1858, 488	<i>personatus</i> ..	1850, 217
<i>caniceps</i>	1859, 180	<i>phœnicurus</i>	1854, 272
	1857, 69		1860, 108
<i>cayanus</i>	1848, 37	<i>pictatus</i>	1856, 79
<i>collurio</i>	1850, 217	<i>pileatus</i>	1858, 215
	1850, 80	<i>pœcilurus</i> ..	1858, 215
<i>coronatus</i>	1859, 446	<i>punctatus</i> ..	1858, 213
	1854, 272	<i>rubiginosus</i> ..	1858, 217
<i>cristatus</i>	1860, 353	<i>rutilus</i> ..	1854, 272
<i>cucullatus</i>	1858, 217	<i>scalaris</i>	1858, 220
<i>doliatus</i>	1858, 246	<i>scapulatus</i> ...	1850, 79
<i>domicella</i>	1857, 92		1859, 446
<i>erythronotus</i> ..	1850, 217	<i>septentrionalis</i>	1849, 64
<i>erythropterus</i>	1850, 217	<i>severus</i> ..	1858, 208
	1854, 46	<i>stagurus</i> ..	1858, 209
<i>excubitor</i>	1857, 219	<i>striatus</i>	1859, 164
	1857, 126	<i>strigatus</i>	1854, 272
<i>excubitoroides</i> ..	1859, 375		1854, 272
	1854, 272	<i>superciliaris</i> ..	1858, 488
<i>ferox</i>	1854, 272	<i>tephronotus</i>	1858, 489
<i>ferrugiceps</i>	1854, 272	<i>tigrinus</i> ..	1854, 272
	66	<i>validus</i> ..	1857, 72
<i>funnebris</i>	1858, 207	<i>variolosus</i>	1858, 207
	258	<i>vestitus</i>	1858, 220
<i>gularis</i>	1854, 272	<i>virgatus</i>	1854, 272
<i>guttulatus</i> ..	1858, 221		1854, 41
	1854, 46	<i>Larina stangei</i> ..	1851, 142
<i>hardwickii</i>	1858, 488		1857, 13
	1859, 150	<i>Larus arge itatus</i>	1859, 467
<i>hypoleucus</i>	1857, 71		1860, 183
<i>inquisitor</i>	1859, 445		1860, 371
<i>insidiator</i> ..	1850, 217	<i>belcheri</i>	1859, 237
<i>isabellinus</i> ..	1854, 278		1858, 509
<i>jocosus</i>	1858, 489	<i>brunneicephalus</i> ..	1859, 190
<i>keroula</i>	1850, 217		1857, 13
	1857, 91	<i>canus</i>	1860, 258
<i>lahtora</i>	1858, 488	<i>dominicanus</i>	1859, 97
	1850, 79		
<i>leverianus</i>	1850, 79		

	Page		Page
<i>Larus dominicanus</i>	1860, 300	<i>Leda conradi</i>	1860, 440
<i>fuscus</i>	1860, 258	<i>costellata</i>	1856, 48
<i>glaucotes</i>	1860, 391	<i>cremifera</i>	1856, 48
<i>glaucus</i>	1860, 417	<i>decora</i>	1856, 50
<i>hematorhynchus</i>	1860, 391	<i>electa</i>	1856, 48
<i>heermanni</i>	1859, 237	<i>fastidiosa</i>	1856, 49
<i>jamesoni</i>	1859, 166	<i>fulgida</i>	1856, 50
<i>maculipennis</i>	1860, 391	<i>hindsii</i>	1860, 440
<i>marinus</i>	{ 1857, 13	<i>inconspicua</i>	1856, 49
<i>novæ-hollandiæ</i>	{ 1860, 191	<i>inornata</i>	1856, 48
<i>ridibundus</i>	{ 1857, 13	<i>lepida</i>	1856, 49
<i>roseiventris</i>	{ 1858, 509	<i>lugubris</i>	1856, 49
<i>rossii</i>	1860, 391	<i>metcalfei</i>	1860, 370
<i>sabini</i>	1860, 108	<i>pluifera</i>	1856, 50
<i>scopulinus</i>	1859, 166	<i>semisulcata</i>	1856, 50
<i>scoresbii</i>	1860, 391	<i>siligua</i>	1856, 48
<i>tridactylus</i>	1851, 146	<i>taylori</i>	1860, 370
<i>Larva aquatica</i>	1852, 19	<i>Legatus albicollis</i>	{ 1859, 46
<i>Larivora cyanea</i>	1859, 183	<i>variegatus</i>	{ 1860, 68
<i>Lasiocampa strigina</i>	1849, 37	<i>Leggada booduga</i>	1850, 157
<i>Lasiurus aga</i>	1857, 43	<i>Leguicinclus mexicanus</i>	1856, 213
<i>caudatus</i>	1857, 42	<i>Leiorhynchus boscu</i>	1857, 290
<i>grayi</i>	1857, 40	<i>glaberrima</i>	1857, 290
<i>noveboracensis</i>	{ 1857, 34	<i>Leiostraca distorta</i>	1860, 438
<i>pearsoni</i>	{ 1856, 395	<i>Leiostraca anglica</i>	1854, 208
<i>pruinosa</i>	{ 1857, 37	<i>cheilogona</i>	1854, 208
<i>rufus</i>	{ 1857, 35	<i>irrigula</i>	1854, 208
<i>Lathrosoma typicum</i>	1857, 276	<i>lavigata</i>	1854, 210
<i>Latia neritoides</i>	1849, 168	<i>laurinea</i>	1854, 209
<i>Latiax fortuni</i>	1853, 99	<i>macilenta</i>	1854, 210
<i>nodosa</i>	1853, 98	<i>recta</i>	1854, 210
<i>rhodostoma</i>	1854, 138	<i>sphinctostoma</i>	1854, 209
<i>Latirus armatus</i>	1854, 314	<i>vincta</i>	1854, 208
<i>contemptus</i>	1854, 315	<i>Leiothrix cinerea</i>	1854, 142
<i>decoratus</i>	1854, 316	<i>Leistes guianensis</i>	{ 1857, 19
<i>despectus</i>	1854, 315	<i>Leiupeus viridis</i>	{ 205, 174
<i>distinctus</i>	1854, 314	<i>Leiupeus ornatus</i>	1858, 157
<i>elegans</i>	1854, 315	<i>Lembus maculatus</i>	{ 1859, 418
<i>flavidus</i>	1854, 314	<i>Lemidius corallipennis</i>	{ 1860, 234
<i>marquesanus</i>	1854, 315	<i>festivus</i>	{ 1860, 236
<i>neglectus</i>	1854, 314	<i>Lemiscia michaudii</i>	1852, 47
<i>newcombi</i>	1854, 314	<i>Lemur albifrons</i>	1854, 170
<i>strangei</i>	1854, 316	<i>albimanus</i>	1860, 422
<i>Latris hecatea</i>	1850, 67	<i>hybridus</i>	1860, 422
<i>Latyris tumens</i>	1856, 166	<i>nigrifrons</i>	1860, 422
<i>Laughing-Hawk, The</i>	1851, 56	<i>rufifrons</i>	1849, 17
<i>Lebias dispar</i>	1859, 474	<i>Leodia richardsonii</i>	1851, 36
<i>Lebiasina bimaculata</i>	{ 1859, 418	<i>Leoneopenna blainvillii</i>	1858, 372
<i>brocki</i>	{ 1860, 234	<i>Leopardus bengalensis</i>	1858, 514
<i>concinna</i>	{ 1860, 240	<i>concolor</i>	1859, 51
<i>Leda bellula</i>	1856, 49	<i>hernandesii</i>	1857, 278
<i>brookii</i>	1860, 440	<i>horsfieldi</i>	1858, 514
<i>concinna</i>	1856, 48	<i>onca</i>	1859, 51
		<i>pardalis</i>	1850, 51

	Page		Page
<i>Leopardus torquatus</i> ..	1858, 514	<i>Leptopoma conula</i>	1854, 127
<i>uncia</i>	{ 1856, 395	<i>duplicatum</i>	1856, 338
<i>varius</i>	{ 1858, 514	<i>flammeum</i>	1854, 127
<i>viverrinus</i>	{ 1850, 150	<i>hanleyanum</i>	1856, 384
<i>Lepas rostrata</i> . . .	1853, 86	<i>minutissimum</i> . . .	1854, 305
<i>simplex</i>	1853, 86	<i>pœcilum</i>	1854, 302
<i>Lepidœnas speciosa</i> }	1856, 309	<i>sechellarum</i>	1854, 302
	1859, 61	<i>signatum</i>	1856, 338
	1856, 342	<i>subconicum</i>	1859, 27
<i>Lepidosiren annectens</i> }	1858, 535	<i>wallacei</i>	1857, 112
	1859, 436		1857, 214
<i>paradoxa</i>	1856, 344	<i>Leptoptila albifrons</i> .	{ 1857, 99
<i>Lepidurus glacialis</i> .	1852, 6		1859, 368
<i>productus</i>	1852, 6		1859, 391
<i>viridis</i>	{ 1850, 254		1860, 289
	1852, 6	<i>dubusi</i>	{ 1858, 76
<i>Lepomis frederici</i> . .	1859, 418		1860, 289
<i>mulleri</i>	1859, 92	<i>jamaicensis</i>	1858, 99
<i>Leptachatina dimidiata</i> .	1855, 205	<i>rufaxilla</i>	1856, 309
<i>margarita</i>	1855, 206		1858, 99
<i>oryza</i>	1855, 206		1859, 103
<i>semicostata</i>	1855, 206	<i>verreauxii</i>	1859, 147
<i>teres</i>	1855, 206		1860, 289
<i>Leptasthenura platensis</i> .	1859, 197	<i>Leptoptilus crumenif-</i>	
<i>Leptaxis erubescens</i> . .	1854, 165	<i>rus</i>	1860, 417
<i>fluvva</i>	1854, 165	<i>Leptorhynchus gutta-</i>	{ 1855, 90
<i>membranacea</i> . . .	1854, 165	<i>tus</i>	1858, 243
<i>Lepterosdas ibis</i> . . .	1850, 221	<i>leuchtenbergi</i> . . .	1850, 252
<i>Leptocephalus candidis-</i>		<i>striolatus</i>	{ 1859, 90
<i>simus</i>	1840, 88		1858, 242
<i>morissii</i>	1840, 88	<i>Leptoxyna obsoleta</i> .	1859, 107
<i>Leptocoma hasselti</i> . .	1859, 462	<i>semicinerea</i>	1859, 197
<i>Leptodeira annulata</i> . .	{ 1859, 89	<i>Lepus</i> — ?	1850, 353
	1860, 457	<i>brasiliensis</i>	1860, 264
<i>discolor</i>	1860, 317		1850, 157
<i>hippocrepis</i>	1858, 161	<i>cuniculus</i>	{ 1860, 372
<i>rufescens</i>	1858, 161		1860, 416
<i>Leptodera elongata</i> . . .	1858, 225	<i>hibernicus</i>	1860, 372
<i>flexilis</i>	1858, 225	<i>hispidus</i>	1856, 402
<i>Leptognathus catesbyi</i> .	1859, 89		1850, 157
	414	<i>macrotus</i>	{ 1856, 401
<i>indicus</i>	1858, 381		1858, 520
<i>milani</i>	1859, 414	<i>nigricollis</i>	1850, 157
<i>Leptophis chenouii</i> . .	1858, 161		1858, 520
<i>gracilis</i>	1858, 158	<i>nigripes</i>	1857, 100
<i>kirtlandi</i>	1858, 159	<i>oxostolus</i>	1858, 520
<i>mexicana</i>	1860, 458	<i>pallipes</i>	1856, 401
	158	<i>ruficaudatus</i>	1856, 402
<i>smaragdina</i>	1858, 161	<i>taloi</i>	1856, 401
<i>viridis</i>	1858, 160	<i>timidus</i>	1860, 372
<i>Leptopogon amauroce-</i>		<i>Lerva nivicola</i>	{ 1858, 501
<i>phalus</i>	1859, 384		1859, 186
<i>superciliaris</i>	{ 1858, 71		1855, 140
	1860, 69		1858, 450
<i>Leptopoma barbatum</i> . .	1855, 104	<i>Lesbia amaryllis</i> . . .	1858, 460
			1858, 555
			1860, 81

	Page		Page
<i>Lesbia amaryllis</i>	1860, 94	<i>Limax cinereus</i>	1858, 225
<i>cyanura</i>	1855, 140	<i>flavus</i>	1854, 162
<i>gorgo</i>	1860, 95	<i>gagates</i>	1854, 162
<i>gouldi</i>	1855, 140	<i>maculata</i>	1854, 162
	1855, 140	<i>maximus</i>	1854, 162
<i>gracilis</i>	1858, 450	<i>pardalis</i>	1854, 162
	1858, 460	<i>punctata</i>	1854, 162
	1860, 63	<i>variegatus</i>	1854, 162
	1860, 70	<i>virescens</i>	1854, 162
	1860, 94	<i>Limemtas aceris</i>	1858, 9
<i>Lestris antarctica</i>	1860, 990	<i>columella</i>	1858, 7
<i>cataractes</i>	1851, 146	<i>eurynome</i>	1858, 10
	1860, 390	<i>heliodore</i>	1858, 4
<i>cepphus</i>	1860, 322	<i>hordonia</i>	1858, 4
<i>Leucernaria auricula</i> ..	1859, 477	<i>illigera</i>	1858, 19
<i>Leuciscus alburnus</i>	1859, 477	<i>mara</i>	1858, 13
<i>apollonitis</i>	1856, 376	<i>larymna</i>	1858, 12
<i>baldneri</i>	1856, 376	<i>nefte</i>	1858, 13
<i>cephalus</i>	1859, 435	<i>sankara</i>	1858, 18
<i>cii</i>	1856, 375	<i>selenophora</i>	1858, 14
<i>erythrophthalmus</i> ..	1856, 374	<i>vikasi</i>	1858, 7
<i>lancasteriensis</i>	1856, 376	<i>zaida</i>	1858, 6
	1856, 435	<i>Lamnadia</i> —	1849, 87
<i>rutulus</i>	1859, 477	<i>antillarum</i>	1852, 30
<i>Leucocerca albofrontata</i> ..	1858, 495		85
<i>fuscoventris</i>	1858, 495	<i>hermanni</i>	1849, 86
<i>javanica</i>	1859, 151		88
<i>Leuconerpes albolarvatus</i> ..	1858, 3		85
<i>Leuconia alba</i>	1854, 36	<i>mauritiana</i>	1849, 87
<i>auricella</i>	1854, 37		86
<i>bivona</i>	1854, 36	<i>tetracera</i>	1849, 90
<i>miceli</i>	1854, 36		186
<i>microstoma</i>	1854, 36	<i>Limnaea luteola</i>	1856, 186
<i>sayi</i>	1854, 36	<i>nuttalliana</i>	1856, 220
<i>Leucopygia ruficollis</i> ..	1856, 112	<i>peregra</i>	1856, 186
<i>Leucozonia angulata</i> ..	1856, 43	<i>punguis</i>	1858, 134
	1856, 167	<i>stagnalis</i>	1856, 186
<i>Lewisia agassiziana</i>	1857, 108	<i>tagrina</i>	1858, 184
	1857, 109	<i>tuncatula</i>	1856, 186
	1857, 108	<i>Limnaetus horsfieldii</i> ..	1854, 259
<i>macandrewiana</i>	1857, 170	<i>Limnaeus minutus</i>	1854, 218
	1857, 167	<i>trunculatus</i>	1854, 218
<i>philippiana</i>	1857, 168	<i>Limnodynastos dorsalis</i> ..	1858, 345
	1857, 169	<i>Limnornis canifrons</i>	1855, 143
<i>woodwardiana</i>	1857, 170	<i>unibrunnea</i>	1858, 550
	1857, 168	<i>unirufa</i>	1856, 143
<i>Liarea egea</i>	1854, 304	<i>Limosa aegecephala</i>	1858, 500
<i>Lichenella brentii</i> ..	1858, 322	<i>fedoa</i>	1850, 64
<i>Lichia vadigo</i>	1850, 248		1859, 96
<i>Lima acuminata</i>	1856, 186	<i>hudsonica</i>	1860, 387
<i>auricularia</i>	1856, 186		258
<i>hookeri</i>	1856, 186	<i>lapponica</i>	1860, 364
<i>tetrica</i>	1856, 203		1851, 146
<i>Limax agrestis</i>	1854, 162		1860, 416
<i>antiquorum</i>	1854, 162	<i>melanura</i>	1848, 38
<i>ater</i>	1854, 162	<i>uropygialis</i>	1857, 169
<i>bisentaculatus</i>	1853, 111		190
<i>cinereus</i>	1854, 162	<i>Lindsleya albersiana</i> ..	1857, 169
		<i>aldemana</i>	1857, 169

	Page		Page
<i>Lindsleya arthuriana</i> ... 1857,	169	<i>Linota montium</i>	{ 1855, 217
	195		{ 1858, 483
<i>boissieriana</i> 1857,	169		{ 1859, 184
	192	<i>Linsang pardicolor</i>	1856, 306
<i>bridgesiana</i> 1857,	169	<i>Liocephalus undescens</i> ..	1859, 400
	185	<i>ornatus</i>	1859, { 89
<i>denisoniana</i> 1857,	169		{ 408
	189	<i>Liophis cobella</i>	1859, 412
<i>fischeriana</i> 1857,	169	<i>tæniurus</i>	1859, { 89
	190		{ 412
<i>gaskoiniana</i> 1857,	169	<i>Liotia affinis</i>	1850, 50
	192	<i>coronata</i>	1850, 51
<i>gutierreziana</i> 1857,	169	<i>duplicata</i>	1850, 51
	196	<i>nodulosa</i>	1850, 51
<i>henryana</i>	1857, 169	<i>peronii</i>	1850, 50
	194	<i>pulcherrima</i>	1850, 50
<i>jayana</i>	1857, 169	<i>scalarioides</i>	1850, 50
	189	<i>varicosa</i>	1850, 50
<i>leana</i>	1857, 169	<i>Lipaugus fuscocornereus</i> { 1855, 153	
	189		{ 1858, 71
<i>lindsleyana</i> 1857,	169	<i>holerythrus</i>	1860, 300
	188	<i>hypopyrrhus</i>	1857, 276
<i>loweana</i>	1857, 169	<i>rufescens</i>	1857, 276
	200	<i>unrufus</i>	1859, 385
<i>luksiana</i> 1857,	169	<i>Lissotriton palmatus</i> ..	1858, { 139
	200		{ 140
<i>morcandiana</i> 1857,	169	<i>palmipes</i>	1858, { 140
	191		{ 141
<i>newcombiana</i> 1857,	169	<i>punctatus</i>	1858, 224
	193	<i>Lithodes antarctica</i>	1850, 133
<i>oweniana</i> 1857,	169	<i>arctica</i>	1856, 133
	196	<i>breviceps</i>	1850, 134
<i>pickeringiana</i> 1857,	169	<i>brevipes</i>	1848, 48
	188	<i>camschatica</i>	1856, 133
<i>poeyana</i>	1857, 169	<i>granulosa</i>	1856, 134
	193	<i>hystrix</i>	1856, 133
<i>polyblankiana</i> 1857,	169	<i>maia</i>	1856, { 132
	190		{ 133
<i>redfieldiana</i> 1857,	169	<i>(Echidnocerus) ci-</i>	
	189	<i>barius</i>	1856, 132
<i>reeveana</i>	1857, 169	<i>(Petalocerus) belli-</i>	
	191	<i>anus</i>	1856, 134
<i>russeana</i> 1857,	169	<i>Lithodomus falcatus</i> ...	1856, 202
	193	<i>guneri</i>	1856, 202
<i>salleana</i>	1857, 169	<i>Lithoglyphus zonatus</i> ..	1859, 340
	195	<i>Lithophagus falcatus</i> ..	1856, 202
<i>shuttleworthiana</i> .. 1857,	169	<i>Litiopa divisa</i>	1855, 234
	191	<i>saxicola</i>	1855, 234
<i>wollastoniana</i> 1857,	169	<i>Littorina albicans</i>	1851, 73
	197	<i>litorea</i>	1853, 43
<i>Lineus beattiei</i> 1857,	210	<i>melanostoma</i>	1851, 73
<i>longissimus</i> 1858,	307	<i>ngerrima</i>	1854, 41
		<i>planaxis</i>	1856, 226
<i>Linota brevirostris</i>	{ 1855, 216	<i>quadrifasciata</i> . . .	1856, 20
	{ 1858, 483	<i>scabia</i>	1851, 73
	{ 1859, 178	<i>tenebrata</i>	1856, 226
	{ 1859, 184	<i>Livona pica</i>	1856, 204
<i>cannabina</i>	1855, 217	<i>Lama vicuna</i>	1860, 371
<i>fringillirostris</i> 1855,	217		

	Page		Page
<i>Lucina pecten</i>	1856, 218	<i>Lyria costata</i>	1855, 61
(<i>Codakia</i>) <i>munda</i> ..	1855, 225	<i>delessertiana</i> ..	1855, 61
(<i>Cryptodon</i>) <i>plicifera</i> ..	1855, 225	<i>festiva</i> ..	1855, 61
(<i>Myrtea</i>) <i>layardi</i> ..	1855, 225	<i>lyraeformis</i> ..	1855, 60
(—) <i>strangei</i> ..	1855, 225	<i>lyrata</i> ..	1855, 61
<i>Lucinopsis undata</i> ..	1855, 231	<i>mitraeformis</i> ..	1855, 60
<i>Lupus laniger</i>	1856, 397	<i>nucleus</i> ..	1855, 61
<i>Lusciola aurorea</i> ..	1854, 28	(<i>Enaeta</i>) <i>cumingi</i> ..	1855, 62
<i>Lutra aurobrunnea</i> ..	1855, 126	(—) <i>cylleniformis</i> ..	1855, 61
<i>chinensis</i>	1856, 399	(—) <i>gouldingi</i> ..	1855, 62
<i>indigitata</i>	1855, 126	(—) <i>harpa</i> ..	1855, 61
<i>monticola</i>	1855, 126	<i>Mabouia brevirostris</i> ..	1860, 316
<i>nair</i>	1850, 166	<i>Mabouya agilis</i>	1848, { 59 62
<i>sinensis</i>	1855, 126	<i>sloanei</i> ..	1848, 62
<i>vulgaris</i> ..	1859, 434	<i>Macabra squamulata</i> ..	1856, 285
<i>Lutreria arcuata</i> ..	1854, 70	<i>Macacus arctoides</i> ..	1860, 420
<i>australis</i>	1854, 70	<i>cynomolgus</i>	{ 1850, 434 1860, 183 1860, 372 1860, 422
<i>curta</i> ..	1854, 71	<i>erythræus</i>	1860, 416
<i>dissumilis</i>	1854, 72	<i>fusco-ater</i> ..	1860, 420
<i>impar</i>	1854, 70	<i>maurus</i>	1860, { 416 420
<i>intermedia</i> ..	1854, 71	<i>nemestrinus</i> ..	1860, 422
<i>philippinarum</i> ..	1854, 71	<i>ocreatus</i>	1860, 420
<i>sieboldia</i>	1854, 71	<i>pileatus</i>	{ 1859, 434 1860, 422 1860, 442
<i>undulata</i>	1856, 200	<i>radiatus</i>	1860, { 183 242 422
<i>ventricosa</i>	1856, 200	<i>rhesus</i>	{ 1856, 394 1858, 512 1850, 434 1859, 436 1860, 242 1860, 416 1860, 422 1860, 442
<i>Lutremys europæa</i> ..	1855, 197	<i>si'enus</i> ..	1860, { 416 422
<i>Lycaon pictus</i> ..	{ 1855, 189 1860, 180	<i>sinicus</i> ..	1859, 16
<i>Lycocorax pyrrhopterus</i> ..	1860, 355	<i>speciosus</i> ..	1860, 420
<i>Lycodon aulicus</i> ..	{ 1858, 382 1860, 164 1860, 168 1860, 170	<i>Macandrewia azorica</i> ..	1859, 438
<i>geometricus</i> ..	1858, 159	<i>Macgillivrayia straminea</i> ..	1853, 97
<i>horstockii</i> ..	1858, 159	<i>Machæra lucida</i> ..	1853, 211
<i>unicolor</i> ..	1858, 159	<i>Machærhynchus flavi-</i>	
<i>Lycophidion horstockii</i> ..	1858, 159	<i>venter</i> ..	1850, 277
<i>laterale</i> ..	1858, 159	<i>xanthogenys</i> ..	1858, 176
<i>Lymnaea catascopium</i> ..	1850, 49	<i>Machetes pugnax</i> ..	{ 1850, 221 1860, 415 1860, 416
<i>desidiosa</i>	1850, 49	<i>Macoma brugneri</i> ..	1860, 369
<i>elodes</i> ..	1850, 49	<i>Macrochelys temminckii</i> ..	1855, 200
<i>hookeri</i> ..	1850, 49	<i>Macrochisma angustata</i> ..	1850, 203
<i>palustris</i> ..	1850, 49		
<i>peregra</i> ..	1850, 49		
<i>stagnalis</i> ..	1850, 49		
<i>truncatula</i> ..	1850, 49		
<i>Lymneus minutus</i> ..	1854, 218		
<i>Lymnodytes albilabris</i> ..	1858, 165		
<i>Lyncornis temminckii</i> ..	1854, 266		
<i>Lynx chaus</i>	1856, 396		
<i>Lyonsia californica</i> ..	1856, { 199 211		
<i>cuneata</i>	1855, 229		
<i>diaphana</i> ..	1855, 228		
<i>nitida</i> ..	1856, { 199 211		
<i>Lypornis ruficapilla</i> ..	1853, 124		

	Page		Page
<i>Macrochisma compressa</i>	1850, 202	<i>Mactra eximia</i>	1853, 16
<i>cuspidata</i>	1850, 202	<i>exoleta</i>	1856, 200
<i>dilatata</i>	1850, 202	<i>explanata</i>	1854, 66
<i>hiatula</i>	1850, 202	<i>goniata</i>	1854, 70
<i>maxima</i>	1850, 202	<i>hepatica</i>	1854, 63
<i>megatrema</i>	1850, 202	<i>luantina</i>	1854, 62
<i>producta</i>	1850, 202	<i>inaequalis</i>	1854, 64
<i>sinensis</i>	1855, 122	<i>incongrua</i>	1854, 64
<i>Macrodon tareira</i>	{ 1850, 418 1860, 233	<i>intuspecta</i>	1854, 64
<i>Macronus ptilosus</i>	1854, 275	<i>luzonica</i>	1854, 64
<i>Macropteryx mystaceus</i>	{ 1858, 170 1860, 345	<i>mariae</i>	1856, 53
<i>Macropus bennettii</i>	{ 1852, 106 1859, 433	<i>mendica</i>	1856, 200
<i>fuliginosus</i>	1860, 323	<i>mera</i>	1853, 16
<i>giganteus</i>	1860, 323	<i>meretriciformis</i>	1853, 16
<i>major</i>	{ 1840, 90 1852, 104 1860, 181	<i>murchisoni</i>	1854, 64
<i>penicillatus</i>	1852, 105	<i>obesa</i>	1853, 16
<i>rufus</i>	1860, 372	<i>opposita</i>	1854, 65
(<i>Osphranter</i>) <i>pictus</i>	1860, 373	<i>pellucida</i>	1854, 68
<i>Macropygia albicapilla</i>	1860, 361	<i>planulata</i>	1856, 214
<i>ambomensis</i>	1860, 361	<i>phcatilis</i>	1854, 69
<i>doraya</i>	1859, 159	<i>pura</i>	1853, 15
<i>leptogrammica</i>	1860, 361	<i>pusilla</i>	1855, 220
<i>phasianella</i>	1858, 187	<i>quadrangularis</i>	1853, 15
<i>reinwardtii</i>	1860, 361	<i>radiolata</i>	1854, 65
(<i>Reinwardtæna</i>) <i>reinwardtii</i>	1860, 361	<i>reevei</i>	1853, 15
<i>Macrorhamphus griscus</i>	1859, 237	<i>rostralis</i>	1854, 69
<i>Macrosoma elegans</i>	1858, 160	<i>scalpellum</i>	1854, 65
<i>Macrotrastus bitorquatus</i>	1850, 220	<i>sericea</i>	1854, 65
<i>Macrotelus subnotatus</i>	1852, 37	<i>sihcula</i>	1854, 69
<i>uniformis</i>	1852, 37	<i>sublanceolata</i>	1854, 66
<i>Mactra æquilateralis</i>	1853, 17	<i>sulcataria</i>	1853, 15
<i>alta</i>	1854, 347	<i>symmetrica</i>	1853, 17
<i>angulifera</i>	1854, 70	<i>transversa</i>	1854, 66
<i>angusta</i>	1854, 67	<i>tristis</i>	1854, 69
<i>aphrodina</i>	1854, 62	<i>undulata</i>	1856, 200
<i>attenuata</i>	1854, 62	<i>veneriformis</i>	1853, 15
<i>bilineata</i>	1854, 67	<i>virgo</i>	1854, 66
<i>bullata</i>	1854, 67	(<i>Mactrella</i>) <i>laciniata</i>	1856, 161
<i>californica</i>	{ 1854, 68 1856, 214	<i>Macularia chrysomela</i>	1854, 167
<i>capillacea</i>	1854, 69	<i>fluctuosa</i>	1854, 167
<i>carinulata</i>	1854, 67	<i>Madrepora cochlea</i>	1849, 77
<i>complanata</i>	1853, 14	<i>Maina caucasiatica</i>	1856, 133
<i>contraria</i>	1854, 62	<i>vittata</i>	1855, 131
<i>corbiculoides</i>	1854, 62	<i>Maina cristatellodes</i>	1859, 445
<i>corbuloides</i>	1854, 63	<i>Malacocercus canorus</i>	1857, 92
<i>cornea</i>	1853, 16	<i>caudatus</i>	{ 1855, 50 1857, 92
<i>cuvieri</i>	1853, 17	<i>lineatus</i>	1858, 486
<i>decora</i>	1854, 63	<i>malcolmi</i>	1858, 486
<i>dissimilis</i>	1854, 63	<i>malcolmi</i>	{ 1854, 285 1858, 64
<i>dolabrata</i>	1854, 66	<i>Malacocichla dryas</i>	{ 1858, 64 1859, 324
<i>egena</i>	1854, 68	<i>maculata</i>	1858, 64
		<i>mexicana</i>	{ 1857, 203 1858, 64
		<i>Malacocinclia abbottii</i>	1854, 76
		<i>Malacopteron abbottii</i>	1854, 76

	Page		Page
<i>Malacopternon aureum</i>	1854, 278	<i>Mancinella aculeata</i>	1851, 230
<i>cinereum</i>	1854, 276	<i>armigera</i>	1851, 230
<i>coronatum</i>	1854, 275	<i>bezoar</i>	1851, 230
<i>macrodactylum</i>	1854, 275	<i>castanea</i>	1851, 230
<i>magnum</i>	1854, 275	<i>hystrix</i>	1851, 230
<i>squamatum</i>	1854, 276	<i>mutabilis</i>	1851, 230
<i>Malacoptila aspersa</i>	1853, 123	<i>Mangelia acuticostata</i>	1850, 162
<i>frontalis</i>	1855, 186	<i>rigida</i> , var. <i>fuscoligata</i>	1856, 163
<i>fulvicularis</i>	1855, 136	<i>Manis africana</i>	1851, 220
<i>fulvogularis</i>	1855, 196	<i>aurita</i>	1851, 220
<i>fulvogularis</i>	1853, 123	<i>crassicaudata</i>	1856, 406
<i>fusca</i>	1854, 110	<i>javanica</i>	1851, 218
<i>fusca</i>	1855, 136	<i>macroura</i>	1851, 219
<i>fusca</i>	1855, 196	<i>multiscutata</i>	1851, 220
<i>inornata</i>	1858, 60	<i>multiscutata</i>	1860, 247
<i>mystacalis</i>	1855, 136	<i>pentadactyla</i>	1850, 158
<i>mystacalis</i>	1855, 196	<i>pentadactyla</i>	1851, 219
<i>nigrifusca</i>	1855, 195	<i>pentadactyla</i>	1856, 406
<i>nigrifusca</i>	1855, 196	<i>temmnickii</i>	1851, 219
<i>nigrifusca</i>	1858, 60	<i>tetradactyla</i>	1851, 220
<i>panamensis</i>	1855, 196	<i>tricuspis</i>	1860, 247
<i>rufa</i>	1860, 297	<i>Manouria fusca</i>	1852, 134
<i>substriata</i>	1855, 196	<i>Manucodia atra</i>	1860, 395
<i>substriata</i>	1853, 123	<i>gouldii</i>	1859, 158
<i>substriata</i>	1855, 136	<i>keraudreni</i>	1859, 158
<i>substriata</i>	1855, 196	<i>Maracana weddellii</i>	1858, 76
<i>torquata</i>	1855, 196	<i>Mareca chiloensis</i>	1859, 96
<i>unitorques</i>	1858, 60	<i>chiloensis</i>	1860, 389
<i>Malea ringens</i>	1856, 43	<i>penelope</i>	1851, 146
<i>Malurus amabilis</i>	1850, 277	<i>Margaritina vonderbushiana</i>	1850, 199
<i>coronatus</i>	1857, 221	<i>Margarita acuminata</i>	1851, 190
<i>cyaneus</i>	1859, 221	<i>angulata</i>	1851, 190
<i>elegans</i>	1850, 277	<i>arctica</i>	1851, 189
<i>lamberti</i>	1850, 277	<i>argentea</i>	1851, 190
<i>longicaudus</i>	1854, 81	<i>aspecta</i>	1854, 40
<i>pulcherrimus</i>	1850, 277	<i>balteata</i>	1851, 191
<i>Manacus bogotensis</i>	1855, 151	<i>biangulosa</i>	1854, 40
<i>candei</i>	1856, 299	<i>bicarinata</i>	1851, 190
<i>candei</i>	1859, 56	<i>cerulescens</i>	1851, 191
<i>candei</i>	1859, 385	<i>calostoma</i>	1851, 190
<i>edwardsii</i>	1855, 151	<i>cauinata</i>	1851, 190
<i>flaveolus</i>	1855, 151	<i>carnea</i>	1851, 189
<i>gutturatus</i>	1855, 151	<i>cinerea</i>	1851, 190
<i>Manatus americanus</i>	1857, 29	<i>costellata</i>	1851, 190
<i>americanus</i>	1857, 59	<i>cumingii</i>	1851, 191
<i>australis</i>	1857, 33	<i>dilecta</i>	1854, 40
<i>australis</i>	1857, 59	<i>expansa</i>	1851, 191
<i>latirostris</i>	1857, 59	<i>glauca</i>	1851, 189
<i>nasutus</i>	1857, 29	<i>greenlandica</i>	1851, 189
<i>nasutus</i>	1857, 29	<i>helicina</i>	1851, 189
<i>senegalensis</i>	1857, 33	<i>hebecondes</i>	1851, 189
<i>senegalensis</i>	1857, 59	<i>lineata</i>	1851, 192
<i>vogelii</i>	1857, 30	<i>margarita</i>	1851, 189
<i>vogelii</i>	1857, 33	<i>marmorea</i>	1860, 435

	Page		Page
<i>Margarita nitiligineus</i> ..	1851, 190	<i>Mastophora lamourouxii</i>	1858, 322
<i>obscura</i> ..	1851, 189	<i>Mastula lamellosa</i> ..	1854, 214
<i>sigaretina</i> ..	1851, 191	<i>Maticora lineata</i> ..	1859, 82
<i>solariformis</i> ..	1851, 190	<i>Mazama americana</i> ..	1850, 136
<i>striata</i> ..	1851, 189	<i>campestris</i> ..	1850, 237
<i>sulcata</i> ..	1851, 190	<i>doisata</i> ..	1850, 137
<i>taeniata</i> ..	1851, 191	<i>fureata</i> ..	1850, 237
<i>tessellata</i> ..	1851, 191	<i>sericea</i> ..	1850, 137
<i>umbilicalis</i> ..	1851, 189	<i>Mecistops bennettii</i> ..	{ 1857, 57 1858, 167
<i>undulata</i> ..	1851, 185	<i>cataphractus</i> ..	1858, 167
<i>vahlhi</i> ..	1851, 189	<i>journei</i> ..	1857, 57
<i>variabilis</i> ..	1851, 191	<i>leptorhynchus</i> ..	1857, 57
<i>violacea</i> ..	1851, 192	<i>Medusa aequorea</i> ..	1851, 272
<i>vulgaris</i> ..	1851, 189	<i>aurita</i> ..	1851, 274
<i>Margarops densirostris</i> ..	1859, 336	<i>patina</i> ..	1851, 274
<i>fuscatus</i> ..	1859, 336	<i>pelagica</i> ..	1851, 274
<i>montanus</i> ..	1859, 336	<i>Megacephala aequino-</i>	
<i>Margarornis brunnes-</i>	{ 1856, 27	<i>tialis</i> ..	1851, 200
<i>cens</i> ..	{ 1860, 88	<i>austalasie</i> ..	1851, 199
<i>perlata</i> ..	1855, 142	<i>euphratica</i> ..	1851, 199
	{ 1855, 142	<i>quadrisignata</i> ..	1851, 199
	{ 1858, 553	<i>senegalensis</i> ..	1851, 199
<i>squamigera</i> ..	{ 1860, 63	<i>sepulchralis</i> ..	1851, 200
	{ 1860, 66	<i>testudinea</i> ..	1851, 200
	{ 1860, 88	<i>Megaderma lyra</i> ..	1856, 394
<i>Marginella angustoma</i> ..	1849, 19	<i>schistacea</i> ..	1856, 394
<i>contaminata</i> ..	1849, 20	<i>Megara trigonocephala</i> ..	1858, 383
<i>cornea</i> ..	1849, 20	<i>Megacema barbatula</i> ..	1859, 399
<i>faba</i> ..	1849, 21	<i>bilineata</i> ..	1859, 398
<i>gemma</i> ..	1855, 122	<i>leucotis</i> ..	1859, 395
<i>jewettii</i> ..	1856, 207	<i>Megalauma australis</i> ..	1860, 358
<i>lineato-labrum</i> ..	1849, 20	<i>capistrata</i> ..	1857, 268
<i>oryza</i> ..	1860, 147	<i>chrysopogon</i> ..	1859, 454
<i>pudica</i> ..	1849, 18	<i>duvaucelli</i> ..	1859, 455
<i>pulcherrima</i> ..	1849, 21	<i>indica</i> ..	{ 1857, 100 1858, 475 1859, 451
<i>quadrilineata</i> ..	1849, 17	<i>mystacophanos</i> ..	1859, 454
<i>radiata</i> ..	1855, 64	<i>philippensis</i> ..	1860, 358
<i>sagittata</i> ..	1849, 22	<i>versicolor</i> ..	1859, 454
<i>sandwicensis</i> ..	1860, 147	<i>virens</i> ..	{ 1858, 475 1859, 150
<i>serrata</i> ..	1849, 19	<i>Megalestris antarctica</i> ..	{ 1859, 98 1860, 390
<i>tessellata</i> ..	1849, 19	<i>Megalomastoma compla-</i>	
<i>triplicata</i> ..	1849, 19	<i>natum</i> ..	1856, 36
<i>triticea</i> ..	1849, 20	<i>myersii</i> ..	1860, 11
<i>Marinula aequalis</i> ..	1854, 35	<i>Megalonyx jeffersonii</i> ..	1851, 209
<i>callacensis</i> ..	1854, 35	<i>Megalophrys grigas</i> ..	1860, 165
<i>cymbaeformis</i> ..	1854, 35	<i>Megalophus mexicanus</i> ..	1856, 295
<i>marinella</i> ..	1854, 35	<i>Megaloprepia formosa</i>	1860, 300
<i>patula</i> ..	1854, 35	<i>Megalorhynchus hayi</i> ..	1859, 455
<i>pepita</i> ..	1854, 35	<i>spinus</i> ..	1859, 455
<i>punctata</i> ..	1854, 35	<i>Megapicus sclateri</i> ..	1860, 71
<i>recluziana</i> ..	1854, 35	<i>Megapodius cumingi</i> ..	1851, 119
<i>xanthostoma</i> ..	1854, 35	<i>duperreyi</i> ..	1858, 187
<i>Martes abietum</i> ..	1858, 517	<i>forsteri</i> ..	1860, 302
<i>flavigula</i> ..	{ 1856, 398 1858, 516		
<i>gwatkinsi</i> ..	1858, 516		
<i>Masius chrysopterus</i> ..	1855, 152		
<i>coronulatus</i> ..	1860, 91		

	Page		Page
<i>Megapodius freycineti</i> ..	1860, 362	<i>Melampus pallescens</i> ..	1854, 10
reinwardtii ..	{ 1858, 187	panamensis ..	1854, 10
wallacei ..	{ 1859, 159	patulus ..	1854, 35
<i>Megarhynchus chryso-</i>	1860, 362	pellucidus ..	1854, 11
gaster ..	{ 231	philippii ..	1854, 10
<i>Megatherium cuvieri</i> ..	{ 295	pulchellus ..	1854, 11
laurillardi ..	1851, 209	pusillus ..	1854, 10
<i>Meiglyptes badius</i> ..	1851, 209	pyriformis ..	1854, 10
brunneus ..	1857, 229	sculptus ..	1859, 29
tristis ..	1859, 457	spiralis ..	1854, 122
<i>Meioceras cornubovis</i> ..	1859, 457	stutchburyi ..	1856, 393
cornucopiæ ..	1858, 439	tobagensis ..	1854, 9
nitidum ..	1858, 439	umlaasianus ..	1854, 9
<i>Meizodon bitorquata</i> ..	1858, 438	zealandicus ..	1854, 12
dumerili ..	1860, 428	(Traha) semiplicata ..	1860, 146
regularis ..	{ 1860, 429	<i>Melanerpes albolarvatus</i> ..	1858, { 2
<i>Melampicos flavigula</i> ..	{ 1858, 162	cruentatus ..	1855, 161
<i>Melampus adamsianus</i> ..	{ 1860, 427	erythrocephalus ..	1858, 2
æqualis ..	1854, 35	flavigula ..	1855, 161
anglostoma ..	1854, 11	flavigularis ..	1856, 307
ater ..	1854, 10		{ 1856, 143
bidentatus ..	1854, 10		{ 1856, 307
borealis ..	1854, 10		{ 1857, 127
bridgesii ..	1858, 161	formicivorus ..	{ 1858, 2
cingulatus ..	1854, 11		{ 1858, 305
coffeus ..	1854, 9		{ 1859, 60
commodus ..	1854, 12		{ 1859, 367
coronulus ..	1854, 10	hirundinaceus ..	1858, 460
costatus ..	1854, 12	melanopogon ..	1856, 307
costellatus ..	1854, 12	ruber ..	{ 1857, 127
cristatus ..	1854, 122		{ 1858, 2
duplicatus ..	1854, 151	rubrigularis ..	1858, 2
elongatus ..	1854, 11	thyroideus ..	1858, 2
exaratus ..	1854, 13	torquatus ..	1858, 2
exiguus ..	1854, 11	<i>Melania acanthica</i> ..	1850, 194
fasciatus ..	1854, 11	aculeus ..	{ 1850, 183
firmini ..	1854, 35		{ 1850, 193
flavus ..	1854, 9		{ 1858, 135
floridianus ..	1854, 11	acus ..	1850, 181
frickii ..	1859, 29	albescens ..	1850, 188
fuscus ..	1854, 9	amarula ..	1850, 194
globulus ..	1854, 11	apis ..	1850, 190
gracilis ..	1854, 35	armillata ..	1850, 195
granifer ..	1854, 12	australis ..	1850, 185
infrequens ..	1854, 11	bellicosa ..	1850, 194
kusteri ..	1854, 11	blatta ..	1850, 184
liberianus ..	1854, 12	canalis ..	1850, 180
lividus ..	1854, 10	cincta ..	1850, 183
luteus ..	1854, 10	circumstriata ..	1851, 73
maurus ..	1854, 11	cochlea ..	1850, { 196
mitralis ..	1854, 13		{ 1850, 197
mitidulus ..	1854, 12	cochlidrum ..	1850, 183
oblongus ..	1856, 393	confusa ..	1858, 135
obovatus ..	1854, 12	constellaris ..	1850, { 184
olivula ..	1854, 11		{ 1850, 185
		contracta ..	1850, 182
		conulus ..	1850, 190

	Page		Page
<i>Melania cornuta</i>	1850, 194	<i>Melania virginica</i>	1850, { 188
<i>crebrum</i>	1850, 193		{ 190
<i>crenifera</i>	1850, 192	<i>zeylanica</i>	1850, { 194
<i>cumingii</i>	1850, 191		{ 196
<i>dactylus</i>	1850, 191	(<i>Melancella</i>) <i>nasa</i> ..	1850, 349
<i>datura</i>	1858, 135	<i>Melanitis melane</i>	1858, 405
<i>denticulata</i>	1850, 195	<i>Melanocorypha tartarica</i>	1858, 484
<i>dormestoidea</i>	1850, 181		{ 1858, 484
<i>diadema</i>	1850, 194	<i>torquata</i>	{ 1859, 184
<i>elegantissima</i>	1853, 179		{ 1859, 95
<i>episcopalis</i>	1850, 184	<i>Melanodera typica</i>	{ 1860, 385
<i>ferruginea</i>	1850, 182	<i>xanthogramma</i>	1859, 95
<i>flammulata</i>	1850, 180	<i>Melanopsis buccinoides</i> ..	1853, 43
<i>foeda</i>	1850, 180	<i>helena</i>	1860, 14
<i>fraseri</i>	1859, 168	<i>Melanoptila glaberrimis</i>	{ 1857, 275
<i>fuscopunctata</i>	1859, 167		{ 1859, 55
<i>granifera</i>	1850, 196		{ 1859, 337
<i>hastula</i>	1850, 189	<i>Melanotis caerulea</i> ..	{ 1850, 337
<i>impura</i>	1850, 182		{ 362
<i>indefinita</i>	1850, 187	<i>hypoleucus</i>	1850, 337
<i>juncea</i>	1850, 180	<i>Melasoma edoliodhes</i> ..	1850, 217
<i>laevissima</i>	1850, 179	<i>Meleagris cristata</i>	1860, 269
<i>lancea</i>	1850, 183	<i>gallopavo</i>	1856, 62
<i>lateritia</i>	1850, 196	<i>mexicana</i>	1850, 61
<i>layardi</i>	1858, 135		{ 1850, 62
<i>luzoniensis</i>	1850, 188	<i>ocellata</i>	{ 1860, 192
<i>maxima</i>	1850, 187	<i>Meles leucurus</i>	1856, 398
<i>microstoma</i>	1850, 186		{ 183
<i>mundoriensis</i>	1850, 187	<i>taxus</i>	1860, { 371
<i>mirifica</i>	1853, 99	<i>Melias diardi</i>	1859, 458
<i>modicella</i>	1850, 196	<i>Melibe pilosa</i>	1860, 34
<i>nana</i>	1850, 192	<i>Melherax canorus</i>	1850, 215
<i>obruta</i>	1850, 190	<i>gabari</i>	1850, 215
<i>orientalis</i>	1853, 99	<i>musicus</i>	1850, 215
<i>pagoda</i>	1850, 197		{ 1850, 215
<i>pallida</i>	1853, 180	<i>polyzonus</i>	{ 1850, 435
<i>polygonata</i>	1850, 195	<i>Meliphaga javensis</i>	1854, 280
<i>recta</i>	1850, 185	<i>Melitaea aurantia</i>	1857, 285
<i>reticulata</i>	1850, 193	<i>coccinea</i>	1857, 285
<i>rudis</i>	1850, { 186	<i>lutea</i>	1850, 485
	{ 187		{ 1857, 285
<i>rufa</i>	1853, 179	<i>ochracea</i>	{ 1859, 485
<i>scabra</i>	1850, 194		{ 1857, 285
<i>scalaris</i>	1853, 170	<i>retifera</i>	{ 1859, 486
<i>semplicata</i>	1850, 187	<i>rissoi</i>	1857, 285
<i>simplex</i>	1850, 182		{ 1857, 285
<i>sobria</i>	1850, 181	<i>tenella</i>	{ 1859, 486
<i>speciosa</i>	1853, 99		{ 1857, 285
<i>spinulosa</i>	1850, 195	<i>textiformis</i>	{ 1859, 486
<i>submutualis</i>	1851, 73	<i>Melitella coccinea</i>	1850, 486
<i>subula</i>	1850, 181	<i>elongata</i>	1850, 465
<i>tessellata</i>	1850, 192	<i>retifera</i>	1859, 486
<i>tornatella</i>	1850, { 185	<i>tenella</i>	1859, 486
	{ 187	<i>Mellisuga minima</i>	1857, 233
<i>torriculus</i>	1850, 190	<i>Melita erythraea</i>	1851, 36
<i>transversa</i>	1850, { 186	<i>hexapora</i>	1851, 36
	{ 187	<i>lobata</i>	1851, 36
<i>truncata</i>	1850, 187		

	Page		Page
Mellita quinquefora	1851, 36	Merops daudini	1854, 263
similis	1851, 36	erythropterus	1850, 216
testudinaria	1851, 36	javanicus	1854, 263
Melo æthiopicus	1855, 54	lafresnayei	1850, 216
armatus	1855, 54	lamarecki	1850, 216
broderipii	1855, 53	latreillei	1854, 264
cylindratus	1855, 55	leschenaulti	1854, 264
cymbiola	1855, 63	munulus	1850, 216
diadema	1855, 54	nubicus	1850, 216
georginae	1855, 53	ornatus	1859, 155
indicus	1855, 53		1860, 348
multonius	1855, 55		1854, 263
mucronatus	1855, 54	philippinus	1857, 87
nauticus	1855, 54		1859, 160
regius	1855, 55		1859, 151
senticosus	1855, 54	quinticolor	1854, 264
tessellatus	1855, 54		1854, 263
umbilicatus	1855, 54	sumatranus	1859, 151
Melopelia leucoptera	1859, 61	superbus	1850, 216
Melopsittacus undulatus	1857, 27	typicus	1854, 263
Melospiza fallax	1859, 235	urica	1854, 264
lincolni	1859, 379		1850, 216
Meminna indica	1850, 157		1855, 27
Menetrix impudica	1860, 17	viridis	1857, 87
zonaria	1860, 17		1858, 475
Menobanchus maculatus	1857, 62		1850, 150
Menopoma alleghanien-			1859, 151
sis	1857, 62		1859, 174
fusca	1857, 12	viridissimus	1850, 216
lateralis	1857, 62	Merula atrosericca	1859, 136
Menura alberti	1853, 45		333
	1860, 113	dominicensis	1859, 341
superba	1860, 61	falklandica	1859, 330
Meretrix grata	1853, 7	infuscata	1859, 334
Merganetta columbiana	1855, 164	leucogenys	1859, 333
Mergellus albellus	1858, 510	nestor	1855, 164
	1857, 215		105
Mergus albellus	1860, 242	olivacea	1857, 212
	1860, 336	silens	1859, 335
anataris	1860, 336	surinamensis	1856, 114
cucullatus	1850, 237	taistis	1856, 294
Mermis rigidus	1853, 19		1859, 330
spiralis	1853, 19		1855, 165
Merops ægyptius	1850, 216	vinitincta	1859, 161
	1860, 197		1856, 40
amictus	1854, 264	vulgaris	1858, 490
	1851, 145	Merulaxis atra	1858, 69
apiaster	1858, 474		1854, 111
	1859, 174	griseicollis	1860, 64
badius	1854, 263	orthonyx	1855, 142
bicolor	1854, 263	Mesalia decussata	1851, 279
cæruleocephalus	1850, 216	plicata	1855, 123
castaneus	1854, 263	striata	1851, 279
collaris	1850, 216	Mesodesma angulus	1854, 337
cyanopygius	1854, 264	angusta	1854, 338
		crassula	1854, 336
		elongata	1854, 337
		heterodon	1854, 337

	Page		Page
<i>Mesodesma intermedia</i> ..	1854, 338	<i>Microglossum . aterri-</i>	1859, 150
<i>lanceolata</i>	1854, 337	<i>mum</i>	1860, 227
<i>layardi</i>	1854, 339	<i>Micromys badius</i>	1858, 473
<i>macrodon</i>	1854, 330	<i>monogrammicus</i> ..	1860, 109
<i>macroides</i>	1854, 336	<i>soloensis</i>	1860, 344
<i>mitis</i>	1854, 330	<i>Micropalana himantopus</i>	1860, 200
<i>nitida</i>	1854, 338	<i>Microphractus humeralis</i>	1859, { 90
<i>ovalis</i>	1854, 336		402
<i>præcisâ</i>	1854, 338	<i>Micropogon fuliginosus</i> .	1859, 455
<i>retusa</i>	1854, 338	<i>margaritatus</i>	1859, 369
<i>sulcata</i>	1854, 339	<i>sulphuratus</i>	1859, 399
<i>transversa</i>	1854, 330	<i>Micropternus badius</i> . .	1859, 457
	1855, 140	<i>Micropternus brachypte-</i>	
	1858, 555	<i>rus</i>	1860, 389
<i>Metallura tyrianthina</i> .	1859, 145	<i>cinereus</i>	1859, 96
	1860, 63		1860, 368
	1860, 95	<i>rufonotus</i>	1859, 150
<i>Metcalfeia bacqueana</i> ..	1857, { 168	<i>Microtarsus cantori</i> . . .	1854, 270
	180	<i>melanolucos</i>	1854, 279
<i>chittiana</i>	1857, { 168	<i>Microtus tuberculata</i> . . .	1850, 36
	179	<i>Milvago australis</i> . . .	1860, 383
<i>dohrniana</i>	1857, { 168	<i>carunculatus</i>	1860, 81
	182		1859, 93
<i>layardiana</i>	1857, { 168	<i>leucurus</i>	1860, 383
	183		1858, 555
<i>metcalfeiana</i>	1857, { 168	<i>megapterus</i>	1860, 82
	179	<i>Milvulus monachus</i> . . .	1859, 384
<i>mitchelliana</i>	1857, { 168		1855, 150
	182		1856, 141
<i>morehiana</i>	1857, { 108	<i>tyrannus</i>	1856, 207
	181		1858, 358
<i>sinclairiana</i>	1857, { 108		1859, 55
	182	<i>Mivus affinis</i>	1854, 4
<i>sutherlandiana</i>	1857, { 168	<i>ater</i>	1858, 471
	180		1854, 259
<i>swiftiana</i>	1857, { 168	<i>govinda</i>	1857, 85
	183		1858, 471
<i>verreauxiana</i>	1857, { 168		1859, 170
	181	<i>indicus</i>	1854, 259
<i>Metopias typhlops</i> . . .	1850, 251	<i>melanotis</i>	1854, 259
<i>Metoponia pusilla</i> . . .	{ 1858, 484	<i>parasiticus</i>	1860, 417
	1859, 178	<i>pondicerianus</i>	1854, 4
<i>Metoporphina irrorata</i> ..	1858, 159	<i>regalis</i>	1860, { 183
<i>Metula cumingii</i>	1853, 173		416
	1856, 285	<i>rotundicollis</i>	1854, 202
<i>Micrastur concentricus</i> .	1857, 261	<i>subhimalayanus</i>	1854, 259
	1858, 96	<i>Mimeta mulleri</i>	1858, 175
	1860, 96	<i>Mimocichla</i>	1859, 336
	1857, 261	<i>Mimus cœrulescens</i> . . .	1856, 204
<i>gilvicollis</i>	1858, 96	<i>calandra</i>	1859, 343
	1860, 96		1856, 294
<i>guerilla</i>	1858, 96	<i>carolinensis</i>	1859, 336
<i>xanthothorax</i>	1859, 368		1855, 145
<i>Micrhylla achatina</i> . . .	1858, 343	<i>columbianus</i>	1859, 342
<i>Micreca conspicillata</i> .	1859, 156		1857, 232
<i>flavovirescens</i>	1858, 178	<i>dominicus</i>	1859, 341
<i>Microglossum alecto</i> . .	1860, 227	<i>dorsalis</i>	1859, 341
<i>atterimum</i>	1858, 184	<i>gilvus</i>	1859, 342

	Page		Page
<i>Mimus gracilis</i>	1859, { 55 343	<i>Mitra cingulata</i>	1851, 136
<i>gundlachii</i>	1859, 342	<i>columbellina</i>	1851, 141
<i>leucospilus</i>	1859, 344	<i>compta</i>	1851, 134
<i>lividus</i>	1859, 342	<i>cratitia</i>	1851, 132
<i>longicaudatus</i>	1859, 345	<i>crenilabris</i>	1851, 140
<i>longirostris</i>	1859, 294	<i>creniplicata</i>	1851, 139
<i>melanopterus</i>	{ 1855, 145 1859, 342	<i>cyri</i>	1860, 367
<i>melanotis</i>	1859, 345	<i>dealbata</i>	1851, 140
<i>modulator</i>	1859, 343	<i>delicata</i>	1851, 137
<i>montanus</i>	1859, 340	<i>dichroma</i>	1851, 140
<i>orpheus</i>	1859, 341	<i>echmata</i>	1851, 138
<i>parvulus</i>	1859, 345	<i>episcopalis</i>	1853, 36
<i>patagonicus</i>	1859, 344	<i>ericea</i>	1860, 146
<i>peruvianus</i>	1859, 344	<i>exarata</i>	1851, 133
	{ 1857, 212 1859, 340	<i>exima</i>	1851, 135
<i>polyglottus</i>	{ 1859, 433 1860, 250 1860, 417	<i>ferruginea</i>	1854, 134
<i>rubripes</i>	1859, 336	<i>flammea</i>	1851, 141
<i>rufus</i>	1860, 108	<i>formosa</i>	1851, 138
<i>saturninus</i>	1859, 344	<i>gibba</i>	1860, 368
<i>thenca</i>	1859, 344	<i>insculpta</i>	1851, 133
<i>trifasciatus</i>	1859, 345	<i>insignis</i>	1851, 132
<i>triurus</i>	1859, 341	<i>interrupta</i>	1851, 135
<i>Miniopteris australis</i>	{ 1858, 125 1860, 4	<i>judaeorum</i>	1860, 367
<i>blepotis</i>	1858, 121	<i>jukesii</i>	1851, 139
<i>dasythrix</i>	1858, 118	<i>læta</i>	1851, 135
<i>schreibersii</i>	1858, 117	<i>lævis</i>	1851, 132
<i>tristis</i>	1858, 124	<i>ligata</i>	1851, 134
<i>ursinii</i>	1858, 117	<i>luctuosa</i>	1851, 133
<i>Minla cinerea</i>	1854, 142	<i>lyraeformis</i>	1855, 60
<i>Mino dumontii</i>	1858, 182	<i>macrospira</i>	1851, 138
	{ 45 46	<i>mariae</i>	1851, 140
<i>Mionectes assimilis</i>	1859, { 366 1856, 296 1858, 71	<i>marmorea</i>	1851, 139
	{ 1859, 45 1859, 46 1860, 283	<i>marquesana</i>	1851, 270
<i>oleagineus</i>	{ 1859, 45 1859, 46 1860, 283	<i>maura</i>	1856, 227
	{ 1859, 144 1860, 93	<i>mirabilis</i>	1851, 136
<i>striaticollis</i>	1860, 93	<i>mochni</i>	1854, 134
<i>Mirafra assamica</i>	1857, 95	<i>multilirata</i>	1851, 135
<i>cordofanica</i>	1859, 218	<i>nebulosa</i>	1851, 270
<i>Mitra adusta</i>	1853, 36	<i>nitida</i>	1851, 134
<i>albina</i>	1851, 137	<i>nodilirata</i>	1851, 136
<i>amoena</i>	1851, 137	<i>nodulifera</i>	1851, 140
<i>antonelli</i>	1860, 367	<i>nux-avellana</i>	1860, 368
<i>antoni</i>	1860, 368	<i>ornata</i>	1851, 135
<i>asperulata</i>	1851, 136	<i>pallida</i>	{ 1851, 139 1860, 146
<i>astyagis</i>	1860, 367	<i>peasei</i>	1860, 366
<i>autumnalis</i>	1860, 367	<i>philippinarum</i>	1851, 141
<i>bellula</i>	1851, 138	<i>pia</i>	1860, 366
<i>castanea</i>	1851, 140	<i>pigra</i>	1851, 133
		<i>plebeia</i>	1860, 368
		<i>propinqua</i>	1851, 270
		<i>pudica</i>	1860, 146
		<i>punctostriata</i>	1854, 134
		<i>pura</i>	1851, 136
		<i>pusilla</i>	1851, 141
		<i>reticulata</i>	1851, 136
		<i>rubiginea</i>	1854, 134
		<i>rufescens</i>	1851, 137

	Page		Page
<i>Mitra rufocincta</i>	1851, 134	<i>Molothrus pecoris</i>	{ 1859, 365
<i>rutula</i>	1851, 137		{ 1860, 252
<i>sacerdotalis</i>	1851, 138		{ 1857, 223
<i>samuelis</i>	1860, 368	<i>Momotus equatorialis</i> .	{ 1857, 250
<i>scitula</i>	1851, 138		{ 1858, 61
<i>serotina</i>	1851, 132	<i>bahamensis</i>	{ 1857, 252
<i>serpentina</i>	1851, 270		{ 1855, 135
<i>straminea</i>	1851, 132	<i>brasiliensis</i>	{ 1856, 285
<i>tiarella</i>	1851, 133		{ 1857, 250
<i>tigina</i>	1851, 132		{ 1857, 201
<i>turricula</i>	1851, 139	<i>cæruleiceps</i>	{ 1857, 253
<i>virex</i>	1851, 134		{ 1859, 367
<i>wisemanni</i>	1860, 367		{ 1854, 154
<i>Mitreola punctostriata</i> ..	1854, 134	<i>castaneiceps</i>	{ 1857, 254
<i>Mitrephorus fulvifrons</i> ..	1859, 45	<i>cyanogaster</i>	{ 1857, 255
	{ 44	<i>dombeyi</i>	{ 1857, 258
<i>phæocercus</i>	1859, 366	<i>gularis</i>	{ 1857, 256
	{ 384		{ 1856, 139
<i>Mitylia gerrardi</i>	1858, 58		{ 1856, 285
	{ 1853, 133	<i>lessoni</i>	{ 1857, 253
	{ 1853, 143		{ 1859, 54
	{ 1856, 140		{ 1859, 387
<i>Mniotilta varia</i>	{ 1856, 201	<i>levallanti</i>	{ 1857, 255
	{ 1858, 298	<i>martii</i>	{ 1857, 254
	{ 1859, 363		{ 1854, 154
	{ 1859, 373		{ 1857, 253
<i>Moa</i>	1850, 209	<i>mexicanus</i>	{ 1859, 387
<i>Mococa africana</i>	1858, 156		{ 1860, 252
<i>sikkimensis</i> .. .	1860, 160		{ 1857, 251
<i>Modiola capax</i>	1856, 218	<i>microstephanus</i> ..	{ 1860, 296
<i>nitens</i>	1856, 202	<i>momota</i>	{ 1857, 250
<i>recta</i>	1856, 218	<i>momotula</i>	{ 1857, 256
<i>trapezina</i>	1854, 108	<i>nattereri</i>	{ 1857, 251
<i>Modioluca sub torta</i> ..	1856, 365	<i>parvirostris</i>	{ 1857, 260
<i>trapezina</i>	1854, 108	<i>platyrhynchus</i> ..	{ 1855, 136
<i>Modulus carchedonicus</i> .	1850, 203		{ 1857, 256
<i>cerodes</i>	1850, 204	<i>psalura</i>	{ 1857, 259
<i>cidaris</i>	1850, 204	<i>rubricapillus</i>	{ 1857, 258
<i>disculus</i>	1856, 205	<i>ruficapillus</i>	{ 1857, 258
<i>dorsuosus</i>	1856, 205		{ 1855, 135
<i>duplicatus</i>	1850, 204	<i>semirufus</i>	{ 1857, 254
<i>lenticularis</i>	1850, 203		{ 1858, 61
<i>tectum</i>	1850, 203	<i>subhutu</i>	{ 1857, 253
<i>Moho apicalis</i>	1860, 380	<i>subrufescens</i>	{ 1857, 252
<i>Mola</i>	1851, 130	<i>superciliaris</i>	{ 1857, 257
<i>Molge striata</i>	1858, 144	<i>tutu</i>	{ 1857, 258
<i>Molossus acetabulosus</i> ..	1859, 78	<i>varius</i>	{ 1857, 200
<i>australis</i>	1858, 372	<i>yucatanensis</i>	{ 1857, 258
<i>fuliginosus</i> .. .	1858, 546	<i>Monacanthus aurga</i> ..	{ 1850, 253
<i>fumarius</i>	1860, 213	<i>filamentosus</i>	{ 1850, 253
<i>nasutus</i>	1859, 78	<i>Monarcha binaculata</i> ..	{ 1860, 352
<i>norfolkensis</i>	1859, 78	<i>cæsia</i>	{ 1854, 270
<i>obscurus</i>	{ 1858, 546	<i>chrysomela</i>	{ 1858, 177
	{ 1860, 213	<i>cinerascens</i>	{ 1860, 351
	{ 1856, 300	<i>dichroa</i>	{ 1859, 156
<i>Molothrus æneus</i>	{ 1859, 365	<i>gouldi</i>	{ 1860, 352
	{ 1859, 381	<i>griseogularis</i>	{ 1858, 177
<i>pecoris</i>	1857, 213		{ 1860, 352

	Page		Page	
<i>Monarcha guttula</i>	1858, 177	<i>Monodonta atrata</i>	1851, 174	
<i>inornata</i>	1858, 177	<i>australis</i>	1851, 174	
<i>leucotis</i>	{ 1850, 201	<i>baccata</i>	1851, 174	
<i>leucura</i>	{ 1858, 178	<i>canalifera</i>	1851, 174	
<i>melanoptera</i>	1858, 178	<i>carchedonicus</i>	1850, 203	
<i>nigrimentum</i>	1860, 352	<i>circumcincta</i>	1851, 175	
<i>telescopthalma</i>	{ 1858, 177	<i>clathrata</i> ..	1851, 175	
<i>trivirgata</i>	{ 1859, 156	<i>constricta</i> ..	1851, 177	
<i>velata</i> ..	1854, 270	<i>couturii</i> ..	1851, 158	
<i>Monasa atra</i> ..	1855, 196	<i>crassa</i>	1851, 179	
<i>flavirostris</i>	1855, { 186	<i>crenulata</i>	{ 1851, 174	
	{ 196	{ 1854, 41	<i>draparnaudii</i> ..	1851, 178
<i>nigrifrons</i>	{ 1855, 196	<i>dunkeri</i> ..	1851, 174	
	{ 1858, 60	<i>edentula</i> ..	1851, 176	
<i>personata</i>	1855, 196	<i>exasperata</i>	1851, 177	
	{ 1855, 194	<i>exigua</i> ..	1851, 176	
<i>peruana</i>	{ 1857, 262	<i>fermonii</i>	1851, 186	
	{ 1858, 60	<i>foveolata</i> ..	1851, 176	
<i>Moneilema albo-pictum</i> ..	1856, 407	<i>fragarioides</i>	1851, 178	
<i>laeviodorsale</i>	1856, 407	<i>gemmata</i>	1851, 174	
<i>longipes</i>	1856, 407	<i>inconspicua</i>	1851, 175	
<i>Monilea benzi</i>	1851, 188	<i>indecora</i>	1851, 174	
<i>callifera</i>	1851, 188	<i>interrupta</i>	1851, 177	
<i>calyculus</i>	1851, 188	<i>jussieui</i>	1851, 159	
<i>kalisoma</i>	1851, 188	<i>krausii</i>	1851, 150	
	{ 1851, 188	<i>labio</i> ..	1851, 173	
<i>lentiginosa</i>	{ 1854, 41	<i>labrostoma</i>	1851, 177	
<i>lirata</i>	1851, 188	<i>lineata</i> ..	1851, 170	
<i>menkei</i>	1854, 38	<i>lugubris</i> ..	1851, 179	
<i>nucleus</i>	1851, 188	<i>lupina</i> ..	1851, 159	
<i>philippii</i>	1854, 39	<i>margaritaria</i>	1851, 159	
	{ 1851, 188	<i>melanoloma</i> ..	1851, 179	
<i>plumbea</i>	{ 1854, 41	<i>olivieri</i> ..	1851, 178	
<i>pusilla</i>	1851, 188	<i>patagonica</i>	1851, 158	
<i>swainsonii</i>	1851, 189	<i>philippii</i>	1851, 174	
<i>Monitor gouldi</i> ..	1860, 372	<i>philippina</i>	1851, 176	
	{ 1858, 155	<i>punctigera</i> ..	1851, 177	
<i>niloticus</i>	{ 1860, 417	<i>punicea</i>	1851, 158	
		<i>regulosa</i>	1851, 175	
<i>Monoceros brevidens</i> ..	1850, 229	<i>retusa</i>	1850, 203	
<i>brevidentatum</i>	1856, 229	<i>ringens</i>	1851, 158	
<i>engonatum</i>	1856, 228	<i>rosea</i>	1851, 170	
<i>lapilloides</i>	1856, 229	<i>rubra</i>	1851, 176	
<i>maculatum</i>	1856, 229	<i>sayii</i>	1850, 203	
<i>punctatum</i>	1856, 229	<i>scorpio</i>	1851, 179	
<i>punctulatum</i>	1856, 229	<i>spilota</i>	1851, 177	
<i>unicarminatum</i>	1856, 228	<i>strangei</i>	1851, 177	
	{ 84	<i>subrostrata</i>	1851, 178	
<i>Monoculus lenticularis</i> ..	1840, { 85	<i>sulcifera</i>	1851, 175	
	{ 87	<i>tricarminata</i> ..	1851, 174	
<i>Monodonta alveolata</i> ..	1851, 176	<i>tricingulata</i>	1851, 175	
<i>angulifera</i>	1851, 176	<i>tuberculata</i>	1851, 175	
<i>apicina</i>	1851, 171	<i>turbinata</i>	1851, 173	
<i>aracanis</i>	1851, 158	<i>turrita</i>	1851, 172	
<i>articulata</i>	1851, 178	<i>vieilloti</i> ..	1851, 158	
<i>aspera</i>	1851, 174	<i>virgata</i> ..	1851, 171	
<i>aspeisa</i>	1851, 174	<i>viridis</i> ..	1851, 176	

	Page		Page
<i>Monochamus armatus</i> ..	1858, 405	<i>Morphnus schistaceus</i> .	{ 1857, 261
<i>asperulus</i>	1858, 411		{ 1858, 128
<i>bowringi</i>	1858, 398	<i>urubitinga</i>	1857, { 227
<i>brianus</i>	1858, 409		261
<i>championi</i>	1858, 398	<i>Morrisia anomoioides</i> ..	1852, 79
<i>fredericus</i>	1858, 408	<i>Morsus norvegicus</i>	1853, 118
<i>georgius</i>	1858, 407	<i>Mortonia australis</i>	1851, 38
<i>laryatus</i>	1858, 406	<i>Morulus cidaris</i>	1850, 204
<i>luridus</i>	1858, 398	<i>Morum tuberculatum</i> ..	1853, 144
<i>melanosticticus</i>	1858, 407	<i>xanthostoma</i>	1853, 174
<i>nivosus</i>	1858, 409	<i>Morunga</i>	1848, 88
<i>obfuscatus</i>	1858, 411	<i>Moschus delicatula</i>	1850, 241
<i>officator</i>	1858, 409	<i>grimmia</i>	1850, 120
<i>ruber</i>	1858, 399		{ 1856, 404
<i>sierricola</i>	1858, 410	<i>leucogaster</i>	{ 1858, 528
<i>stephanus</i>	1858, 406	<i>meminna</i>	1848, 37
<i>subcruentatus</i>	1858, 410		{ 1856, 404
<i>sublineatus</i>	1858, 410	<i>moschiferus</i>	{ 1858, 528
<i>tesserula</i>	1858, 408	<i>pygmæus</i>	1850, 126
<i>Monophylla uniformis</i> .	1852, 37	<i>Motacilla alba</i>	1851, 145
<i>Monoplocus dorsalis</i> ..	1850, 404	<i>alpina</i>	1854, 116
<i>Monoptygma amœna</i> ..	1851, 223	<i>atrata</i>	1854, 26
<i>casta</i>	1851, 223	<i>aurorea</i>	1854, 28
<i>fulva</i>	1851, 222	<i>bistrigata</i>	1854, 284
<i>granulata</i>	1851, 222		{ 1851, 142
<i>lauta</i>	1851, 223	<i>boarula</i>	{ 1854, 284
<i>speciosa</i> ..	1851, 223		{ 1858, 486
<i>spirata</i>	1851, 223		{ 1859, 178
<i>striata</i>	1851, 222	<i>cærulea</i>	1855, 11
<i>stylina</i>	1851, 224	—, var.	1856, 12
<i>suturalis</i>	1851, 224	<i>campestris</i>	1856, 209
<i>tenella</i>	1851, 224	<i>capensis</i>	1850, 217
<i>Monornis perpulchra</i> ..	1859, 467	<i>ceraunia</i> ..	1854, 27
<i>Montacuta coquimbensis</i>	1856, 340	<i>cingalensis</i>	1859, 463
<i>Monticola cinclorhyncha</i>	1859, 181	<i>dukhunensis</i>	1858, 486
<i>Montifringilla adamsi</i> {	1858, 482	<i>erythaca</i>	1854, 25
	1859, 178	<i>erythrogastra</i>	1854, 27
	1851, 115	<i>flava</i>	1858, 77
<i>hæmatopygia</i> {	1858, 482	<i>flavescens</i>	1800, 350
	1859, 178	<i>gibraltariensis</i>	1854, 26
<i>nemicola</i>	1858, 482	<i>gnæsa</i>	1858, 238
<i>Mopsea dichotoma</i> {	1857, 284	<i>guira</i>	1856, 100
	1850, 486	<i>longicauda</i>	1854, { 81
<i>elongata</i>	1857, 283		284
<i>encrinula</i>	1857, 284		{ 1858, 486
<i>erythracea</i>	1857, 283	<i>luzonionensis</i>	1859, 150
<i>gracilis</i>	1857, 283		{ 1859, 178
<i>mediterranea</i>	1857, 283	<i>maderaspatana</i>	1858, 486
<i>verticillata</i>	1857, 284	<i>modularis</i>	1854, 118
<i>Mopsella dichotoma</i> .. {	1857, 284	<i>montanella</i>	1854, 118
	1859, 486	<i>phœnicura</i>	1854, 25
<i>gracilis</i>	1859, 486	<i>sepium</i>	1854, 79
<i>Mordacia mordax</i>	1851, 240	<i>subviridis</i>	1854, 281
<i>Morelia argus</i>	1848, 38	<i>sulphurea</i>	1854, 284
<i>Morphnus anthracinus</i> ..	1857, { 211		{ 1851, 194
<i>mexicanus</i>	1858, 129	<i>sutoria</i>	{ 1854, 81
<i>schistaceus</i>	1857, 227		{ 1854, 284
		<i>typha</i>	1854, 281

	Page		Page
<i>Motacilla velia</i>	1856, 267	<i>Murex pulcher</i>	1851, 270
<i>viridis</i>	1854, 285	<i>pumilus</i>	1853, 70
<i>xanthoschistos</i>	1854, 284	<i>pusio</i>	1850, 56
<i>yarrellii</i>	1860, 417	<i>roseotinctus</i>	1859, 429
<i>Mucronalia nitidula</i> ..	1860, 437	<i>salleanus</i>	1853, 70
<i>ovata</i>	1860, 437	<i>scalaris</i>	1853, 71
<i>rosea</i>	1860, 437	<i>serotinus</i>	1851, 268
<i>Mulleripicus javensis</i> ..	1859, 455	<i>singaporensis</i>	1851, 270
<i>pulverulentus</i>	1859, 455	<i>solidus</i>	1851, 267
<i>Munia acuticauda</i>	1859, 444	<i>speciosus</i>	1855, 121
<i>amandava</i>	1857, 96	<i>spinosus</i>	1851, 268
<i>maja</i>	1859, 444	<i>subspinosus</i>	1853, 72
<i>malabarica</i>	1858, 481	<i>tenuatus</i>	1859, 428
<i>molucca</i>	1860, 355	<i>trigonulus</i>	1857, 209
<i>punctularia</i>	1859, 151	<i>trivialis</i>	1853, 71
<i>sinensis</i>	1859, 444	<i>Muricea myura</i>	1859, 484
<i>undulata</i>	1858, 481	<i>verticillaris</i>	1857, 286
<i>Muntjacus vaginalis</i> ..	1850, 157	<i>bandicota</i>	1856, 394
<i>Muraena anguilla</i>	1849, 84	<i>Murina suillus</i>	1857, 45
<i>Murex alabaster</i>	1855, 121	<i>assimilis</i>	1858, 370
<i>arausiacus</i>	1855, 60	<i>Mus aequicaudalis</i>	1856, 401
<i>armatus</i>	1853, 71	<i>bandicota</i>	1857, 241
<i>australensis</i>	1853, 72	<i>barbarus</i>	1850, 157
<i>barclayi</i>	1857, 209	<i>caudatior</i>	1858, 520
<i>bifasciatus</i>	1851, 269	<i>decumanus</i>	1860, 416
<i>cantinelosus</i>	1855, 59	<i>decumanus</i>	1856, 401
<i>castus</i> ..	1853, 71	<i>fuscipes</i>	1850, 157
<i>coccineus</i>	1853, 72	<i>gouldi</i>	1857, 241
<i>coreanicus</i>	1853, 72	<i>gracilicauda</i>	1857, 242
<i>costularis</i>	1856, 356	<i>manicatus</i>	1857, 242
<i>crassus</i>	1851, 269	<i>morungensis</i>	1856, 401
<i>cumingi</i>	1851, 270	<i>musculus</i>	1850, 157
<i>decollatus</i>	1854, 83	<i>musculus</i>	1856, 38
<i>delectus</i>	1855, 120	<i>musculus</i>	1856, 106
<i>despectus</i>	1853, 72	<i>myothrix</i>	1856, 401
<i>diadema</i>	1853, 70	<i>nanus</i>	1857, 242
<i>euracanthus</i>	1851, 268	<i>nipalensis</i>	1856, 400
<i>exasperatus</i>	1851, 268	<i>niviventer</i>	1850, 157
<i>excavatus</i>	1851, 269	<i>nudo-phicatus</i>	1856, 38
<i>expansus</i>	1859, 428	<i>pilorides</i>	1849, 105
<i>fimbriatus</i>	1853, 71	<i>plurimammis</i>	1856, 401
<i>fulgora</i>	1855, 60	<i>rattus</i>	1857, 242
<i>fusiformis</i> ..	1851, 268	<i>rattus</i>	1860, 247
<i>inornatus</i>	1851, 269	<i>rattus</i>	1860, 264
<i>iostomus</i>	1851, 267	<i>sordidus</i>	1857, 242
<i>lignarius</i>	1851, 268	<i>squamipes</i>	1858, 548
<i>lyratus</i>	1851, 269	<i>tarayensis</i>	1856, 400
<i>nitens</i>	1853, 72	<i>Muscicapa anthoides</i> ..	1858, 288
<i>niveus</i>	1851, 270	<i>aurantia</i>	1857, 75
<i>noduliferus</i>	1851, 268	<i>azurea</i>	1854, 271
<i>nubilus</i>	1859, 428	<i>belli</i>	1855, 65
<i>obeliscus</i>	1851, 269	<i>belli</i>	1859, 374
<i>octogonus</i>	1859, 428	<i>bivittata</i>	1859, 187
<i>pagodus</i>	1851, 269	<i>bivittata</i>	1855, 66
<i>pauxillus</i>	1853, 71	<i>brasieri</i>	1856, 292
		<i>brasieri</i>	1859, 374

	Page		Page
<i>Muscicapa caerulea</i>	{ 1854, 271 1855, 11	<i>Muscicapa tricolor</i>	{ 1854, 283 1860, 351
<i>caeruleocephala</i>	1854, 271	<i>turdina</i>	{ 1854, 114 1860, 467
<i>caesia</i>	1858, 223	<i>virescens</i>	1854, 114
<i>caledonica</i>	1850, 162	<i>vulnerata</i>	{ 1855, 65 1856, 292
<i>carolinensis</i>	1850, 336	<i>uropygiata</i>	1859, 41
<i>chalybeocephalus</i>	1859, 156	<i>xanthetrasa</i>	1859, 162
<i>chrysomela</i>	1858, 177	<i>xanthopygia</i>	1854, 283
<i>cinerea</i>	1859, 41	<i>Muscigralla brevicauda</i>	1860, 281
<i>cinereocapilla</i>	1854, 271	<i>Muscipeta aurantia</i>	1857, 79
<i>cooperi</i>	1851, 51	<i>castanea</i>	1854, 270
<i>cristata</i>	1851, 51	<i>marginata</i>	1857, 77
<i>delalandii</i>	1858, 287	<i>melaleuca</i>	1860, 351
<i>derhamii</i>	{ 1855, 65 1856, 292	<i>nigriceps</i>	1857, 75
<i>elisabethæ</i>	1857, 5	<i>paradisi</i>	1859, 182
<i>enado</i>	1858, 177	<i>princeps</i>	1854, 271
<i>eques</i>	1857, 75	<i>Muscisaxicola albifrons</i>	1860, 78
<i>eximia</i>	1860, 69	<i>alpina</i>	{ 1860, 92 1859, 95
<i>fuliginosa</i>	1859, 43	<i>macloviana</i>	{ 1860, 385 1860, 92
<i>fulvifrons</i>	{ 1855, 65 1858, 301 1859, 45	<i>maculirostris</i>	{ 1856, 295 1858, 301
<i>galeata</i>	1856, 117	<i>Muscivora mexicana</i>	{ 1859, 45 1850, 56
<i>goiavier</i>	1854, 278	<i>occidentalis</i>	1860, 282
<i>grisola</i>	1857, 215	<i>regia</i>	{ 1855, 67 1858, 301 1859, 45
<i>guttula</i>	1858, 177	<i>Musculium lacustre</i>	1851, 232
<i>hæmatodes</i>	1859, 41	<i>Musophaga africana</i>	1851, 145
<i>inornata</i>	1858, 177	<i>rossæ</i>	1851, 93
<i>irritabilis</i>	1851, 51	<i>rossæ</i>	1854, 24
<i>javanica</i>	1854, 271	<i>violacea</i>	1854, 23
<i>latirostris</i>	1854, 270	<i>Mustela canadensis</i>	1860, 417
<i>lawrencei</i>	1855, 65	<i>canigula</i>	1856, 398
<i>legatus</i>	1859, 46	<i>erminea</i>	1858, 517
<i>leucomus</i>	1855, 66	<i>fluvialis</i>	1851, 238
<i>melanops</i>	1856, 117	<i>kathiah</i>	1856, 398
<i>miniata</i>	1856, 292	<i>striata</i>	1848, 21
<i>nævia</i>	1859, 163	<i>strigidorsa</i>	1850, 398
<i>nigriceps</i>	1857, 75	<i>strigodorsa</i>	1853, 191
<i>nitida</i>	1854, 271	<i>subhimalayana</i>	1858, 517
<i>occipitalis</i>	1854, 271	<i>vulgaris</i>	1860, 415
<i>olivacea</i>	1859, 162	<i>Mya arenaria</i>	1855, 220
<i>pectoralis</i>	1854, 270	<i>semistriata</i>	1850, 86
<i>poonensis</i>	1854, 270	<i>Mycetes beelzebub</i>	1852, 107
<i>psidu</i>	1854, 278	<i>caraya</i>	1852, 107
<i>pygmæa</i>	1858, 234	<i>palliatu</i>	1848, 138
<i>rubra</i>	{ 1856, 123 1859, 41	<i>ursinus</i>	{ 1852, 107 1859, 47
<i>rubrifrons</i>	1858, 299	<i>Mycteria australis</i>	{ 1859, 150 1860, 328
<i>rufa</i>	1857, 79	<i>senegalensis</i>	1860, 196
<i>rufescens</i>	1857, 79	<i>Mygale antipodum</i>	1849, 3
<i>rugensis</i>	1857, 5	<i>emilia</i>	1856, 183
<i>splendens</i>	1857, 77		
<i>stenura</i>	1855, 11		
<i>surinama</i>	1857, 74		
<i>telescopthalma</i>	1858, 177		
<i>texensis</i>	1855, 65		
<i>thamnophiloides</i>	1859, 41		

	Page		Page
<i>Mygale emilia</i>	1856, 185	<i>Myiobius cinnamomeus</i> .	1860, 466
<i>hexops</i>	1849, 3	<i>crypterythrurus</i>	1860, 464
<i>rosea</i>	1856, 183	<i>cryptoxanthus</i>	1860, 465
<i>versicolor</i>	1856, 183	{ 1858, 70	
<i>zebra</i>	1856, 183	<i>erythrurus</i>	{ 1860, 295
<i>Myiabeillia typica</i>	1856, 287	{ 1860, 466	
<i>Myiabeillia guimeti</i>	1857, 17	<i>flavicans</i>	1860, 464
<i>Myiadestes armillata</i> ..	1857, 6	<i>fuscocapilla</i>	1855, 149
<i>elisabethae</i>	1857, 5	<i>nævius</i>	1860, 466
<i>griseiventris</i>	1857, 6	{ 1859, 144	
<i>leucotis</i>	1860, 64	<i>ornatus</i>	{ 1860, 93
{ 1856, 299		{ 1860, 466	
{ 1857, 5		<i>phoenicurus</i>	{ 1858, 70
<i>obscurus</i>	1857, 213	{ 1860, 466	
{ 1859, 364		<i>pulcher</i> ..	1860, 464
{ 1859, 376		<i>pyrrhopterus</i>	1855, 149
{ 1860, 300		{ 1859, 45	
<i>townsendi</i>	1857, 5	<i>sulphureipygus</i> ..	{ 1859, 384
{ 1858, 97		{ 1860, 465	
{ 1856, 299		<i>vieillotides</i>	1860, 466
<i>unicolor</i>	1857, 5	<i>vieilloti</i>	1855, 149
{ 1857, 213		<i>villosus</i>	1860, 93
{ 1858, 97		{ 1859, 465	
{ 1857, 6		<i>xanthopygius</i>	1860, 465
<i>venezuelensis</i>	1860, 64	<i>Myiocichla ochrata</i>	1858, 542
<i>Myiagra azurea</i>	1854, 271	{ 1854, 111	
<i>flavirostris</i>	1858, 176	<i>Myiodioides canadensis</i> { 1855, 143	
<i>galeata</i>	1860, 352	{ 1858, 64	
<i>lucida</i>	{ 1858, 176	{ 1858, 451	
<i>manadensis</i>	1860, 352	<i>chrysophrys</i>	1855, 65
<i>nitens</i>	1860, 352	<i>coronatus</i>	1855, 133
<i>pectoralis</i> ..	1854, 270	{ 1856, 291	
<i>perspicillata</i>	1859, 161	<i>mitratus</i>	1856, 291
<i>viridinitens</i>	1859, 162	{ 1856, 291	
<i>Myiagrus lineatus</i>	1858, 285	<i>pusillus</i>	{ 1859, 363
<i>Myiarchus cinerascens</i> .	1859, 384	{ 1859, 374	
<i>cooperi</i>	1859, 384	<i>tristriatus</i> ...	1859, 137
<i>ferox</i>	1855, 150	<i>Myiodynastes atrifrons</i> .	1859, 43
<i>fuscus</i>	1859, 366	<i>audax</i>	1859, 43
<i>lawrencii</i>	1859, 366	{ 1859, 43	
<i>mexicanus</i>	1856, 296	<i>chrysocephalus</i> ..	{ 1859, 143
<i>nigriceps</i> .	1860, 281	{ 1860, 63	
<i>phaeocephalus</i>	1860, 281	{ 1860, 92	
<i>uropygiatus</i>	1859, 41	{ 42	
<i>virens</i>	1855, 150	<i>luteiventris</i>	1859, 45
<i>Myiodioides mitratus</i> ..	1858, 358	{ 43	
<i>pusillus</i> .	1858, 299	{ 366	
<i>Myiobatrachus paradox-</i>		{ 383	
<i>us</i>	1849, 145	<i>nobilis</i>	{ 1859, 42
{ 1859, 45		{ 1859, 43	
<i>Myiobius barbatus</i>	1860, 282	{ 1860, 295	
{ 1860, 295		<i>solitarius</i>	1859, 43
{ 1860, 465			
<i>cinnamomeus</i>	1858, 554		

	Page		Page
<i>Myiolestes aruensis</i>	1858, 180	<i>Myiothlypis luteoviri-</i>	
<i>gouldii</i>	1858, 180	<i>dis</i>	1855, 143
<i>griseatus</i>	1858, 180	<i>nigricristata</i>	1855, 143
<i>megarhynchus</i>	1859, 157		1859, 440
<i>phaionotus</i>	1860, 353	<i>Myioturdus fuscater</i>	1858, 64
<i>Myiophonus</i>	1858, 489	<i>lineatus</i>	1858, 247
<i>minckii</i>	1859, 181	<i>marginatus</i>	1858, 278
<i>Myiopsitta lineola</i>	1857, 225	<i>ochroleucus</i>	1858, 282
<i>tigrina</i>	1858, 306	<i>palikour</i>	1858, 275
<i>Myiothera albifrons</i>	1857, 225	<i>perspicillatus</i>	1858, 286
<i>analis</i>	1858, 278	<i>rex</i>	1858, 280
<i>ardesiaca</i>	1858, 277	<i>tetema</i>	1858, 277
<i>brachyura</i>	1858, 274	<i>tanniens</i>	1858, 281
<i>cærulea</i>	1854, 273	<i>Myiozetetes cayennensis</i>	1859, 45
<i>calcarata</i>	1858, 287	<i>columbianus</i>	1860, 295
<i>campanisona</i>	1858, 278	<i>guianensis</i>	1860, 283
<i>castanea</i>	1858, 249	<i>texensis</i>	1859, 45
<i>cinerea</i>	1858, 235		56
<i>colma</i>	1858, 277		366
<i>domicella</i>	1858, 246	<i>Myhusia callocyathes</i>	1859, 439
<i>epilepidota</i>	1854, 279	<i>Myiodon darwini</i>	1851, 210
<i>ferruginea</i>	1858, 239	<i>harlan</i>	1851, 210
<i>fuliginosa</i>	1858, 236	<i>robustus</i>	1851, 206
<i>grallaria</i>	1858, 230		210
<i>leucophrys</i>	1858, 238	<i>Myobatrachus gouldii</i>	1850, 10
<i>longirostris</i>	1858, 243	<i>paradoxus</i>	1850, 10
<i>loricata</i>	1858, 248	<i>Myobius stolidus</i>	1851, 51
<i>maculata</i>	1858, 242	<i>Myochama anomioidea</i>	1850, 23
<i>malura</i>	1858, 241	<i>keppelliana</i>	1852, 90
<i>margaritacea</i>	1858, 250	<i>strangei</i>	1850, 23
<i>mentalis</i>	1858, 221	<i>stutchburyi</i>	1852, 90
<i>nigromaculata</i>	1858, 276	<i>transversa</i>	1850, 23
<i>nudiceps</i>	1854, 112	<i>Myodes groenlandicus</i>	1848, 43
	1857, 47	<i>helvolus</i>	1848, 43
	1858, 274	<i>hudsonicus</i>	1848, 43
<i>perspicillata</i>	1858, 286	<i>lemurus</i>	1848, 43
<i>pileata</i>	1858, 233	<i>trimucronatus</i>	1848, 44
<i>plumbea</i>	1858, 222	<i>Myoictes wallacei</i>	1858, 112
<i>poecilonota</i>	1858, 251	<i>Myriotrochus rinkai</i>	1858, 366
<i>poecilopectera</i>	1858, 235	<i>Myristicivora bicolor</i>	1859, 466
<i>poliocephala</i>	1858, 221	<i>molanura</i>	1860, 361
<i>rufa</i>	1858, 240	<i>Myrmeciza argentata</i>	1858, 250
<i>ruficeps</i>	1858, 277	<i>cinnamomea</i>	1858, 249
<i>rufimarginata</i>	1858, 233	<i>exsul</i>	1858, 540
<i>scapularis</i>	1858, 233		1860, 294
<i>squamata</i>	1858, 241	<i>hemimelæna</i>	1857, 48
<i>strictothorax</i>	1858, 221		1858, 249
<i>strigilata</i>	1858, 242	<i>leucaspis</i>	1854, 253
<i>superciliaris</i>	1858, 239		1855, 147
<i>tetema</i>	1858, 277		1858, 274
<i>thamnophiloides</i>	1858, 251	<i>longipes</i>	1855, 147
<i>variegata</i>	1858, 233		1858, 249
<i>yarrelli</i>	1858, 289	<i>loricata</i>	1857, 48
<i>Myiotheretes erythro-</i>			1858, 248
<i>gus</i>	1860, 78	<i>margaritata</i>	1854, 253
<i>striaticollis</i>	1860, 92		1858, 221
		<i>melanura</i>	1858, 246

	Page		Page
<i>Myrmeciza ruficauda</i> ...	1858, 248	<i>Mysia tumida</i>	1856, 215
<i>Myrmecophaga annulata</i>	1851, 218	<i>Mystacina tuberculata</i> ..	1857, 138
<i>bivittata</i>	1860, 262	<i>Mytilia gerrardi</i>	1858, 263
<i>jubata</i>	1851, 217	<i>melanogaster</i>	1858, 264
<i>longicaudata</i>	1854, 24	<i>templetoni</i>	1858, 263
<i>tamandua</i>	1854, 154	<i>unimaculata</i>	1858, 264
<i>tetradactyla</i>	1857, 22	<i>Mytilimera nuttalli</i>	1856, 211
<i>Myrmelastes nigerrimus</i>	1858, 275	<i>Mytilus adamsianus</i>	1856, 360
<i>plumbeus</i>	1858, 274	<i>atropurpureus</i>	1856, 359
<i>Myrmonax cinnamomeus</i>	1858, 249	<i>bifurcatus</i>	1856, 219
<i>leucophrys</i>	1855, 146	<i>californianus</i>	1856, 219
<i>longipes</i>	1858, 249	<i>curvatus</i>	1856, 361
<i>loricatus</i>	1858, 248	<i>edulis</i>	1856, 219
<i>lugubris</i>	1858, 238	<i>glomeratus</i>	1856, 202
<i>myiotherinus</i>	1858, 251	<i>horridus</i>	1856, 359
<i>Myrmothera atricapilla</i> ..	1858, 238	<i>latissimus</i>	1858, 90
<i>axillaris</i>	1858, 236	<i>morrisi</i>	1856, 219
<i>cærulescens</i>	1858, 244	<i>niger</i>	1856, 359
<i>campanella</i>	1858, 250	<i>obscurus</i>	1856, 360
<i>colma</i>	1858, 277	<i>rostratus</i>	1856, 358
<i>formicivora</i>	1858, 275	<i>smaragdinus</i>	1860, 17
<i>fuscicapilla</i>	1858, 277	<i>splendens</i>	1856, 358
<i>gularis</i>	1858, 235	<i>tortus</i>	1858, 90
<i>guttata</i>	1858, 235	<i>Myura simplex</i>	1859, 484
<i>leucophrys</i>	1858, 238	<i>Myzomela boiei</i>	1860, 349
<i>longipes</i>	1858, 249	<i>erythrocephala</i>	1858, 173
<i>melanoleuca</i>	1858, 288	<i>nigrita</i>	1858, 173
<i>menetriesi</i>	1858, 237	<i>simplex</i>	1859, 155
<i>minuta</i>	1858, 234	<i>simplex</i>	1860, 349
<i>rufa</i>	1858, 288	<i>Nacella depicta</i>	1856, 204
<i>tessellata</i>	1858, 289	<i>Naga rhombeatus</i>	1858, 163
<i>tetema</i>	1858, 277	<i>Naja haje</i>	1849, 95
<i>troglodytes</i>	1855, 146	<i>Naja angusticeps</i>	1858, 160
<i>unicolor</i>	1858, 288	<i>fula-fula</i>	1859, 88
<i>vittata</i>	1858, 288	<i>haje</i>	1858, 163
<i>Myrmotherula axillaris</i> ..	1858, 236	<i>sommersetta</i>	1859, 88
<i>brevicauda</i>	1858, 237	<i>haje</i>	1858, 380
<i>erythronota</i>	1858, 236	<i>haje</i>	1858, 381
<i>gularis</i>	1858, 235	<i>haje</i>	1858, 382
<i>guttata</i>	1858, 235	<i>haje</i>	1860, 117
<i>haematonota</i>	1858, 235	<i>tripudians</i>	1860, 164
<i>hauxwelli</i>	1858, 236	<i>tripudians</i>	1860, 167
<i>melana</i>	1858, 237	<i>tripudians</i>	1860, 169
<i>menetriesi</i>	1858, 237	<i>tripudians</i>	1860, 170
<i>menetriesi</i>	1860, 67	<i>tripudians</i>	1860, 171
<i>multistriata</i>	1858, 234	<i>Nandinia binotata</i>	1860, 247
<i>ornata</i>	1858, 235	<i>Nanina albaiensis</i>	1853, 110
<i>pygmaea</i>	1858, 234	<i>birmana</i>	1860, 7
<i>surinamensis</i>	1858, 234	<i>celinde</i>	1849, 164
<i>urosticta</i>	1858, 238	<i>distincta</i>	1860, 7
<i>Myron richardsonii</i>	1858, 384	<i>dohrmiana</i>	1860, 136
		<i>ergone</i>	1849, 165

	Page		Page
<i>Nanina hainesi</i>	1860, 7	<i>Nassa crenulata</i>	1851, 103
^p <i>kivi</i>	1840, 164	<i>cumingii</i>	1851, 98
<i>mariae</i>	1840, 164	<i>dealbata</i>	1851, 112
<i>mouhoti</i>	1860, 136	<i>decussata</i>	1851, 111
<i>siamensis</i>	1860, 7	<i>delicata</i>	1851, 99
<i>tullia</i>	1849, 105	<i>denticulata</i>	1851, 110
(<i>Hesta</i>) <i>splendens</i>	1860, 8	<i>dentifera</i>	1851, 111
(—) <i>vallicola</i>	1860, 8	<i>dispar</i>	1851, 96
(<i>Trochomorpha</i>)— ^p	1860, 8	<i>distorta</i>	1851, 105
<i>Nanotragus perpusillus</i>	1850, 126	<i>dorsuosa</i>	1851, 102
<i>regius</i>	1850, 126	<i>echinata</i>	1851, 101
<i>Napothera atricapilla</i>	1854, 277	<i>elegans</i>	1851, 104
<i>coronata</i>	1854, 275	<i>exilis</i>	1851, 106
<i>pyrrhomelanura</i>	1854, 275	<i>fasciata</i>	1851, 111
<i>Narica ovoidea</i>	1856, 205	<i>festiva</i>	1851, 111
<i>Nasica flavigaster</i>	1856, 289	<i>filosa</i>	1851, 105
<i>guttata</i>	1854, 111	<i>fissilabris</i>	1851, 99
<i>Nasiterna pygmæa</i>	1860, 227	<i>fuscata</i>	1851, 112
<i>Nassa abbreviata</i>	1851, 113	<i>gaudiosa</i>	1851, 104
<i>abyssicola</i>	1851, 100	<i>gayi</i>	1851, 112
<i>albescens</i>	1851, 96	<i>gemma</i>	1851, 96
<i>ambigua</i>	1851, 101	<i>gemmaulata</i>	1851, 95
<i>angulifera</i>	1851, 109	<i>gemmaulifera</i>	1851, 99
<i>anomala</i>	1851, 111	<i>geniculata</i>	1851, 100
<i>antillarum</i>	1851, 95	<i>gibbosula</i>	1851, 101
<i>arcularia</i>	1851, 94	<i>glans</i>	1851, 104
<i>ascanias</i>	1851, 111	<i>granifera</i>	1851, 101
<i>australis</i>	1851, 272	<i>grumeri</i>	1851, 96
<i>badia</i>	1851, 107	<i>hirta</i>	1851, 103
<i>bellula</i>	1851, 102	<i>hispida</i>	1851, 101
<i>bimaculosa</i>	1851, 102	<i>horrida</i>	1851, 101
<i>bronni</i>	1851, 104	<i>isabellei</i>	1851, 95
<i>cælara</i>	1851, 97	<i>jacksoniana</i>	1851, 103
<i>callosa</i>	1851, 98	<i>japonica</i>	1851, 110
<i>callospira</i>	1851, 102	<i>jonsi</i>	1851, 96
<i>canaliculata</i>	1851, 106	<i>labecula</i>	1851, 98
<i>cancellata</i>	1851, 99	<i>læta</i>	1851, 104
<i>candens</i>	1851, 95	<i>lentiginosa</i>	1851, 105
<i>caperata</i>	1851, 96	<i>leptospira</i>	1851, 103
<i>cinctella</i>	1851, 110	<i>livescens</i>	1851, 95
<i>cinnamomea</i>	1851, 107	<i>luctuosa</i>	1851, 105
<i>circumcincta</i>	1851, 102	<i>luteostoma</i>	1851, 95
<i>clathrata</i>	1851, 101	<i>lyrilla</i>	1851, 95
<i>clathratula</i>	1851, 99	<i>margaritifera</i>	1851, 96
<i>complanata</i>	1851, 104	<i>marginulata</i>	1851, 94
<i>compta</i>	1851, 107	<i>marmorea</i>	1851, 106
<i>concinna</i>	1851, 112	<i>micans</i>	1851, 106
<i>cooperi</i>	1850, 273	<i>microstoma</i>	1860, 145
<i>coronata</i>	1851, 94	<i>miga</i>	1851, 109
<i>coronula</i>	1851, 96	<i>mitralis</i>	1851, 108
<i>corrugata</i>	1851, 110	<i>mcesta</i>	1851, 95
<i>corticata</i>	1851, 98	<i>monilis</i>	1851, 103
<i>costata</i>	1851, 98	<i>mucronata</i>	1851, 105
<i>costellifera</i>	1851, 112	<i>multicostata</i>	1851, 98
<i>crassa</i>	1851, 96	<i>multigrana</i>	1851, 112
<i>cremata</i>	1851, 95	<i>muricata</i>	1851, 101
<i>crenellifera</i>	1851, 98	<i>mutabilis</i>	1851, 94
<i>crenolirata</i>	1851, 100	<i>myristicata</i>	1851, 109

	Page		Page
<i>Nassa nana</i>	1851, 102	<i>Nassa succincta</i>	1851, 107
<i>nassoides</i>	1851, 103	<i>sulcata</i>	1851, 112
<i>nivea</i>	1851, 110	<i>sulcifera</i>	1851, 98
<i>nodata</i>	1851, 109	<i>suturalis</i>	1851, 104
<i>nodicincta</i>	1851, 110	<i>teretiuscula</i>	1851, 108
<i>nodicostata</i>	1851, 99	<i>thersites</i>	1851, 102
<i>nodifera</i>	1851, { 95	<i>tiarula</i>	1851, 94
.....	103	<i>trifasciata</i>	1851, 112
<i>nodulifera</i>	1851, 109	<i>tritoniformis</i>	1851, 111
<i>nucleolus</i>	1851, 109	<i>trivittata</i>	1851, 112
<i>obliquata</i>	1851, 105	<i>turrita</i>	1851, 110
<i>obliqueplicata</i>	1851, 112	<i>unicolor</i>	1851, 106
<i>obtusata</i>	1851, 100	<i>variabilis</i>	1851, 103
<i>olivacea</i>	1851, 103	<i>varicifera</i>	1851, 108
<i>orbiculata</i>	1851, 102	<i>variegata</i>	1851, 97
<i>ornata</i>	1851, 106	<i>venusta</i>	1851, 95
<i>pallida</i>	1851, 109	<i>verrucosa</i>	1851, 97
<i>pallidula</i>	1851, 106	<i>vibex</i>	1851, 101
<i>papillosa</i>	1851, 103	<i>woodwardi</i>	1850, 273
<i>pauperata</i>	1851, 95	<i>zonalis</i>	1851, 107
<i>perpinguis</i>	1851, 109	<i>Nasua fusca</i>	{ 1859, 435
<i>picta</i>	1851, 104	{ 1860, 243
<i>planocostata</i>	1851, 108	{ 1860, 323
<i>plicatella</i>	1851, 111	<i>Natalus stramineus</i> ..	1856, 178
<i>polygonata</i>	1851, 94	<i>Natica californica</i> ..	1856, 227
<i>pulchella</i>	1851, 108	<i>caribæa</i>	1851, 234
<i>pullus</i>	1851, 94	<i>catenata</i>	1851, 233
<i>punctata</i>	1851, 105	<i>collaria</i>	1860, 17
<i>pusio</i>	1851, 100	<i>excavata</i>	1856, 165
<i>ramda</i>	1851, 97	<i>fossar</i>	1853, 186
<i>reevei</i>	1851, 109	<i>incei</i>	1851, 233
<i>reeviana</i>	1851, 104	<i>intemerata</i>	1851, 233
<i>retecosa</i>	1851, 97	<i>intricata</i>	1850, 272
<i>reticulata</i>	1851, 112	<i>lineata</i>	1860, 16
<i>retusa</i>	1851, 113	<i>maculosa</i>	{ 1851, 74
<i>rossyi</i>	1851, 109	{ 1860, 17
<i>rufocincta</i>	1851, 106	<i>maroccana</i>	1856, 227
<i>rufula</i>	1851, 104	<i>pomum</i>	1851, 234
<i>sanctæ helenæ</i>	1851, 110	<i>pritchardi</i>	1850, 272
<i>scabriuscula</i>	1851, 111	<i>pulchella</i>	1853, 68
<i>scalariformis</i>	1851, 109	<i>vestalis</i>	1851, 234
<i>scalaris</i>	1851, 108	<i>Natrix lacertina</i>	1858, 160
<i>semigranosa</i>	1851, 96	<i>lubrica</i>	1859, 89
<i>seminodosa</i>	1851, 104	<i>Nauclerus furcatus</i> ..	1851, 57
<i>semplicata</i>	1851, 107	<i>riocouri</i>	1850, 215
<i>serotina</i>	1851, 108	<i>Nautilus macromphalus</i>	1859, 226
<i>sertula</i>	1851, 107	<i>pompilius</i>	{ 1850, 1
<i>signata</i>	1851, 112	{ 1859, 226
<i>sinusigera</i>	1851, 100	<i>scrobiculatus</i>	1857, 21
<i>siquijorensis</i>	1851, 97	{ 1857, 21
<i>sordida</i>	1851, 97	<i>umbilicatus</i>	{ 1859, 228
<i>speciosa</i>	1851, 100	<i>Navicella livesayi</i> ..	1858, 135
<i>spirata</i>	1851, 106	<i>squamata</i>	1858, 135
<i>splendidula</i>	1851, 96	<i>Neæra fragilis</i>	1855, 226
<i>stigmæria</i>	1851, 96	<i>Necrobia eximia</i>	1852, 54
<i>stolida</i>	1851, 105	<i>punguis</i>	1852, 52
<i>sturni</i>	1851, 95	<i>Nectarinia angolensis</i>	1860, 110
<i>subspinosa</i>	1851, 101	<i>asiatica</i>	1857, 101

	Page		Page
<i>Nectarinia asiatica</i>	1858, 497	<i>Nemoricola indica</i>	1857, 95
<i>aspasia</i>	{ 1858, 173	<i>alba</i>	{ 1855, 109
<i>aspasioides</i>	{ 1859, 155	<i>albicularis</i> ..	{ 1855, 155
<i>auriceps</i>	{ 1860, 348	<i>atra</i>	{ 1856, 111
<i>auriceps</i>	{ 1860, 348	<i>auricollis</i>	{ 1856, 67
<i>australis</i>	{ 1850, 201	<i>blanda</i>	{ 1856, 111
<i>chlorolæma</i>	{ 1858, 173	<i>blanda</i>	{ 1856, 112
<i>cingalensis</i>	{ 1860, 110	<i>diademata</i>	{ 1856, 241
<i>cyanocephala</i>	{ 1859, 403	<i>flavicornis</i>	{ 1855, 109
<i>cyanolæma</i>	{ 1860, 110	<i>flavicornis</i>	{ 1856, 110
<i>cyanolæma</i>	{ 1860, 110	<i>fulvipes</i>	{ 1857, 264
<i>eques</i>	{ 1859, 155	<i>fulvipes</i>	{ 1856, 112
<i>erythrothorax</i>	{ 1860, 110	<i>guira</i>	{ 1855, 155
<i>flammaxillaris</i>	{ 1859, 150	<i>guira</i>	{ 1856, 109
<i>frenata</i>	{ 1858, 173	<i>guirina</i>	{ 1856, 110
<i>gonipariensis</i>	{ 1860, 348	<i>insignis</i>	{ 1856, 110
<i>hasseltii</i>	{ 1859, 461	<i>nigricollis</i>	{ 1856, 109
<i>hypogrammica</i>	{ 1859, 461	<i>ornata</i>	{ 1859, 138
<i>javanica</i>	{ 1859, 461	<i>peruana</i>	{ 1856, 111
<i>jugularis</i>	{ 1859, 462	<i>puleata</i>	{ 1856, 109
<i>lathamii</i>	{ 1859, 461	<i>rubrostris</i> ..	{ 1856, 92
<i>lepidia</i>	{ 1859, 461	<i>ruficapilla</i>	{ 1856, 111
<i>melanorhynchus</i> ..	{ 1850, 216	<i>ruficeps</i>	{ 1856, 112
<i>metallica</i>	{ 1850, 216	<i>sordida</i>	{ 1856, 112
<i>mystacalis</i>	{ 1859, 461	<i>superciliaris</i>	{ 1856, 92
<i>perreirii</i>	{ 1860, 110	<i>torquata</i>	{ 1855, 138
<i>phayrei</i>	{ 1859, 462	<i>verticalis</i>	{ 1856, 93
<i>phoenicotis</i>	{ 1859, 463	<i>Nemura hodgsonii</i>	1854, 76
<i>pulchella</i>	{ 1850, 216	<i>Neochloe brevipennis</i> ..	1857, 213
<i>rubescens</i>	{ 1860, 110	<i>Neocorys spraguei</i>	1857, 5
<i>siparaja</i>	{ 1859, 461	<i>Neodon sikimensis</i>	1856, 401
<i>solaris</i>	{ 1860, 348	<i>alba</i>	{ 1850, 214
<i>zenobia</i>	{ 1858, 173	<i>Neophron percnopterus</i> }	{ 1854, 2
<i>zeylonica</i>	{ 1859, 155	<i>niger</i>	{ 1856, 469
<i>Necturus maculatus</i>	{ 1857, 61	<i>peruana</i>	{ 1859, 170
<i>maculosus</i>	{ 1856, 343	<i>Neornis caerulea</i>	1856, 269
<i>Neilo cuningii</i>	1852, 93	<i>Neotragus hemprichia-</i>	
<i>Nematura deltae</i>	1851, 225	<i>nus</i>	1850, 120
<i>glabrata</i>	1851, 226	<i>madoka</i>	1850, 120
<i>minima</i>	1851, 225	<i>saltiana</i>	{ 1850, 120
<i>olivacea</i>	1851, 226	<i>alba</i>	{ 1850, 169
<i>polita</i>	1851, 226	<i>Nephrocetes borealis</i> ..	1850, 236
<i>puncticulata</i>	1851, 226	<i>niger</i>	1850, 236
<i>Nemertes borlasi</i>	1858, 307	<i>ambra</i>	1858, 7
<i>Nemophis lessoni</i>	1858, 168	<i>ananta</i>	1858, 5
<i>Nemorrhædus bubalina</i> ..	1850, 173	<i>antara</i>	1858, 4
<i>sumatrensis</i>	1850, 173	<i>columella</i>	1858, 7
<i>taxicolor</i>	1856, 405	<i>duryodana</i>	1858, 10
<i>Nemorhedus goral</i>	{ 1856, 403	<i>heliodora</i>	1858, 8
<i>proclivis</i>	{ 1858, 523	<i>heliodore</i>	1858, 4
<i>Nemorrhina palpalis</i>	1850, 135	<i>hordona</i>	1858, 4
		<i>ida</i>	1858, 10
		<i>jumba</i>	1858, 7
		<i>manasa</i>	1858, 5
		<i>matuta</i>	1858, 9
		<i>miah</i>	1858, 4

	Page		Page
<i>Neptis nandina</i>	1858, 9	<i>Ninox scutulatus</i>	1854, 262
<i>narayana</i>	1858, 6	<i>Niphæa hyemalis</i>	1856, 306
<i>nata</i>	1858, 10	<i>oregona</i>	1856, 306
<i>pata</i>	1858, 4	<i>rufidorsis</i>	1856, 306
<i>radha</i>	1858, 6	<i>Nisæctus nripalensis</i>	1854, 260
<i>shepherdi</i>	1858, 8	<i>pallidus</i>	1854, 260
<i>soma</i>	1858, 9	<i>Nisus chionogaster</i>	1851, 41
<i>tiga</i>	1858, 4	<i>Nitidella gouldii</i>	1856, 208
<i>vikasi</i>	1858, 7	<i>Nitidula ænea</i>	1850, 19
<i>zaida</i>	1858, 6	<i>Noctilinia lasyura</i>	1857, 45
<i>Neptunea fuscolineata</i> ..	1860, 189	<i>Noctilio leporinus</i>	1860, 261
<i>Nerita albicilla</i>	1858, 94	<i>Noctua indica</i>	1854, 45
<i>atra</i>	1858, 94	<i>perlneata</i>	1854, 262
<i>chameleon</i>	1858, 94	<i>Noctula leucippe</i>	1858, 81
<i>costata</i>	1858, 186	<i>Noctulnia escholtzi</i> ..	1858, 121
<i>exuvia</i>	1858, 94	<i>lasyura</i>	1858, 370
<i>inconspicua</i>	1858, 94	<i>Nonnulla frontalis</i>	1856, 196
<i>lineolata</i>	1858, 93	<i>rubecula</i>	1858, 60
<i>malaccensis</i>	1858, 94	<i>rubecula</i>	1853, 124
<i>ornata</i>	1858, 94	<i>rubecula</i>	1855, 196
<i>peloronta</i>	1858, 93	<i>ruficapilla</i>	1855, 196
<i>plicata</i>	1858, 93	<i>Notauges superbus</i>	1860, 197
<i>polita</i>	1858, 93	<i>viridescens</i>	1856, 310
<i>senegalensis</i>	1858, 94	<i>Nothocercus sallæi</i>	1859, 392
<i>signata</i>	1858, 94	<i>Notophthalma minata</i> ..	1858, 138
<i>tessellata</i>	1858, 94	<i>viridescens</i>	1858, 138
<i>variabilis</i>	1858, 94	<i>Notopteris macdonaldii</i> ..	1859, 38
<i>versicolor</i>	1858, 94	<i>Notornis</i>	1848, 2
<i>(Synæra) hepatica</i>	1856, 20	<i>mantelli</i>	1850, 208
<i>Neritina beckii</i>	1851, 72	<i>mantelli</i>	1850, 209
<i>crepidularia</i>	1851, 72	<i>mantelli</i>	1850, 212
<i>dubia</i>	1860, 14	<i>Nototrema marsupiatum</i> ..	1859, 89
<i>melanostoma</i>	1860, 14	<i>Notoxus pulcher</i>	1852, 61
<i>neglecta</i>	1860, 435	<i>Novaculina olivacea</i> ..	1851, 74
<i>piperina</i>	1851, 72	<i>Nucifraga caryocatactes</i> ..	1849, 23
<i>Nesocichla eremita</i> ...	1856, 165	<i>hemispila</i>	1849, 23
<i>eremita</i>	1856, 144	<i>hemispila</i>	1858, 478
<i>Nesotragus moschatus</i> ..	1850, 119	<i>hemispila</i>	1859, 172
<i>Nestor hypopolius</i>	1856, 94	<i>hemispila</i>	1859, 172
<i>notabilis</i>	1856, 94	<i>hemispila</i>	1859, 172
<i>Nettapus coromandelicus</i> ..	1859, 150	<i>hemispila</i>	1859, 172
<i>pulchellus</i>	1857, 28	<i>hemispila</i>	1859, 172
<i>Newcombia chlorotica</i> ..	1856, 203	<i>hemispila</i>	1859, 172
<i>cinnamomea</i>	1858, 22	<i>hemispila</i>	1859, 172
<i>gemma</i>	1858, 22	<i>hemispila</i>	1859, 172
<i>minuscula</i>	1858, 22	<i>hemispila</i>	1859, 172
<i>sulcata</i>	1858, 22	<i>hemispila</i>	1859, 172
<i>zebrina</i>	1855, 202	<i>hemispila</i>	1859, 172
<i>Nidalia occidentalis</i> ..	1851, 125	<i>hemispila</i>	1859, 172
<i>occidentalis</i>	1857, 129	<i>hemispila</i>	1859, 172
<i>Nightingale</i>	1851, 196	<i>hemispila</i>	1859, 172
<i>Nika edulis</i>	1856, 102	<i>hemispila</i>	1859, 172
<i>edulis</i>	1856, 105	<i>hemispila</i>	1859, 172
<i>Niltava sundara</i>	1858, 492	<i>hemispila</i>	1859, 172
<i>sundara</i>	1859, 183	<i>hemispila</i>	1859, 172
<i>Ninox jerdinus</i>	1854, 262	<i>hemispila</i>	1859, 172
<i>nipalensis</i>	1854, 262	<i>hemispila</i>	1859, 172

	Page		Page
<i>Nucula striolata</i>	1856, 52	<i>Nyctiornis amicta</i>	1854, 264
<i>sulcata</i>	1856, 53	<i>Nyctipithecus felinus</i> ..	1852, 107
<i>Nuculina donaciforme</i> ..	1849, 89	<i>trivirgatus</i>	1852, 107
<i>donaciformis</i>	1854, 6	<i>Nyctiplanus rotundatus</i> .	1848, 58
<i>triangularis</i>	1854, 6	<i>Nyctophilus geoffroyi</i> ..	1858, { 29
<i>Numenius</i> —	1858, 188	<i>gouldi</i>	1858, { 31
<i>arcuata</i>	1859, 188	<i>timoriensis</i>	1858, { 34
{ 1851, 146		{ 1858, 33	
{ 1858, 506		{ 1859, 34	
<i>arquata</i>	1860, 242	{ 1859, 78	
{ 1860, 258		{ 1851, 116	
<i>australasianus</i>	1860, 364	<i>Nylghau</i>	1858, 9
<i>brevirostris</i>	1860, 387	<i>Nymphalis aceris</i>	1858, 8
<i>minor</i>	1858, 188	<i>helicoptus</i>	1858, 4
{ 1860, 364		<i>heliodore</i>	1858, 4
{ 1851, 146		<i>hordonia</i>	1858, 13
<i>phasopus</i>	1858, 506	<i>nefte</i>	1858, 18
{ 1860, 258		<i>strophia</i>	1858, 20
{ 1860, 415		<i>venilia</i>	1858, 164
<i>uropygialis</i>	1858, 188	<i>Nymphicus bisetis</i>	1850, 164
<i>Numida meleagris</i>	1857, 236	<i>cornutus</i>	1859, 27
<i>ptilonorhyncha</i>	1860, 416	<i>novæ-hollandiæ</i> ..	1857, { 190
<i>ptilorhyncha</i>	1849, 106	<i>Nyroca leucophthalma</i> ..	1859, { 442
<i>ptilorhyncha</i>	1850, 219	<i>Obeliscus achates</i>	1856, 206
<i>Nyctale acadica</i>	1858, 295	<i>clavulus</i>	1850, 206
<i>harnsi</i>	1856, 25	<i>Octoeca albiduema</i>	1856, 28
<i>Nyctalitinus albipuncta-</i>		<i>fumicolor</i>	{ 1850, 28
<i>tus</i>	1856, 25	{ 1858, 554	
<i>Nyctea nivea</i>	1860, 417	{ 1860, 79	
<i>Nyctereutes procyonoides</i>	1848, 70	{ 1858, 554	
<i>Nyctibius pectoralis</i> . . .	1860, 79	<i>fumigata</i>	{ 1860, 63
<i>Nycticebus javanicus</i> ..	1849, 17	{ 1860, 67	
<i>Nycticejus atalapha</i> . . .	1857, 35	{ 1856, 28	
<i>macrodis</i>	1858, 546	{ 1858, 554	
<i>nivicolus</i>	1856, 395	{ 1860, 92	
<i>noveboracensis</i>	1857, 35	<i>leucophrys</i>	1850, 28
<i>prunosus</i>	1857, 37	<i>oceanthoides</i>	1856, 28
<i>varius</i>	1857, 35	<i>rufipectoralis</i>	1850, 28
<i>Nycticorax americana</i> . .	1859, 90	<i>Octonus holosteon</i>	1850, 105
<i>caledonicus</i>	1860, 387	<i>Ocyalus wagleri</i>	{ 1855, 153
{ 1849, 106		{ 1857, 228	
{ 1859, 166		{ 1859, 57	
<i>europæus</i>	1860, 364	<i>Ocyptes suilla</i>	1858, 370
{ 1850, 151		<i>Ocyphaps lophotes</i> . . .	{ 1850, 206
{ 1860, 197		{ 1860, 258	
{ 1857, 206		<i>Ocypterus leucorhynchus</i>	1858, 179
{ 1857, 230		<i>papuensis</i>	1858, 179
<i>gardeni</i>	1858, 77	<i>Odontidium levissimum</i> .	1858, 436
{ 1859, 63		<i>regulosum</i>	{ 1858, 415
{ 1859, 369		<i>Odontophorus balliviani</i> .	1850, 94
{ 1860, 387			
{ 1859, 63			
<i>violaceus</i>	1860, 253		
{ 1860, 290			
<i>Nyctidromus america-</i>	1856, 285		
<i>nus</i>	1859, 367		
<i>derbyanus</i>	1856, 285		
<i>grallarius</i>	1855, 135		

	Page		Page
<i>Odontophorus columbianus</i>	1850, 94	<i>Oiketicus m'leaii</i>	1854, 222
<i>dentatus</i>	1850, 94	<i>nigricans</i>	1854, 220
<i>erythroptus</i>	{ 1859, 99	<i>saundersi</i>	1854, 223
<i>guttatus</i>	{ 1859, 147	<i>templetoni</i>	1854, 234
<i>hyperythrus</i>	{ 1860, 72	<i>tertius</i>	1854, 234
<i>lineolatus</i>	{ 1860, 298	<i>Oleacina binneyana</i>	1855, 117
<i>marmoratus</i>	{ 1856, 108	<i>boucardi</i>	1856, 27
<i>melanonotus</i>	{ 1856, 309	<i>ghiesbreghtii</i>	1856, 379
<i>thoracicus</i>	{ 1859, 391	<i>indusata</i>	1860, 138
<i>veraguensis</i>	{ 1857, 223	<i>pulchella</i>	1856, 379
<i>Odostomia achates</i>	1856, 206	<i>Oligodon sublineatus</i>	1858, 383
<i>carychium</i>	1854, 33	<i>Olisthops cyanomelas</i>	1850, 75
<i>clathrata</i>	1853, 180	<i>Oliva acuminata</i>	1858, 50
<i>fenestrata</i>	1853, 179	<i>alba</i>	1858, 44
<i>formosa</i>	1853, 179	<i>alectona</i>	1858, 53
<i>gravidia</i>	1856, 207	<i>anazora</i>	1858, 53
<i>indistincta</i>	1853, 180	<i>ancillarioides</i>	1858, 52
<i>lactea</i>	1853, 179	<i>angulata</i>	1858, 41
<i>rufa</i>	1853, 179	<i>anomina</i>	1858, 45
<i>scalans</i>	1853, 179	<i>aquatilis</i>	1858, 48
(<i>Chrysallida</i>) <i>crebri-</i>		<i>araneosa</i>	1858, 44
<i>striata</i>	1856, 170	<i>atalna</i>	1858, 44
<i>Oedemia fusca</i>	1860, 442	<i>athenia</i>	1858, 49
<i>Oedinemus affinis</i>	{ 1850, 220	<i>attenuata</i>	1858, 55
<i>australis</i>	{ 1860, 197	<i>auricularia</i>	{ 39
<i>crepitans</i>	{ 1859, 212	<i>aurora</i>	{ 48
<i>magnirostris</i>	{ 1850, 220	<i>australis</i>	{ 53
<i>recurvirostris</i>	{ 1851, 146	<i>avellana</i>	{ 41
<i>senegalensis</i>	{ 1855, 81	<i>azemula</i>	{ 43
<i>Oedipus variegatus</i>	{ 1858, 504	<i>bicincta</i>	{ 47
<i>Oestrus bovis</i>	{ 1859, 435	<i>bicungulata</i>	{ 47
<i>equi</i>	{ 1858, 187	<i>biplicata</i>	{ 56
<i>hæmorrhoidalis</i>	{ 1860, 363	<i>brasiliana</i>	{ 48
<i>tarandi</i>	{ 1855, 82	<i>bulbiformis</i>	{ 46
<i>Oiketicus boisduvalii</i>	1850, 220	<i>bullata</i>	{ 49
<i>consortus</i>	1858, 144	<i>cærulea</i>	{ 54
<i>cramen</i>	259	<i>caldania</i>	{ 52
<i>doubledaii</i>	265	<i>calosoma</i>	{ 49
<i>elongatus</i>	1850, 259	<i>candida</i>	{ 47
<i>herichu</i>	1854, 232	<i>carneola</i>	{ 49
<i>hubneri</i>	1854, 232	<i>carolimana</i>	{ 46
<i>lurui</i>	1854, 227	<i>cincta</i>	{ 51
<i>lewini</i>	1854, 231	<i>cingulata</i>	{ 50
		<i>claneophila</i>	{ 48
		<i>columba</i>	{ 53
		<i>columellaris</i>	{ 55
		<i>conoidalis</i>	{ 54
		<i>contortuplicata</i>	{ 52
		<i>cumingii</i>	{ 45
		<i>dactyliola</i>	{ 49
		<i>dama</i>	{ 55
		<i>dealbata</i>	{ 54

	Page		Page
<i>Oliva duclousi</i>	1858, 45	<i>Oliva micans</i>	1858, 57
<i>eburnea</i>	1858, 54	<i>millepunctata</i>	1858, 57
<i>elegans</i>	1858, 42	<i>miriadin</i>	1858, 53
<i>episcopalis</i>	1858, 42	<i>monilifera</i>	1858, 53
<i>erythrostoma</i>	1858, 42	<i>multiplicata</i>	1858, 46
<i>esither</i>	1858, 53	<i>mustelina</i>	1858, 43
<i>evania</i>	1858, 42	<i>mutica</i>	1858, 54
<i>fabigina</i>	1858, 47	<i>nana</i>	1858, 57
<i>fimbriata</i>	1858, 55	<i>nebulosa</i>	1858, 50
<i>flammulata</i>	1858, 45	<i>neolina</i>	1858, 46
<i>flaveola</i>	1858, 45	<i>nitelina</i>	1858, 52
<i>fulgida</i>	1858, 54	<i>nitidula</i>	1858, 44
<i>fulminans</i>	1858, 42	<i>nivea</i>	1858, 54
<i>funeralis</i>	1858, 42	<i>nobilis</i>	1858, 43
<i>fura</i>	1858, 55	<i>nodulina</i>	1858, 51
<i>fusiformis</i>	1858, 43	<i>nux</i>	1858, 56
<i>galeola</i>	1858, 49	<i>obesana</i>	1858, 44
<i>gibbosa</i>	1858, 50	<i>obtusaria</i>	1858, 43
<i>glandiformis</i>	1858, 42	<i>olorinella</i>	1858, 45
	52	<i>olympiadina</i>	1858, 43
<i>gracilis</i>	1858, 55	<i>oriola</i>	1858, 44
<i>granitella</i>	1858, 43	<i>oryza</i>	1858, 53
<i>guldinigi</i>	1858, 55		57
<i>guttata</i>	1858, 41	<i>ozodina</i>	1858, 51
<i>harpularia</i>	1858, 44		51
<i>hemiltona</i>	1858, 46	<i>paniculata</i>	1858, 53
	43		48
<i>hepatica</i>	1858, 44	<i>patula</i>	1858, 44
	51	<i>paxilla</i>	1858, 53
<i>hiatula</i>	1858, 52	<i>pellucida</i>	1858, 43
<i>hieroglyphica</i>	1858, 51	<i>peruviana</i>	1858, 42
<i>indusica</i>	1858, 51	<i>philantha</i>	1858, 48
<i>inflata</i>	1858, 47	<i>pica</i>	1858, 50
	43	<i>picta</i>	1858, 44
<i>irisans</i>	1858, 49	<i>pindarina</i>	1858, 44
<i>ispidula</i>	1858, 47	<i>pintamella</i>	1858, 44
	45	<i>polpasta</i>	1858, 42
<i>jaspidea</i>	1858, 54	<i>ponderosa</i>	1858, 41
	44	<i>porphyria</i>	1858, 200
<i>julieta</i>	1854, 45	<i>propatula</i>	1858, 53
<i>kaleontina</i>	1854, 53	<i>puelchana</i>	1858, 51
<i>lanceolata</i>	1854, 45		53
<i>lentiginosa</i>	1854, 49	<i>pulchella</i>	1858, 55
<i>lepida</i>	1854, 55		50
<i>lepta</i>	1854, 41	<i>purpurata</i>	1858, 44
<i>leucophaea</i>	1854, 49	<i>pygmaea</i>	1858, 47
<i>leucostoma</i>	1854, 50	<i>quersolma</i>	1858, 52
<i>leucozonalis</i>	1854, 46		44
<i>ligneola</i>	1854, 55	<i>razamola</i>	1858, 44
<i>litterata</i>	1854, 43		56
<i>lugubris</i>	1854, 46	<i>reticulata</i>	1858, 57
<i>luteola</i>	1858, 50	<i>rosalina</i>	1858, 46
<i>macleaya</i>	1858, 42	<i>rufifasciata</i>	1858, 46
<i>maculata</i>	1858, 41	<i>rufula</i>	1860, 145
<i>mandaina</i>	1858, 54	<i>sandwicensis</i>	1858, 42
<i>mantichora</i>	1858, 41	<i>sanguinolenta</i>	1858, 46
<i>maura</i>	1858, 42	<i>schumacheriana</i>	1858, 43
<i>mica</i>	1858, 54	<i>scripta</i>	1858, 54
		<i>selasia</i>	1858, 55
		<i>semisulcata</i>	1858, 43
		<i>senegalensis</i>	1858, 43

	Page		Page
<i>Oliva sidela</i>	1858, 46	<i>Olivina jaspidea</i>	1858, 54
<i>splendula</i>	1858, 44	<i>lanceolata</i>	1858, 53
<i>stainforthii</i>	1858, 44	<i>lepta</i>	1858, 55
<i>steeria</i>	1858, 51	<i>lineolata</i>	1858, 55
<i>stellata</i>	1858, 45	<i>mandarina</i>	1858, 54
<i>strigata</i>	1858, 54	<i>mica</i>	1858, 54
<i>subulata</i>	1858, 50	<i>miradina</i>	1858, 53
<i>tehuelchana</i>	1858, 53	<i>mutica</i>	1858, 54
<i>tergina</i>	1858, 54	<i>paniculata</i>	1858, 53
<i>tessellata</i>	1858, 49	<i>puelchana</i>	1858, 53
<i>testacea</i>	{ 1858, 209	<i>pulchella</i>	1858, 53
<i>textilina</i>	1858, 43	<i>razamola</i>	1858, 52
<i>tigridella</i>	1858, 45	<i>selasia</i>	1858, 54
<i>tigrina</i>	{ 42	<i>semisulcata</i>	1858, 55
<i>timoria</i>	47	<i>strigata</i>	1858, 54
<i>todosina</i>	1858, 44	<i>tehuelchana</i>	1858, 53
<i>tremulina</i>	1858, 49	<i>tergina</i>	1858, 54
<i>tricolor</i>	1858, 43	<i>tunquina</i>	1858, 53
<i>tringa</i>	1858, 42	<i>zancoeta</i>	1858, 56
<i>triticea</i>	1858, 45	<i>zenopira</i>	1858, 54
<i>tunquima</i>	1858, 50	<i>zigzag</i>	1858, 54
<i>undata</i>	1858, 53	<i>zonalis</i>	1858, 55
<i>undatella</i>	1858, 47	<i>Omadius clytiformis</i>	1855, 26
<i>ustulata</i>	1858, 51	<i>ctenostomoides</i>	1855, 24
<i>utricula</i>	1858, 44	<i>fasciatus</i>	1852, 44
<i>venulata</i>	1858, 44	<i>fasciipes</i>	1855, 24
<i>vermiculata</i>	1858, 50	<i>mediofasciatus</i>	1852, 44
<i>volutella</i>	1858, 44	<i>modestus</i>	1855, 25
<i>volvarenoides</i>	1858, 44	<i>olivaceus</i>	1852, 44
<i>zancoeta</i>	1858, 47	<i>prasinus</i>	1852, 53
<i>zebra</i>	1858, 50	<i>seticornis</i>	1855, 25
<i>zeilanica</i>	1858, 56	<i>vigilans</i>	1855, 25
<i>zenopira</i>	1858, 42	<i>Ommatotriton vittatus</i>	1858, 140
<i>zigzag</i>	1858, 43	<i>Omphalius ater</i>	1856, 224
<i>zonalis</i>	{ 51	<i>aureotinctus</i>	1856, 224
	55	<i>caelatus</i>	1854, 39
<i>Olivancillaria auricularia</i>	1858, 48	<i>fuscescens</i>	1856, 224
	56	<i>marginatus</i>	1856, 224
<i>Olivella glandinaria</i>	1856, 227	<i>pfeifferi</i>	1856, 204
<i>intorta</i>	1856, 207	<i>sticticus</i>	1854, 39
<i>lineolata</i>	1858, 55	<i>Omphalotropis auran-</i>	1852, 151
<i>volutella</i>	1858, 47	<i>tiaca</i>	1854, 307
<i>Olivina alectona</i>	1858, 53	<i>cerea</i>	1857, 112
<i>anazora</i>	1858, 53	<i>dubia</i>	1852, 151
<i>bullata</i>	1858, 53		1854, 308
<i>caerulea</i>	1858, 54	<i>erosa</i>	1852, 151
<i>caldania</i>	1858, 52		1854, 307
<i>columba</i>	1858, 53	<i>expansilabris</i>	1852, 150
<i>columellaris</i>	1858, 55		1854, 309
<i>dealbata</i>	1858, 54	<i>exquisita</i>	1854, 307
<i>esther</i>	1858, 53	<i>glabrata</i>	1854, 308
<i>fimbriata</i>	1858, 55	<i>globosa</i>	1852, 151
<i>fulgida</i>	1858, 54		1854, 308
<i>fura</i>	1858, 55	<i>granum</i>	1854, 308
<i>gracilis</i>	1858, 52	<i>guamensis</i>	1857, 113
<i>guldinigi</i>	1858, 55	<i>hieroglyphica</i>	{ 1852, 151
			1854, 307
		<i>huaheinensis</i>	1854, 308

	Page		Page
<i>Omphalotropis maculatus</i> 1860,	11	<i>Opisthoglossa oxydactyla</i> 1858,	347
<i>malleata</i> 1854,	308		341
<i>multilirata</i> { 1852,	150	<i>platydactyla</i> 1858,	344
<i>navigatorum</i> { 1854,	308		347
<i>plicosa</i> 1857,	113	<i>Opisthoporus cochinchini-</i>	
<i>pupoides</i> { 1854,	307	<i>nonsis</i> 1850,	337
<i>radiata</i> { 1852,	151	<i>euryomphalus</i> 1850,	337
<i>rosea</i> { 1854,	307	<i>siamensis</i> 1860,	10
<i>rubens</i> { 1854,	307	<i>Opopsitta desmaresti</i> .. 1860,	227
<i>scitula</i> { 1852,	151	<i>diophtalma</i> 1860,	227
<i>terebralis</i> { 1854,	307	<i>Orbicula cumingii</i> 1852,	82
<i>vallata</i> { 1852,	151	<i>evansii</i> 1852,	82
<i>vestita</i> 1855,	106	<i>strigata</i> 1852,	82
<i>Oniscia grandis</i> 1853,	185	<i>Orchesticus abeillei</i> .. 1856,	66
<i>ponderosa</i> 1858,	255	<i>ater</i> 1856,	67
<i>testudo</i> .. 1850,	97	<i>capistratus</i> 1856,	67
<i>Onychocephalus liberi-</i>		<i>occipitalis</i> 1856,	66
<i>ensis</i> 1858,	157	<i>Oreas canna</i> 1850,	143
<i>nigrolineatus</i> 1858,	157	<i>derbianus</i> 1850,	144
<i>Onychodactylus japoni-</i>		<i>Oreomanes fraseri</i> 1860,	75
<i>cus</i> 1858,	144	<i>Oreophasis derbianus</i> .. 1860,	184
<i>Onychognathus hartlaubii</i> 1858,	291	<i>Oreopyra leucaspis</i> 1860,	312
<i>Onychophis liberiensis</i> .. 1858,	157	<i>Oreortyx pictus</i> 1859,	236
<i>nigrolineatus</i> 1858,	157	<i>Oreoscoptes montanus</i> .. 1859,	340
<i>punctata</i> 1858,	157	<i>Oreothraupis arremonops</i> 1856,	80
<i>Onychoprion fuliginosus</i> 1856,	144	<i>Oreotragus melanotis</i> .. 1850,	169
<i>serrata</i> .. 1859,	166	<i>saltatrix</i> 1850,	119
<i>Onychotria mexicana</i> .. 1849,	17	<i>scoparius</i> 1850,	169
<i>Operculatum pictum</i> .. 1854,	137	<i>tragulus</i> 1850,	169
<i>Opetiopalpus obesus</i> ... 1852,	46	<i>Oreotrochilus chumborazo</i> 1860,	79
<i>Opetiorhynchus antar-</i>		<i>pichincha</i> 1860,	79
<i>cticus</i> ... { 1850,	95	<i>Oriolus aureus</i> { 1850,	279
<i>vulgaris</i> { 1860,	385	<i>baraffii</i> 1850,	279
<i>Ophicardelus australis</i> .. 1854,	34	<i>broderipii</i> 1850,	279
<i>concinna</i> 1854,	34	<i>castanopterus</i> 1854,	282
<i>layardii</i> 1854,	35	<i>chinensis</i> { 1854,	281
<i>quoyi</i> 1854,	34	<i>cochinchinensis</i> .. { 1850,	279
<i>sandwichensis</i> 1854,	34	<i>furcatus</i> 1854,	201
<i>stutchburyi</i> 1850,	393	<i>gubula</i> { 1850,	217
<i>sulcata</i> 1854,	34	<i>hippocrepis</i> 1851,	145
<i>tæmata</i> 1854,	34	<i>indicus</i> 1854,	281
<i>Ophidium glesne</i> 1849,	82	<i>kundoo</i> { 1857,	94
<i>imberbe</i> 1849,	84	<i>leucogaster</i> 1854,	282
<i>Opilus hilaris</i> 1852,	50	<i>leucopterus</i> 1856,	113
<i>moerens</i> 1852,	50	<i>melaleucus</i> 1850,	113
<i>sexnotatus</i> 1852,	51	<i>melanocephalus</i> ... 1859,	150
<i>sordidus</i> 1852,	42	<i>moloxita</i> 1850,	279
<i>Opisthocomus cristatus</i> . 1857,	19	<i>mulleri</i> 1858,	175
<i>Opisthoglossa oxydactyla</i> 1858,	341	<i>musicus</i> 1856,	301
	344	<i>phæochromus</i> 1860,	351
		<i>regens</i> 1850,	279

	Page		Page
<i>Oriolus striatus</i>	1859, 156	<i>Orthocera trachea</i>	1858, { 414
	{ 1854, 139		{ 423
<i>Orites erythrocephalus</i>	{ 1854, 140	<i>Orthogonys cyanicterus</i>	1856, 122
	{ 1858, 480	<i>viridis</i>	1856, 122
<i>glaucoocularis</i>	1854, 140	<i>Orthotomus atrogularis</i>	1854, 78
<i>jouschistos</i>	1854, { 139	<i>bennettii</i>	1854, { 81
<i>leucogenys</i>	1854, 139		{ 284
<i>niveocularis</i>	1854, 140	<i>cinereus</i>	1854, 80
<i>Ornismya kingi</i>	1855, 140	<i>cucullatus</i>	1854, 81
<i>lessoni</i>	1858, 297	<i>derbianus</i>	1854, 309
<i>silphii</i>	1855, 140		{ 1854, 79
<i>Ornithion inerme</i>	1857, 204	<i>edela</i>	{ 1859, 150
<i>Ornithoptera croesus</i>	1859, 424		{ 1859, 151
<i>priamus</i>	1859, 425	<i>flavoviridis</i>	1854, 79
<i>richmondia</i>	1859, 425	<i>lingoo</i>	1854, { 81
<i>victoriae</i>	1856, 8		{ 284
<i>Ornithorhynchus anatinus</i>	1859, 213		{ 1854, 81
	{ 1856, 294	<i>longicauda</i>	{ 1854, 284
<i>Orpheus caeruleus</i>	1859, 337		{ 1857, 95
<i>calandria</i>	1859, 343	<i>longicaudatus</i>	1858, 488
<i>curvirostris</i>	1859, 339	<i>longirostris</i>	1854, 80
<i>dorsalis</i>	1859, 341	<i>maculicollis</i>	1854, 309
<i>longirostris</i>	{ 1856, 294	<i>patia</i>	1854, { 81
	{ 1859, 339		{ 284
<i>melanotis</i>	1859, 345	<i>ruficapillus</i>	1854, { 81
<i>montanus</i>	1859, 340		{ 284
<i>parvulus</i>	1859, 345	<i>ruficeps</i>	1854, 79
<i>patagonicus</i>	1859, 344	<i>sepium</i>	{ 1854, 78
<i>polyglottus</i>	1859, 341		{ 80
<i>rufus</i>	1859, 340	<i>sphenurus</i>	1854, { 81
<i>thenca</i>	1859, 344		{ 284
<i>tricaudatus</i>	1859, 341	<i>sutorius</i>	1854, 81
<i>trifasciatus</i>	1859, 345	<i>Ortygetra crex</i>	1851, 146
<i>Orthalda arcuata</i>	1860, 72	<i>Ortyx leylandi</i>	1859, 62
<i>goudoti</i>	1856, 30	<i>nigrogularis</i>	1859, 63
<i>guttata</i>	1858, 76		{ 1856, 310
<i>leucogastra</i>	1859, 301	<i>pectoralis</i>	{ 1857, 206
	{ 1857, 19		{ 1859, 309
	{ 1858, 76	<i>thoracicus</i>	1856, 310
	{ 1858, 556	<i>Ortyxelos meiffreni</i>	1850, 220
<i>montagnii</i>	{ 1860, 63	<i>Orycteropus capensis</i>	1848, 67
	{ 1860, 72	<i>Oryctes mullerianus</i>	1859, 118
	{ 1860, 97	<i>Oryx beatus</i>	1857, 158
<i>poliocephala</i>	1856, 310	<i>beisa</i>	{ 1850, 134
<i>ruficeps</i>	1860, 289		{ 1857, 157
<i>rufiventris</i>	1859, 147	<i>capensis</i>	1850, 134
	{ 1856, 310		{ 1850, 134
	{ 1859, 62	<i>gazella</i>	{ 1850, 175
<i>vetula</i>	{ 1859, 309		{ 1857, 157
	{ 1859, 301		{ 1850, 134
	{ 1840, 6	<i>leucoryx</i>	{ 1850, 175
<i>Orthagoriscus mola</i>	1850, 19		{ 1857, 157
<i>Orthalicus boucardi</i>	1860, 138	<i>Oryzivora leucotis</i>	1859, 443
<i>Orthis anomoides</i>	1852, 79	<i>Oryzoborus aethiops</i>	1860, { 88
<i>Orthocera glabra</i>	1858, 436		{ 276
<i>imperfurata</i>	1858, 425	<i>funereus</i>	1859, 378
		<i>occidentalis</i>	1860, 276
		<i>torridus</i>	1858, 455

	Page		Page
<i>Oryzornis oryzivora</i>	1859, 443	<i>Otus crassirostris</i>	1858, 450
<i>Osilinus gallina</i>	1856, 204	<i>palustris</i>	{ 1859, 94
<i>Osmotrexon clax</i>	1859, 405	<i>vulgaris</i>	{ 1860, 384
<i>viridis</i>	1859, 405	<i>vulgaris</i>	1848, 37
<i>Osphranter rufus</i>	1860, 323	<i>Ounkaria calvus</i>	1849, 10
<i>Osteodesma diaphana</i> ..	1855, 228	<i>spvrit</i>	1849, 10
<i>nitidum</i>	{ 1855, 229	<i>Ovatella bivona</i>	1854, 32
<i>nitidum</i>	{ 1856, 199	<i>Ovibos moschatus</i>	1850, 177
<i>Ostinops atrovirens</i> ..	{ 1850, 140	<i>ammon</i>	{ 1859, 350
<i>bifasciatus</i>	{ 1860, 88	<i>ammonoides</i>	{ 1860, 120
<i>cristatus</i>	{ 1856, 300	<i>ammonoides</i>	{ 1856, 404
<i>montezumæ</i>	{ 1855, 153	<i>argali</i>	{ 1860, 120
<i>Ostrea anomialis</i>	{ 1858, 455	<i>argali</i>	{ 1856, 404
<i>conchaphila</i>	1859, 380	<i>argali</i>	{ 1850, 157
<i>striata</i>	1849, 118	<i>aries</i>	{ 1856, 149
<i>Ostreum stratum</i>	1849, 122	<i>aries</i>	{ 1850, 404
<i>Otaria californica</i>	1859, 359	<i>aries</i>	{ 1858, 527
<i>delalandii</i>	1850, { 108	<i>barwal</i>	1856, 404
<i>gilliespi</i>	1850, { 109	<i>burriel</i>	1860, 129
<i>leonina</i>	1859, { 110	<i>changluk</i>	1856, 404
<i>peronii</i>	1850, { 102	<i>cycloceros</i>	1860, 128
<i>pusilla</i>	1859, { 359	<i>gmelini</i>	1849, 91
<i>Otolophus margaritifera</i> ..	1859, { 108	<i>hodgsoni</i>	{ 1856, 404
<i>Otina fusca</i>	1851, 225	<i>hodgsoni</i>	{ 1860, 129
<i>Otis aurita</i>	1855, 33	<i>hoonia</i>	1856, 404
<i>houbara</i>	1848, 37	<i>hunia</i>	1859, 350
<i>macqueenii</i>	1858, 504	<i>montana</i>	1850, 136
<i>nigriceps</i>	{ 1855, 32	<i>montana</i>	{ 1856, 404
<i>nigriceps</i>	{ 1858, 504	<i>nahoor</i>	{ 1860, 129
<i>rhaad</i>	1850, 220	<i>polii</i>	1860, { 130
<i>tarda</i>	{ 1848, 37	<i>tragelaphus</i>	{ 1840, 1
<i>tetrax</i>	{ 1856, 1	<i>vignii</i>	1860, 127
<i>Otocompsa jocosa</i>	1855, 33	<i>Ovula pudica</i>	1854, 131
<i>otocompsa</i>	1854, 278	<i>Ovulum aciculare</i>	1848, { 135
<i>Otocorys chrysolaema</i> ..	{ 1855, 66	<i>birostre</i>	{ 1848, 136
<i>chrysomela</i>	1855, 110	<i>doflexum</i>	1848, 136
<i>cornuta</i>	1859, 373	<i>lanceolatum</i>	1848, 135
<i>longirostris</i>	1855, 215	<i>margarita</i>	1848, 135
<i>penicillata</i>	1855, 215	<i>philippinarum</i>	1848, 136
<i>peregrina</i>	1855, { 110	<i>secale</i>	1848, 136
<i>spraguii</i>	1857, { 160	<i>simile</i>	1848, 136
<i>Otocyon lalandii</i>	1848, { 37	<i>subrostratum</i>	1848, 136
<i>Otogyps auricularis</i>	1850, 214	<i>traillii</i>	1855, 222
<i>calvus</i>	1858, 409	<i>umbilicatum</i>	1848, 135
<i>nubicus</i>	1853, 192	<i>uniplicatum</i>	1848, 135
<i>Otothrix hodgsoni</i>	1859, 101	<i>Owl, The Large Long-</i>	
<i>otus</i>	1857, 212	<i>legged, or Jumbi</i>	
<i>Otus brachyotus</i>	{ 1860, 384	<i>Bird</i>	1851, 61
<i>otus</i>	{ 1860, 442	<i>Little Long-legged</i> ..	1851, 61
		<i>Small-booted Brown</i> ..	1851, 61
		<i>Oxybelis kirtlandi</i>	1858, 159
		<i>lecomptei</i>	1858, 159
		<i>Oxyglossus luma</i>	1860, 116
		<i>Oxylophus afer</i>	1850, 219
		<i>glandarius</i>	1850, 219
		<i>jacobinus</i>	1850, 219

	Page		Page
<i>Oxylophus melanoleucus</i>	1858, 476	<i>Pachyrhamphus pectoralis</i>	1859, 142
<i>serratus</i>	1850, 219	<i>polychropterus</i> ..	1857, 77
<i>Oxymycterus</i>	1860, 221	<i>roseicollis</i>	1857, 56
<i>Oxypogon guerini</i>	1848, 14	<i>rufescens</i>	1857, 73
<i>lindeni</i>	1855, 140	<i>semifasciatus</i>	1857, 79
<i>paradisæ</i>	1848, 14	<i>spodiurus</i>	1851, 46
<i>paulinæ</i>	1855, 140	<i>squamatus</i>	1860, 279
<i>Oxyrhopus petolaris</i> ..	1859, 89	<i>surinamus</i>	1855, 150
<i>plumbeus</i>	1859, 414	<i>validus</i>	1857, 74
<i>præornatus</i> ..	1858, 158	<i>versicolor</i>	1851, 46
<i>Oxyrhopus trigeminus</i> .	1859, 477	<i>viridis</i>	1857, 72
<i>Pachycephala griseiceps</i> .	1858, 178	<i>viridis</i>	1855, 150
<i>melanura</i>	1860, 353	<i>viridis</i>	1857, 76
<i>monacha</i>	1858, 179	<i>Pachyrhynchus aglaia</i> ..	1857, 71
<i>rufipennis</i>	1858, 178	<i>albifrons</i>	1857, 75
<i>xanthotræa</i> ..	1859, 162	<i>aterrimus</i>	1857, 77
<i>xanthocnemis</i>	1860, 353	<i>cayanus</i> ..	1857, 72
<i>Pachychilus cumingi</i> ..	1850, 179	<i>cinerascens</i>	1857, 70
<i>lævisima</i> ..	1850, 179	<i>cuvieri</i>	1857, 72
<i>Pachydactylus tristis</i> ..	1858, 157	<i>leucogaster</i>	1857, 75
<i>Pachyrhamphus aglaia</i> }	1851, 46	<i>marginatus</i>	1857, 75
<i>albogriseus</i>	1856, 297	<i>niger</i>	1857, 76
<i>atricapillus</i>	1857, 5	<i>pectoralis</i>	1857, 73
<i>cinereus</i>	1857, 74	<i>polychropterus</i>	1857, 77
<i>cuvieri</i>	1857, 78	<i>rufescens</i>	1857, 79
<i>dimidiatus</i>	1855, 77	<i>ruficeps</i>	1857, 79
<i>dorsocinereus</i>	1857, 67	<i>semifasciatus</i>	1857, 70
<i>griseus</i>	1857, 75	<i>spixii</i>	1857, 77
<i>homochrous</i>	1857, 75	<i>squamatus</i>	1857, 76
<i>latirostris</i>	1857, 67	<i>swansoni</i>	1857, 77
<i>major</i>	1857, 75	<i>variegatus</i>	1857, 77
<i>marginatus</i>	1857, 75	<i>Pachysoma aegyptiacum</i> .	1860, 44
<i>minor</i>	1857, 75	<i>brevicaudatum</i>	1858, 537
<i>niger</i>	1855, 150	<i>duvaucellii</i>	1860, 44
<i>nigrescens</i>	1857, 72	<i>gambianus</i>	1860, 52
<i>nigriventris</i>	1857, 76	<i>labiatus</i>	1860, 55
<i>pectoralis</i>	1851, 46	<i>macrocephala</i>	1860, 50
	1857, 18	<i>marginatum</i>	1858, 537
	1857, 73	<i>stramineum</i>	1860, 44
		<i>whitei</i>	1860, 50
		<i>Padda oryzivora</i>	1859, 443
		<i>Pagrus bocagii</i>	1860, 391
		<i>Paguma grayi</i>	1856, 396
		<i>Pagurus bernhardi</i>	1859, 433
		<i>prideauxii</i>	1859, 432
		<i>Palæmon serratus</i>	1859, 433
		<i>Palæornis alexandri</i> ..	1854, 256
		<i>barbatus</i>	1857, 99
			1858, 490
			1859, 151
			1859, 173
			1860, 417
			1859, 161

	Page		Page
<i>Palaeornis bengalensis</i> ..	1854, 256	<i>Paludinella microspora</i> ..	1854, 207
<i>caniceps</i>	1859, 453	<i>Paludomus abbreviatus</i> ..	1852, 127
<i>cubicularis</i>	1850, 219	<i>acutus</i>	1854, 88
<i>cyanocephalus</i> ...	1857, 99	<i>sarcus</i>	1852, 127
<i>derbianus</i>	1858, 491	<i>baccula</i>	1854, 88
<i>erythrogyens</i> ...	1859, 150	<i>bacula</i>	1852, 128
<i>javanica</i>	1859, 151	<i>bicinctus</i>	1854, 88
<i>longicauda</i>	1859, 173	<i>bifasciatus</i>	1852, 129
<i>malaccensis</i>	1860, 356	<i>chilinoideus</i>	1854, 88
<i>schisticeps</i>	1850, 245	<i>clavatus</i>	1854, 90
<i>torquatus</i>	1859, 453	<i>conicus</i>	1852, 129
<i>palaeotherium</i>	1850, 246	<i>constrictus</i>	1854, 88
<i>palapteryx</i>	1859, 436	<i>cumingianus</i>	1852, 127
<i>dromioides</i>	1850, 246	<i>decussatus</i>	1854, 88
<i>geranoides</i>	1859, 453	<i>dilatatus</i>	1852, 128
<i>gracilis</i>	1860, 372	<i>distinguendus</i>	1854, 91
<i>ingens</i>	1848, 130	<i>dromedarius</i>	1857, 124
<i>robustus</i>	1849, 150	<i>erinaceus</i>	1857, 124
<i>struthioides</i>	1849, 158	<i>fulguratus</i>	1852, 128
<i>pallenura javensis</i>	208	<i>globulosus</i>	1854, 88
<i>paloplotherium</i>	209	<i>hanleyi</i>	1854, 90
<i>palparia lambertella</i>	1848, 1	<i>laevis</i>	1858, 535
<i>paludina angularis</i>	1848, 1	<i>layardii</i>	1854, 89
<i>bengalensis</i> , var. ..	1850, 45	<i>loricatus</i>	1852, 128
<i>ceylonica</i>	1850, 209	<i>maurus</i>	1852, 128
<i>cingulata</i>	1850, 45	<i>nasutus</i>	1857, 125
<i>desnoyersii</i>	1850, 209	<i>nigricans</i>	1854, 88
<i>fasciata</i>	1852, 11	<i>nodulosus</i>	1857, 125
<i>hamiltoni</i>	1854, 244	<i>paludinoideus</i>	1852, 127
<i>inflata</i>	1854, 244	<i>palustris</i>	1854, 88
<i>japonica</i>	1854, 285	<i>parvus</i>	1854, 90
<i>oxytropis</i>	1849, 158	<i>phasianinus</i>	1852, 127
<i>polygramma</i>	1849, 105	<i>phasianus</i>	1854, 88
<i>tricarinata</i>	1800, 13	<i>pictus</i>	1854, 90
<i>trochoides</i>	1856, 180	<i>punctatus</i>	1852, 127
<i>paludinella edentula</i> ..	1857, 123	<i>pyriformis</i>	1854, 88
<i>limnæana</i>	1860, 13	<i>rudis</i>	1858, 536
	1851, 73		1852, 126
	1851, 180		1854, 88
	1860, 13		
	1860, 13		
	1860, 13		
	1860, 13		
	1860, 12		
	1854, 206		
	1854, 206		

	Page		Page
<i>Paludomus skinneri</i>	1857, 124	<i>Papilio plantilla</i>	1858, 9
<i>solidus</i>	1857, 124	<i>sulpitia</i>	1858, 18
<i>sphaericus</i>	1857, 124	<i>telamon</i>	1852, 71
<i>spiralis</i>	1854, { 88	<i>telearchus</i>	1859, 422
<i>stephanus</i>	1854, 88	<i>venilia</i>	1858, 20
<i>sulcatus</i>	1857, 124	<i>victoriae</i>	1856, 8
<i>svainsoni</i>	1857, 125	(Ornithoptera) <i>croesus</i> ..	1859, 424
<i>torrenticola</i>	1858, 536	<i>Papio ocreatus</i>	1860, 420
<i>trifasciatus</i>	1852, 126	<i>Paractis viduata</i>	1858, 148
<i>Palumbus torquatus</i>	1858, 497	<i>Paradigalla carunculata</i> ..	1857, 6
<i>Pandion</i>	1851, 55	<i>Paradisea apoda</i>	{ 1858, 95
<i>haliaetus</i>	1859, { 150	<i>bartlettii</i>	{ 1858, 181
<i>humilis</i>	1854, 261	<i>papuana</i>	{ 1859, 157
<i>ichthyastus</i>	1854, 260	<i>regia</i>	{ 1858, 95
<i>Pandora claviculata</i>	1855, 228	<i>wallacei</i>	{ 1859, 181
<i>punctata</i>	{ 1855, 228	<i>wallaciana</i>	{ 1858, 181
<i>wardiana</i>	{ 1856, 211	(Semioptera) <i>wal-</i>	
<i>Panolia acuticornis</i>	1859, 487	<i>lacei</i>	1860, 355
<i>eedii</i>	1850, 229	<i>Paradoxurus aureus</i>	1860, 416
<i>platyceros</i>	1850, 229	<i>grayi</i>	1856, 396
<i>Panopea abbreviata</i>	1855, 220	<i>hermaphrodita</i>	1858, 113
<i>aldrovandi</i>	1855, 218	<i>musanga</i>	1860, 417
<i>antarctica</i>	1855, 220	<i>nipalensis</i>	1856, 396
<i>austrials</i>	1855, 220	<i>quadriscipitus</i>	{ 1853, 191
<i>generosa</i>	1855, 220	<i>strictus</i>	{ 1856, 396
<i>intermedia</i>	1855, 220	<i>typus</i>	{ 1859, 212
<i>japonica</i>	{ 1849, 170	<i>zeylanicus</i>	{ 1860, 416
<i>middendorffii</i>	{ 1856, 220	<i>Parapholas acuminata</i> ..	1850, 156
<i>natalensis</i>	{ 1854, 137	<i>bisulcata</i>	1856, 209
<i>norvegica</i>	{ 1855, 221	<i>californica</i>	1856, 209
<i>solandri</i>	{ 1855, 220	<i>penita</i>	1856, 210
<i>zelandica</i>	1855, 220	<i>Parasia carlinella</i>	1854, 224
<i>Panoplites flavescens</i>	1855, 147	<i>Pardalotus maculatus</i> ..	1859, 464
<i>matthewsi</i>	1859, 145	<i>Parias maculata</i>	1860, 164
<i>Panthalops hodgsoni</i>	1856, 403	<i>Parmophorus australis</i> ..	1851, 221
<i>Pantholops hodgsoni</i>	1858, 521	<i>breviculus</i>	1851, 222
<i>Pantoporia nefte</i>	1858, 13	<i>corrugatus</i>	1851, 222
<i>Papilio aceris</i>	1858, 9	<i>elongatus</i>	1851, 221
<i>actorion</i>	1848, 117	<i>gibbosus</i>	1851, 222
<i>calisto</i>	1858, 464	<i>granulatus</i>	1851, 221
<i>columella</i>	1858, 7	<i>imbricatus</i>	1851, 222
<i>heliodora</i>	1858, 8	<i>intermedius</i>	1851, 88
<i>heliodore</i>	1858, 4	<i>tumidus</i>	1851, 222
<i>hordonia</i>	1858, 4	<i>Paroaria cucullata</i>	1859, 434
<i>janaka</i>	1857, 104	<i>Paroides flammiceps</i>	1859, 177
<i>leucothoe</i>	1858, 10	<i>Parolomus granulosa</i>	1858, 134
<i>nefte</i>	1858, 13	<i>Parra africana</i>	1860, 197
<i>noctis</i>	1859, 423	<i>brasilensis</i>	1856, 282
<i>pandarus</i>	1858, 464	<i>cordifera</i>	1856, 283
<i>paradoxa</i>	1859, 422		
<i>pipleis</i>	1858, 464		

	Page		Page
<i>Parra gallinacea</i>	1860, 365	<i>Parus carolinensis</i>	1856, 293
	1856, 283	<i>caudatus</i>	1857, 215
	1857, 206	<i>cinereus</i>	1858, 479
<i>gymnostoma</i>	1858, 360	<i>dichrous</i>	1859, 176
	1859, 64	<i>erythropis</i>	1858, 480
	1859, 393	<i>leucotis</i>	1858, 299
<i>hypomelaena</i>	1856, 143	<i>melanolophos</i>	1855, 65
	1856, 283	<i>melanolophus</i>	1859, 292
	1857, 20	<i>melanotus</i>	1858, 479
<i>intermedia</i>	1856, 282	<i>melanotus</i>	1859, 176
	1856, 282	<i>melanotis</i>	1858, 299
<i>jacana</i>	1860, 290	<i>meridionalis</i>	1856, 293
<i>jassana</i>	1856, 282	<i>palustris</i>	1857, 81
<i>melanopygia</i>	1856, 283	<i>rufonuchalis</i>	1858, 299
<i>nigra</i>	1856, 282	<i>xanthogenys</i>	1859, 363
<i>sinensis</i>	1859, 188	<i>domesticus</i>	1857, 215
<i>variabilis</i>	1856, 282	<i>indica</i>	1859, 177
<i>Parthenia crenata</i>	1853, 179	<i>montanus</i>	1858, 479
<i>elegantissima</i>	1853, 179	<i>simplex</i>	1858, 481
<i>turritella</i>	1853, 180	<i>Passer cinnamomeus</i> ..	1859, 177
<i>Parula alabastrina</i>	1856, 390	<i>domesticus</i>	1859, 177
<i>callifera</i>	1856, 393	<i>indica</i>	1857, 96
<i>dentifera</i>	1852, 85	<i>indicus</i>	1858, 481
<i>filosa</i>	1851, 262	<i>montanus</i>	1859, 443
<i>glutinosa</i>	1852, 85	<i>simplex</i>	1860, 417
<i>laevigata</i>	1856, 334	<i>simplex</i>	1850, 218
<i>lilacina</i>	1856, 334	<i>Passerculus alaudinus</i> .	1856, 305
<i>macgillivrayi</i> ..	1855, 97	<i>geospizopsis</i>	1858, 303
<i>mastersi</i>	1857, 110	<i>geospizopsis</i>	1855, 160
<i>micans</i>	1852, 138	<i>lincolni</i>	1856, 306
<i>minuta</i>	1856, 384	<i>lincolni</i>	1858, 303
<i>mucida</i>	1855, 98	<i>zonarius</i>	1859, 305
<i>nitens</i>	1854, 293	<i>zonarius</i>	1856, 305
<i>nodosa</i>	1851, 262	<i>zonarius</i>	1857, 82
<i>pacifica</i>	1854, 125	<i>zonarius</i>	1858, 303
<i>purpurascens</i> ..	1856, 393	<i>Passerita mycterizans</i> ..	1858, 383
<i>pusilla</i>	1855, 1	<i>Pastor fuscus</i>	1859, 455
<i>reeveana</i>	1852, 138	<i>mahrattensis</i>	1855, 40
<i>repanda</i>	1855, 98	<i>mahrattensis</i>	1859, 445
<i>salomonis</i>	1852, 137	<i>malayensis</i>	1859, 445
<i>stenostoma</i>	1855, 97	<i>musicus</i>	1859, 445
<i>strigosa</i>	1856, 384	<i>nigrocinctus</i>	1857, 0
<i>suturalis</i>	1856, 98	<i>roseus</i>	1854, 158
<i>turneri</i>	1860, 140	<i>roseus</i>	1855, 40
<i>Parula americana</i>	1858, 299	<i>tristis</i>	1858, 481
	1859, 137	<i>tristis</i>	1854, 144
<i>brasiliensis</i>	1860, 84	<i>Patagona gigas</i>	1858, 555
	1860, 273	<i>antiquata</i>	1860, 81
	1860, 291	<i>Patella ambigua</i>	1851, 221
<i>mexicana</i>	1855, 75	<i>antiquata</i>	1856, 3
	1858, 299	<i>auriculata</i>	1856, 108
<i>superculiosa</i>	1858, 299	<i>australis</i>	1856, 3
	1859, 373	<i>canis</i>	1856, 221
<i>Parulus ruficeps</i>	1856, 98	<i>cornea</i>	1853, 86
<i>Parus annexus</i>	1858, 299	<i>crystallina</i>	1851, 82
<i>atricapillus</i>	1856, 293	<i>cumingi</i>	1856, 221
	1857, 81	<i>diaphana</i>	1856, 221
<i>cæruleus</i>	1857, 215	<i>elongata</i>	1851, 221

	Page		Page
<i>Penelope purpurascens</i>	1860, 269	<i>Peristerna cinerea</i>	{ 1856, 309 1859, 61 1860, 301
<i>ruiceps</i>	1860, 289	<i>molanopectera</i>	{ 1860, 82 1860, 98
<i>sciatari</i>	1860, 270	<i>mexicana</i>	{ 1858, 99 1859, 107
<i>superciliosa</i>	1860, 271	<i>Peristernia nodulosa</i>	1854, 313
<i>Penicillus ambiguus</i>	1858, 311	<i>stigmataria</i>	1854, 313
<i>aquarius</i>	{ 1857, 244 1858, 312	<i>Peristethus brevifurcatus</i>	1859, 107
<i>javanus</i>	1858, 311	<i>cataphractus</i>	1859, 105
<i>mirabilis</i>	1857, 288	<i>gigas</i>	1859, 106
<i>radix</i>	1858, 312	<i>orientalis</i>	1859, 105
<i>Penitella wilsoni</i>	1856, 200	<i>riefleri</i>	1859, 106
<i>Pentastoma annulatum</i>	{ 1853, 21 1853, 86 1857, 115	<i>Perna costellata</i>	1856, 219
<i>megacephalum</i>	1853, 21	<i>Pernis apivorus</i>	1860, 416
<i>Penthopora nigricans</i>	1854, 220	<i>crustatus</i>	1854, 4
<i>Pentonyx gambonensis</i>	1858, 166	<i>Persona tuberosa</i>	1858, 145
<i>Perameles (Echmipera)</i>		<i>Petalocerus bellianus</i>	1856, 134
<i>doreyanus</i>	1858, 113	<i>Petalocochus cereus</i>	1856, 316
<i>Perca fluviatilis</i>	{ 435 477	<i>cochlidium</i>	1856, 314
<i>Perdicula asiatica</i>	1858, 504	<i>flavescens</i>	1856, 314
<i>Perdix cinerea</i>	{ 1857, 12 1860, 258	<i>macrophragma</i>	{ 1856, 226 1856, 313
<i>coturnix</i>	1851, 142	<i>nerineoides</i>	1856, 316
<i>hodgsoni</i>	1859, 185	<i>octosectus</i>	1856, 317
<i>hodgsoni</i>	1858, 503	<i>renisectus</i>	1856, 315
<i>indica</i>	1850, 220	<i>varians</i>	1856, 315
<i>picta</i>	1855, 30	<i>woodwardi</i>	1856, 316
<i>reticulata</i>	1859, 492	<i>Petasophora cyanotis</i>	{ 1855, 139 1859, 145
<i>rubra</i>	1851, 142	<i>delphinæ</i>	{ 1855, 139 1858, 450 1858, 459 1858, 555
<i>rufa</i>	{ 1857, 12 1860, 258	<i>iolata</i>	{ 1859, 145 1860, 81 1860, 94 1858, 297
<i>Perga eucalypti</i>	1859, 211	<i>thalassina</i>	{ 1859, 367 1859, 386
<i>Pericrocotus flammeus</i>	{ 1858, 404 1859, 182 1860, 354	<i>Petaurus sciureus</i>	1858, 109
<i>peregrinus</i>	1858, 404	<i>Petitia adamsiana</i>	{ 1857, 168 1857, 185 1857, 168 1857, 184 1857, 169 1857, 187 1857, 168 1857, 184 1857, 168 1857, 184 1857, 169 1857, 187 1857, 168 1857, 184 1857, 168 1857, 184 1857, 169
<i>speciosus</i>	{ 1854, 271 1857, 89	<i>anthonia</i>	1857, 184
<i>Periops parallelus</i>	1858, 162	<i>carpenteriana</i>	1857, 169
<i>Periploma argentaria</i>	{ 1855, 229 1856, 211	<i>cumingiana</i>	1857, 187
<i>excurva</i>	1855, 229	<i>fortuncana</i>	1857, 168
<i>leana</i>	1855, 220	<i>grevilleana</i>	1857, 169
<i>papyracea</i>	1855, 220	<i>petitiana</i>	1857, 184
<i>planuscula</i>	1856, 211	<i>stevensiana</i>	1857, 184
<i>Periporphyrus atropur-</i>		<i>stokesiana</i>	1857, 169
<i>puratus</i>	1856, 65		
<i>erythromelas</i>	1856, 65		
<i>Peristedion cataphrac-</i>			
<i>tum</i>	1859, 105		
<i>chabrontera</i>	1859, 105		
<i>malamart</i>	1859, 105		
<i>orientale</i>	1859, 105		
<i>Peristerna albifacies</i>	1858, 98		
<i>brachyptera</i>	1858, 99		

	Page		Page
<i>Petitia stokesiana</i>	1857, 187	<i>Petromyzon maximus</i> ..	1851, 236
<i>stricklandiana</i>	1857, 169	<i>mordax</i>	1851, 240
<i>tayloriana</i>	1857, 169	<i>niger</i>	1851, 240
(P <i>Lewisia</i>) <i>bar-</i>	1857, 187	<i>nigricans</i>	1851, 237
<i>roniana</i>	1857, 169	<i>plumbeus</i> ...	1851, 240
<i>Petricola arcuata</i>	1856, 188	<i>sanguisuga</i> ..	1851, 238
<i>bulbosa</i>	1856, 214	<i>septoecil</i>	1851, 240
<i>californica</i>	1856, 198	<i>tridentatus</i>	1851, 240
<i>carditoides</i>	1856, 214	<i>Petrophassa albipennis</i> .	1857, 27
<i>cordieri</i>	1856, 214	<i>Peucea bachmanni</i>	1857, 7
<i>cylindracea</i>	1856, 214	<i>lincolni</i>	1857, 82
<i>robusta</i> ...	1856, 198	<i>ruficeps</i>	1859, 380
<i>sinuosa</i>	1856, 209	<i>Pezites brevirostris</i> ...	1856, 455
<i>Petrochelidon bicolor</i> .	1857, 201	<i>Pfefferia micans</i>	1853, 110
<i>cyanoleuca</i>	1859, 364	<i>Phacochcerus æthiopi-</i>	1850, 78
<i>cyanoleucus</i>	1858, 450	<i>cus</i>	1860, 443
<i>fulva</i>	1858, 459	<i>pallasii</i>	1851, 63
<i>lunifrons</i>	1858, 459	<i>Phædinus xanthomelas</i> .	1856, 408
<i>murina</i> ..	1860, 74	<i>Phænodon ringens</i>	1850, 251
<i>swainsoni</i>	1858, 296	<i>Phæolæma æquatorialis</i>	1860, 70
<i>Petrocincla affinis</i>	1859, 150	<i>rubinoides</i> ...	1859, 145
<i>cyanea</i>	1858, 491	<i>cus</i>	1860, 70
<i>longirostris</i>	1859, 181	<i>Phaethon æthereus</i>	1856, 144
<i>Petrodroma mexicana</i> ..	1855, 212	<i>candidus</i>	1856, 144
<i>Petrogale lateralis</i>	1854, 249	<i>flavirostris</i>	1856, 144
<i>penicillata</i>	1859, 212	<i>phœnicurus</i>	1856, 144
<i>penicillatus</i>	1860, 323	<i>Phaethornis adolphi</i> .	1856, 287
<i>xanthopus</i> ...	1854, 249	<i>anthophilus</i>	1859, 367
<i>Petroica cerviniventris</i> ..	1854, 249	<i>emilia</i>	1859, 385
<i>hypoleuca</i> ..	1860, 323	<i>episcopus</i>	1855, 139
<i>Petromyzon</i> —	1860, 323	<i>eremita</i>	1857, 14
<i>americanus</i>	1860, 372	<i>griseogularis</i>	1851, 115
<i>appendix</i>	1857, 221	<i>guy</i> ..	1855, 139
<i>argenteus</i>	1859, 155	<i>guyi</i>	1857, 14
<i>bicolor</i>	1851, 237	<i>longirostris</i>	1859, 145
<i>branchialis</i>	1851, 237	<i>moorii</i> ..	1855, 139
<i>cæcus</i>	1851, 236	<i>obscura</i>	1857, 14
<i>fluvialis</i>	1851, 237	<i>pygmæus</i> ...	1857, 14
<i>jurae</i>	1859, 435	<i>striigularis</i>	1854, 111
<i>lamproie</i>	1851, 236	<i>superciliosus</i> ..	1855, 139
<i>maculosus</i>	1851, 236	<i>syrrhatophorus</i>	1854, 111
<i>marinus</i>	1851, 236	<i>viridicaudata</i>	1859, 145
	237	<i>yaraqui</i>	1857, 14
		<i>zonura</i>	1860, 94
		<i>Phainopepla nitens</i>	1860, 305
		<i>Phalacrocorax caruncu-</i>	1858, 543
		<i>latus</i>	1860, 391
		<i>currhatus</i>	1860, 391
		<i>erythrops</i> ..	1860, 391
		<i>flavirostris</i>	1860, 366
		<i>imperialis</i> ...	1860, 391
		<i>magellanicus</i> ...	1860, 391
		<i>melanoleucus</i>	1860, 366

	Page		Page
<i>Phalacrocorax mexi-</i>	1857, 207	<i>Pharomacrus antisien-</i>	1858, 60
<i>canus</i>	1859, 65	<i>auriceps</i>	1858, 60
<i>Phalæna atlas</i>	1849, 33	<i>mocinno</i>	1850, 144
<i>brachyura</i>	1849, 49	<i>paradiseus</i>	1850, 93
<i>capensis</i>	1849, 44		1856, 139
<i>cynthia</i>	1850, 267		1850, 52
<i>guineensis</i>	1849, 40		1860, 374
— <i>flava perele-</i>		<i>Phascogale (Antechinus)</i>	
<i>gans</i>	1849, 45	<i>molæ</i>	1858, 106
<i>maxima</i>	1849, 37	<i>Phasianella compta</i>	1856, 204
	1849, 45	<i>leucostigma</i>	1851, 171
<i>paphia</i>	1849, 46		1857, 81
	1850, 247	<i>Phasianus colchicus</i> ..	1830, 1
<i>ricini</i>	1850, 267		1860, 258
<i>tyrrhea</i>	1849, 44		1860, 373
(<i>Attacus</i>) <i>alinda</i> ..	1849, 51	<i>impeyanus</i>	1857, 215
— <i>atlas</i>	1850, 265	<i>torquatus</i>	1859, 212
— <i>cynthia</i>	1850, 267		1860, 415
— <i>epimethea</i>	1849, 50	<i>Phauda mahisa</i> ..	1850, 200
— <i>fenestrata</i> ..	1850, 240	<i>Phœasants, Hybrid</i>	1851, 62
— <i>jana</i>	1850, 250	<i>Phenilia sanguinolenta</i> ..	1859, 482
— <i>lucina</i>	1849, 57	<i>Pheucticus aureiventer</i> ..	1855, 154
— <i>luna</i>	1850, 261	<i>aureiventris</i>	1858, 551
— <i>mylitta</i>	1850, 247		1858, 450
— <i>paphia</i>	1850, 247		1858, 454
— <i>perspicua</i> ..	1850, 240	<i>chrysogaster</i>	1858, 551
— <i>phædusa</i> ..	1849, 51		1860, 87
(<i>Bombyx</i>) <i>mori</i> ..	1850, 237	<i>Philene aperta</i>	1854, 95
<i>Phalænoptis jardini</i> ..	1855, 134	<i>orientalis</i>	1854, 94
<i>minutissima</i>	1855, 134	<i>schrœteri</i>	1854, 95
<i>Phalangista alba</i>	1858, 104	<i>Philentoma cyanocephala</i>	
<i>cavifrons</i>	1858, 104	<i>la</i>	1858, 177
<i>chrysorrhœos</i>	1858, 101	<i>velatum</i> ..	1854, 270
<i>fuliginosa</i>	1850, 432	<i>Philetærus nitens</i>	1850, 218
<i>maculata</i>	1858, 101	<i>Philinopsis nigra</i>	1860, 22
<i>nudicaudata</i> ...	1849, 110	<i>speciosa</i>	1860, 21
<i>orientalis</i>	1858, 103	<i>Philippia hayardi</i>	1854, 317
<i>papuensis</i>	1858, 104	<i>oxytropis</i>	1854, 317
	104	<i>Philodryas goudoti</i> ..	1858, 380
<i>quoyi</i>	1858, 109	<i>minutus</i>	1858, 380
<i>rufa</i>	1858, 104	<i>viridissimus</i>	1860, 417
<i>ursina</i>	1858, 103	<i>Philomachus pugnax</i> ..	1858, 506
<i>vulpina</i>	1850, 433		1858, 200
	1860, 372	<i>Philomedes longicornis</i> ..	1860, 203
	1860, 415	<i>olivaceus</i>	1860, 200
<i>Phalangium listeri</i>	1849, 6	<i>Philopotamis regalis</i> ...	1854, 88
<i>Phalaropus hyperboreus</i> ..	1858, 188		1854, 88
<i>Phalcoænus caruncula-</i>		<i>sulcatus</i>	1854, 93
<i>tus</i>	1860, 81	<i>thwaitesi</i>	1854, 93
<i>Phalium erinaceum</i>	1851, 229	<i>Phlegœnas stairi</i>	1850, 7
<i>glaucom</i>	1851, 229	<i>Phlogophilus hemileucu-</i>	
<i>Phallanna horsfieldi</i>	1859, 200	<i>rus</i>	1860, 310
<i>polymena</i>	1850, 200	<i>Phlogopsis erythropterus</i> ..	1858, 276
<i>Phalus testaceus</i>	1858, 311	<i>nigromaculatus</i>	1858, 276
<i>Phaps hystrix</i>	1857, 27	<i>Phoca barbata</i>	1849, 93
<i>Pharomacrus antisianus</i> ..	1860, 70	<i>californica</i>	1850, 359

	Page		Page
<i>Phoca parva</i>	1859, 107	<i>Pholas calva</i>	1849, 162
<i>pusilla</i>	1859, 107	<i>concamerata</i>	1856, 210
<i>ursina</i>	1859, 102	<i>constricta</i>	1849, 161
<i>vitulina</i>	1860, 416	<i>fragilis</i>	1849, 161
<i>Phoebe concinna</i>	1856, 408	<i>incii</i>	1849, 161
<i>Phoenicophaus crawfordi</i>	1859, 458	<i>janellii</i>	1856, 209
<i>curvirostris</i>	1859, 458	<i>laqueata</i>	1849, 161
<i>javanicus</i>	1859, 458	<i>latissima</i>	1849, 162
<i>viridirostris</i>	1859, 458	<i>manilla</i>	1849, 161
<i>Phoenicophilus palma-</i>	1856, 84	<i>multistriata</i>	1849, 162
<i>rum</i>	1857, 232	<i>ovoidea</i>	1856, 198
<i>poliocephalus</i>	1856, 84	<i>penita</i>	1856, 210
<i>Phenicopter antio-</i>		<i>spatulata</i>	1849, 162
<i>rum</i>	1849, 94	<i>terediniformis</i>	1849, 161
<i>erythraus</i> ?	1859, 436	<i>tubifer</i>	1849, 162
<i>roseus</i>	1858, 509	<i>Pholeoptynx cucularia</i>	1860, 96
<i>ruber</i>	1857, 236	<i>hypogaea</i>	1859, 368
<i>Phoenicornis peregrinus</i>	1854, 48	<i>Pholidus badius</i>	1854, 263
<i>Phenicothraupis erythro-</i>		<i>Phonipara canora</i>	1855, 159
<i>lamus</i>	1856, 120	<i>gutturalis</i>	1855, 160
<i>gutturalis</i>	1855, 156	<i>olivacea</i>	1855, 159
<i>rubica</i>	1856, 120	<i>pusilla</i>	1857, 232
<i>rubicoides</i>	1856, 119	<i>pusilla</i>	1855, 159
<i>rubra</i>	1856, 120	<i>pusilla</i>	1856, 304
<i>rubra</i>	1856, 303	<i>pusilla</i>	1859, 365
<i>rubra</i>	1859, 58	<i>pusilla</i>	1859, 379
<i>rubra</i>	1859, 364	<i>Phorcus californicus</i>	1851, 157
<i>rubra</i>	1859, 377	<i>carneus</i>	1851, 156
<i>rubra</i>	1856, 120	<i>cruciatus</i>	1851, 156
<i>Phenocura albifrons</i>	1854, 25	<i>dentatus</i>	1851, 156
<i>atrata</i>	1854, 26	<i>fuscescens</i>	1851, 157
<i>caeruleocephala</i>	1854, 29	<i>gramfer</i>	1851, 157
<i>frontalis</i>	1854, 29	<i>liratus</i>	1851, 157
<i>fuliginosa</i>	1854, 29	<i>margarita</i>	1851, 189
<i>leucocephala</i>	1854, 30	<i>melaleucos</i>	1851, 156
<i>leucoptera</i>	1854, 28	<i>modestus</i>	1851, 156
<i>lineoventris</i>	1854, 30	<i>nodicinctus</i>	1851, 157
<i>muraria</i>	1854, 25	<i>occultus</i>	1851, 156
<i>nipalensis</i>	1854, 26	<i>quadricarinatus</i>	1851, 156
<i>plumbea</i>	1854, 30	<i>quadricostatus</i>	1851, 156
<i>reevesii</i>	1854, 26	<i>scalaris</i>	1851, 156
<i>rubicauda</i>	1854, 30	<i>semigranulosus</i>	1851, 157
<i>ruticilla</i>	1854, 25	<i>umbilicaris</i>	1851, 156
<i>schisticeps</i>	1854, 29	<i>variegatus</i>	1851, 156
<i>Phenisona aestiva</i>	1856, 123	<i>Phos articulatus</i>	1850, 153
<i>ardens</i>	1855, 156	<i>biplicatus</i>	1856, 166
<i>azarae</i>	1856, 124	<i>blainvillii</i>	1850, 153
<i>bidentatum</i>	1856, 126	<i>cancelatus</i>	1850, 153
<i>bivittatum</i>	1856, 126	<i>crassus</i>	1850, 153
<i>hepatica</i>	1856, 124	<i>cumingi</i>	1850, 153
<i>rubra</i>	1856, 123	<i>cyanostoma</i>	1850, 155
<i>Pholadidea melanura</i>	1856, 209	<i>cylleoides</i>	1850, 155
<i>ovoidea</i>	1856, 198	<i>fasciatus</i>	1853, 175
<i>Pholadopsis pectinata</i>	1856, 209	<i>filosus</i>	1853, 175
<i>Pholas aperta</i>	1849, 161	<i>gaudens</i>	1850, 153
<i>californica</i>	1856, 209	<i>laevigatus</i>	1850, 155
		<i>ligatus</i>	1853, 175

	Page		Page
<i>Phos nodicostatus</i>	1850, 154	<i>Phyllorhina speoris</i>	1850, 70
<i>plicatus</i>	1853, 175	<i>Phyllornis cochinchinen-</i>	
<i>retecosus</i>	1850, 153	<i>sis</i>	1854, 280
<i>rosentus</i>	1850, 153	<i>cyanopogon</i>	1854, 280
<i>rufocinctus</i>	1850, 154	<i>icterocephala</i>	1854, 281
<i>scularioides</i>	1850, 154	<i>javensis</i>	1854, 280
<i>senticosus</i>	1850, 153	<i>malabaricus</i>	1854, 280
<i>spini-costatus</i>	1850, 154	<i>moluccensis</i>	1854, 280
<i>textilis</i>	1850, 154	<i>mystacalis</i>	1854, 280
<i>turritus</i>	1850, 154	<i>Phylloscopus lugubris</i> ..	1850, 182
<i>veraguensis</i>	1850, 153	<i>nitidus</i>	1858, 403
<i>virgatus</i>	1850, 153	<i>tristis</i>	1858, 403
<i>Photina caerulea</i>	1851, 191	<i>trochilus</i>	1850, 216
<i>expansa</i>	1851, 191	<i>trochilus</i>	1858, 493
<i>fusca</i>	1851, 192	<i>Phyllostoma hastatum</i> ..	1858, 547
<i>lineata</i>	1851, 192	<i>lilium</i>	1860, 212
<i>nigra</i>	1851, 192	<i>pusillum</i>	1860, 260
<i>sandwichiana</i>	1851, 192	<i>rotundatum</i>	1848, 58
<i>sigaretina</i>	1851, 191	<i>(Arctibous) lilium</i> ..	1860, 212
<i>taeniata</i>	1851, 191	<i>Phymasterna leucostic-</i>	
<i>violacea</i>	1851, 192	<i>tica</i>	1858, 402
<i>Phractogonus galeatus</i> ..	1858, 167	<i>semilis</i>	1858, 402
<i>Phrygilus alaudinus</i> ..	1860, 87	<i>Physa clata</i>	1853, 203
<i>geospizopsis</i>	1855, 160	<i>sallcana</i>	1853, 53
<i>melanoderus</i>	1860, 385	<i>Physalus antiquorum</i> ..	1853, 195
<i>ocularis</i>	1858, 450	<i>boops</i>	1853, 195
<i>ocularis</i>	1858, 454	<i>Physocorax moneduloides</i>	1850, 163
<i>ocularis</i>	1858, 552	<i>Phytotoma tridactyla</i> ..	1850, 306
<i>unicolor</i>	1860, 87	<i>tridactyla</i>	1854, 115
<i>unicolor</i>	1860, 306	<i>Piaya cayana</i>	1856, 308
<i>unicolor</i>	1860, 76	<i>circe</i>	1860, 285
<i>xanthogrammus</i>	1860, 385	<i>macrura</i>	1860, 285
<i>Phryniscus cruciger</i>	1858, 343	<i>macrura</i>	1858, 75
<i>laevis</i>	1858, 343	<i>macrura</i>	1858, 400
<i>nigricans</i>	1858, 343	<i>mehleri</i>	1850, 146
<i>Phrynocephalus tickelii</i> ..	1860, 161	<i>mehleri</i>	1860, 95
<i>tickelii</i>	1860, 167	<i>mehleri</i>	1860, 285
<i>tickelii</i>	1860, 173	<i>mehleri</i>	1856, 308
<i>Phrynorhamphus capen-</i>		<i>mexicana</i>	1853, 359
<i>sis</i>	1851, 52	<i>mexicana</i>	1850, 60
<i>Phursa jarai</i>	1853, 405	<i>mexicana</i>	1850, 308
<i>Phycis furcatus</i>	1850, 252	<i>nigricrissa</i>	1860, 285
<i>mediterraneus</i>	1850, 252	<i>nigricrissa</i>	1860, 297
<i>Phygidium (Trichomyce-</i>		<i>rutila</i>	1860, 285
<i>terus) dispar</i>	1850, 90	<i>thermophila</i>	1850, 308
<i>Phyllomanes mystacalis</i> ..	1855, 84	<i>thermophila</i>	1860, 285
<i>Phyllorhina aurita</i> ..	1850, 76	<i>viridirostris</i>	1850, 308
<i>bicolor</i>	1850, 76	<i>Pica albicollis</i>	1850, 86
<i>bifer</i>	1858, 108	<i>bactriana</i>	1850, 172
<i>cafra</i>	1850, 76	<i>bottanensis</i>	1858, 479
<i>cervina</i>	1850, 76	<i>bullocki</i>	1850, 84
<i>insignis</i>	1850, 76	<i>cinerea</i>	1850, 162
<i>labuanensis</i>	1853, 537	<i>colhai</i>	1850, 84
<i>nobilis</i>	1850, 76	<i>cyanea</i>	1850, 85
<i>speoris</i>	1858, 537		

	Page		Page
<i>Pica erythrorhyncha</i> ...	1858, 479	<i>Picus major</i>	{ 1857, 215
<i>formosa</i>	{ 1850, 84	<i>malaccensis</i>	{ 1860, 372
<i>megaloptera</i>	{ 1859, 381	<i>melanogaster</i>	{ 1859, 456
<i>melanocephalos</i> ...	{ 1858, 479	<i>melanopogon</i>	{ 1859, 457
<i>miles</i>	{ 1850, 85	<i>mentalis</i>	{ 1855, 161
<i>pyrrhoptera</i>	{ 1850, 84	<i>miniatus</i>	{ 1859, 456
<i>stridens</i>	{ 1860, 355	<i>moluccensis</i>	{ 1859, 457
<i>tibetana</i>	{ 1850, 82	<i>natalæ</i>	{ 1859, 2
	{ 1858, 479		{ 1858, 308
	{ 1859, 172	<i>nuttalli</i>	{ 1857, 127
	{ 1856, 289		{ 1858, 3
<i>Picolaptes affinis</i>	{ 1859, 365	<i>oleaginus</i>	{ 1856, 307
<i>albolineatus</i>	{ 1859, 381	<i>parvus</i>	{ 1856, 307
<i>cinnamomeus</i>	{ 1858, 63	<i>phæopus</i>	{ 1859, 457
	{ 1860, 277	<i>poicilophus</i>	{ 1859, 457
<i>lacrymiger</i>	{ 1855, 142	<i>pollens</i>	{ 1855, 161
	{ 1859, 140	<i>pubescens</i>	{ 1857, 127
	{ 1860, 88	<i>pulvulentus</i>	{ 1859, 455
<i>leucogaster</i>	{ 1858, 297	<i>puniceus</i>	{ 1859, 456
<i>lineaticeps</i>	{ 1858, 297	<i>rafflesi</i>	{ 1859, 456
<i>souleyeti</i>	{ 1860, 278	<i>rivoli</i>	{ 1855, 161
	{ 1860, 293	<i>rubiginosus</i>	{ 1859, 457
	{ 95		{ 1856, 307
<i>Picumnus granadensis</i> ..	{ 1860, 287	<i>scalaris</i>	{ 1857, 127
<i>granadensis</i>	{ 1855, 162		{ 1859, 367
<i>olivaceus</i>	{ 1855, 162	<i>squamatus</i>	{ 1859, 173
<i>squamulatus</i>	{ 1855, 162	<i>strenuus</i>	{ 1859, 456
<i>Picus æruginosus</i>	{ 1856, 307	<i>stricklandi</i>	{ 1859, 367
<i>badioides</i>	{ 1859, 60	<i>sultaneus</i>	{ 1859, 456
<i>badius</i>	{ 1859, 457	<i>tristis</i>	{ 1859, 457
<i>brachyurus</i>	{ 1859, 457	<i>validus</i>	{ 1859, 455
<i>cafer</i>	{ 1859, 399		{ 1856, 308
<i>callonotus</i>	{ 1860, 236	<i>varius</i>	{ 1858, 305
<i>cancellatus</i>	{ 1856, 308		{ 1859, 367
<i>castaneus</i>	{ 1858, 359		{ 1859, 388
<i>concretus</i>	{ 1859, 455	<i>villosus</i>	{ 1857, 127
<i>crawfordii</i>	{ 1859, 456	<i>viridis</i>	{ 1857, 12
<i>gairdneri</i>	{ 1859, 236	<i>wilsoni</i>	{ 1856, 308
<i>gardineri</i>	{ 1857, 127	<i>(Hemicercus) con-</i>	
<i>guayaquilensis</i> ..	{ 1860, 286	<i>cretus</i>	{ 1860, 358
<i>gularis</i>	{ 1859, 456	<i>Pieris durvasa</i>	{ 1857, 103
	{ 1857, 127	<i>indra</i>	{ 1857, 103
<i>harrisi</i>	{ 1858, 3	<i>nama</i>	{ 1857, 102
<i>hartlaubii</i>	{ 1859, 445	<i>sanaca</i>	{ 1857, 103
<i>himalayanus</i>	{ 1858, 475	<i>seta</i>	{ 1857, 102
	{ 1859, 173	<i>Piezorhynchus chalybeo-</i>	
<i>horsfieldii</i>	{ 1859, 455	<i>cephalus</i>	{ 1859, 156
<i>imperialis</i>	{ 1856, 63	<i>lucidus</i>	{ 1859, 156
	{ 1856, 308	<i>rufolateralis</i>	{ 1858, 176
	{ 1857, 214		{ 1859, 156
<i>jardini</i>	{ 1858, 359	<i>Pileopsis mitrula</i> ...	{ 1856, 3
	{ 1859, 367	<i>subrufa</i>	{ 1856, 4
	{ 1859, 388	<i>Pimelodus cinerascens</i> ..	{ 1860, 234
<i>javensis</i>	{ 1859, 455		{ 237
<i>labarum</i>	{ 1859, 456	<i>elongatus</i>	{ 1860, 234
<i>leucogaster</i>	{ 1859, 455		{ 238
<i>mackloti</i>	{ 1859, 455	<i>modestus</i>	{ 1860, 234
<i>mahrattensis</i>	{ 1858, 475		

	Page		Page
<i>Pimelodus modestus</i> ...	1860, 239	<i>Pipilopsis semirufus</i> ...	1856, 88
<i>Pinaxia coronata</i>	1853, 185	<i>superciliaris</i>	1856, 92
<i>Pinna assimilis</i>	1858, 255	<i>Pipistrellus alcythoe</i> ...	1858, 81
<i>carolinensis</i>	1858, 225	<i>blepotis</i>	1858, 121
<i>chemnitzii</i>	1858, 186	<i>noctula</i>	1858, 81
<i>cumingii</i>	1858, 254	<i>pictus</i>	1858, 325
<i>d'orbigny</i>	1858, 228	<i>savii</i>	1858, 81
<i>euglypta</i>	1858, 228	<i>Pipra albifrons</i>	1858, 273
<i>fumata</i>	1858, 227	<i>atricapilla</i>	1857, 75
<i>gouldii</i>	1858, 255	<i>auricapilla</i>	1858, 457
<i>hystrix</i>	1858, 226	<i>chlorocapilla</i>	1856, 269
<i>kraussii</i>	1858, 226	<i>cinerea</i>	1857, 75
<i>menkei</i>	1858, 228	<i>coracina</i>	1856, 29
<i>minax</i>	1858, 227	<i>coronata</i>	1858, 71
<i>pectinata</i>	1858, 136	<i>cornuta</i>	1854, 114
<i>regia</i>	1858, 227	<i>cyaneocapilla</i>	1857, 265
<i>rostellum</i>	1858, 227	<i>cornuta</i>	1858, 71
<i>rumphii</i>	1858, 136	<i>cyanocephala</i>	1854, 114
<i>strangei</i>	1858, 254	<i>cyanocephala</i>	1856, 272
<i>Pionus chalcopterus</i> ..	1855, 162	<i>deliciosa</i>	1800, 90
<i>cobaltinus</i>	1850, 147	<i>elata</i>	1855, 150
<i>corallinus</i>	1855, 163	<i>elegantissima</i>	1855, 66
<i>fuscicapillus</i>	1850, 147	<i>flavicauda</i>	1856, 272
<i>haematotus</i>	1859, 159	<i>flavicauda</i>	1855, 152
<i>menstruus</i>	1860, 300	<i>flavicauda</i>	1800, 313
<i>senilis</i>	1857, 19	<i>flavicauda</i>	1855, 152
<i>seniloides</i>	1857, 206	<i>flavicauda</i>	1855, 151
<i>vinaceicollis</i>	1858, 460	<i>flavicauda</i>	1852, 34
<i>Pipilo albicollis</i>	1860, 287	<i>galericulata</i>	1855, 66
<i>arcticus</i>	1856, 306	<i>herbacea</i>	1856, 273
<i>chlorurus</i>	1857, 230	<i>heterocerca</i>	1856, 303
<i>fuscus</i>	1855, 162	<i>inornata</i>	1854, 114
<i>maculatus</i>	1857, 225	<i>isidori</i>	1855, 152
<i>mesoleucus</i>	1858, 304	<i>leucocilla</i>	1854, 114
<i>oregonus</i>	1859, 380	<i>leucocilla</i>	1855, 152
<i>rufipileus</i>	1857, 127	<i>leucocilla</i>	1856, 29
<i>Pipilopsis albitemporalis</i>	1856, 89	<i>leucocilla</i>	1857, 265
<i>atrifrons</i>	1856, 92	<i>leucocilla</i>	1858, 285
<i>canigularis</i>	1856, 90	<i>manacus</i>	1854, 114
<i>cristatus</i>	1855, 156	<i>mentalis</i>	1856, 299
<i>flavicularis</i>	1856, 91	<i>musica</i>	1850, 385
<i>flavipectus</i>	1856, 90	<i>naevia</i>	1856, 271
<i>fulviceps</i>	1856, 88	<i>pareolides</i>	1858, 253
<i>personatus</i>	1856, 89	<i>pectoralis</i>	1855, 151
<i>rubrirostris</i>	1856, 92	<i>percuta</i>	1856, 279
<i>ruficeps</i>	1856, 108	<i>percuta</i>	1859, 463
<i>semirufus</i>	1855, 125	<i>rubricapilla</i>	1857, 265
		<i>rupicola</i>	1850, 99
		<i>striolata</i>	1855, 152
		<i>striolata</i>	1857, 265
		<i>striolata</i>	1858, 72
		<i>Pipreola aureipectus</i> ...	1855, 153
		<i>chlorolepidota</i> ...	1854, 113
		<i>jucunda</i>	1859, 441
			1800, 89

	Page		Page
<i>Pipreola melanolaema</i> .. 1860,	{ 63	<i>Pithecia monachus</i> 1860,	{ 228
<i>riefferi</i>	{ 67	<i>ochrocephala</i>	{ 230
<i>sclateri</i>	{ 113	<i>pogonia</i>	{ 228
<i>Pipridea castaneiventris</i> .. 1856,	{ 153	<i>rufibarbata</i>	{ 230
<i>cyanea</i>	{ 113	<i>rufiventer</i>	{ 228
<i>melanonota</i>	{ 186, 265	<i>satyrus</i>	{ 1849, 9
<i>venezuelensis</i>	{ 186, 265	<i>wurmbii</i>	{ 1860, 228
<i>Piprites chlorion</i>	{ 1860, 65	<i>Pithecius morio</i>	{ 1860, 229
<i>chloms</i>	{ 1855, 15	<i>satyrus</i>	{ 1860, 230
<i>chloms</i>	{ 1855, 72	<i>wurmbii</i>	{ 1848, 31
<i>Pirena californica</i> .. . 1856,	{ 15	<i>satyrus</i>	{ 1848, 28
<i>Pirenella bicarinata</i> 1854,	{ 152	<i>wurmbii</i>	{ 1848, 34
<i>caillandii</i>	{ 206	<i>Pithex onops</i> 1856,	{ 394
<i>conica</i>	{ 226	<i>satyrus</i>	{ 1855, 145
<i>diemenensis</i>	{ 84	<i>Pithys albifrons</i>	{ 1858, 67
<i>largillherii</i>	{ 83	<i>erythrophrys</i>	{ 1858, 273
<i>layardi</i>	{ 84	<i>leucaspis</i>	{ 1858, 255
<i>pauzilla</i>	{ 84	<i>leucophrys</i>	{ 1856, 146
<i>Pisania crenilabrum</i> ... 1854,	{ 86	<i>leucophrys</i>	{ 1858, 252
<i>elegans</i>	{ 1854, 188	<i>leucops</i>	{ 1854, 274
<i>filaris</i>	{ 1850, 41	<i>pectoralis</i>	{ 1854, 255
<i>hermannsenni</i>	{ 313	<i>ruficularis</i>	{ 1855, 146
<i>reticulata</i>	{ 1854, 138	<i>leucophrys</i>	{ 1858, 252
<i>Pisidium angulatum</i> .. 1860,	{ 322	<i>leucops</i>	{ 1858, 273
<i>retusum</i>	{ 1860, 322	<i>pectoralis</i>	{ 1858, 273
<i>Pitangus chrysocephalus</i> 1856,	{ 150	<i>ruficularis</i>	{ 1858, 273
<i>derbianus</i>	{ 1856, 207	<i>Pitta affinis</i>	{ 1854, 273
<i>sulphuratus</i>	{ 1850, 45	<i>atricapilla</i>	{ 1858, 175
<i>Pithecia albicans</i>	{ 1859, 56	<i>boschii</i>	{ 1854, 273
<i>albinasa</i>	{ 1859, 366	<i>brachyura</i>	{ 1857, 65
<i>capillamentosa</i> 1860,	{ 1859, 45	<i>caerulea</i>	{ 1860, 351
<i>chrysocephala</i> 1860,	{ 231	<i>coccinea</i>	{ 1854, 273
<i>hirsuta</i>	{ 229	<i>concinna</i>	{ 1854, 274
<i>inusta</i>	{ 230	<i>cucullata</i>	{ 1857, 65
<i>irrorata</i>	{ 228	<i>cyanonota</i>	{ 1854, 274
<i>leucocephala</i>	{ 229	<i>cyanoptera</i>	{ 1860, 351
<i>miriquouana</i>	{ 228	<i>elegans</i>	{ 1854, 273
<i>monachus</i>	{ 1849, 9	<i>gigas</i>	{ 1854, 273
		<i>granatina</i> ..	{ 1854, 274
		<i>inornata</i>	{ 1860, 350
		<i>mackloti</i>	{ 1858, 175
		<i>macularia</i>	{ 1859, 155
		<i>malaccensis</i>	{ 1858, 282
		<i>maxima</i>	{ 1854, 274
		<i>nigricollis</i>	{ 1860, 351
		<i>novæ-guinæ</i>	{ 1854, 274
		<i>rhodogaster</i>	{ 1858, 175
		<i>schlegelii</i>	{ 1859, 156
		<i>triostegus</i>	{ 1854, 274
		<i>Pitylus atrochalybeus</i> 1856,	{ 489
		<i>atro-olivaceus</i> 1856,	{ 64
		<i>atropurpuratus</i> 1856,	{ 65

	Page		Page
<i>Pitylus brasiliensis</i>	1856, 66	<i>Planaxis succincta</i>	1851, 271
<i>caeruleus</i>	1856, 65	<i>zonata</i>	1851, 271
<i>canadensis</i>	1856, 65	<i>Planesticus casus</i>	1859, 330
<i>capistratus</i>	1856, 67	<i>Planorbis chinensis</i>	1848, 41
<i>celæno</i>	1856, 65	<i>corinna</i>	1849, 167
<i>chrysogaster</i>	1858, 454	<i>coromandelicus</i> ..	{ 1856, 186
<i>erythromelas</i>	1856, 65		{ 1860, 12
<i>erythrorhynchus</i> ..	1856, 64	<i>cunninghamus</i>	1848, 41
<i>flavocinereus</i>	1856, 66	<i>elegantulus</i>	1858, 134
<i>fuliginosus</i>	1856, 64	<i>fokkesii</i>	1848, 42
<i>gnatho</i>	1856, 64	<i>fuscus</i>	1848, 42
	{ 1855, 154	<i>gilberti</i>	1848, 40
<i>grossus</i>	{ 1856, 64	<i>hindusianus</i>	1848, 41
	{ 1857, 264	<i>inflatus</i>	1848, 40
	{ 1860, 293	<i>limosus</i>	1848, 42
<i>personatus</i>	1856, 66	<i>nanus</i>	1856, 186
	{ 1856, 66	<i>nitidulus</i>	1848, 40
<i>polhogaster</i>	{ 1856, 302	<i>obesus</i>	1848, 41
	{ 1859, 376	<i>panamensis</i>	1848, 41
<i>viridis</i>	1856, 65	<i>philippianus</i>	1848, 43
<i>Placenta ephippium</i> ..	1848, 114	<i>refulgens</i>	1853, 54
<i>lincolni</i>	1848, 114	<i>ruppellii</i>	1848, 42
<i>orbicularis</i>	1848, 115	<i>salleanus</i>	1853, 54
<i>papyracea</i>	1848, 114	<i>sericeus</i>	1848, 42
<i>sella</i>	1848, 114	<i>sibiricus</i>	1848, 42
<i>Placentula compar</i> ..	1854, 195	<i>stelzneri</i>	1858, 134
<i>dealbata</i>	1854, 196	<i>stramineus</i>	1848, 42
<i>fictilis</i>	1854, 196	<i>suberenatus</i>	1856, 220
<i>leptosticta</i>	1854, 195	<i>trivolvus</i>	1860, 12
<i>maderensis</i>	1854, 195	<i>Platacanthomys lasiurus</i>	1860, 260
<i>micromphala</i>	1854, 195	<i>Platalea ajaja</i>	1857, 206
<i>spirorbis</i>	1854, 195	<i>leucorodia</i>	{ 1855, 71
<i>Placotrochus laevis</i> ..	1849, 76		{ 1858, 507
<i>Placuna papyracea</i> ..	1848, 114	<i>regia</i>	1859, 353
<i>placenta</i>	1848, 115	<i>Platycercus adelaidæ</i> ..	1860, 371
<i>sella</i>	1848, 114	<i>amboinensis</i>	1859, 153
<i>Placunanomia abnorma-</i>		<i>ater</i>	1850, 26
<i>lis</i>	1849, 121	<i>barnardi</i>	1849, 64
<i>alope</i>	1849, 122	<i>caledonicus</i>	1859, 164
<i>broderipii</i>	1849, 121	<i>cornutus</i>	1859, 164
<i>cepio</i>	1849, 121	<i>cyanogenys</i>	1855, { 165
<i>colon</i>	1849, 123		{ 1860, 353
<i>cumingii</i>	1849, 120	<i>hypophonius</i>	1860, 353
<i>echinata</i>	1849, 120		{ 1855, 165
<i>foliata</i>	1849, 120	<i>palliceps</i>	{ 1855, 166
<i>ione</i>	1849, 123		{ 1857, 221
<i>macrochisma</i>	1849, 121	<i>pileatus</i>	1859, 212
<i>patelliformis</i>	1849, 122	<i>tabuensis</i>	1849, 14
<i>pectinata</i>	1849, 121	<i>Platylophus galericula-</i>	
<i>rudis</i>	1849, 120	<i>tus</i>	1859, 446
<i>zealandica</i>	1849, 123	<i>Platymopsis armatulus</i> ..	1859, 122
<i>Planaxis buccinea</i>	1851, 272	<i>Platyodon cancellata</i> ..	1856, 210
<i>cingulata</i>	1851, 271	<i>Platyonyx agassizii</i>	1851, 211
<i>fulva</i>	1851, 271	<i>biomartii</i>	1851, 211
<i>labiosa</i>	1851, 272	<i>bucklandi</i>	1851, 211
<i>nigritell</i>	1850, 273	<i>cuvieri</i>	1851, 211
<i>obscura</i>	1851, 271	<i>minutus</i>	1851, 211
<i>pigra</i>	1850, 273	<i>oweni</i>	1851, 211

	Page		Page
<i>Platyptaris affinis</i>	1850, 306	<i>Pleidodon spekii</i>	1859, 348
<i>aglaiae</i>	1859, { 306	<i>Plestiodon sikkimensis</i> ..	1860, { 160
<i>latirostris</i>	1857, 74	<i>harlani</i>	1858, 156
<i>Platypteryx</i>	1849, 36	<i>Plethodon fuscum</i> ..	1858, 144
<i>Platyrrhynchus albogularis</i>	1860, { 68	<i>glutinosum</i>	1858, 144
	{ 92	<i>persimilis</i>	1859, 230
	{ 295	<i>persimilis</i>	1859, 230
<i>cancroma</i>	1856, 295	<i>persimilis</i>	1860, 116
<i>cancrominus</i>	1858, 71	<i>Pleurobranchus margi-</i>	
<i>capensis</i>	1859, 384	<i>natus</i>	1860, 25
<i>ceylonensis</i> ..	1860, 299	<i>pellucidus</i>	1860, 24
<i>coronatus</i>	1851, 52	<i>reticulatus</i>	1860, 25
<i>duponti</i> ..	1854, 271	<i>rufus</i>	1860, 25
<i>hirundinaceus</i> ..	1858, 71	<i>varians</i> ..	1860, 25
<i>melanops</i>	1857, 75	<i>Pleurodeles walti</i>	1858, 138
<i>perspicillatus</i>	1855, 150	<i>walti</i> ..	1858, 391
<i>pusillus</i> ..	1858, 286	<i>Pleurotoma babylonica</i> { 1850, 57	
<i>rostratus</i> ..	1854, 271	<i>bicarinata</i>	1854, 101
<i>Platysma flindersi</i> ..	1859, 117	<i>concinna</i>	1850, 57
<i>sturtii</i> ..	1859, 117	<i>coronata</i>	1856, 356
<i>Platysmurus leucopterus</i>	1859, 446	<i>gracillima</i>	1860, 57
<i>Plebecula lurda</i>	1854, 174	<i>oxytrophis</i> ..	1850, 57
<i>vulgata</i>	1854, 173	<i>virginis</i> ..	1856, 356
<i>Plecotrema bella</i>	1854, 37	<i>virgo</i>	1850, 57
<i>clausa</i>	1853, 121	<i>Plexaura suberosa</i>	1859, 482
<i>concinna</i>	1853, 122	<i>Ploceus abyssinicus</i> ..	1859, 396
<i>decussata</i>	1853, 121	<i>baya</i>	1857, 96
<i>exarata</i>	1853, 122	<i>baya</i>	1858, 481
<i>imperfectora</i>	1853, 120	<i>baya</i>	1859, 444
<i>inæqualis</i> ..	1853, 122	<i>hypoxanthus</i>	1859, 151
<i>labrella</i>	1853, 122	<i>luteolus</i> ..	1850, 217
<i>lirata</i>	1853, 121	<i>manyar</i>	1855, 50
<i>monilifera</i>	1853, 120	<i>manyar</i>	1859, 150
<i>punctato-striata</i> ..	1853, 121	<i>personatus</i>	1850, 217
<i>punctigera</i>	1853, 120	<i>philippensis</i>	1852, 88
<i>typica</i>	1853, 120	<i>sanguinirostris</i> ..	1850, 218
<i>Plecotus auritus</i>	1858, { 26	<i>sanguinirostris</i> ..	1860, 372
<i>darjelingensis</i>	1856, 395	<i>Plotia mirifica</i>	1853, 99
<i>homochrous</i>	1856, 395	<i>orientalis</i>	1853, 99
<i>timoriensis</i> ..	1858, 30	<i>orientalis</i>	1857, 207
<i>velatus</i>	1858, 546	<i>Plotus anHINGA</i>	1859, 65
<i>Plectrophanes melano-</i>		<i>anHINGA</i>	1859, 369
<i>mus</i>	1860, 251	<i>Pluvianus ægyptius</i>	1850, 220
<i>Plectropteron diane</i> ..	1859, 261	<i>Pnoepyga longicaudata</i>	1854, 74
<i>selene</i>	1859, 261	<i>Podargus auritus</i>	1854, 206
<i>Plectropterus gamben-</i>	1859, 131	<i>crinifrons</i>	1854, 266
<i>sis</i> ..	1860, 38	<i>marmoratus</i>	1859, 154
<i>melanonotus</i>	1860, 41	<i>ocellatus</i>	1858, 170
<i>melanonotus</i>	1860, 42	<i>stellatus</i>	1854, 266
<i>melanonotus</i>	1859, 132	<i>Podica personata</i>	1848, 90
<i>rupellii</i>	1860, 38	<i>personata</i>	1859, 98
<i>rupellii</i>	1860, 42	<i>Podiceps calipareus</i> ..	1860, 389
<i>rupellii</i>	1860, 197	<i>calipareus</i> ..	1857, 207
<i>Plectrurus perrotettii</i> ..	1858, 265	<i>dominicus</i>	1857, 237
		<i>dominicus</i>	1859, 369
		<i>minor</i>	1855, 189

	Page		Page
<i>Podiceps philippensis</i> .	1855, 184	<i>Pogonothraupis atrica-</i>	
	1858, 510	<i>pilla</i>	1856, 118
<i>rollandi</i>	1859, 98	<i>Polyptila albiloris</i> . . .	1860, 298
	1860, 389	<i>bilineata</i>	1856, 12
(<i>Sylbeocyclus</i>) <i>tri-</i>		<i>caerulea</i>	1860, 278
<i>color</i>	1860, 366	<i>dumicola</i>	1860, 291
<i>Podilymbus carolinensis</i>	1859, 65	<i>leucogastra</i>	1855, 11
<i>Pododesmus decipiens</i> .	1849, 120	<i>mexicana</i>	1859, 363
<i>Poecilometta bahamensis</i>	1860, 389	<i>poliornis teesa</i>	1855, 12
<i>Poecilophis dorsalis</i> . .	1859, 88	<i>polyartemia forcipata</i> .	1857, 12
<i>hygia</i>	1859, 88	<i>polyboroides radiatus</i> .	1855, 151
<i>Poecilornis rufivertex</i> .	1856, 243	<i>polyborus tharus</i> . . .	1857, 363
<i>Poecilothraupis igniven-</i>		<i>polybranchia pellucida</i> .	1860, 288
<i>tris</i>	1856, 242	<i>polycera quadrilneata</i> .	1860, 141
<i>lacrimosa</i>	1856, 242	<i>polychlorus intermedius</i>	1859, 68
	1856, 241	<i>magnus</i>	1857, 226
<i>lunulata</i>	1858, 551	<i>westermanni</i>	1857, 226
	1860, 76	<i>Polydonta aspera</i>	1860, 227
	1860, 86	<i>concinna</i>	1851, 154
<i>Pocephalus meyeri</i> . .	1860, 197	<i>corrugata</i>	1851, 155
<i>Poephagus</i>	1855, 125	<i>costata</i>	1851, 153
	1853, 191	<i>elegantula</i>	1851, 154
<i>grunniens</i>	1856, 405	<i>gibberula</i>	1851, 155
	1858, 529	<i>hanleyana</i>	1851, 154
<i>Poephila gouldiae</i> . . .	1857, 26	<i>ignobilis</i>	1851, 155
<i>paddoni</i>	1858, 462	<i>inaequalis</i>	1851, 153
	1859, 164	<i>incarnata</i>	1851, 155
<i>pandoni</i>	1859, 164	<i>incrassata</i>	1851, 154
<i>personata</i>	1857, 26	<i>lineata</i>	1851, 154
<i>Pogonias bidentatus</i> . .	1859, 394	<i>maculata</i>	1851, 153
<i>bifrenatus</i>	1859, 396	<i>mariae</i>	1855, 222
<i>brucii</i>	1859, 396	<i>ochroleucos</i>	1851, 154
<i>dubius</i>	1859, 394	<i>pallidula</i>	1851, 155
<i>erythromelas</i>	1859, 394	<i>pustulosa</i>	1851, 155
<i>fuscescens</i>	1859, 396	<i>regia</i>	1851, 153
<i>haematops</i>	1859, 396	<i>reticulata</i>	1851, 154
<i>hirsutus</i>	1859, 396	<i>spengleri</i>	1851, 154
<i>laevirostris</i>	1859, 395	<i>squamigera</i>	1851, 155
<i>levaillantii</i>	1859, 395	<i>tentorium</i>	1851, 153
<i>major</i>	1859, 394	<i>tiarata</i>	1851, 154
<i>melanocephalus</i> . . .	1859, 396	<i>turris</i>	1851, 155
<i>niger</i>	1859, 395	<i>vernalis</i>	1851, 154
<i>nigrithorax</i>	1859, 395	<i>verrucosa</i>	1851, 153
<i>personatus</i>	1859, 395	<i>viridescens</i>	1851, 154
<i>rolleti</i>	1859, 394	(<i>Infundibulum</i>) <i>æ-</i>	
<i>rubescens</i>	1850, 219	<i>mulans</i>	1854, 132
<i>rufifrons</i>	1859, 396	(—) <i>concinnum</i>	1854, 132
<i>saltii</i>	1859, 396	(—) <i>neptum</i>	1854, 132
<i>senegalensis</i>	1850, 219	(—) <i>tritonis</i>	1854, 132
<i>stephani</i>	1859, 395		
<i>sulcirostris</i>	1859, 394		
<i>undatus</i>	1859, 396		
<i>unidentatus</i>	1859, 395		
<i>vieillotii</i>	1850, 219		
<i>Pogonochampus</i>	1859, 394		

	Page		Page
<i>Prionites martii</i>	1857, 256	<i>Propasser rhodochrous</i> ..	1855, 216
<i>mexicanus</i>	1857, 254	<i>rhodopeplus</i>	1855, 216
<i>momota</i>	1857, 250	<i>thura</i>	1855, 215
<i>ruficapillus</i>	1857, { 255	<i>Proserpina eolna</i>	1856, 100
<i>superciliaris</i>	1857, 258	<i>salleana</i>	1856, 100
<i>tutu</i>	1857, 257	<i>(Ceres) salleana</i> ...	1856, 322
<i>yucatanensis</i>	1857, 255	<i>Prosthamera novæ-</i>	1849, 14
<i>Prioniturus discurus</i> ...	1860, 224	<i>seelandiæ</i>	1853, 192
<i>flavicans</i>	1860, { 223	<i>Prosymna meleagris</i> ...	1858, 163
<i>platurus</i>	1860, 226	<i>Protætia ferruginea</i> ...	1856, 17
<i>setarius</i>	1860, { 223	<i>procera</i>	1856, 17
<i>wallacii</i>	1860, 226	<i>regalis</i>	1856, 17
<i>Prionochilus maculatus</i> .	1859, 404	<i>schaumii</i>	1856, 17
<i>percussus</i>	1859, 403	<i>Proteus anguinus</i>	{ 1848, 38
<i>Prionodon pardicolor</i> ..	1856, 396		1857, 63
<i>Prionus scabricornis</i> ...	1853, 6		1856, 343
<i>Proboscidea hamiglos-</i>		<i>Protonopsis horrida</i> ..	{ 1856, 345
<i>sa</i>	1850, 41		1857, 62
<i>Procapha gutturosa</i>	1850, 115	<i>Prox albipes</i>	1850, 235
<i>picticauda</i>	{ 1850, 116	<i>melas</i>	1850, 235
	1856, 403	<i>muntjac</i>	1850, 234
	1858, 523	<i>ratwa</i>	1850, 235
<i>Procellaria anginho</i>	1851, 142	<i>reevesii</i>	1850, 235
<i>anglorum</i>	1851, 142	<i>stylocerus</i>	1850, 235
<i>berardi</i>	1860, 390	<i>Psaidocoptus scaber</i> ...	1856, 12
<i>bulweri</i>	1851, 142	<i>Psaidognathus friendii</i> .	1856, 10
<i>conspicillata</i>	1860, 390	<i>Psaltia erythrocephala</i> .	1859, 177
<i>gigantea</i>	1860, 390	<i>exilis</i>	1856, 38
<i>glacialis</i>	1860, 334	<i>flaviceps</i>	1856, 37
<i>leachii</i>	1851, 146	<i>melanotis</i>	1856, 37
<i>obscura</i>	1851, 142		{ 1856, 37
<i>pelagica</i>	1851, 146	<i>minima</i>	1857, 126
<i>puffinus</i>	1851, 142	<i>Psaltiparus melanotis</i> ..	1858, 299
<i>Prochilodus humeralis</i> .	1859, 419	<i>personatus</i> ..	1858, 300
<i>Procnias heinei</i>	{ 1854, 249	<i>Psammobia abrupta</i> ...	1854, 324
	1856, 259	<i>amœna</i>	1854, 323
	1854, 249	<i>angusta</i>	1854, 320
	1855, 153	<i>anomala</i>	1854, 320
	1858, 74	<i>aurantia</i>	1855, 167
<i>occidentalis</i>	{ 1858, 452	<i>bicarinata</i>	1854, 322
	1860, 275	<i>candidula</i>	1854, 319
	1860, 292	<i>compta</i>	1854, 321
<i>viridis</i>	1856, 269	<i>corrugata</i>	1854, 324
<i>Procnopis argentea</i>	1856, 259	<i>decora</i>	1856, 212
<i>atrocærulea</i>	1856, 258	<i>dispar</i>	1854, 325
<i>melanota</i>	1856, 265	<i>elegans</i>	1854, 322
<i>vassori</i>	1856, 264	<i>grata</i>	1854, 318
<i>Proctoporus pachyurus</i> .	1859, { 89	<i>insignis</i>	1854, 322
	407	<i>intermedia</i>	1854, 319
<i>Procyon cancrivorus</i> ...	1859, 432	<i>lata</i>	1854, 318
	{ 1857, 201	<i>layardi</i>	1854, 323
	1857, 232	<i>marmorea</i>	1854, 324
<i>Progne dominicensis</i> ..	{ 1859, 364	<i>maxima</i>	1854, 317
	1860, 292	<i>menkeana</i>	1854, 319
<i>Propasser pulcherrimus</i> .	1855, 216	<i>modesta</i>	1854, 319
		<i>nivosa</i>	1854, 317
		<i>oblonga</i>	1854, 321
		<i>oriens</i>	1854, 318

	Page		Page
<i>Psammobia ornata</i>	1854, 323	<i>Psaris jardini</i>	1857, 71
<i>pacifica</i>	1856, 212	<i>major</i>	{ 1851, 48
<i>pallida</i>	1854, 323		{ 1857, 78
<i>palmula</i>	1854, 325	<i>marginatus</i>	{ 1851, 48
<i>pennata</i>	1854, 325		{ 1857, 77
<i>petalina</i>	1854, 320	<i>maximus</i>	{ 1851, 46
<i>præstans</i>	1854, 322	<i>megacephalus</i>	{ 1857, 72
<i>puella</i>	1854, 320	<i>melanoleucus</i>	{ 1857, 79
<i>pulcherrima</i>	1854, 325	<i>mexicana</i>	{ 1856, 141
<i>rubicunda</i>	1854, 324		{ 1857, 70
<i>striata</i>	1854, 321	<i>minor</i>	{ 1851, 48
<i>tenuis</i>	1854, 320	<i>nævius</i>	{ 1857, 69
<i>togata</i>	1854, 318	<i>nattereri</i>	{ 1851, 47
<i>tripartita</i>	1854, 321		{ 1857, 71
<i>tristis</i>	1854, 318	<i>niger</i>	{ 1857, 76
<i>vitæa</i>	1855, { 167	<i>nigrescens</i>	{ 1851, 46
			{ 1851, 48
<i>zelandica</i>	1854, 319	<i>parvus</i>	{ 1856, 77
			{ 1857, 76
		<i>pectoralis</i>	{ 1851, 46
<i>Psammodynastes pul-</i>	1860, { 167		{ 1857, 73
<i>verulentus</i>		<i>roseicollis</i>	{ 1857, 73
			{ 1851, 47
<i>Psammophis collaris</i> ...	1860, 161	<i>selbyi</i>	{ 1857, 71
<i>crucifer</i>	1858, 160		{ 1851, 46
<i>elegans</i>	1858, 160	<i>semifasciatus</i>	{ 1857, 70
<i>flavigularis</i>	1860, 456	<i>strigatus</i>	{ 1857, 72
<i>irregularis</i>	1858, 160	<i>surinamus</i>	{ 1851, 49
<i>lineatus</i>	1858, 388	<i>tityroides</i>	{ 1856, 141
<i>moniliger</i>	1858, 160		{ 1857, 70
<i>philippsii</i>	1858, 160	<i>tristis</i>	{ 1851, 48
<i>subulans</i>	1858, { 160	<i>validus</i>	{ 1851, 46
		<i>versicolor</i>	{ 1851, 45
<i>temminckii</i>	1860, 97	<i>virgata</i>	{ 1857, 60
<i>Psamosaurus griseus</i> ..	1849, 95	<i>Psarocolius gularis</i> ...	{ 1857, 205
		<i>melanocephalus</i> ..	{ 1855, 65
<i>Psaris aglaïæ</i>	{ 1851, 46	<i>pectoralis</i>	{ 1857, 205
		<i>Psaroglossa spiloptera</i> ..	{ 1858, 481
<i>atricapillus</i>	{ 1851, 45	<i>Psephotus chrysoptery-</i>	
<i>brasiliensis</i>	{ 1851, 46	<i>gius</i>	{ 1857, 220
<i>cayana</i>	{ 1857, 70		{ 1859, 433
<i>cayanensis</i>	{ 1857, 69	<i>multicolor</i>	{ 1860, 371
<i>cristatus</i>	{ 1857, 72	<i>pulchellus</i>	{ 1860, 243
	{ 1851, 45	<i>Pseudechis porphyriaca</i> ..	{ 1860, 371
<i>curvieri</i>	{ 1857, 75	<i>Pseudemys concinna</i> ...	{ 1855, 197
<i>cyanus</i>	{ 1851, 46	<i>seriata</i>	{ 1855, 197
<i>erythrogenys</i>	{ 1851, 47	<i>Pseudocervus wallichii</i> ..	{ 1850, 227
	{ 1857, 71	<i>Pseudocheirus nudi-</i>	{ 1849, 110
	{ 1851, 47	<i>caudatus</i>	{ 1858, 103
	{ 1855, 77	<i>Pseudocolaptes boisso-</i>	
<i>fraserii</i>	{ 1855, 150	<i>neauti</i>	{ 1860, 88
	{ 1857, 71	<i>semicinnamomeus</i> ..	{ 1853, 142
	{ 1859, 53	<i>Pseudois nahoor</i>	{ 1858, 404
<i>guianensis</i>	{ 1857, 69		{ 1858, 527
<i>habia</i>	{ 1856, 78	<i>Pseudoliva æthiops</i>	{ 1853, 184
<i>inquisitor</i>	{ 1851, 47	<i>ancilla</i>	{ 1859, 429
	{ 1857, 71	<i>australis</i>	{ 1853, 184
<i>jardini</i>	{ 1851, 47	<i>kellettii</i>	{ 1853, 185

	Page		Page
<i>Pseudoliva livida</i>	1854, 136	<i>Psittacus cyanicollis</i>	1860, 358
<i>monoceros</i>	1853, 184	<i>monotus</i>	1860, 357
<i>nassoides</i>	1859, 430	<i>mus</i>	1860, 223
<i>plumbea</i>	1853, 184	<i>dorsalis</i>	1859, 158
<i>sepimenta</i>	1853, 184	<i>erythacus</i>	1857, 215
<i>septimenta</i>	1854, 186	<i>fuscicapillus</i>	1860, 358
<i>striatula</i>	1853, 184	<i>galeritus</i>	1858, 184
<i>zebrina</i>	1853, 184	<i>galgulus</i>	1859, 454
<i>Pseudomeles leucurus</i> ..	1856, 398	<i>garrulus</i>	1860, 356
<i>Pseudotriton salmoneus</i> ..	1857, 63	<i>geoffroyanus</i>	1860, 358
<i>Pseudotyphlops oxy-</i>		<i>goliath</i>	1858, 184
<i>rhynchus</i>	1858, 264	<i>grandis</i>	1849, 143
<i>philippinus</i>	1858, 263	<i>haematodus</i>	1860, 357
<i>Psilothamphus gutta-</i>	1855, 90	<i>hueti</i>	1857, 19
<i>tus</i>	1858, 243	<i>incertus</i>	1859, 452
<i>maculatus</i>	1858, 288	<i>leucocephalus</i>	1857, 225
<i>Psilorhinus bullocki</i> ...	1850, 84	<i>leucorhynchus</i> ...	1856, 306
<i>flavivrostris</i>	1858, 479	<i>longicaudus</i>	1859, 453
<i>gubernatrix</i>	1850, 84	<i>lory</i>	1849, 145
<i>morio</i>	1856, 300	<i>macrohynchus</i>	1860, 358
<i>occipitalis</i>	1859, 57	<i>magnus</i>	1857, 226
<i>occipitalis</i>	1859, 365	<i>magnus</i>	1858, 182
<i>occipitalis</i>	1858, 479	<i>magnus</i>	1860, 358
<i>Psittacara chloroptera</i> ..	1857, 225	<i>malaccensis</i>	1859, 452
<i>erythrogegens</i>	1859, 146	<i>malaccensis</i>	1860, 453
<i>maugrei</i>	1860, 71	<i>mascarinus</i>	1857, 226
<i>maugrei</i>	1857, 225	<i>megalorhynchus</i> ..	1860, 358
<i>Psittacodis interme-</i>	1850, 26	<i>mercenarius</i>	1858, 75
<i>dius</i>	1857, 226	<i>meyeri</i>	1848, 126
<i>magnus</i>	1850, 26	<i>moluccensis</i>	1860, 356
<i>sinensis</i>	1857, 226	<i>moluccensis</i>	1860, 357
<i>stravornii</i>	1850, 26	<i>nasutus</i>	1860, 358
<i>stravornii</i>	1860, 227	<i>novae-hollandiae</i> ...	1857, 215
<i>westermanni</i>	1850, 26	<i>paragua</i>	1857, 226
<i>westermanni</i>	1857, 226	<i>personatus</i>	1860, 358
<i>Psittacula coelestis</i>	1860, 287	<i>personatus</i>	1858, 182
<i>conspicilla</i>	1855, 162	<i>placensis</i>	1860, 357
<i>diopthalma</i>	1858, 183	<i>placensis</i>	1860, 357
<i>lucola</i>	1857, 230	<i>platurus</i>	1860, 223
<i>lucolata</i>	1856, 306	<i>polychlorus</i>	1860, 358
<i>passerina</i>	1854, 115	<i>pucherani</i>	1859, 159
<i>reticulata</i>	1859, 452	<i>pulverulentus</i>	1858, 75
<i>Psittacus amazonicus</i> ..	1853, 75	<i>puniceus</i>	1849, 142
<i>aruensis</i>	1858, 183	<i>puniceus</i>	1860, 357
<i>aterrimus</i>	1858, 184	<i>pyrrhopterus</i>	1860, 287
<i>bisetis</i>	1859, 164	<i>ricinatus</i>	1860, 356
<i>borneus</i>	1860, 356	<i>ruber</i>	1860, 357
<i>caeruleatus</i>	1860, 357	<i>rubra</i>	1859, 454
<i>capistratus</i>	1858, 183	<i>rufiventris</i>	1848, 126
<i>cardinalis</i>	1849, 142	<i>ruppellii</i>	1848, 126
<i>cardinalis</i>	1849, 143	<i>setarius</i>	1860, 223
<i>ceylonensis</i>	1860, 357	<i>sinensis</i>	1860, 358
<i>cochinsinensis</i>	1860, 356	<i>sinensis</i>	1860, 358
<i>cornutus</i>	1859, 164	<i>spatuliger</i>	1860, 223
<i>cristatus</i>	1860, 353	<i>spatuliger</i>	1860, 224
<i>cucullatus</i>	1860, 356	<i>torquatus</i>	1859, 453
<i>cyanauchen</i>	1859, 158	<i>torquatus</i>	1859, 453
		<i>(Geoffroyus) cyanei-</i>	
		<i>collis</i>	1860, 358

	Page		Page
<i>Psittacus</i> (Geoffroius)		<i>Pteroglossus erythro-</i>	
<i>personatus</i> 1860,	358	<i>gius</i> 1860,	286
(<i>Platyercus</i>) <i>hypo-</i>		<i>flavirostris</i> { 1854,	115
<i>phonus</i> 1860,	356 { 1857,	267
(<i>Psittacula</i>) <i>cyani-</i>	 { 1858,	75
<i>collis</i> 1860,	358	<i>humboldtii</i> 1857,	267
(—) <i>grandis</i> 1860,	357	<i>pluricinctus</i> 1858,	75
(<i>Trichoglossus</i>) <i>pla-</i>	 { 1857,	205
<i>centus</i> 1860,	357 { 1858,	359
<i>Psittaculus placens</i> .. { 1858,	182	<i>torquatus</i> { 1859,	59
..... { 1860,	357 { 1859,	388
<i>Psittinus malaccensis</i> .. 1859,	452	<i>wiedi</i> 1855,	15
<i>Psittospiza prasina</i> 1856,	78	<i>Pterogorgia pectinata</i> .. 1857,	287
<i>riefferi</i> 1856,	78	<i>sulcifera</i> 1857,	288
..... 1860,	76	<i>Pteromys caniceps</i> 1856,	402
<i>Psittovius tovi</i> 1855,	162	<i>magnificus</i> 1856,	403
<i>Psyche stettinella</i> 1849,	35	<i>nitidus</i> 1850,	157
<i>Pterocles alchata</i> 1860,	183	<i>nobilis</i> 1856,	402
<i>arenarius</i> { 1858,	501	<i>Pteronotus speciosus</i> ... 1855,	121
..... { 1860,	258	<i>Pterophanes cyanopterus</i> 1855,	139
<i>bicinctus</i> 1850,	220	<i>temminckii</i> 1855,	139
<i>exustus</i> { 1855,	30	<i>Pteropus amplexicauda-</i>	
..... { 1858,	502	<i>tus</i> 1859,	38
..... 1850,	220	<i>argentatus</i> 1858,	107
<i>fasciatus</i> { 1858,	502	<i>conspicillatus</i> 1849,	109
..... 1859,	186	<i>dasyrnallus</i> 1860,	44
..... 1860,	220	<i>edulis</i> { 1858,	537
<i>quadricinctus</i> { 1855,	30 { 1860,	44
<i>tricinctus</i> 1850,	220	<i>edwardsii</i> 1850,	156
<i>Pterocyanea discors</i> ... 1859,	64 { 1858,	512
<i>Pterocyclos biclathum</i> .. 1851,	72 { 1860,	44
<i>bifrons</i> 1855,	117	<i>epomophorus</i> 1860,	{ 42
<i>cumingii</i> 1852,	158 { 1849,	110
(<i>Spiraculum</i>) <i>housei</i> 1860,	10 { 1858,	536
<i>Pterocylus lineatus</i> ... 1856,	438 { 1858,	537
<i>Pterodactylus breviro-</i>		<i>gambianus</i> 1860,	52
<i>stris</i> 1851,	15	<i>hypomelanus</i> { 1858,	536
..... 21	 { 1860,	44
<i>compressirostris</i> .. 1851,	{ 32	<i>labiatus</i> 1860,	55
..... 15		<i>macrocephalus</i> 1860,	{ 43
..... 29	 { 1858,	537
<i>cuvieri</i> 1851,	{ 15	<i>marginatus</i> 1858,	{ 43
..... 29	 { 1860,	50
<i>diomedeus</i> 1851,	28	<i>megacephalus</i> 1860,	{ 50
..... 14	 { 1849,	109
<i>giganteus</i> 1851,	{ 21	<i>pohocephalus</i> { 1849,	110
..... 28	 { 1860,	44
<i>longirostris</i> 1851,	{ 15	<i>rubricollis</i> 1860,	44
..... 29		<i>schoensis</i> 1860,	{ 46
..... { 1860,	46 { 1860,	56
<i>Macronyx</i> (buck-		<i>Ptilinopus melanoceph-</i>	
<i>landi</i>) 1851,	17	<i>lus</i> 1849,	64
<i>Pterogasteron bellum</i> . 1860,	36	<i>Ptilocercus lowii</i> 1848,	24
<i>ornatum</i> 1860,	36	<i>Ptilochloris arcuata</i> 1854,	114
<i>Pteroglossus aracari</i> .. 1855,	15	<i>remigialis</i> 1854,	114
<i>beauharnaisi</i> 1857,	267 { 1854,	114
<i>castanotis</i> { 1854,	115 { 1854,	114
..... { 1855,	161	<i>rufo-olivaceus</i> { 1860,	467
<i>erythropterygius</i> 1860,	71		

	Page		Page
<i>Ptilochloris virescens</i>	1854, 114 1860, 467 1856, 299 1858, 302	<i>Pucrasia nipalensis</i>	1854, 100
<i>Ptilogonys cinereus</i>	1858, 542 1859, 364 1859, 376	<i>Puncturella cognata</i>	1851, 228
<i>leucotis</i>	1858, 542	<i>conica</i>	1851, 228
<i>nitens</i>	1858, 542 543	<i>cucullata</i>	1851, 228
<i>Ptilonopus aurantiifrons</i>	1858, 185	<i>fastigiata</i>	1851, 228
<i>chrysogaster</i>	1858, 48	<i>galeata</i>	1851, 228
<i>coronulatus</i>	1858, 185	<i>noachina</i>	1851, 227
<i>cyanovirens</i>	1860, 360	<i>princeps</i>	1851, 228
<i>diadematus</i>	1860, 360	<i>Pupa abbreviata</i>	1854, 213
<i>formosus</i>	1860, 360	<i>albersii</i>	1854, 295
<i>greyi</i>	1859, 165	<i>anconostoma</i>	1854, 208
<i>holosericeus</i>	1859, 165	<i>anglica</i>	1854, 208
<i>hyogaster</i>	1860, 359	<i>bacillus</i>	1856, 35
<i>iozonus</i>	1858, 186	<i>barbadensis</i>	1852, 69
<i>monachus</i>	1860, 359	<i>calathiscus</i>	1854, 212
<i>perlatus</i>	1858, 185	<i>cassida</i>	1854, 212
<i>porphyreus</i>	1860, 360	<i>cassidula</i>	1854, 212
<i>prasinorrhous</i>	1858, 185	<i>ceylamica</i>	1855, 9
<i>purpureocinctus</i>	1853, 48 1858, 184 1859, 159 1860, 360	<i>cheilogona</i>	1854, 208
<i>superbus</i>	1859, 159 1860, 360	<i>concinna</i>	1854, 212
<i>swamsoni</i>	1857, 27	<i>conoidea</i>	1852, 70
<i>viridis</i>	1860, 360	<i>cumingiana</i>	1852, 68
<i>wallacii</i>	1858, 185	<i>dilucida</i>	1854, 207
(<i>Cyanotreron</i>) <i>monachus</i>	1860, 359	<i>edentula</i>	1854, 206
(<i>Iotreron</i>) <i>ioaster</i>	1860, 359	<i>exigua</i>	1854, 33
(<i>Lamprotreron</i>) <i>superbus</i>	1860, 360	<i>fanalensis</i>	1854, 208
<i>Ptilonorhynchus holosericeus</i>	1849, 61	<i>ferraria</i>	1854, 211
<i>melanotis</i>	1858, 181	<i>fragilis</i>	1854, 215
<i>Ptilopus purpuratus</i>	1859, 165	<i>fusca</i>	1854, 211
<i>Ptiloris paradiseus</i>	1849, 111	<i>gibba</i>	1854, 213
<i>victoriae</i>	1849, 111	<i>huttoniana</i>	1856, 186
<i>Ptilotis chrysotis</i>	1859, 155	<i>indica</i>	1854, 295
<i>fasciocularis</i>	1851, 285 1850, 278 1858, 174 1859, 155	<i>irrigua</i>	1854, 208
<i>filigera</i>	1858, 174 1859, 155 1858, 174 1859, 155	<i>kustein</i>	1852, 69
<i>megarhynchus</i>	1858, 174 1859, 155 1858, 174 1859, 155	<i>laevigata</i>	1854, 210
<i>similis</i>	1858, 174 1859, 155 1850, 278	<i>lamellosa</i>	1854, 214
<i>unicolor</i>	1850, 278	<i>laminea</i>	1854, 209
<i>Ptychodes honduræ</i>	1858, 412	<i>limnæana</i>	1854, 206
<i>Ptyonura albifrons</i>	1860, 78	<i>linearis</i>	1854, 207
<i>Pucrasia castanea</i>	1854, 99 1854, 99 1858, 500 1859, 186	<i>macilenta</i>	1854, 210
<i>macrolopha</i>	1858, 500 1859, 186	<i>microspora</i>	1854, 207
		<i>mullegranata</i>	1854, 211
		<i>minutissima</i>	1854, 207
		<i>monticola</i>	1854, 212
		<i>newcombi</i>	1852, 69
		<i>novoseelandica</i>	1852, 149
		<i>oblonga</i>	1852, 69
		<i>obovata</i>	1855, 9
		<i>puriei</i>	1854, 295
		<i>pygmæa</i>	1854, 214
		<i>recta</i>	1854, 210
		<i>saxicola</i>	1854, 214
		<i>seminulum</i>	1854, 214
		<i>sennaricensis</i>	1856, 35
		<i>sphinctostoma</i>	1854, 209
		<i>strangei</i>	1852, 69
		<i>substrata</i>	1854, 211
		<i>teres</i>	1856, 35

	Page		Page
<i>Pupa umbilicata</i>	1854, 207	<i>Pyctorhis longirostris</i> ..	1854, 104
<i>vincta</i>	1854, 208	<i>sinensis</i>	1854, 105
<i>Puperita pupa</i>	1858, 94		1857, 94
<i>Pupina bilunguis</i>	1850, 97		1858, 488
<i>cumingiana</i>	1853, 52	<i>Pygoptila maculipennis</i> ..	1858, 220
<i>nicobarica</i>	1852, 145	<i>margaritata</i>	1858, 221
<i>superba</i>	1855, 118	<i>Pygmornis adolphi</i>	1856, 287
<i>templemani</i>	1852, 158	<i>Pygosceles papua</i>	1860, 390
<i>Purpura analoga</i>	1850, 273	<i>wagleri</i>	1860, 390
<i>aperta</i>	1856, 227	<i>Pyramudella aclus</i>	1851, 224
<i>carolensis</i>	1850, 274	<i>aurea-cati</i>	1853, 177
<i>columellaris</i>	1850, 274	<i>glans</i>	1853, 177
<i>conradi</i>	1856, 228	<i>gracilis</i>	1853, 178
<i>cornigera</i>	1856, 229	<i>maculosa</i>	1853, 177
<i>costata</i>	1853, 186	<i>magnifica</i>	1853, 177
<i>decemcostata</i>	1850, 274	<i>metula</i>	1851, 224
<i>emarginata</i>	1856, 228	<i>mutalis</i>	1853, 177
<i>fasciata</i>	1856, 357	<i>nitida</i>	1853, 178
<i>freycineti</i>	1850, 274	<i>plicata</i>	1853, 177
<i>fusca</i>	1850, 274	<i>propinqua</i>	1853, 177
<i>harpa</i>	1856, 228	<i>punctata</i>	1853, 177
<i>lapillus</i>	1850, 273	<i>subulata</i>	1853, 177
<i>macrostoma</i>	1856, 227	<i>variegata</i>	1853, 178
<i>pana</i>	1856, 208	<i>Pyramus acutus</i>	1851, 151
<i>patula</i>	1856, 208	<i>architectonicus</i>	1851, 152
<i>planospira</i>	1850, 274	<i>cærulescens</i>	1851, 151
<i>spirata</i>	1856, 228	<i>crenatus</i>	1853, 179
(<i>Monoceros</i>) <i>brevi-</i>		<i>crenulatus</i>	1851, 152
<i>dens</i>	1856, 229	<i>dentatus</i>	1851, 151
(—) <i>engonata</i> ..	1856, 228	<i>elegantissima</i> ..	1853, 179
(—) <i>lapilloides</i> ..	1856, 229	<i>fenestratus</i>	1851, 151
<i>Pusionella grandis</i> ..	1853, 73	<i>indistinctus</i> ..	1853, 180
<i>lirata</i>	1853, 73	<i>leucogaster</i>	1851, 152
<i>Pustularia rosea</i>	1858, 271	<i>mauritanus</i>	1851, 151
<i>Putorius communis</i> ..	1860, 183	<i>noduliferus</i>	1851, 151
<i>striatus</i>	1848, 21	<i>obeliscus</i>	1851, 151
<i>tibetanus</i>	1856, 398	<i>prasinus</i>	1851, 151
<i>Pycnonotus baibatus</i> ..	1850, 217	<i>triserialis</i>	1851, 151
	1858, 496		1855, 156
	1857, 93		1856, 123
<i>bengalensis</i>	1858, 495		1856, 142
	1859, 181		1856, 308
<i>finlaysoni</i>	1850, 150		1858, 73
<i>goiavier</i>	1854, 278	<i>Pyrranga æstiva</i>	1858, 358
	1859, 151		1859, 364
<i>hæmorrhous</i>	1858, 495		1859, 377
<i>humeraloides</i>	1854, 272		1860, 65
	1854, 278		1860, 293
	1855, 40		1860, 371
<i>jocosus</i>	1858, 496		1855, 156
	1859, 150	<i>albicollis</i>	1856, 117
	1858, 496		1856, 126
<i>leucogenys</i>	1859, 181	<i>ardens</i>	1859, 139
<i>leucotis</i>	1858, 496		1855, 156
<i>nigripileus</i>	1859, 150	<i>azarae</i>	1856, 124
<i>pygæus</i>	1857, 93		1856, 126
	95	<i>bidentata</i>	1857, 205
<i>Pycnoptilus floccosus</i> ..	1850, 279		1859, 364

	Page		Page
<i>Pyrrangia bivittata</i>	1855, 156	<i>Pyrriglena leucoptera</i> ..	1858, 243
	1856, 126	<i>maculicaudis</i>	1858, 247
<i>cucullata</i>	1855, 156	<i>nudiceps</i>	1854, 113
<i>cyanictera</i>	1856, 125	<i>picea</i>	1857, 47
<i>dentata</i>	1856, 212	<i>quixensis</i>	1858, 274
<i>erythrocephala</i> ..	1856, 124	<i>rufiventris</i>	1858, 279
<i>erythromelana</i> ..	1856, 125	<i>serva</i>	1860, 294
<i>erythromelana</i> ..	1859, 377	<i>tyrannina</i>	1854, 112
<i>erythromelana</i> ..	1856, 303	<i>pyrocephalus mexicanus</i> 1859,	1855, 147
<i>erythromelas</i>	1859, 364	<i>nanus</i>	1858, 66
<i>erythropis</i>	1856, 126	<i>obscurus</i>	1858, 241
<i>hepatica</i>	1855, 156	<i>rubineus</i>	1854, 112
<i>icteropus</i>	1856, 123	<i>pyroderus grenadensis</i> ..	1858, 67
<i>ignicapilla</i>	1856, 125	<i>pyrodes smithianus</i>	1858, 241
<i>leucoptera</i>	1859, 377	<i>tenuicornis</i>	1855, 90
<i>luctuosa</i>	1856, 122	<i>pyromelana ignicolor</i> ..	1855, 147
<i>ludoviciana</i>	1856, 120	<i>pyronicia marmorata</i> ..	1858, 241
<i>mexicana</i>	1855, 156	<i>punctata</i> ..	1858, 141
<i>mississippiensis</i>	1856, 126	<i>pyrrhocoma personata</i> ..	1856, 89
<i>pyrrhocephala</i>	1856, 125	<i>ruficeps</i>	1856, 108
<i>quajacina</i>	1857, 213	<i>pyrrhocorax alpinus</i> ..	1858, 478
<i>roseogularis</i>	1859, 377	<i>pyrrhula abeillei</i> ..	1859, 172
<i>rubica</i>	1856, 65	<i>aurantia</i>	1856, 66
<i>rubra</i>	1857, 213	<i>aurantiaca</i>	1858, 484
<i>rubriceps</i>	1855, 156	<i>caerulea</i>	1859, 177
<i>sara</i>	1856, 123	<i>erythrocephala</i> ...	1857, 222
<i>sanguinolenta</i>	1858, 73	<i>frontalis</i>	1856, 241
<i>versicolor</i>	1855, 156	<i>raptor</i>	1857, 223
<i>Pyrena terebralis</i>	1856, 125	<i>rosea</i>	1857, 223
<i>Pyrgella leacociana</i>	1856, 124	<i>vulgaris</i>	1857, 223
<i>Pyrgita domestica</i>	1856, 119	<i>pyrrhulagra ruficollis</i> ..	1856, 269
<i>flavicollis</i>	1859, 316	<i>violacea</i> ..	1857, 231
<i>swainsoni</i>	1854, 205	<i>pyrrhulanda crucifer</i> ..	1854, 255
<i>Pyrgula clathrata</i>	1854, 160	<i>grisea</i>	1857, 95
<i>quadricostata</i>	1854, 160		1858, 488
<i>Pyrriglena atra</i>	1850, 219		
	1853, 185		
	1856, 162		
<i>domicella</i> ..	1856, 66		
<i>ellisiana</i>	1858, 246		
	1855, 109		
	1858, 246		
	1855, 109		
	1855, 147		
	1858, 246		

	Page		Page
<i>Pyrrhulina haemorrhoea</i> 1856,	304	<i>Querquedula discors</i>	1860, 254
<i>Pyrrhuphonia jamaica</i>	1856, 280	<i>versicolor</i>	1860, 389
<i>Pyrrota coryphaeus</i>	1856, 114	<i>Querula cruenta</i>	1855, 153
<i>leucoptera</i>	1856, 113	<i>minor</i>	1857, 73
<i>valeryi</i>	1856, 114	<i>rubricollis</i>	1857, 265
<i>Pyrrula lignaria</i>	1856, 41	<i>Quiscalus</i> —	1856, 300
(<i>Rhizochilus</i>) de		<i>barita</i>	1857, 232
<i>burghae</i>	1857, 208	<i>lugubris</i>	1857, 265
<i>Pyrtelia elegans</i>	1850, 218	<i>macrurus</i>	1856, 300
<i>monteiri</i>	1860, 111	} 1858, 353	
<i>Pythia celebensis</i>	1854, 299	<i>major</i>	1859, 58
<i>macgillivrayi</i>	1854, 298	<i>subalaris</i>	1855, 153
<i>ovata</i>	1854, 299	<i>sumichrasti</i>	1859, 385
<i>pepita</i>	1854, 35	} 381	
<i>scarabæa</i>	1851, 232		
<i>Pythina arcuata</i>	1856, 47	<i>Radja eytoni</i>	1860, 365
<i>cumungu</i>	1856, 47	<i>Rallina tricolor</i>	1858, 188
<i>mactroides</i>	1856, 340	} 1859, 159	
<i>nuculoides</i>	1856, 341	<i>Rallus aquaticus</i>	1859, 436
<i>paula</i>	1856, 47	<i>australis</i>	1860, 371
<i>peculiaris</i>	1856, 47	<i>gularis</i>	1859, 150
<i>triangularis</i>	1856, 47	<i>indicus</i>	1858, 508
<i>Python bellii</i>	1858, 164	<i>semiplumbeus</i>	1856, 31
<i>bivittatus</i>	1858, 164	<i>stratus</i>	1858, 508
<i>liberiensis</i>	1858, 164	<i>virginianus</i>	1856, 31
<i>molurus</i>	1860, 192	<i>Ramola volutella</i>	1858, 47
<i>regius</i>	1849, 106	<i>Ramphastos ambiguus</i>	1855, 160
<i>sebae</i>	1859, 432	<i>carinatus</i>	1856, 308
	1859, 164	<i>citreolæmus</i>	1855, 161
<i>Pyxipoma anguillæ</i>	1860, 410	<i>culminatus</i>	1858, 75
	412	} 460	
<i>cylindrella</i>	1860, 410	<i>cuvieri</i>	1855, 161
	412	} 1857, 266	
<i>laqueus</i>	1860, 409	<i>discolorus</i>	1856, 368
	412	<i>momota</i>	1857, 250
<i>tahitensis</i>	1860, 413	<i>toco</i>	1860, 416
	410	<i>vitellinus</i>	1860, 242
	412	<i>Ramphiculus jambu</i>	1859, 465
<i>Querquedula caeruleata</i>	1859, 96	<i>Ramphocænus guttatus</i>	1858, 243
{ 1857, 215		<i>maculatus</i>	1858, 242
{ 1859, 65		<i>rufiventris</i>	1859, 383
<i>carolinensis</i>	1859, 237	<i>trinitatis</i>	1858, 288
{ 1859, 369		<i>viridis</i>	1858, 288
{ 1860, 254		<i>Ramphocelus affinis</i>	1856, 130
<i>circia</i>	1858, 510	<i>atrishericeus</i>	1856, 130
{ 1858, 510		<i>aurinotus</i>	1856, 131
<i>crecca</i>	1859, 190	<i>brasilus</i>	1854, 97
{ 1860, 303		} 1856, 127	
<i>creccoides</i>	1859, 96	<i>chrysonotus</i>	1856, 131
{ 1860, 389		<i>coccineus</i>	1856, 127
{ 1855, 164		<i>dimidiatus</i>	1856, 129
<i>cyanoptera</i>	1856, 311	} 142	
{ 1859, 237		<i>dorsalis</i>	1854, 97
{ 1860, 389		} 1856, 127	
{ 1857, 206		<i>flammigerus</i>	1856, 131
<i>discors</i>	1857, 237	} 1856, 131	
{ 1859, 393		<i>icteronotus</i>	1859, 139
		} 1860, 65	

	Page		Page
Ramphocelus icteronotus	1860, { 86 274 292	Rana temporaria	{ 1858, 390 1858, 391 1858, 394 1860, 174 1860, 204 1858, 393 1860, 164 1860, 168 1860, 170 1858, 393 1860, 116 1860, 164 1860, 168 1860, 170 1860, 171
jacapa	1856, 128	tigrina	{ 1858, 393 1860, 116 1860, 164 1860, 170
luciani ..	1856, 130	vittigera	{ 1858, 393 1860, 116 1860, 164 1860, 170 1860, 171
magnirostris	1856, 129	Ranella cœlata	1856, 44
nigrigularis	1856, 128	jucunda	1853, 70
passerinii	{ 1856, 130 1856, 142 1859, 59	luteostoma	1860, 397
purpureus	1856, 128	producta	1860, 397
sanguinolentus ..	{ 1856, 132 1856, 303 1859, 59 1859, 364 1859, 377	triquetra	1856, 227
unicolor	{ 1856, 128 1857, 19	Rapana clathrata	1853, 97
unopygialis	1856, 130	coralliophila	1853, 98
varians	1856, 131	fortunii	1853, 99
venezuelensis	1856, 129	fragilis	1853, 98
Ramphopsis affinis	1856, 130	nodosa	1853, 98
atrisericeus ..	1856, 130	pulchella	1853, 98
atrococcineus	1856, 128	scala	1853, 98
brasilia	1856, 127	suturalis	1853, 98
coccinea ..	1856, 127	(Lataxis) rhodo-	
dimidiatus	1856, 129	stoma	1854, 138
flammigerus	1856, 131	Raphicerus acuticornis ..	1850, 128
icteronotus ..	1856, 131	subulata ..	1850, 128
jacapa	1856, 128	Realia cattaroensis ..	1854, 305
luciani	1856, 130	egea	{ 1849, 167 1854, 304
melanogaster ..	1856, 129	gutta	1854, 305
nigrigularis	1856, 128	minutissima	1854, 305
passerinii	1856, 131	rubella	1854, 304
Rana albulabris	1858, 165	turnculata	1854, 304
bibronii	1858, 164	ventricosa	1854, 304
esculenta	{ 1858, 390 1858, 391 1858, 394 1859, 470 1859, 473	Rectes dichrous	1858, 179
galamensis	1858, 164	ferrugineus	1858, 180
halecina	{ 1858, 394 1860, 460	kirrocephalus	1859, 157
hexadactyla	1858, 393	strepitans	{ 1858, 180 1859, 157
kuhlii	1858, 393	Regalecus glesne	{ 1849, 78 1849, 81 1849, 82 1850, 52 1849, 81
leontii	1858, 395	gillii	1849, 81
liebigii	{ 1860, 157 165 168 170	rcmpes	{ 1849, 78 82
malabarica	1858, 393	Regenia ocellata	{ 1858, 155 1860, 372
oxyrhina	1858, 394	Registoma complanatum ..	1860, 440
rugosa ..	1858, 391	Reguloides proregulus ..	1859, { 150 161
subsigillata	1858, 164	Regulus calendula	1857, 202
superciliaris	1858, 165		
sylvatica	1858, 394		
temporaria	1858, 374		

	Page		Page
<i>Regulus calendula</i> 1859,	{ 362	<i>Rhea americana</i> 1860,	207
	{ 371	<i>darwinii</i> 1860,	207
<i>calendulus</i> 1858,	{ 290	<i>macrorhyncha</i> 1860,	207
	{ 300		
<i>cristatus</i> { 1858, 493		<i>Rhimamphus æstivus</i> . { 1855, 133	
<i>maderensis</i> { 1859, 185			{ 1855, 143
	{ 1854, 153		{ 1856, 141
<i>satrapa</i> { 1857, 212			{ 1857, 202
	{ 1859, 235	<i>blackburniæ</i> { 1855, 133	
	{ 1860, 250		{ 1855, 143
<i>Reinwardtæna typica</i> .. 1860, 361			{ 1858, 64
<i>Reinwardtipicus validus</i> 1859, 455		<i>cæruleus</i> { 1857, 18	
<i>Resania taylori</i> 1851, 305			{ 1858, 64
<i>Rhabdodon fuscus</i> 1858, 160		<i>coronatus</i> 1856, 291	
<i>Rhabdosoma crassicau-</i>		<i>olivaceus</i> 1856, 291	
<i>datum</i> 1859, 411		<i>pensilis</i> 1856, 291	
	{ 89	<i>striatus</i> 1855, { 133	
<i>elaps</i> 1859, { 411			{ 143
<i>maculatum</i> 1859, { 411		<i>virens</i> 1856, 291	
	{ 165	<i>Rhinoceros crossi</i> 1854, 250	
<i>Rhacophorus maximus</i> . 1860, { 168		<i>oswellii</i> 1853, 46	
	{ 171	<i>Rhinoeryptes amphibia</i> . 1856, 346	
<i>Rhamphastos ambi-</i>	{ 1859, 146	<i>Rhinolophus cornutus</i> .. 1859, 76	
<i>guus</i> { 1860, 95		<i>crumeniferus</i> 1858, 108	
<i>ariel</i> 1859, 432		<i>ferrum-equinum</i> .. 1858, 81	
	{ 1849, 94	<i>hippocæpis</i> 1859, 76	
<i>carinatus</i> { 1859, 59		<i>insignis</i> 1858, 108	
	{ 1859, 368	<i>marsupialis</i> 1858, 108	
	{ 1859, 388	<i>perniger</i> 1856, 394	
<i>erythrorhynchus</i> .. 1859, 432		<i>speoris</i> 1858, 108	
<i>tocard</i> 1860, 70		<i>tragatus</i> 1856, 394	
<i>Rhamphocænus cine-</i>	{ 1853, 76	<i>Rhinophis oxyrhynchus</i> . 1858, 264	
<i>reiventræ</i> { 1858, 244		<i>philippinus</i> 1858, 263	
	{ 1855, 76	<i>punctatus</i> 1858, 264	
<i>melanurus</i> { 1858, 243			{ 339
	{ 1855, 76	<i>Rhinophrynus dorsalis</i> . 1858, { 343	
<i>rufiventris</i> { 1857, 202			{ 348
	{ 1858, 244	<i>Rhinoplax scutatus</i> 1859, 446	
<i>trinitatis</i> 1855, 76		<i>Rhinoptilus chalcopterus</i> 1850, 220	
<i>viridis</i> 1855, 76		<i>Rhinortha caniceps</i> 1859, 458	
<i>Rhamphocelus chryso-</i>		<i>chlorophæa</i> 1859, 458	
<i>notus</i> 1853, 157		<i>Rhinostoma cupreum</i> .. 1858, 387	
<i>dimidiatus</i> { 1855, 156		<i>occipitale</i> 1858, 387	
	{ 1858, 73	<i>Rhipidura albiscapa</i> 1859, 221	
<i>flammigerus</i> 1855, 157		<i>albofrontata</i> 1857, 89	
<i>icteronotus</i> 1853, 157		<i>assumilis</i> 1858, 176	
<i>unicolor</i> 1858, 453			{ 1858, 175
<i>Rhamphocinelus bra-</i>	{ 1855, 214	<i>atrapennis</i> { 1860, 351	
<i>chyurus</i> { 1859, 338		<i>gularis</i> 1859, 156	
	{ 1855, 214	<i>hypertythra</i> 1858, 176	
<i>gutturalis</i> { 1859, 338		<i>isura</i> 1858, 176	
	{ 1855, 214	<i>javanica</i> 1854, 271	
<i>tremulus</i> { 1859, 338		<i>maculipectus</i> 1858, 176	
		<i>melanoleuca</i> 1860, 351	
<i>Rhamphomeron hetero-</i>			{ 1858, 175
<i>pogon</i> 1855, 140		<i>mimoides</i> { 1860, 351	
<i>microhynchum</i> .. 1855, 140		<i>poliogenys</i> 1854, 106	
<i>stanlei</i> 1860, 81		<i>squamata</i> 1860, 351	
<i>Rhea americana</i> 1859, 205		<i>tricolor</i> 1860, 351	

	Page		Page
<i>Rhizochilus asper</i>	1854, 137	<i>Rissoa truncata</i>	1854, 217
californicus	1855, 121	<i>Rissoina bellula</i>	1851, 266
clathratus	1853, 97	clathrata	1851, 265
coralliophilus	1853, 98	coelata	1851, 267
de burghiae	1857, 208	concinna	1851, 266
exaratus	1860, 399	costata	1851, 266
fragilis	1853, 98	d'orbignyi	1851, 265
pulchellus	1853, 98	eulimoides	1851, 279
radula.....	1854, 137	fasciata	1851, 264
scala	1853, 98	micans	1851, 265
suturalis	1853, 98	monilis	1851, 265
<i>Rhizomys badius</i>	1856, 408	nitida	1851, 266
<i>Rhizotrochus typus</i>	1849, 76	nivea	1851, 265
<i>Rhodnocichla rosea</i> ...	1855, 141	nodicincta	1851, 266
<i>Rhopoterpe gularis</i>	1858, 235	plicata	1851, 264
guttata	1858, 235	pyramidalis	1851, 265
torquata	1858, 275	scalariana	1851, 265
<i>Rhopothera punctulata</i> .	1858, 253	semiglabrata	1851, 279
<i>Rhyacophilus glareola</i> ..	1859, 151	striolata.....	1851, 266
solitarius	1860, 254	tritacea	1860, 438
<i>Rhyncha picta</i>	1855, 79	turricula	1860, 438
<i>Rhynchaspis clypeata</i> ..	1855, 164	<i>Romicia calcarata</i> . . .	1859, 71
<i>Rhynchea bengalensis</i> ..	1858, 507	<i>Rostellaria melanocheila</i>	1854, 42
<i>Rhynchonella concinna</i> .	1852, 82	1858, 60
nigricans	1852, 81	<i>Rostrhamus sociabilis</i> .	1859, 52
.....	1855, 184	1860, 289
<i>Rhynchops nigra</i>	1858, 77	<i>Rotella aucta</i>	1853, 188
.....	1860, 290	conica.....	1853, 188
<i>Rhynchopsitta pachy-</i>		costata	1853, 188
rhyncha	1857, 230	elegans	1853, 188
<i>Rhynchotis perdix</i>	1860, 97	gigantea.....	1853, 188
<i>Rhyticeros plicatus</i>	1859, 451	guamensis	1853, 189
subruficollis	1859, 150	javanica	1853, 188
.....	1859, 452	lineolata.....	1853, 187
<i>Rhytina borealis</i>	1859, 148	monilifera	1853, 188
stelleri	1859, 148	rosea	1853, 188
<i>Rhytiphora amacula</i>	1859, 122	sagittata.....	1853, 188
.....	1858, 446	suturalis	1853, 188
<i>Riama unicolor</i>	1859, 89	<i>Rotula digitata</i>	1851, 35
<i>Rimula arcinella</i>	1854, 181	ramphii	1851, 35
calva	1854, 183	<i>Rucervus duvaucellii</i> ..	1850, 230
capsella	1854, 181	elaphoides	1850, 230
carinata	1851, 227	<i>Rumina decollata</i>	1854, 199
cognata	1851, 228	<i>Runcina hancockii</i>	1854, 107
cucullata	1851, 228	<i>Rupellaria lamellifera</i> ..	1856, 214
cumingii	1851, 227	<i>Rupicapra americana</i> ..	1850, 136
exquisita	1851, 226	capella	1850, 137
fausta	1854, 182	pyrenaica	1850, 137
flemingii	1851, 228	tragus	1850, 137
galeata	1851, 228	1850, 174
noachina	1851, 228	<i>Rupicola aurantia</i>	1859, 99
obscurata	1854, 182	cayana	1859, 99
propinqua	1851, 227	crocea	1859, 99
<i>Rissoa bella</i>	1851, 267	1860, 98
elegans	1851, 267	elegans	1859, 99
gracilis	1860, 438	1855, 152
lucullana	1853, 186	<i>peruviana</i>	1858, 71
membranacea	1853, 43	1859, 99

	Page		Page
<i>Rupicola sanguinolenta</i> {	1859, 99	<i>Sacalis indicus</i>	1856, 397
	1859, 100	<i>Sacropteryx lepturus</i> ..	1858, 547
	1860, 91	<i>Sacra hodgeonæ</i>	1859, 185
<i>Rusa aristotelis</i>	1850, 230	<i>Sagmatorrhina lathamii</i> ..	1851, 202
	1856, 405	<i>Saiga tatarica</i>	1850, 112
<i>dimorphe</i>	1850, 231	<i>Saimaris sciurea</i>	1856, 139
	1856, 405	<i>Saki</i>	1849, 8
<i>equinus</i>	1850, 231	<i>Salamandra atra</i>	1858, 142
	1850, 231		1860, 174
<i>hippelaphus</i>	1856, 405	<i>corsica</i>	1858, 142
		<i>maculosa</i>	1858, 391
<i>jarai</i>	1856, 405	<i>nigra</i>	1860, 372
<i>javonica</i>	1860, 376	<i>vulgaris</i>	1859, 432
<i>kuhlii</i>	1850, 232		1859, 433
<i>lepida</i>	1850, 232	<i>Salassa lola</i>	1859, 246
<i>peroni</i>	1850, 232	<i>Salmo fario</i>	1848, 88
<i>philippinus</i>	1850, 232	<i>salar</i>	1860, 442
<i>saput</i>	1850, 232		1855, 66
<i>tunjuc</i>	1850, 232	<i>Salpinctes mexicanus</i> ..	1857, 212
<i>ubi</i>	1850, 232		1858, 297
<i>Ruticilla atrata</i>	1854, 26	<i>obsoletus</i>	1859, 371
<i>aurea</i>	1854, 28	<i>Salpiza cristata</i>	1860, 271
<i>cæruleocephala</i>	1854, 29	<i>jacucaca</i>	1860, 271
	1854, 27	<i>marail</i>	1860, 269
<i>erythrogastra</i>	1858, 492	<i>obscura</i>	1860, 271
	1859, 179	<i>pileata</i> ..	1860, 270
<i>erythronota</i>	1854, 30	<i>purpurascens</i>	1860, 269
<i>erythroprocta</i>	1855, 87	<i>superciliaris</i>	1860, 272
		<i>Saltator albicollis</i>	1856, 75
<i>frontalis</i>	1854, 29		1855, 84
	75	<i>arremonops</i>	1856, 80
<i>fuliginosa</i>	1854, 29	<i>ater</i>	1856, 67
	1858, 492		1856, 69
	1859, 179		1856, 302
<i>grandis</i>	1849, 112	<i>atriceps</i>	1858, 358
	1854, 27		1859, 58
<i>hodgeonii</i>	1854, 26		1859, 364
	1854, 26		1859, 377
<i>indica</i>	1858, 492	<i>atricollis</i>	1856, 77
	1859, 179		1857, 6
	1854, 30	<i>atripennis</i>	1859, 138
<i>leucocephala</i>	1858, 492		1860, 85
	1859, 179	<i>aurantiostriis</i>	1856, 74
<i>leucoptera</i>	1854, 28		1856, 73
<i>melanura</i>	1854, 29	<i>azarae</i>	1858, 72
<i>nigrogularis</i>	1854, 29	<i>bicolor</i>	1856, 79
<i>nipalensis</i>	1854, 26		1856, 72
<i>phœnicura</i>	1854, 25	<i>cærulescens</i>	1856, 70
<i>phœnicuroides</i>	1854, 25		1856, 233
<i>plumbea</i>	1854, 30	<i>cayennensis</i>	1856, 78
<i>reevesii</i>	1854, 26	<i>elegans</i> ..	1856, 274
<i>rufogularis</i>	1854, 27	<i>flavidoollis</i>	1860, 124
<i>schisticeps</i>	1854, 29	<i>flavus</i>	1856, 69
<i>simplex</i>	1854, 30	<i>gigantoides</i>	1856, 72
<i>sylvestris</i>	1854, 25		1856, 205
	1854, 25	<i>grandis</i>	1857, 58
<i>tithys</i>	1855, 79		1859, 58
	1854, 27		
<i>vigorsii</i>	1858, 492		

	Page		Page
<i>Saltator grandis</i>	1850, { 364	<i>Sanguinolaria miniata</i> ..	1856, 199
<i>guadalupensis</i>	1850, 76	<i>nuttalli</i>	1856, 212
<i>gularis</i>	1856, 74	<i>pacifica</i>	1856, 212
<i>gutturalis</i> ...	1850, 71	<i>purpurea</i>	{ 1854, 346
<i>icterophrys</i>	{ 1850, 72	<i>rubroradiata</i>	{ 1856, 199
<i>icteropygius</i>	1857, 205	<i>tellinoides</i>	1856, 212
<i>maculipectus</i>	1856, 70	<i>vitrea</i>	1849, 170
	1856, 76	<i>San-zjak</i> .	1854, 326
	1856, 69	<i>Saperda laeta</i>	1850, 84
<i>magnoides</i>	{ 1856, 142		1856, 12
	1856, 302	<i>Sapphironia lucida</i>	{ 1858, 297
	1859, 364	<i>Sarcidornis africana</i> ...	1859, 386
	1859, 377	<i>Sarciophorus pileatus</i> ..	1860, 42
	1856, 154	<i>Sarcogorgia phidippus</i> ..	1850, 221
<i>magnus</i>	1856, 70		{ 159
	1858, 72	<i>Sarcoptilus grandis</i> ...	1857, { 294
	1859, 138		1848, 45
	1860, 65	<i>Saicornhamphus papa</i> ..	{ 1851, 53
	1860, 274		1855, 134
	1860, 293		{ 1857, 227
<i>martinicensis</i>	1856, 76	<i>Sarkidornis africana</i> ...	1850, 221
<i>maxillosus</i>	1856, 74	<i>Sarochalmus rufigularis</i> .	1868, 63
<i>melanoleucus</i>	{ 1856, 78	<i>Saturnia acetes</i>	1849, 53
	1857, 79	<i>agathylla</i>	1840, 58
<i>melanopsis</i>	1856, 67	<i>alcinoe</i> .	1849, 50
<i>melanopterus</i>	1857, 66	<i>alinda</i> .	1849, 50
<i>mutus</i>	1856, 72	<i>alopia</i>	1849, 55
<i>niger</i>	1856, 121	<i>angasana</i>	1849, 52
<i>ngrigenys</i>	1856, 72	<i>apollonia</i>	{ 36
	1856, 70	<i>arata</i>	1849, { 47
<i>olivascens</i> .	{ 1850, 71	<i>argus</i>	1840, 41
	1857, 19	<i>arrundi</i>	1849, 49
<i>orenocensis</i>	1856, 77	<i>assamensis</i>	1859, 267
<i>plumbeus</i>	1856, 71	<i>belina</i>	1859, 258
<i>psittacinus</i>	1856, 65	<i>caecigena</i>	1849, 41
<i>raptor</i>	1856, 69	<i>caffra</i>	1849, 33
<i>riefferi</i> .	1856, 78	<i>callela</i>	1849, 50
<i>ruber</i>	1856, 124	<i>campionea</i>	1853, 161
<i>rubicoides</i>	1856, 120	<i>carpini</i>	1849, 49
<i>rubicus</i>	1850, { 119	<i>cedo-nulli</i>	1849, 33
	303	<i>chapata</i>	1849, 36
<i>ruficapilla</i>	1856, 67	<i>cometes</i>	1853, 162
<i>rufiventris</i>	{ 72	<i>cynthia</i>	1849, 47
	74	<i>cytherea</i>	1859, 267
<i>similis</i> .	1856, 71	<i>delegorguei</i>	1849, 44
<i>sordidus</i>	1856, 77		1849, 59
<i>straticeps</i>	1856, 76	<i>dione</i>	{ 44
<i>stratipectus</i>	1856, 154		1840, { 46
	{ 72	<i>epimethea</i>	1849, 50
<i>superciliaris</i>	1850, { 73	<i>ethra</i>	1849, 56
	74	<i>forda</i>	1849, 52
<i>validus</i>	1856, 77	<i>grumma</i>	1849, 59
<i>vigorsi</i>	1856, 72	<i>grota</i>	1859, 265
<i>virescens</i>	1856, 70	<i>herilla</i>	1849, 57
<i>Samia cynthia</i> ...	1859, 267	<i>hersilia</i>	1849, 42
<i>Sanguinolaria californi-</i>		<i>isis</i>	{ 47
<i>na</i>	1856, 212		1849, { 53
		<i>janeira</i>	1853, 164

	Page		Page
<i>Saturnia jorulla</i>	1853, 159	<i>Sauloprocta melanoleuca</i>	1860, 351
<i>katinka</i>	1859, 260	<i>flavus</i>	1851, 43
<i>larissa</i>	1859, 258	<i>Saurophagus derbianus</i> {	1851, 44
<i>lavendera</i>	1853, 160	<i>pusillus</i>	1856, 297
<i>lola</i>	1859, 246	<i>rufipennis</i>	1851, 44
<i>lucina</i>	1849, { 37	<i>hictor</i>	1851, 44
<i>luna</i>	1849, { 56	<i>pusillus</i>	1851, 44
<i>mænas</i>	1849, { 38	<i>sulphuratus</i>	1856, 297
<i>mana</i>	1849, { 47	<i>swainsoni</i>	1851, 44
<i>melvilla</i>	1853, 166	<i>Saurothera dominicensis</i>	1857, 234
<i>menippe</i>	1849, 43	<i>vieilloti</i>	1857, 234
<i>mimosæ</i>	1849, { 47	<i>Saxicava californica</i>	1856, 214
<i>mylitta</i>	{ 1849, 46	<i>carditoides</i>	1856, 214
<i>mythimnia</i>	1849, 40	<i>norvegica</i>	1855, { 219
<i>nenia</i>	1849, 57	<i>deserti</i>	1855, 50
<i>nictitans</i>	1849, 55	<i>Saxicola atrogularis</i>	1858, 491
<i>orizaba</i>	1853, 158	<i>isabellina</i>	1859, 180
<i>pandiona</i>	1849, 36	<i>cenanthe</i>	1850, 216
<i>paphia</i>	{ 1849, 46	<i>orientalis</i>	1860, 243
<i>paronia</i>	1849, 36	<i>picata</i>	1854, 272
<i>pernyi</i>	1859, 255	<i>picata</i>	1855, 50
<i>perspicilla</i>	1849, 36	<i>Saxidomus giganteus</i>	1858, 491
<i>phædusa</i>	1849, 51	<i>nuttalli</i>	1856, 215
<i>pluto</i>	1853, 164	<i>Sayornis ardosiacæ</i>	1856, 215
<i>pyra</i>	1849, { 33	<i>cineracea</i>	1855, 149
<i>pyretorum</i>	1859, 263	<i>cineracea</i>	1858, 450
<i>ricini</i>	1859, 267	<i>nigricans</i>	1860, 68
<i>sapatoza</i>	1853, 163	<i>nigricans</i>	1856, 296
<i>selene</i>	1849, 47	<i>pallida</i>	1857, 127
<i>semiramis</i>	1849, 49	<i>pallida</i>	1859, 383
<i>simla</i>	1859, 257	<i>pallida</i>	1857, 127
<i>spini</i>	1849, 33	<i>pallida</i>	1859, 366
<i>thibetæ</i>	{ 1853, 166	<i>Scalaria cumingii</i>	1856, 165
<i>trifenestrata</i>	1859, 245	<i>fucata</i>	1860, 400
<i>tyrrhea</i>	1849, 43	<i>hundsii</i>	1856, 165
<i>tyrrhena</i>	1849, 51	<i>loveni</i>	1856, 1
<i>vacuna</i>	1849, 39	<i>millecostata</i>	1860, 400
<i>wahlbergii</i>	1849, 46	<i>mutreiformis</i>	1855, 235
<i>zacateca</i>	1853, 159	<i>reflexa</i>	1855, 235
<i>zuleika</i>	1859, 245	<i>regularis</i>	1856, 104
<i>(Aphela) apollina-</i>		<i>subnodosa</i>	1856, 165
<i>ris</i>	1849, 61	<i>tiara</i>	1856, 164
<i>(Henucha?) smilax</i>	1849, 59	<i>turtoni</i>	1853, 39
<i>(Urota) snope</i>	1849, 60	<i>Scapha aulica</i>	1855, 56
<i>Saucerottia atala</i>	1856, 140	<i>colocyntha</i>	1859, 36
<i>cyaneifrons</i>	1857, 17	<i>concinna</i>	1855, 58
<i>niviventris</i>	1856, 140	<i>deshayesi</i>	1859, 36
<i>sophæ</i>	1855, 141		
<i>viridigastrea</i>	1857, 16		

	Page		Page
<i>Scapha dubia</i>	1855, 55	<i>Scaphorhynchus mexi-</i>	1858, 358
<i>ferussacii</i>	1855, 58	<i>canus</i>	1859, 45
	1859, 36		1859, 366
	1855, 58		1851, 44
<i>fusiformis</i>	1859, 35	<i>pitangua</i>	1851, 45
	1859, 36		1859, 45
<i>javanica</i>	1859, 36	<i>Scaphula biplicata</i>	1858, 56
<i>junonia</i>	1855, 57	<i>rosalina</i>	1858, 56
<i>leucostoma</i>	1859, 36	<i>Scarabella cassida</i>	1854, 212
<i>leuteostoma</i>	1855, 57	<i>Scarabus borneensis</i>	1860, 152
<i>magellanica</i>	1855, 57	<i>castaneus</i>	1850, 150
	1859, 36		1851, 151
<i>magnifica</i>	1855, 57	<i>cecillii</i>	1850, 149
	1859, 35	<i>chalcostomus</i>	1850, 152
	1855, 55	<i>cunninghami</i>	1850, 150
<i>mamilla</i>	1859, 35	<i>imbrium</i>	1850, 147
	1859, 36	<i>imperfatus</i>	1850, 151
<i>maria-emma</i>	1859, 231	<i>lekithostoma</i>	1850, 150
<i>megaspira</i>	1855, 58	<i>lessoni</i>	1850, 147
	1859, 35	<i>pantherinus</i>	1850, 152
<i>nivosa</i>	1859, 35	<i>petiverianus</i>	1850, 148
<i>norrisi</i>	1855, 56	<i>plicatus</i>	1850, 148
	1855, 58		1851, 72
<i>pacifica</i>	1859, 36	<i>pollex</i>	1850, 150
<i>piperita</i>	1855, 56	<i>pyramidatus</i>	1850, 149
<i>pulchella</i>	1855, 56		1852, 152
	1855, 57	<i>semisulcatus</i>	1850, 151
<i>punctata</i>	1859, 36	<i>sinuosus</i>	1850, 151
<i>rossiniana</i>	1859, 231	<i>striatus</i>	1850, 148
	1855, 56	<i>trigonus</i>	1850, 148
<i>rutila</i> ..	1859, 35	<i>undatus</i>	1850, 149
<i>sophia</i>	1859, 35		1856, 309
	1855, 56	<i>Scardafella inca</i>	1859, 61
<i>vespertilio</i>	1859, 35		1859, 391
<i>Scaphella fusiformis</i> ..	1855, 58	<i>Scelidothierium leptoce-</i>	
<i>junonia</i>	1855, 57	<i>phalum</i>	1851, 210
<i>maculata</i>	1855, 64	<i>Sceloporus chlorolepido-</i>	
<i>papillosa</i>	1855, 63	<i>tus</i>	1860, 371
<i>reticulata</i>	1855, 64	<i>Schasicheila minuscula</i> .	1859, 29
<i>turneri</i>	1855, 64	<i>Schismotis excisa</i>	1856, 148
<i>undulata</i>	1855, 64	<i>Schistes albogularis</i>	1860, 70
<i>zebra</i> ..	1855, 64	<i>geoffroyi</i>	1855, 139
<i>(Alcithoe) fulgetrum</i> ..	1855, 63		1860, 70
<i>(—) fusiformis</i> ..	1855, 58	<i>personatus</i>	1860, 311
<i>(—) fusus</i>	1855, 58	<i>Schistochlamys abeillei</i> .	1856, 67
<i>(—) gracilis</i>	1855, 58	<i>atra</i>	1855, 154
<i>(—) megaspira</i> ..	1855, 58		1856, 67
<i>(—) pacifica</i>	1855, 58	<i>capistrata</i>	1856, 67
<i>(—) papillosa</i> ...	1855, 58	<i>fasciata</i>	1856, 68
<i>(—) tuberculata</i> .	1855, 58	<i>leucophaea</i>	1856, 67
<i>Scaphorhynchus atriceps</i>	1851, 44		1855, 69
<i>audax</i>	1851, 44	<i>speculigera</i>	1856, 68
	1851, 45	<i>Schizorhina emilia</i>	1856, 16
<i>chrysocephalus</i> ..	1859, 43	<i>idæ</i>	1856, 16
	1860, 231	<i>(Hemipharis) bake-</i>	
<i>flaviceps</i>	1851, 44	<i>wellfi</i>	1859, 119
<i>mexicanus</i>	1857, 204	<i>Schizorhis zonura</i>	1860, 197

	Page		Page
<i>Schœniculus magnus</i>	1848, 39	<i>Sciesserella elegans</i>	1859, 202
<i>Sciæna abdominalis</i>	1850, 62	<i>indica</i>	1859, 203
<i>lineata</i>	1850, 68	<i>lævigata</i>	1859, 203
<i>macroptera</i>	1850, 62	<i>mantelli</i>	1859, 202
<i>Sciænoides abdominalis</i>	1850, 62	<i>plicata</i>	{ 1850, 40
<i>Scincus officinalis</i>	1859, { 470	<i>reticulata</i>	{ 1859, 203
<i>Scintilla adamsi</i>	1855, 179	<i>striatula</i>	{ 1850, 40
<i>anomala</i>	1855, 181	<i>Sciuropterus alboniger</i>	1856, 403
<i>aurantiaca</i>	1855, 179	<i>caniceps</i>	1856, 402
<i>candida</i>	1855, 177	<i>chrysothrix</i>	1856, 402
<i>crocea</i>	1855, 175	<i>nobilis</i>	1856, 402
<i>crystallina</i>	1855, 177	<i>senex</i>	1856, 402
<i>cumingii</i>	1855, 173	<i>Sciurus aestuans</i>	{ 1856, 139
<i>cuvieri</i>	1855, 174	<i>boothia</i>	{ 1858, 547
<i>faba</i>	1855, 180	<i>dorsalis</i>	{ 1860, 213
<i>flavida</i>	1855, 175	<i>horsfieldi</i>	1859, 50
<i>forbesii</i>	1855, 179	<i>dorsalis</i>	1848, 138
<i>hanleyi</i>	1855, 180	<i>lokria</i>	1856, 402
<i>hyalina</i>	1855, 180	<i>lokrioides</i>	{ 1855, 126
<i>hydatina</i>	1855, 177	<i>macrotis</i>	{ 1855, 126
<i>hydrophana</i>	1855, 178	<i>macruioides</i>	{ 1856, 402
<i>jukesi</i>	1855, 174	<i>macrurus</i>	1856, 341
<i>opalina</i>	1855, 177	<i>maximus</i>	{ 1855, 126
<i>ovulina</i>	1855, 174	<i>m'clellandi</i>	{ 1856, 402
<i>oweni</i>	1855, 179	<i>mollipilosus</i>	{ 1859, 50
<i>pallidula</i>	1855, 178	<i>palmarum</i>	{ 1850, 157
<i>pellicula</i>	1855, 177	<i>purpureus</i>	{ 1858, 520
<i>philippensis</i>	1855, 176	<i>siamensis</i>	{ 1860, 372
<i>porulosa</i>	1855, 180	<i>trilineatus</i>	1855, 126
<i>pudica</i>	1855, 178	<i>vulgaris</i>	1859, 478
<i>recluziana</i>	1855, 178	<i>Sclerostoma sipunculi-</i>	1850, 157
<i>reevei</i>	1855, 176	<i>forme</i>	1859, 427
<i>rosea</i>	1855, 178	<i>Sclerurus brunneus</i>	{ 1857, 17
<i>scintillans</i>	1855, 175	<i>caudacutus</i>	1858, 62
<i>solidula</i>	1855, 174	<i>fuscus</i>	1856, 290
<i>strangei</i>	1855, 181	<i>guatemalensis</i>	1857, 18
<i>striatula</i>	1855, 176	<i>mexicanus</i>	{ 1856, 290
<i>succinea</i>	1855, 176	<i>gallmago</i>	{ 1857, 18
<i>tenuis</i>	1855, 176	<i>gallinula</i>	{ 1859, 365
<i>timorensis</i>	1855, 174	<i>Scolanthus sphæroides</i>	1855, 85
<i>turgescens</i>	1855, 175	<i>Scolopacinus rufiventris</i>	1858, 244
<i>turgida</i>	1855, 175	<i>Scolopax burka</i>	1860, 365
<i>vitrea</i>	1855, 177	<i>capensis</i>	1858, 200
<i>Scirpearia dichotoma</i>	1850, 481	<i>frenata</i>	1858, 201
<i>mirabilis</i>	{ 1857, 288	<i>gallmago</i>	{ 1858, 199
<i>Sciesserella angulata</i>	{ 1859, 203	<i>gallinula</i>	{ 1858, 200
<i>aspera</i>	1859, 203		
<i>bertheloti</i>	1859, 203		
<i>conica</i>	1859, 203		
<i>costata</i>	1859, 203		
<i>crispata</i>	{ 1850, 40		
<i>decussata</i>	1850, 40		
<i>d'orbigny</i>	{ 1850, 203		

	Page		Page
<i>Scolopax gigantea</i>	1856, 31	<i>Scotophilus greyii</i>	1859, { 68
<i>grisea</i>	1860, 108		70
<i>hudsonica</i>	1860, 387		{ 1857, 51
<i>magellanica</i>	1860, 387	<i>kuhlii</i>	{ 1859, 70
<i>major</i>	1858, 201		{ 1859, 71
<i>nemoricola</i>	1855, 80		{ 1859, 72
	{ 1851, 142	<i>leisleri</i>	{ 1859, { 69
<i>rusticola</i>	{ 1858, 201		70
	{ 1858, 506	<i>lobatus</i>	{ 1858, 539
	{ 1859, 189		{ 1859, 70
<i>uniclavatus</i>	1860, 365		{ 1857, 51
<i>Scomber colias</i>	1850, 248	<i>marginatus</i>	{ 1859, 70
<i>scomber</i>	1860, 205		{ 1859, 72
<i>Sconsia grayi</i>	1854, 136	<i>microdon</i>	1859, 08
<i>striata</i>	1854, 137	<i>minutus</i>	1857, 51
<i>Scopelus barbatus</i>	1850, 251	<i>morio</i>	1858, 121
<i>humboldtii</i>	1850, 251	<i>nathusii</i>	1859, 72
<i>maderensis</i>	1850, 251	<i>nitidus</i>	1858, 538
<i>Scopophorus montanus</i>	1850, 119	<i>noctula</i>	1858, 28
<i>orebr.</i>	1850, 118	<i>pachyomus</i>	1857, 50
<i>Scops asio</i>	1858, 133	<i>picatus</i>	1857, 51
<i>atricapilla</i>	1858, 133		{ 1857, 51
<i>choliba</i>	{ 1855, 134	<i>pipistrellus</i>	{ 1859, 70
	{ 1858, 133	<i>pruinosis</i>	1857, 37
	{ 90	<i>pumiloides</i>	1857, 51
<i>flammeola</i>	{ 1858, 133	<i>pumilus</i>	{ 1857, 51
<i>grammicus</i>	1858, 133		{ 1859, 68
<i>griseus</i>	1854, 262	<i>serotinus</i>	1858, 28
<i>javanicus</i>	1854, 262	<i>tralatitius</i>	{ 1858, 539
<i>letta</i>	1854, 262		{ 1859, 70
<i>lettoides</i>	1854, 262	<i>tuberculatus</i>	1858, 122
<i>leucotis</i>	1850, 216	<i>ursula</i>	1859, 72
<i>lophotes</i>	1858, 133	<i>Scotornis climacurus</i>	1850, 216
<i>macalli</i>	1858, { 133	<i>Scrobicularia angulata</i>	1855, 230
	{ 296		{ 1855, 230
<i>nudipes</i>	1858, 133	<i>biangulata</i>	{ 1856, 213
<i>portoricensis</i>	{ 1855, 134	<i>producta</i>	1855, 230
	{ 1858, 133	<i>seychellarum</i>	1856, 53
<i>trichopsis</i>	1858, 357	<i>viridotincta</i>	1856, 100
<i>usta</i>	1858, 132	<i>Scurria mitra</i>	1856, 222
<i>watsoni</i>	1858, 133	<i>scurra</i>	1856, 222
<i>Scotophilus abramis</i>	1859, 70	<i>Scutella emarginata</i>	1851, 37
<i>carolinensis</i>	{ 1857, 51		{ 1851, 37
	{ 1858, 27	<i>Scutellina cancellata</i>	1860, 437
	{ 1858, 28	<i>Scutibranchiata rhipido-</i>	
<i>circumdatus</i>	1858, 540	<i>glossa</i>	1856, 44
	{ 1856, 394	<i>Scutus angustatus</i>	1851, 222
	{ 1858, 35	<i>antipodus</i>	1851, 221
<i>coromandehcus</i>	{ 1858, 336	<i>corrugatus</i>	1851, 222
	{ 1858, 539	<i>elongatus</i>	1851, 221
	{ 1859, 74	<i>granulatus</i>	1851, 221
<i>darwinii</i>	1859, 70	<i>imbricatus</i>	1851, 222
<i>discolor</i>	1857, 51	<i>tumidus</i>	1851, 222
<i>furinalis</i>	1858, 546	<i>unguis</i>	1851, 221
	{ 1857, 136	<i>Scytalopus fuscus</i>	1860, 385
<i>gouldii</i>	{ 1858, 122		{ 1854, 111
	{ 1859, 69	<i>griseicollis</i>	{ 1855, 142
<i>greyi</i>	1857, 51		{ 1856, 290

	Page		Page
<i>Scytalopus griseicollis</i> ..	1858, 64	<i>Seps tridactylus</i>	1859, { 470
<i>magellanicus</i>	1860, 385		{ 473
<i>prostheleucus</i> {	1856, 290	<i>Serialia convoluta</i>	1858, 321
<i>senilis</i>	1858, 63	<i>Serncaria mori</i>	1859, 238
<i>squamiger</i> {	1858, 96	<i>Serncinus fasciatus</i>	1852, 72
<i>Scythrops novæ-hol-</i>	1855, 142	<i>fortunei</i>	1852, 72
<i>landia</i>	1855, 142	<i>greyi</i>	1852, 72
<i>Seiranota perspicillata</i> ..	1858, 462	<i>montela</i>	1852, 71
<i>Seiurus aurocapillus</i> ..	1860, 359	<i>telamon</i>	1852, 71
<i>Selasphorus anna</i>	1858, 137	<i>telamona</i>	1852, 72
<i>heloisæ</i>	1857, 231	<i>Sericossypha sumptu-</i>	1853, 156
<i>platycercus</i> ... {	1856, 288	<i>osa</i>	{ 1856, 121
<i>ruber</i>	1859, 386	<i>Sericulus anais</i> ..	1857, 6
<i>Selenidera langsdorfi</i> ..	1856, 288	<i>Sernus jamaicensis</i> ..	1856, 230
<i>reinwardti</i>	1858, 297	<i>Serpentarius orientalis</i> ..	1856, 352
<i>Semele amabilis</i>	1857, 120	<i>reptilivorus</i>	1856, 343
<i>amœna</i>	1853, 97	<i>Serpophaga cinerea</i> ..	{ 1858, 458
<i>californica</i>	1853, 95	<i>parulus</i>	{ 1859, 144
<i>casta</i>	1853, 96	<i>Serpula ammonoides</i> ...	1860, { 401
<i>compta</i>	1853, 97	<i>anguina</i>	{ 1860, 412
<i>decisa</i>	1856, 213	<i>anguinarius</i>	1860, 412
<i>decora</i>	1853, 97	<i>annularis</i>	1860, 407
<i>flavescens</i>	1856, 199	<i>aquaria</i>	1858, 312
<i>gruner</i>	1853, 95	<i>archimedis</i>	1860, 412
<i>jovis</i>	1853, 94	<i>arenaria</i>	1860, 412
<i>jucunda</i>	1853, 96	<i>clarbonensis</i>	1860, 415
<i>jukesu</i>	1853, 95	<i>incurvata</i>	1858, 436
<i>læta</i>	1853, 96	<i>muricata</i>	{ 1860, 402
<i>luteola</i>	1853, 95	<i>penes</i>	{ 1858, 312
<i>martini</i>	1853, 97	<i>perforata</i>	{ 1858, 311
<i>modesta</i>	1853, 95	<i>porosa</i>	{ 1860, 414
<i>planata</i>	1856, 160	<i>recta</i>	{ 1858, 425
<i>proxima</i>	1856, 160	<i>spirobis</i>	{ 1859, 203
<i>pulchella</i>	1853, 97	<i>variegata</i>	{ 1860, 415
<i>rubrolineata</i> ..	1856, 212	<i>volvex</i>	{ 1860, 402
<i>simplex</i>	1856, 212	<i>Setophaga albidinema</i> ..	{ 1855, 144
<i>sinensis</i>	1853, 95	<i>brasiliæna</i>	{ 1856, 28
<i>sponsa</i>	1853, 95	<i>chrysogastria</i>	1859, 137
<i>venusta</i>	1853, 96	<i>cinerea</i>	1858, 458
<i>vestalis</i>	1853, 96	<i>cinnamomeiven-</i>	{ 1855, 144
<i>virginea</i>	1853, 96	<i>tris</i>	{ 1856, 28
<i>Semioptera wallacci</i> ..	{ 1859, 130	<i>coronata</i>	1859, 137
<i>entellus</i> {	1859, 351	<i>flammea</i>	{ 1851, 50
<i>schistaceus</i> ..	1860, 61	<i>flaveola</i>	{ 1855, 77
<i>vellerosus</i>	1860, 355	<i>intermedia</i>	{ 1851, 50
<i>Semnopithecus bicolor</i> ..	1860, 246	<i>leucomphomma</i> ..	{ 1855, 144
<i>entellus</i> {	1858, 512	<i>melanocephala</i>	1851, 50
<i>schistaceus</i> ..	1856, 393		
<i>vellerosus</i>	1858, 512		
<i>Separatista chemnitzii</i> ..	1860, 246		
<i>grayii</i>	1850, 45		
<i>Sepia octopodia</i>	1850, 45		
	1856, 133		

	Page		Page
<i>Setophaga miniata</i>	{ 1856, 292 1858, 299 1859, 363 1859, 374	<i>Sigaretus debilis</i>	1856, 207
<i>multicolor</i>	1851, 50	<i>Silenus veter</i>	1860, { 242 243 371
<i>nigricincta</i>	1855, 143	<i>vetus</i>	1859, 434
<i>negrocincta</i>	1854, 111	<i>Siliqua lucida</i>	1856, 211
<i>ornata</i>	{ 1851, 50 1855, 144 1851, 50	<i>nuttallii</i>	1856, 211
<i>pieta</i>	{ 1855, 66 1856, 292 1858, 299 1859, 374	<i>Siliquaria anguillæ</i> . . .	1860, 412
<i>rubra</i>	{ 1855, 65 1856, 292	<i>australis</i>	1860, { 411 412
<i>ruficapilla</i>	1851, 49	<i>cumingii</i>	1860, 411
<i>ruficoronata</i>	{ 1851, 49 1855, 144 1858, 550	<i>dubia</i>	1860, 401
<i>rufifrons</i>	{ 1860, 74 1855, 144	<i>encaustica</i>	1860, 411
<i>rufipectus</i>	{ 1856, 291 1855, 144	<i>florina</i>	1860, 401
<i>ruticilla</i>	{ 1851, 49 1854, 111 1855, 133 1855, 144	<i>lima</i>	1860, 401
<i>sallæi</i>	{ 1856, 292 1857, 231 1859, 374 1860, 84 1860, 292	<i>muricata</i>	1860, 403
<i>tricolor</i>	1851, 50	<i>obtusa</i>	1860, 411
<i>venusta</i>	{ 1855, 143 1851, 50 1855, 144	<i>senegalensis</i>	1860, { 408 411
<i>verticalis</i>	{ 1855, 144 1859, 137 1860, 84	<i>sulcata</i>	1860, 403
<i>vulnerata</i>	{ 1851, 50 1855, 65	<i>trochlearis</i>	1860, 411
<i>Sialia cæruleicollis</i> . . .	1856, 293	<i>Siliquarius incisus</i> . . .	1860, 411
<i>mexicana</i>	{ 1856, 293 1857, 126 1859, 235 1859, 362	<i>lacteus</i>	1860, 401
<i>occidentalis</i>	{ 1856, 293 1856, 293 1858, 299 1859, 362	<i>ponderosus</i>	1860, 411
<i>wilsoni</i>	{ 1859, 371 1858, 532	<i>tostus</i>	1860, 411
<i>Sidisia barleei</i>	1858, 532	<i>Siloboura ceylonica</i> . .	1858, 262
<i>Sieboldia maxima</i>	{ 184 193 208 242	<i>elliotti</i>	1858, { 261 262
<i>Sigaretus costatus</i>	1858, 186	<i>Simia abelii</i>	1848, 53
		<i>chiropotes</i>	1849, 8
		<i>melanocephalus</i> . .	1849, 9
		<i>sagulata</i>	1849, 8
		<i>satyrus</i>	{ 1859, 10 1860, 178
		<i>silenus</i>	1850, 156
		<i>sinicus</i>	1850, 155
		<i>trogodytes</i>	{ 1859, 10 1860, 178
		<i>Simocephalus poensis</i> .	1858, 162
			{ 376 377
		<i>Simotes coccineus</i> . . .	1858, { 381 384
			{ 1858, 382 1860, 161 1860, 166 1860, 167 1860, 170 1860, 171
		<i>purpurascens</i>	{ 1858, 382 1860, 161 1860, 168 1860, 169 1860, 170
		<i>russellii</i>	{ 1860, 168 1860, 169 1860, 170
		<i>trinitatus</i>	1860, 114
		<i>Simpulopsis chiapensis</i> .	1856, 377
		<i>cordovana</i>	1856, 319
		<i>salleana</i>	1856, 318

	Page		Page
<i>Siona avena</i>	1854, 32	<i>Siphonaria leucopleura</i> ..	1858, 152
<i>frumentum</i>	1854, 32	<i>lineolata</i>	1858, 152
<i>triticea</i>	1854, 32	<i>lurata</i>	1858, 152
<i>Sipho noachina</i>	1851, 228	<i>luzonica</i>	1858, 152
<i>Siphonaria acuta</i>	1858, 151	<i>macgillivrayi</i>	1858, 152
<i>adansoni</i>	1858, 151	<i>magellanica</i>	1858, 152
<i>aequilorata</i>	1858, 151	<i>maura</i>	1858, 152
<i>albicans</i>	1858, 151	<i>nataleensis</i>	1858, 152
<i>algesura</i>	1858, 151	<i>nuttallii</i>	1858, 153
<i>alternata</i>	1858, 151	<i>obliquata</i>	1858, 152
<i>alternicostata</i>	1858, 151	<i>oculus</i>	1858, 152
<i>amara</i>	1858, 151	<i>palpebra</i>	1858, 152
<i>antarctica</i>	1858, 151	<i>parma</i>	1858, { 24
<i>aspera</i>	1858, 151	<i>pectinata</i>	1858, 152
<i>atra</i>	1858, 151	<i>pica</i>	1858, 152
<i>australis</i>	1858, 151	<i>picta</i>	1858, 152
<i>baconi</i>	1858, 151	<i>placentula</i>	1858, 152
<i>belcheri</i>	1858, 153	<i>plana</i>	1858, 152
<i>bifurcata</i>	1858, 151	<i>plicata</i>	1858, 152
<i>blainvillei</i>	1858, 153	<i>punctata</i>	1858, 152
<i>brasiliiana</i>	1858, 151	<i>radiata</i>	1858, 152
<i>brunnea</i>	1858, { 24	<i>redimiculum</i>	1858, { 25
<i>cancer</i>	1858, 151	<i>savignyi</i>	1858, 152
<i>capensis</i>	1858, 151	<i>scabra</i>	1858, 152
<i>carbo</i>	1858, { 24	<i>scutellum</i>	1858, 152
<i>characteristica</i>	1858, 151	<i>sipho</i>	1858, 152
<i>cochleariformis</i>	1858, 151	<i>siquijorensis</i>	1858, 152
<i>concinna</i>	1858, 151	<i>sowerbyi</i>	1858, 152
<i>conica</i>	1858, 151	<i>spinosa</i>	1858, 152
<i>coreensis</i>	1858, 151	<i>stellata</i>	1858, 153
<i>cornuta</i>	1858, 151	<i>striatocostata</i>	1858, 153
<i>corrugata</i>	1858, 151	<i>subrugosa</i>	1858, 153
<i>costata</i>	1858, 151	<i>tristensis</i>	1858, 153
<i>crenata</i>	1858, 151	<i>umbonata</i>	1858, 153
<i>denticulata</i>	1858, 151	<i>variabilis</i>	1858, 153
<i>diemenensis</i>	1858, 151	<i>venosa</i>	1858, 153
<i>exigua</i>	1858, 151	<i>viridis</i>	1858, 153
<i>exulorum</i>	1858, 152	<i>zebra</i>	1858, 153
<i>exulum</i>	1858, 25	<i>zelandica</i>	1858, 153
<i>ferruginea</i>	1858, 152	<i>Siphonium nebulosum</i> ..	1860, { 401
<i>fuliginata</i>	1858, 152	<i>phanes</i>	1857, 238
<i>funiculata</i>	1858, 152	<i>Siredon mexicanus</i>	1858, 224
<i>gigas</i>	1858, 152	<i>Siren lacertina</i>	1856, 345
<i>grisea</i>	1858, 152	<i>Sirex gigas</i>	1849, 95
<i>guamensis</i>	1858, 152	<i>Sitta aculeata</i>	{ 1857, 126
<i>inculta</i>	1858, 152	<i>caesia</i>	{ 1858, 300
<i>japonica</i>	1858, 152	<i>carolinensis</i>	{ 1860, 243
<i>javanica</i>	1858, 152	<i>himalayana</i>	{ 1856, 293
<i>jonasii</i>	1858, 152	<i>lævis</i>	{ 1857, 126
<i>kurracheensis</i>	1858, 152	<i>læviscula</i>	{ 1858, 300
<i>lævis</i>	1858, 152	<i>lateralis</i>	{ 1859, 363
<i>læviscula</i>	1858, 152	<i>lecanium</i>	{ 1859, 373
<i>lateralis</i>	1858, 152	<i>lepida</i>	{ 1858, 494
<i>lecanium</i>	1858, 152	<i>lessoni</i>	{ 1859, 174
<i>lepida</i>	1858, 152		
<i>lessoni</i>	1858, 152		

	Page		Page
<i>Sitta leucopsis</i>	1849, 113	<i>Soriculus nigrescens</i>	1856, 400
<i>pygmæa</i>	1859, 363	<i>Sparus desfontainii</i>	1859, { 474
<i>surinamensis</i>	1858, 234		{ 477
<i>Sittace militaris</i>	1858, 76	<i>Sparvius galvicolis</i>	1857, 261
<i>petzi</i>	1857, 230	<i>Spatha compressa</i>	1860, 16
<i>Sittasomus erithacus</i> ...	1860, { 278	<i>rostrata</i>	1860, 15
	{ 293	<i>rubens</i>	1860, 16
<i>sylvioides</i>	{ 1856, 290	<i>wahlbergi</i>	1860, 16
	{ 1859, 365	<i>Spathura cassura</i>	1853, 109
<i>Sittella chrysoptera</i>	1859, 351	<i>melananthera</i>	{ 1859, 145
<i>Siurus auricapillus</i> ..	1859, 55		{ 1860, 95
	{ 363	<i>peruana</i>	1853, 109
<i>ludovicianus</i>	1859, { 373	<i>spatuligera</i>	1855, 141
<i>noveboracensis</i>	1859, 363	<i>underwoodi</i>	1855, 141
<i>Siva occipitalis</i>	1854, 141	<i>Spatula clypeata</i>	{ 1856, 95
<i>Sivatherium</i>	1849, 157		{ 1859, 190
<i>Skenea rota</i>	1858, 426	<i>maculata</i>	1856, 95
<i>serpuloides</i> ..	1851, 185	<i>rhynchotis</i> ..	1856, 95
<i>Snake-eater, The Long-</i>		<i>variegata</i> ..	1856, 95
<i>legged</i> ...	1851, 59	<i>Spelerpes rubra</i>	1858, { 137
<i>Solanderia gracilis</i>	{ 1857, 284		{ 144
	{ 1859, 482	<i>Spermagra erythroce-</i>	1855, 156
<i>Solea lingua</i>	1849, 83	<i>phala</i>	1856, 125
<i>Solecardia eburnea</i>	1856, 209	<i>Spermestes cheet</i> ...	1854, 160
<i>Solecurtus californianus</i> .	1856, 212	<i>poensis</i>	1860, 111
<i>lucidus</i>	1856, 211	<i>Spermolegus montanellus</i>	1854, 118
<i>maximus</i>	1856, 211	<i>Spermophila albigularis</i> .	1856, 302
<i>nuttalli</i>	1856, 211	<i>corvina</i>	1859, 379
<i>radiatus</i>	1856, 211		{ 1855, 160
<i>splendens</i>	1856, 211	<i>gutturalis</i>	{ 1860, 88
<i>subternes</i> ..	1856, 212		{ 1855, 160
<i>Solen angustus</i> ..	1860, 402	<i>luctuosa</i>	{ 1858, 72
<i>Solenella cumingi</i> ...	1860, 441		{ 1853, 455
<i>Soletellina truncata</i>	1860, 18	<i>martha</i>	1855, 160
<i>Solidula affinis</i> ...	1854, 61	<i>minuta</i>	1855, 160
<i>concinna</i>	1854, 61		{ 1856, 302
<i>glabra</i>	1854, 61	<i>moreleti</i>	{ 1859, 365
<i>insculpta</i>	1854, 61		{ 1859, 378
<i>nitidula</i> ..	1854, 61	<i>olivaceoflava</i>	1855, 160
<i>pusilla</i>	1854, 61	<i>ophthalmica</i>	1860, { 276
<i>solidula</i>	1854, 61		{ 293
<i>suturalis</i>	1854, 61	<i>torqueola</i>	1858, 303
<i>tessellata</i>	1854, 61	<i>Spermophilus guttatus</i> .	1859, 432
<i>Somateria mollissima</i> .	1853, 211	<i>Spes bifasciatus</i>	1854, 59
<i>spectabilis</i>	1853, 211	<i>Sphæna binghami</i>	1850, 87
<i>V-nigrum</i>	1855, 212	<i>californica</i>	1856, 210
<i>Sorex aterrimus</i>	1856, 400	<i>decurtata</i>	1850, 88
<i>caudatus</i>	1856, 400	<i>decussata</i> ..	1850, 87
<i>leucops</i>	1856, 399	<i>elliptica</i>	1850, 88
	{ 1850, 156	<i>mundorensis</i> . . .	1850, 89
<i>murinus</i>	{ 1850, 159	<i>philippinarum</i> ...	1850, 89
	{ 1856, 399	<i>princeps</i> ..	1850, 88
<i>nemorivagus</i>	1856, 400	<i>ruppelli</i>	1850, 82
<i>purpurascens</i>	1853, 100	<i>semitriata</i>	1850, 87
<i>pygmæus</i>	1856, 400	<i>Sphærum inconspicuum</i>	1860, 322
<i>saturator</i>	1856, 399	<i>indicum</i>	1854, 342
<i>sikkimensis</i>	1856, 400	<i>novæ zelandiæ</i> ..	1854, 342
<i>soccatus</i>	1856, 400	<i>subtransversum</i>	1860, 322

	Page		Page
<i>Stenotherus derbianus</i> ..	1858, 167	<i>Stoastoma pfeifferianum</i> 1857,	168
<i>Stephanophorus caeruleus</i> 1856,	241		178
<i>leucocephalus</i>	1856, 241	<i>philippianum</i>	1857, 167
<i>Stephanopoma rosea</i> ..	1860, 414		169
<i>Sterna anglica</i> ..	1850, 221		162
<i>antarctica</i> ..	1860, 391	<i>pisum</i>	1857, 166
<i>cassini</i> ..	1860, 391		167
<i>dougallii</i> ..	1851, 146		168
<i>fuliginosa</i>	1859, 166		170
<i>gracilis</i>	1859, 166	<i>redfieldianum</i>	1857, 166
	1851, 142	<i>tappanianum</i>	1857, 189
<i>hirundo</i>	1858, 509	<i>wilkinsonianum</i> ..	1857, 175
	1859, 190		163
<i>javanica</i> ..	1858, 509	<i>(Electrina) succi-</i>	1857, 171
<i>melanauchen</i> ..	1859, 166	<i>neum</i>	1857, 168
<i>melanogaster</i> ..	1855, 184	<i>Stomatella arabica</i> ..	1853, 74
	1859, 190	<i>articulata</i>	1850, 30
<i>meridionalis</i>	1860, 391	<i>baconii</i>	1853, 73
<i>nigra</i> ..	1851, 146	<i>biporcata</i> ..	1850, 33
<i>serrata</i> ..	1859, 166	<i>calhostoma</i> ..	1853, 74
<i>torresii</i> ..	1858, 188	<i>cancellata</i>	1850, 30
<i>velox</i> ..	1860, 366		1854, 133
<i>Sternopteryx diaphana</i> ..	1850, 247	<i>clathratula</i>	1854, 133
<i>olfersii</i> ..	1850, 247	<i>coccinea</i> ..	1850, 33
<i>Stethodesma servillei</i> ..	1856, 15	<i>compta</i>	1854, 133
<i>Stigmatium ambulator</i> ..	1855, 23	<i>costellata</i> ..	1850, 30
<i>cursor</i> ..	1855, 23	<i>cumingii</i> ..	1853, 74
<i>cylindrinum</i>	1855, 22	<i>decolorata</i> ...	1850, 31
<i>fervidum</i>	1855, 21	<i>fulgurans</i> ..	1850, 32
<i>granulosum</i>	1855, 22		1850, 32
<i>ignavum</i> ..	1855, 20	<i>haliotideae</i>	1854, 133
<i>torulentum</i>	1855, 21		1850, 30
<i>Stigmatius dorsiger</i>	1852, 37	<i>imbricata</i> ..	1854, 133
<i>elaphroides</i> ..	1852, 45	<i>japonica</i> ..	1850, 31
<i>nebulifer</i>	1852, 36	<i>maculata</i> ..	1850, 30
<i>rufiventris</i> ..	1852, 45	<i>malukana</i> ..	1850, 31
<i>Stigmodera bakewellii</i> ..	1859, 119	<i>margaritana</i>	1850, 33
<i>guelmi</i> ..	1859, 120	<i>monilifera</i>	1850, 30
<i>parallela</i>	1859, 119	<i>orbiculata</i>	1850, 31
<i>Stoastoma agassizianum</i> 1857,	167	<i>papyracea</i>	1850, 31
	169	<i>sanguinea</i>	1850, 32
<i>anthonianum</i>	1857, 184	<i>selecta</i>	1854, 133
<i>blandianum</i>	1857, 167	<i>speciosa</i> ..	1850, 32
<i>chittyanum</i>	1857, 167	<i>sulcifera</i> ..	1850, 30
	167	<i>tigrina</i>	1850, 33
<i>cumingianum</i>	1857, 184	<i>tumida</i> ..	1850, 31
<i>fadyenianum</i>	1857, 177	<i>Stomatia acuminata</i> ..	1850, 34
<i>gouldianum</i>	1857, 167	<i>angulata</i>	1850, 34
<i>hollandianum</i>	1857, 175	<i>australis</i>	1850, 34
<i>layanum</i> ..	1857, 189	<i>bicarinata</i>	1853, 74
	166	<i>candida</i>	1850, 35
<i>leanum</i>	1857, 189	<i>decorata</i>	1854, 133
	167	<i>decussata</i>	1850, 34
<i>lindsleyanum</i>	1857, 188	<i>duplicata</i>	1850, 34
	168	<i>lirata</i>	1850, 35
<i>livesayanum</i>	1857, 178		1850, 35
<i>moricandianum</i>	1857, 191	<i>notata</i>	1850, 36
<i>petitianum</i>	1857, 184		

	Page		Page
<i>Stomatia pallida</i>	1850, 36	<i>Strepsiceros kudu</i>	{ 1850, 146
<i>phymotis</i>	1850, 34	{ 1850, 171	
<i>rubra</i>	{ 1850, 35	{ 1857, 158	
<i>splendidula</i>	{ 1854, 134	<i>oreas</i>	{ 1850, 171
<i>Stomoxys calcitrans</i> .	1850, 258	<i>scriptus</i>	{ 1850, 171
<i>Stoparola melanops</i> ...	1858, 493	<i>sylvaticus</i>	{ 1850, 171
<i>Strebloceras cornuoides</i> .	1858, 441	<i>Strepsilas collaris</i> ...	{ 1860, 363
<i>solutum</i>	1858, 441	{ 1851, 146	
<i>Strephona angulata</i>	1858, 41	<i>interpres</i>	{ 1859, 166
<i>anomina</i>	1858, 45	{ 1860, 363	
<i>atalina</i>	1858, 44	<i>Streptaxis conoidea</i> ...	{ 1854, 149
<i>australis</i>	1858, 45	<i>cumingiana</i>	{ 1849, 126
<i>caroliniana</i>	1858, 46	<i>discus</i>	{ 1851, 252
<i>cruenta</i>	1858, 41	<i>fortunei</i>	{ 1854, 149
<i>cumungii</i>	1858, 45	<i>glabra</i>	{ 1849, 126
<i>episcopalis</i>	1858, 42	<i>uberniformis</i> ..	{ 1848, 108
<i>erythrostoma</i> ...	1858, 42	<i>Streptocephalus cafer</i> .	{ 1852, 21
<i>flammulata</i>	1858, 45	<i>dichotomus</i> ...	{ 1860, 445
<i>flaveola</i>	1858, 45	<i>similis</i>	{ 1852, 22
<i>hemiluna</i>	1858, 46	<i>torvicornis</i> . . .	{ 1852, 20
<i>jaspidea</i>	1858, 45	<i>Streptophorus drozii</i> ...	{ 1859, 412
<i>kaleontina</i>	1858, 45	<i>sebæ</i>	{ 1860, 452
<i>lentiginosa</i>	1858, 45	{ 454	
<i>ligneola</i>	1858, 46	<i>Strigatella fuscescens</i> .	{ 1860, 146
<i>litterata</i>	1858, 43	<i>picea</i>	{ 1860, 146
<i>lugubris</i>	1858, 46	<i>Strigilla carnaria</i> ...	{ 1856, 200
<i>maura</i>	1858, 42	<i>disjuncta</i> ...	{ 1856, 160
<i>multiplicata</i>	1858, 46	<i>fucata</i>	{ 1856, 200
<i>neoshina</i>	1858, 46	<i>mnata</i>	{ 1856, 200
<i>nitidula</i>	1858, 44	<i>Strigops habroptilus</i> .	{ 1852, 31
<i>olorinella</i>	1858, 45	<i>Strix aluco</i>	{ 1857, 215
<i>oriola</i>	1858, 44	<i>americanus</i> . . .	{ 1857, 215
<i>paxillus</i>	1858, 44	<i>badia</i>	{ 1854, 263
<i>peruviana</i>	1858, 43	<i>ceylonensis</i> . . .	{ 1854, 263
<i>pintamella</i>	1858, 44	<i>crucigera</i>	{ 1858, 133
<i>polpasta</i>	1858, 44	<i>erythroptera</i> ...	{ 1854, 262
<i>porphyria</i>	1858, 41	{ 1851, 142	
<i>quersolina</i>	1858, 44	<i>flammea</i>	{ 1857, 215
<i>reticularis</i>	1858, 43	{ 1859, 151	
<i>rufula</i>	1858, 46	{ 1860, 180	
<i>schumacheriana</i> .	1858, 46	<i>flammeola</i>	{ 1858, 96
<i>scripta</i>	1858, 43	{ 133	
<i>sidelia</i>	1858, 46	<i>hirsuta</i>	{ 1854, 262
<i>splendidula</i>	1858, 41	{ 1854, 262	
<i>stainforthi</i>	1858, 44	<i>infausta</i>	{ 1857, 4
<i>stellata</i>	1858, 45	{ 1857, 126	
<i>textilina</i>	1858, 43	<i>javanica</i>	{ 1857, 87
<i>tagridella</i>	1858, 45	<i>ketupa</i>	{ 1854, 263
<i>tricolor</i>	1858, 42	<i>lapponica</i>	{ 1857, 56
<i>truga</i>	1858, 45	<i>lempiji</i>	{ 1854, 262
<i>Strepsiceros angasii</i>	1850, 171	<i>lugubris</i>	{ 1854, 262
<i>capensis</i>	1850, 143	<i>noctula</i>	{ 1854, 262
<i>decula</i>	1850, 171	<i>orientalis</i>	{ 1854, 262
<i>derbianus</i>	1850, 171	<i>otus</i>	{ 1857, 215
<i>euryceros</i>	1850, 179	{ 1860, 258	
<i>excelsus</i>	1850, 143	<i>pagodarum</i>	{ 1854, 263
<i>kudu</i>	1850, 143	{ 1848, 37	
		<i>passerina</i>	{ 1857, 4

	Page		Page
<i>Strix passerinoides</i>	1857, 126	<i>Sturnus vulgaris</i>	{ 1858, 480 1859, 173 1860, 258
<i>pratincta</i>	1859, 390	<i>Stylifer barronii</i>	{ 1854, 137 1855, 122
<i>punctatissima</i>	1860, 96	<i>corallinus</i>	1855, 122
<i>radiata</i>	1854, 262	<i>exaratus</i>	1855, 122
<i>scutulata</i>	1854, 262	<i>robustus</i>	1860, 437
<i>seloputo</i>	1854, 263	<i>subangulatus</i>	1855, 122
<i>strepitans</i>	1854, 263	<i>Stylina fulvescens</i>	{ 1853, 73 1850, 235
<i>sumatrana</i>	1854, 263	<i>Stylocerus ratwa</i>	{ 1856, 405 1850, 270
<i>tengmalmi</i>	1857, 57	<i>Stylogaster stylatus</i>	1850, 270
<i>undulata</i>	1858, 133	<i>Stylomia confusa</i>	{ 1850, 269 1850, 269
<i>Strombus ater</i>	1859, 316	<i>leonum</i>	1850, 269
<i>cancellatus</i>	1860, 398	<i>Submarginula alveolata</i>	1851, 90
<i>obtusus</i>	1854, 83	<i>arabica</i>	1851, 90
<i>oniscus</i>	1851, 229	<i>australis</i>	1851, 90
<i>taurus</i>	1857, 207	<i>catillus</i>	1851, 91
<i>Strongylus filaria</i>	1856, 53	<i>clathrata</i>	1851, 90
<i>Struthio camelus</i>	1849, 94	<i>crassilabrum</i>	1851, 91
<i>casuarius</i>	1858, 187	<i>cratitia</i>	1851, 92
<i>epoasticus</i>	1860, 210	<i>denticulata</i>	1851, 91
<i>Struthiolaria monoceros</i>	1853, 182	<i>depressa</i>	1851, 90
<i>Struthus atrimentalis</i> ..	1857, 7	<i>elargie</i>	1851, 90
<i>caniceps</i>	{ 1857, 7 1858, 304 1858, 450 1858, 455 1858, 552 1860, 277 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>emarginata</i>	1851, 89
<i>Sturnella bellicosa</i>	{ 1858, 455 1858, 552 1860, 277 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>galeata</i>	1851, 90
<i>hippocrepis</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>umbricata</i>	1851, 91
<i>ludoviciana</i>	{ 1856, 30 1856, 301 1859, 58 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>nodulosa</i>	1851, 91
<i>militaris</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>octoradiata</i>	1851, 90
<i>neglecta</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>panihensis</i>	1851, 90
<i>Sturnia elegans</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>polygonalis</i>	1851, 91
<i>pagodarum</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>pumila</i>	1851, 91
<i>pymhopogon</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>sculptilis</i>	1851, 92
<i>Sturnira spectrum</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>tricostata</i>	1851, 90
<i>Sturnopaster contra</i> ..	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>Subergorgia compressa</i>	{ 1857, 288 1859, 482 1857, 159 1857, 288 1859, 482
<i>Sturnus collaris</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>suberosa</i>	{ 1857, 288 1859, 482
<i>dauricus</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>Subula dimidiata</i>	1859, 281
<i>maritimus</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>maculata</i>	1859, 280
<i>militaris</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>Succinea acuta</i>	1849, 132
<i>unicolor</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>asperula</i>	1856, 326
<i>vulgaris</i>	{ 1859, 365 1859, 381 1856, 29 1856, 142 1858, 358 1859, 94 1860, 385 1857, 127 1859, 235	<i>baconii</i>	1854, 298
	{ 1857, 13 1857, 97	<i>bensoni</i>	1849, 133
		<i>bermudensis</i>	1857, 110
		<i>ceylanica</i>	1854, 297
		<i>chinensis</i>	1857, 110
		<i>cingulata</i>	1850, 56
		<i>daucina</i>	1854, 208
		<i>dominicensis</i>	1851, 147
		<i>guamensis</i>	1857, 110
		<i>indica</i>	1849, 133
		<i>margarita</i>	1853, 60
		<i>newcombia</i>	1854, 297
		<i>oregonensis</i>	1856, 220
		<i>pfeifferi</i>	1856, 186
		<i>picta</i>	1849, 133

	Page		Page
<i>Succinea planti</i>	1856, 326	<i>Suya lepida</i>	1855, { 47
<i>punctata</i>	1854, 297		50
<i>pusilla</i>	1849, 134	<i>Sycalis aureipectus</i>	1855, 159
<i>repanda</i>	1854, 123	<i>Sylphitron perlatum</i> ..	1858, 185
<i>rubicunda</i>	1849, 134	<i>Sylvia affinis</i>	1859, 182
<i>salleana</i>	1849, 133	<i>atrata</i>	1854, 26
<i>simplex</i>	1854, 123	<i>atricapilla</i>	1851, 142
<i>solidula</i>	1849, 134	<i>bilneata</i>	1855, 12
<i>strigata</i>	1854, 297	<i>bivittata</i>	1855, 12
<i>subgranosa</i>	1849, 132	<i>caerulecula</i>	1860, 107
<i>tomentosa</i>	1854, 297	<i>caligata</i>	1860, 108
<i>vitrea</i>	1854, 298	<i>ceithiola</i>	1860, 108
<i>Sula alba</i>	1851, 146	<i>chrysophrys</i>	1855, 65
<i>australis</i>	1856, 145	<i>culicivora</i>	1855, 66
	1856, 145	<i>curruca</i>	1858, 493
	1859, 212	<i>dumicola</i>	1855, 12
<i>bassana</i>	1859, 435	<i>erythrogastra</i>	1854, 27
	1860, 328	<i>erythronota</i>	1854, 30
	1860, 371	<i>flavescens</i>	1860, 349
<i>capensis</i>	1856, 145	<i>guzuratta</i>	1854, { 81
	1860, 112		284
<i>cyanops</i>	1856, 145	<i>halseii</i>	{ 1855, 65
	1858, 188		1858, 298
<i>fiber</i>	1860, 366	<i>hortensis</i>	1851, 145
	1856, 144	<i>javanica</i>	1860, 108
	1857, 237	<i>leucogastra</i>	1855, { 12
<i>fusca</i>	1858, 188		151
	1859, 107	<i>leucophaea</i>	1854, 272
<i>piscatrix</i>	1856, 145	<i>leucorrhoea</i>	1850, 216
<i>variegata</i>	1856, 145	<i>longicauda</i>	1854, 81
<i>Sunetta scripta</i>	1851, 232	<i>magellamica</i>	1860, 385
<i>Suricata zenil</i>	1859, 436	<i>melanocausta</i>	1858, 298
<i>Surniculus lugubris</i>	1859, 459	<i>melanoxantha</i>	1856, 110
<i>Sus africanus</i>	1852, 131	<i>mexicana</i>	1858, 299
	1852, 130	<i>modularis</i>	1854, 118
<i>aper</i>	1856, 406	<i>montanella</i>	1854, 118
<i>barbarus</i>	1860, 443	<i>oenanthe</i>	1857, 13
	1848, 73	<i>olivacea</i>	{ 1855, 66
	1850, 158		1856, 291
<i>indicus</i>	1852, 130	<i>phoenicura</i>	1854, 25
	1856, 406	<i>platensis</i>	1860, 384
	1860, 181	<i>rubecula</i>	1851, 142
<i>koiopotamus</i>	1852, 131	<i>rubetra</i>	1857, 215
<i>larvatus</i>	1852, 131	<i>rubicula</i>	1857, 13
<i>papuensis</i>	1858, 107	<i>ruficapilla</i>	1856, 111
<i>penicillatus</i>	1852, 132	<i>sibilatrix</i>	1857, 215
	1850, 158	<i>sutoria</i>	1854, 81
	1858, 531	<i>taeniata</i>	1855, 66
<i>scrofa</i>	1860, 183	<i>tithys</i>	1854, 25
	1860, 443	<i>trochilus</i>	1857, 215
—, var. <i>indicus</i> ..	1856, 406	<i>Sylvicola americana</i> ..	1857, 202
<i>vittatus</i>	1860, { 442	<i>aureola</i>	1860, 291
	443	<i>blackburniae</i>	1854, 111
<i>Suthora webbiana</i>	1852, 72	<i>canadensis</i>	1857, 231
	1851, 195	<i>coronata</i>	1857, 231
<i>Sutoria agilis</i>	1854, 78	<i>palmarum</i>	1857, 231
	1854, 284	<i>superciliosa</i>	1858, 291
<i>Suya atrogularis</i>	1854, 77	<i>taeniata</i>	1856, 291

	Page		Page
<i>Sylvicola virens</i>	1860,	<i>Synallaxis gularis</i>	{ 1859, 192
<i>Sylviothorhynchus</i> ...	1856,		{ 1860, 89
<i>Syma flavirostris</i>	1858,	humicola	1859, 193
tiotoro	1850,	hyposticta	1859, 197
torotoro	1858,	inornata	1859, 194
<i>Symphelotes (Platymop-</i>		kollari	1859, 197
<i>sis) armatulus</i> ..	1859,	laemosticta ..	1859, 192
<i>Symphemia semipalmata</i>	1860,	leucocephala	1859, 197
<i>Synallaxis eegithaloides</i>	1859,	maluroides ..	1859, 193
albescens	{ 1856, 98	modesta	{ 1856, 99
albiceps	{ 1859, 192		{ 1859, 193
	1859, 194	moesta	1856, 26
	{ 1858, 63		{ 1859, 193
albigularis	{ 1858, 456	multostriata ..	{ 1857, 273
	{ 1859, 192		{ 1859, 194
albilora	1859, 193	olivascens ..	1856, 97
alopecias	1859, 197	pallida ..	1859, 192
anthoides	1859, 193	patagonica ..	1859, 197
antisiensis	{ 1858, 457	phryganophila ..	1859, 193
	{ 1859, 192	propinqua ..	1859, 197
azarae	1856, 98		{ 1859, 191
brachyura	1859, 197	pudica	{ 1860, 88
brachyurus	1856, 141		{ 1860, 278
	{ 1856, 99		{ 1860, 294
brunnea	{ 1859, 197	pulvericolor	{ 1858, 62
	{ 1858, 62		{ 1856, 25
brunneicaudalis ...	1858,	ruficapilla	{ 1856, 97
	457		{ 1856, 98
brunneicaudis ...	1859, 192		{ 1859, 192
candei	1859, 194	ruficauda	1859, 193
	{ 1856, 98	ruficeps	1856, 98
caniceps	{ 1859, 194	rufigularis ..	1859, 193
castanea	1859, 193	rutilans ..	1859, 193
	{ 1855, 75	scutata ..	1859, 191
cinerascens	1859, 194	setaria	1859, 194
cinereus	{ 1856, 97		{ 1856, 99
cinnamomea	1859, 194	sordida	{ 1859, 193
	{ 1855, 141		{ 1856, 98
cinnamomeus	{ 1856, 26	spixi	{ 1859, 192
dorsomaculata ..	1859, 193		{ 1859, 191
	{ 1856, 25	stictothorax	1859, 191
elegans ...	{ 1859, 141	striaticeps ..	1859, 193
	{ 1859, 192		{ 1855, 141
erythrops	1860, 66	striaticollis .	{ 1859, 197
	{ 1855, 75	striolata	1859, 197
erythrothorax ...	{ 1856, 288	terrestris	1859, 192
	{ 1859, 192	torquata	1859, 193
	{ 1859, 382	trogodytoides ..	1859, 197
flammula .	1859, 194	unirufa	1859, 194
flammulata .	1860, 76		{ 1855, 141
	{ 1856, 99	unirufus	{ 1856, 26
flavigularis	{ 1859, 193	vulpina	1859, 194
frontalis	1859, 197	<i>Synapta beselii</i>	{ 1858, 360
fuliginiceps ..	1859, 197		{ 1858, 366
fuliginosa .	1859, 192	bidentata	1858, 365
	{ 1855, 141	digitata	{ 1858, 361
fuliginosus ..	{ 1856, 26		{ 1858, 366
	{ 1855, 141	duvernæa	1858, 366
gularis	{ 1856, 26	inhærens	1858, 363

	Page		Page
<i>Synapta inhærens</i>	1858, 366	<i>Tachymenis vivax</i>	1858, { 377
<i>lappa</i>	1858, 366	<i>Tachypetes aquila</i>	1856, { 378
<i>maculata</i>	1858, 366	<i>Tachyphonus albitempo-</i>	144
<i>mamillosa</i>	1858, 366	<i>ralis</i>	1856, 89
<i>radiosa</i>	1858, 366	<i>axillaris</i>	1856, 68
<i>reciprocans</i>	1858, { 364	<i>beauperthuyi</i>	1856, 113
<i>serpentina</i>	1858, { 366	<i>brevipes</i>	1856, 156
<i>verrucosa</i>	1858, { 366	<i>canigularis</i>	1856, 90
<i>vittata</i>	1858, { 364	<i>capistratus</i>	1856, 67
<i>Syncera hepatica</i>	1856, 20	<i>chloricterus</i>	1856, 122
<i>Syntomis cantori</i>	1859, 199	<i>coronatus</i>	1854, 158
<i>crawfurdi</i>	1859, 199	<i>coryphæus</i>	1856, 114
<i>humeralis</i>	1859, 197	<i>cristatus</i>	1855, 155
<i>marsdeni</i>	1859, 197	<i>delattni</i>	1856, 116
<i>penanga</i>	1859, 198	<i>elegans</i>	1856, 139
<i>pfeifferæ</i>	1859, 198	<i>flavinncha</i>	1856, 238
<i>pravata</i>	1859, 199	<i>flavipectus</i>	1856, 90
<i>rafflesi</i>	1859, 198	<i>lacrimosus</i>	1856, 242
<i>vigorsi</i>	1859, 198	<i>leucopterus</i>	1856, 113
<i>walkeri</i>	1859, 199	<i>loricatus</i>	1856, 121
<i>wallacei</i>	1859, 198	<i>luctuosus</i>	{ 1854, 115
<i>Syphonota bipes</i>	1860, 23	<i>lunulatus</i>	{ 1855, 156
<i>elongata</i>	1860, 24	<i>melaleucus</i>	{ 1856, 113
<i>grandis</i>	1860, 23	<i>nigerrimus</i>	1856, 113
<i>Syrnium albigulare</i>	{ 1855, 135	<i>ochropygos</i>	1856, 115
<i>albipunctatum</i>	{ 1858, 132	<i>olivicyaneus</i>	1856, 237
<i>albitarse</i>	{ 1855, 135	<i>palmarum</i>	1856, 84
<i>albogulare</i>	{ 1857, 16	<i>penicillatus</i>	1856, 117
<i>hylophilum</i>	{ 1858, 132	<i>phœniceus</i>	1856, 116
<i>macabrum</i>	{ 1855, 135	<i>quadricolor</i>	1856, 117
<i>nebulosum</i>	{ 1858, 132	<i>ruber</i>	1856, 120
<i>polygrammicum</i>	1858, 295	<i>ruficeps</i>	1856, { 108
<i>rufipes</i>	1858, 132	<i>ruficollis</i>	1856, { 112
<i>selo-puto</i>	1854, 263	<i>ruficularis</i>	1856, 118
<i>squamulatum</i>	{ 1856, 285	<i>rufiventer</i>	1856, 269
<i>virgatum</i>	{ 1858, 132	<i>rufiventris</i>	1856, 115
<i>zonocercum</i>	{ 1855, 135	<i>sanguinolentus</i>	1857, 264
<i>zonocercus</i>	{ 1856, 285	<i>saucius</i>	1856, 132
<i>Syrnhaptis paradoxus</i>	1850, 92	<i>semmrostris</i>	1856, 116
<i>tibetanus</i>	{ 1850, 92	<i>suchii</i>	1856, 116
<i>tibetanus</i>	{ 1858, 502	<i>sumptuosus</i>	1856, 238
<i>tibetanus</i>	{ 1859, 186	<i>surinamus</i>	1856, 114
<i>Tachydromus asiaticus</i>	1855, 82	<i>tæniatus</i>	1857, 264
<i>fordii</i>	1858, 155	<i>tenurostris</i>	1856, 237
		<i>valerii</i>	1856, 114
		<i>versicolor</i>	1856, 119
		<i>victorini</i>	1856, 238

	Page		Page
<i>Tachyphonus vigorsii</i> ...	1856, 114	<i>Tanagra analis</i>	1856, 243
	1854, 158	<i>archiepiscopus</i>	1856, 234
<i>xanthopygius</i>	1855, 83	<i>argentata</i>	1856, 233
	1855, 156	<i>argentea</i>	1856, 255
	1856, 116	<i>arthus</i>	1856, 251
<i>Tachyspiza soloensis</i> ..	1860, 344	<i>assumilis</i>	1856, 85
<i>Tadorna radjah</i>	1860, 365	<i>atra</i>	1856, 67
	1859, 436	<i>atricapilla</i>	1856, 118
<i>vulpanser</i>	1859, 442		259
	1860, 339	<i>atricollis</i>	1856, 77
	1860, 372	<i>aureata</i>	1856, 272
<i>Tania bremseri</i>	1853, 23	<i>aurocapilla</i>	1856, 117
<i>calva</i>	1853, 24	<i>auricrissa</i>	1856, 236
<i>denticula</i>	1853, 24	<i>aurelenta</i>	1856, 250
<i>expansa</i>	1853, 24	<i>axillaris</i>	1856, 68
<i>falciformis</i>	1853, 24	<i>barbadensis</i>	1856, 256
<i>goezii</i>	1853, 24	<i>bonariensis</i>	1856, 121
<i>sulciceps</i>	1859, 111	<i>brasilia</i>	1856, 127
<i>zederi</i>	1853, 24	<i>brasilhensis</i>	1856, 256
<i>Taniotera alpina</i> ..	1860, 78	<i>brunnea</i>	1856, 115
	1851, 193		1855, 157
<i>erythropygia</i>	1860, 78		1856, 232
<i>rufiventris</i>	1859, 331	<i>cana</i>	1856, 139
	1851, 193		1860, 274
<i>striaticollis</i>	1855, 77		1860, 292
	1860, 92	<i>capistrata</i>	1856, 67
<i>variegata</i>	1859, 331	<i>cayana</i>	1856, 252
<i>Talegalla lathamii</i>	1860, 426		279
	1858, 187	<i>cayennensis</i> ...	1856, 279
<i>Talegallus cuvieri</i>	1859, 150	<i>chalybea</i>	1856, 276
<i>Talpa cryptura</i> ..	1856, 399	<i>chlorocyanæa</i>	1856, 279
<i>europæa</i>	1860, 206	<i>chloroptera</i>	1856, 253
<i>micrura</i> ...	1856, 399	<i>chlorotica</i>	1856, 273
<i>Talpacotia rufipennis</i> ..	1858, 359	<i>chrysocome</i>	1856, 238
<i>Tamandua tetradactyla</i> ..	1860, 262		235
<i>Tamatia erythropygia</i> ..	1859, 399	<i>chrysogaster</i>	1856, 272
<i>gigas</i>	1855, 193		279
<i>hyperrhynchus</i> ...	1855, 193	<i>chrysolopha</i>	1856, 243
<i>pulmentum</i>	1855, 194	<i>crinella</i>	1856, 247
	72	<i>coelestis</i>	1854, 115
	230		1856, 232
	232	<i>columbiana</i>	1856, 125
	235	<i>conspicillata</i>	1856, 67
	246		1855, 157
<i>Tanagra</i> — ?	1856, 247	<i>constantii</i>	1856, 241
	254	<i>coryphæa</i>	1856, 114
	269	<i>cristata</i>	1856, 115
	270	<i>cucullata</i>	1856, 239
	272	<i>cyanicollis</i>	1856, 262
	273	<i>cyaniha</i>	1856, 233
	1856, 235		1856, 236
<i>abbas</i>	1858, 358		1856, 247
	1859, 364		1860, 139
	1859, 378		63
<i>æstiva</i>	1856, 123	<i>cyanomelas</i>	1856, 268
<i>affinis</i>	1856, 274	<i>cyanoptera</i>	1856, 233
<i>albirostris</i>	1856, 128	<i>cyaniventris</i>	1856, 247
<i>analis</i>	1856, 227	<i>darwini</i>	1856, 235

	Page		Page
<i>Tanagra darwini</i>	{ 1858, 450 1858, 453 1858, 551 1860, 86 1856, 113	<i>Tanagra melanonota</i>	1856, 265
<i>desmaresti</i>	{ 1856, 142 1856, 233 1856, 303 1859, 59 1859, 364	<i>melanopsis</i>	1856, 67
<i>diaconus</i>	{ 1856, 241 1856, 243 1856, 78 1856, 247	<i>melanoptera</i>	{ 1856, 235 1858, 74 1858, 453 1860, 292
<i>diademata</i>	1856, 241	<i>melanotha</i>	1856, 265
<i>dubusia</i>	1856, 243	<i>mexicana</i>	1856, 257
<i>duphanta</i>	1856, 78	<i>mississippiensis</i>	1856, 123
<i>elegans</i>	1856, 247	<i>montana</i>	1856, 239
<i>episcopus</i>	{ 1855, 157 1856, 231 1856, 233	<i>multicolor</i>	1856, 230
<i>erythromelas</i>	{ 1855, 156 1856, 126	<i>musica</i>	1856, 271
<i>erythrotis</i>	1856, 241	<i>muta</i>	1856, 72
<i>eximia</i>	1856, 240	<i>nigerrima</i>	1856, 113
<i>fasciata</i>	1856, 68	<i>nigricephala</i>	1856, 230
<i>fastuosa</i>	1856, 246	<i>nigricollis</i>	1856, 109
<i>festiva</i>	1856, 246	<i>nigrigula</i>	1856, 109
<i>flammiceps</i>	1856, 119	<i>nigrogularis</i>	1856, 128
<i>flava</i>	1856, 253	<i>nigroviridis</i>	1856, 260
<i>flavifrons</i>	1856, 271	<i>nour</i>	1856, 113
<i>flavinucha</i>	1856, 238	<i>notabilis</i>	{ 1855, 84 1856, 239
<i>flaviventris</i>	1856, 257	<i>occipitalis</i>	1856, 66
<i>flavivertex</i>	1856, 238	<i>olivacea</i>	1856, 274
<i>formosa</i>	1856, 253	<i>olivascens</i>	1856, 234
<i>frugilegus</i>	{ 1854, 97 1856, 235 1858, 453	<i>olivicyanea</i>	1856, 237
<i>fumigata</i>	1856, 113	<i>ornata</i>	1856, 234
<i>glaucia</i>	1856, 232	<i>palmarum</i>	{ 1855, 157 1856, 234 1856, 235 1855, 157
<i>graminea</i>	1856, 250	<i>palpebrosa</i>	1856, 242
<i>grandis</i>	1856, 72	<i>partialis</i>	1856, 115
<i>gubernatrix</i>	1856, 115	<i>parzudakii</i>	1856, 263
<i>gyrola</i>	{ 254 255	<i>penicillata</i>	{ 1855, 156 1856, 117
<i>hirundinacea</i>	1856, 112	<i>peruviana</i>	1856, 254
<i>ignescens</i>	1856, 128	<i>puleata</i>	1856, 109
<i>igniventris</i>	1856, 241	<i>porphyrio</i>	1856, 119
<i>inornata</i>	1856, 233	<i>praelata</i>	1856, 233
<i>iridina</i>	{ 1856, 267 1857, 264	<i>prasina</i>	1856, 78
<i>jacapa</i>	1856, 128	<i>pretrei</i>	1856, 231
<i>jularis</i>	1856, 77	<i>psittacina</i>	1856, 64
<i>labradorides</i>	1856, 262	<i>punctata</i>	1856, 248
<i>leucocampter</i>	1856, 116	<i>rietheri</i>	1856, 78
<i>leucocephala</i>	1856, 241	<i>roux</i>	1856, 67
<i>leucophæa</i>	1856, 67	<i>rubra</i>	1856, 123
<i>loricata</i>	1856, 121	<i>rubricollis</i>	1856, 121
<i>ludoviciana</i>	1856, 125	<i>rubrigularis</i>	1856, 121
<i>lunulata</i>	1856, 241	<i>rufa</i>	1856, 113
<i>magna</i>	1856, 70	<i>ruficervix</i>	1856, 259
<i>maximiliani</i>	1856, 236	<i>ruficollis</i>	1856, 269
		<i>rufiventer</i>	1856, 115
		<i>rufiventris</i>	1856, 279
		<i>saura</i>	1856, 124
		<i>sanguinolenta</i>	1856, 132
		<i>savaca</i>	1856, 233
		<i>schistacea</i>	1856, 88

	Page		Page
<i>Tapirus americanus</i> ..	{ 1851, 121 1859, 51 1860, 181 1860, 261 1860, 261	<i>Tellina cuspidata</i>	1854, 360
<i>suillus</i>	1860, 261	<i>decolorata</i>	1854, 370
<i>Tarandus rangifer</i>	1850, 225	<i>delicatula</i>	1854, 163
<i>sylvestris</i>	1850, 225	<i>denticulata</i>	1854, 365
<i>Tardivola macroura</i>	1856, 30	<i>deshayesi</i>	1856, 160
<i>Tarentola ægyptiaca</i> ...	1849, 95	<i>dialeuca</i>	1854, 368
<i>mauritania</i>	{ 1859, 470 473 476	<i>diaphana</i>	1854, 364
<i>Taracha torsa</i>	1858, 138	<i>diemenensis</i>	1854, 361
<i>Tarsiger superciliosus</i> ..	1854, 76	<i>dilatata</i>	1854, 359
<i>Tatao fastuosus</i>	1856, 246	<i>discula</i>	1854, 360
<i>festiva</i>	1856, 247	<i>dissimilis</i>	1854, 370
<i>larvatus</i>	1856, 260	<i>donaciformis</i>	1854, 357
<i>paradisea</i>	1856, 244	<i>dubia</i>	1854, 371
<i>tricolor</i>	1856, 246	<i>edentula</i>	1856, 213
<i>yeni</i>	1856, 245	<i>egregia</i>	1854, 366
<i>Tatusia affinis</i>	1851, 212	<i>fabagella</i>	1854, 355
<i>hybrida</i>	1851, 213	<i>flammula</i>	1854, 367
<i>septemcincta</i>	1851, 212	<i>gemma</i>	1856, 200
<i>Tautoga parila</i>	1850, 70	<i>glabrella</i>	1854, 366
<i>Taxidea leucura</i>	1856, 398	<i>grata</i>	1854, 369
<i>leucurus</i>	1853, 190	<i>gratiosa</i>	1854, 369
<i>Tchutrea affinis</i>	1854, 270	<i>incerta</i>	1854, 367
<i>melampyra</i>	1860, 111	<i>inquinata</i>	1854, 357
<i>paradisi</i>	{ 1857, 89 1858, 495	<i>japonica</i>	1854, 265
<i>Tectula albersii</i>	1854, 192	<i>layardii</i>	1854, 357
<i>bulveriana</i>	1854, 192	<i>leda</i>	1854, 364
<i>lyelliana</i>	1854, 191	<i>ligamentina</i>	1856, 213
<i>tectiformis</i>	1854, 192	<i>mazatlanica</i>	1854, 359
<i>Tectura radiata</i>	1860, 437	<i>miniata</i>	1856, 199
<i>Tedinia pernoides</i>	1851, 198	<i>moesta</i>	1854, 361
<i>Tegenaria antipodiana</i> ..	1849, 5	<i>moretonensis</i>	1854, 355
<i>Tegula pellis-serpentis</i> {	{ 1851, 152 1856, 44	<i>nasuta</i>	1856, 213
<i>Teinostoma politum</i>	1853, 184	<i>nitens</i>	1854, 358
<i>Teleopus luxatus</i>	1860, 395	<i>nucleolus</i>	1854, 355
<i>Telephonus cucullatus</i> ..	1858, 292	<i>obesa</i>	1854, 354
<i>minutus</i>	1858, 292	<i>obliquaria</i>	1854, 356
<i>Tellina abbreviata</i>	1854, 362	<i>obtusalis</i>	1854, 356
<i>ængmatica</i>	1849, 118	<i>ornata</i>	1854, 370
<i>æqualis</i>	1854, 358	<i>petalma</i>	1854, 367
<i>alta</i>	1856, 213	<i>pretiosa</i>	1854, 360
<i>amboynensis</i>	1854, 366	<i>pura</i>	1856, 199
<i>amcena</i>	1854, 369	<i>radians</i>	1854, 366
<i>attenuata</i>	1854, 363	<i>recurva</i>	1854, 361
<i>australis</i>	1854, 362	<i>resecta</i>	1854, 364
<i>brevirostris</i>	1854, 362	<i>rombergi</i>	1854, 355
<i>callosa</i>	1854, 361	<i>rubella</i>	1854, 364
<i>clausa</i>	1854, 360	<i>rubra</i>	1854, 364
<i>compressa</i>	1854, 359	<i>rufa</i>	1854, 367
<i>contabulata</i>	1854, 356	<i>sanguinolenta</i>	1854, 359
<i>contorta</i>	1854, 359	<i>secta</i>	1856, 213
<i>crassula</i>	1854, 354	<i>semiaspera</i>	1854, 365
		<i>sieboldii</i>	1854, 368
		<i>silicula</i>	1854, 363
		<i>solenella</i>	1854, 365
		<i>splendida</i>	1854, 370
		<i>squamifera</i>	1854, 365
		<i>squamulosa</i>	1849, 169
		<i>straminea</i>	1854, 363

	Page		Page
<i>Tellina strangei</i>	1854, 362	<i>Tenagodus polygonus</i> ...	1860, 411
<i>suensoni</i>	1854, 358		414
<i>sulcatina</i>	1854, 308	<i>porosa</i>	1860, 411
<i>tersa</i>	1856, 199		414
<i>tessellata</i>	1854, 302	<i>roseus</i>	1860, 411
<i>textilis</i>	1854, 357		414
<i>ticaonica</i>	1854, 358		403
<i>tistis</i>	1854, 361	<i>ruber</i>	1860, 411
<i>turgida</i>	1854, 354		414
<i>ventricosa</i>	1854, 356	<i>senegalensis</i>	1860, 414
<i>venusta</i>	1854, 368	<i>spinosa</i>	1860, 414
<i>vinosa</i>	1854, 369	<i>spiralis</i>	1860, 414
(<i>Areopagia</i>) <i>siamensis</i>	1860, 18	<i>squamata</i>	1860, 411
<i>Telmatobius peruvianus</i>	1858, 343		414
<i>Telophonus senegalus</i> ..	1850, 217	<i>striatus</i>	1860, 411
<i>Temnodon saltator</i> ...	1850, 248		414
<i>vadigo</i>	1850, 248	<i>sulcatus</i>	1860, 411
<i>Temnopleurus tchitrea</i> ..	1855, 36		414
	127	<i>terebella</i>	1860, 415
<i>Temognatha imperatrix</i> ..	1859, 120	<i>tuberculata</i>	1860, 415
<i>Tenagodus ammonoides</i> ..	1860, 412	<i>variegata</i>	1860, 415
<i>angulus</i>	1860, 412	<i>vitis</i>	1860, 415
<i>anguinarius</i>	1860, 412	<i>volvex</i>	1860, 415
	402	(<i>Pyxipoma</i>) <i>anguilla</i> ..	1860, 410
<i>anguinus</i>	1860, 411		412
	412	(—) <i>cylindrella</i> ..	1860, 410
<i>annularis</i>	1860, 412		413
<i>archimedis</i>	1860, 412	(—) <i>lacteus</i>	1860, 409
<i>clairbonensis</i>	1860, 413		413
<i>costæ</i>	1860, 413	(—) <i>tahitensis</i> ..	1860, 410
<i>cristata</i>	1860, 413		414
<i>dubius</i>	1860, 411	(<i>Siliquarius</i>) <i>aus-</i>	1860, 406
	413	<i>tralis</i>	1860, 412
<i>echinata</i>	1860, 413	(—) <i>comifer</i>	1860, 404
<i>florina</i>	1860, 411	(—) <i>cumingii</i> ..	1860, 403
	413	(—) <i>encausticus</i> ..	1860, 408
<i>furcellus</i>	1860, 411	(—) <i>ferruginea</i> ..	1860, 413
	413	(—) <i>ferruginea</i> ..	1860, 407
	402	(—) <i>incisus</i>	1860, 408
<i>gigas</i>	1860, 411		413
	418	(—) <i>japonica</i>	1860, 405
<i>glabra</i>	1860, 413	(—) <i>lævilirata</i> ..	1860, 405
<i>graniti</i>	1860, 413	(—) <i>lineata</i>	1860, 408
<i>lævigata</i>	1860, 411	(—) <i>lumbicalis</i> ..	1860, 405
	413	(—) <i>multilirata</i> ..	1860, 406
<i>lævis</i>	1860, 413	(—) <i>obtusius</i>	1860, 407
<i>lima</i>	1860, 411		414
	413	(—) <i>platyomphala</i> ..	1860, 405
<i>multistriatus</i>	1860, 411	(—) <i>ponderosus</i> ..	1860, 409
	414		414
<i>muricata</i>	1860, 414	(—) <i>rosea</i>	1860, 409
<i>occlusus</i>	1860, 411	(—) <i>rudis</i>	1860, 404
	414	(—) <i>scalariformis</i> ..	1860, 406
<i>ornata</i>	1860, 414	(—) <i>tænata</i>	1860, 406
<i>papillosa</i>	1860, 411	(—) <i>tostus</i>	1860, 405
	414		415
<i>polygonus</i>	1860, 403	(—) <i>trochlearis</i> ..	1860, 408
			413

	Page		Page
<i>Tephrodornis gularis</i> ..	1854, 272 1860, 354 1857, 92	<i>Terebra bifrons</i>	1859, 297 1859, 284 1860, 449
<i>pondicerianus</i>	1858, 489 1859, 180 1859, 275	<i>bipartita</i>	1859, 313 1860, 450 1859, 298
<i>Terebra aciculata</i>	1860, 449 1859, 316 1859, 287	<i>bitorquata</i>	1859, 288 1860, 449 1859, 296
<i>aciculina</i>	1860, 449 1859, 315 1860, 450	<i>blanda</i>	1859, 297 1859, 316 1859, 282
<i>acumen</i>	1859, 201 1860, 449 1859, 293	<i>bourguignati</i>	1859, 304 1859, 290 1859, 287
<i>acuta</i>	1859, 299 1860, 449 1859, 296	<i>brevicula</i>	1859, 305 1859, 317 1859, 450
<i>adansoni</i>	1859, 316 1859, 301 1860, 450	<i>brugueri</i>	1859, 284 1860, 449 1859, 290
<i>adita</i>	1859, 295 1860, 450 1859, 314	<i>buccinordea</i>	1859, 300 1860, 449 1859, 299
<i>affinis</i>	1859, 288 1860, 449 1859, 298	<i>buccinulum</i>	1859, 295 1860, 450 1859, 309
<i>africana</i>	1859, 315 1860, 450 1859, 297	<i>cæolata</i>	1859, 280 1860, 450 1859, 305
<i>alba</i>	1859, 291 1860, 449 1859, 306	<i>cærulescens</i>	1859, 308 1860, 450 1859, 313
<i>albicosta</i>	1859, 286 1860, 449 1859, 302	<i>caliginosa</i>	1859, 300 1860, 450 1859, 317
<i>albida</i>	1859, 309 1860, 450 1859, 303	<i>cancellata</i>	1859, 305 1860, 450 1859, 317
<i>alvocincta</i>	1859, 298 1860, 449 1859, 298	<i>carnea</i>	1859, 284 1860, 449 1859, 290
<i>albomarginata</i>	1859, 315 1860, 450 1859, 314	<i>casta</i>	1859, 300 1860, 449 1859, 299
<i>albula</i>	1859, 288 1860, 449 1859, 298	<i>castanea</i>	1859, 300 1860, 449 1859, 299
<i>alveolata</i>	1859, 315 1860, 450 1859, 297	<i>cerithina</i>	1859, 295 1860, 450 1859, 309
<i>amanda</i>	1859, 291 1860, 449 1859, 306	<i>chilensis</i>	1859, 295 1860, 450 1859, 309
<i>amcena</i>	1859, 299 1860, 450 1859, 302	<i>chinensis</i>	1859, 280 1860, 450 1859, 305
<i>anomala</i>	1859, 284 1860, 449 1859, 299	<i>chlorata</i>	1859, 305 1860, 450 1859, 291
<i>apicina</i>	1859, 299 1860, 450 1859, 314	<i>cinctella</i>	1859, 280 1860, 450 1859, 305
<i>approximata</i>	1859, 309 1860, 450 1859, 303	<i>cinerea</i>	1859, 278 1860, 449 1859, 313
<i>archimedis</i>	1859, 286 1860, 449 1859, 302	<i>cingula</i>	1859, 315 1860, 450 1859, 316
<i>areolata</i>	1859, 306 1860, 450 1859, 306	<i>cingulifera</i>	1859, 315 1860, 450 1859, 316
<i>argenvillii</i>	1859, 309 1860, 450 1859, 303	<i>circinata</i>	1859, 283 1860, 450 1859, 299
<i>argus</i>	1859, 206 1860, 449 1859, 276	<i>circumcincta</i>	1859, 299 1860, 450 1859, 310
<i>arguta</i>	1859, 293 1860, 450 1859, 302	<i>columellaris</i>	1859, 309 1860, 450 1859, 310
<i>armillata</i>	1859, 300 1860, 449 1859, 306	<i>columnaris</i>	1859, 309 1860, 450 1859, 287
<i>aspera</i>	1859, 310 1860, 450 1859, 285	<i>commaculata</i>	1859, 287 1860, 449 1859, 308
<i>babylonia</i>	1859, 285 1860, 449 1859, 300	<i>concinna</i>	1859, 308 1860, 450 1859, 309
<i>bacillus</i>	1859, 306 1860, 450 1859, 300	<i>consobrina</i>	1859, 309 1860, 449 1859, 309
<i>badia</i>	1859, 300 1860, 450 1859, 293	<i>consors</i>	1859, 450 1860, 450 1859, 306
<i>belcheri</i>	1859, 300 1860, 450 1859, 286	<i>conspersa</i>	1859, 286 1860, 450 1859, 300
<i>bermonti</i>	1859, 293 1860, 450 1859, 295	<i>continua</i>	1859, 300 1860, 450 1859, 313
<i>bernardii</i>	1859, 295	<i>copula</i>	1859, 313 1860, 450
<i>bicincta</i>		<i>corrugata</i>	

	Page
<i>Terebra cosentini</i>	{ 1859, 275 1860, 449
costata	{ 1859, 282 317
crassidula	1859, 282
crassula	1860, 449
crenifera	{ 1859, 298 1860, 450
crenulata	{ 1859, 276 1860, 449
crossii	{ 1859, 289 1860, 449
cumingii	1859, 311
cuspidata	1859, 285
decorata	{ 1859, 314 1860, 450
decussata	1859, 305
difficilis	1859, 304
dillwynii	1859, 279
dimidiata	{ 1859, 281 1860, 449
dislocata	1859, 295
dispar	1859, 284
dunkerii	1859, 285
duplicata	{ 1859, 292 1860, 449
dussumieri	1859, 292
eburnea	{ 1859, 280 1859, 285 1860, 449
elata	1859, 304
elegans	1859, 317
elongata	1859, 317
evoluta	1859, 292
exigua	1859, 301
eximia	1859, 314
fatua	{ 1859, 278 1860, 449
felina	1859, 317
fenestrata	1859, 311
festiva	{ 1859, 278 1860, 449
fictilis	1859, 306
fimbriata	{ 1859, 276 1860, 449
	{ 1859, 280 1859, 309
flammea	{ 1859, 318 1860, 450
flava	1859, 301
flavescens	1859, 299
formosa	{ 1859, 180 1859, 307
fortunii	1859, 312
fulgurata	1859, 276
funiculata	{ 1859, 312 1860, 450
fusca	1859, 318

	Page
<i>Terebra fuscomaculata</i> ..	1859, 318
geminata	{ 1859, 296 1860, 450
gemmulata	{ 1859, 294 1860, 449
	{ 1860, 450 1859, 281
glabra	{ 1860, 449 1859, 302
glauca	{ 1859, 302 1860, 450
gouldi	1859, 278
gracilis	{ 1859, 306 318
granulosa	1859, 318
hastata	{ 1859, 282 1860, 449
hindsi	1859, 295
	{ 1860, 450 1859, 308
histrio	1859, 308
hopei	1859, 309
hupei	1860, 450
incolor	1859, 283
	{ 1860, 449 1859, 307
incomparabilis ...	1860, 450
inconstans	{ 1859, 291 1860, 449
insignis	1859, 308
	{ 1860, 450 1859, 277
interlineata	1859, 303
intertincta	{ 1859, 303 1860, 450
	{ 1859, 290 1860, 449
jamaicensis	1859, 293
jukesii	1859, 294
kleneri	1859, 318
knorii	1859, 285
lactea	{ 1859, 285 1860, 449
laevigata	1859, 310
laevis	1859, 318
lamarckii	{ 1859, 292 1860, 449
lanceata	1859, 283
larviformis	1859, 303
laurina	{ 1859, 290 1860, 449
lepida	1859, 288
ligata	1859, 308
lima	1859, 312
lineolata	1859, 318
lingualis	{ 1859, 308 1860, 450
longiscata	1859, 294
loroisi	{ 1859, 313 1860, 450
	{ 1859, 290 1860, 449
luctuosa	1860, 449

	Page		Page
<i>Terebra maculata</i>	1859, { 280 318	<i>Terebra pretiosa</i>	1859, 311
<i>marginata</i>	{ 1859, 296 1860, 450	<i>pulchella</i>	1859, 297
<i>marmorata</i>	1859, 279	<i>pulchra</i>	1859, 301
<i>matheroniana</i>	{ 1859, 287 1860, 449	<i>punctata</i>	1859, { 313 320
<i>mera</i>	{ 1859, 286 1860, 449	<i>punctatostriata</i>	1859, 320
<i>micans</i>	{ 1859, 291 1860, 449	<i>puncticulata</i>	{ 1859, 280 1860, 450
<i>modesta</i>	{ 1859, 288 1860, 449	<i>punctulata</i>	1859, 320
<i>monilis</i>	1859, 312	<i>pura</i>	1859, 281
<i>muscaria</i>	1859, 281	<i>pygmaea</i>	1859, 289
<i>myuros</i>	{ 1859, 309 1860, 450	<i>radula</i>	1859, 302
<i>nana</i>	1859, 291	<i>raphanula</i>	1859, 279
<i>nassoides</i>	1859, 306	<i>reevei</i>	{ 1859, 277 1860, 449
<i>nebulosa</i>	1859, { 298 313 319	<i>regina</i>	{ 1859, 311 1860, 450
<i>nimbosa</i>	1859, 289	<i>robusta</i>	{ 1859, 307 1860, 450
<i>nitida</i>	{ 1859, 288 1860, 449	<i>roseata</i>	1859, 300
<i>nodosoplicata</i>	{ 1859, 276 1860, 449	<i>rudis</i>	{ 1859, 302 1860, 450
<i>nodularis</i>	1859, 295	<i>rufocinerea</i>	{ 1859, 295 1860, 450
<i>nubeculata</i>	1859, 319	<i>rustica</i>	1859, 306
<i>obesa</i>	1859, 283	<i>salleana</i>	1859, 287
<i>obsoleta</i>	1859, 310	<i>scabrella</i>	{ 1859, 309 1860, 450
<i>oculata</i>	{ 1859, 307 1860, 450	<i>senegalensis</i>	{ 1859, 319 1860, 449
<i>ornata</i>	1859, 307	<i>serotina</i>	1859, 312
<i>pallida</i>	{ 1859, 311 1860, 450	<i>solida</i>	1859, 282
<i>patagonica</i>	{ 1859, 277 1860, 449	<i>souleyeti</i>	1859, 303
<i>peasii</i>	1859, 302	<i>sowerbyana</i>	1859, 277
<i>penicillata</i>	1859, 283	<i>speculata</i>	1859, 303
<i>pertusa</i>	{ 1859, 298 1860, 450	<i>speciosa</i>	{ 1859, 279 1860, 449
<i>petitii</i>	1859, { 295 319	<i>spectabilis</i>	{ 1859, 294 1860, 450
<i>petivermana</i>	{ 1859, 302 1860, 450	<i>splendens</i>	{ 1859, 281 1860, 449
<i>philippiana</i>	1859, 289	<i>straminea</i>	{ 1859, 311 1860, 450
<i>picta</i>	{ 1859, 305 1860, 450	<i>striata</i>	{ 1859, 299 310 320
<i>plicata</i>	1859, 303	<i>striatula</i>	1859, 320
<i>plicatella</i>	{ 1859, 293 1860, 449	<i>strigata</i>	1859, 280
<i>plumbea</i>	{ 1859, 305 1860, 449	<i>strigilata</i>	{ 1859, 291 1860, 449
<i>polita</i>	1859, 319	<i>stylata</i>	{ 1859, 290 1860, 449
<i>polygyrata</i>	1859, 301	<i>subangulata</i>	1859, 300
<i>praelonga</i>	1859, 315	<i>subdivisa</i>	1859, 306
		<i>subnodosa</i>	{ 1859, 295 1860, 450
		<i>subulata</i>	1859, 307

	Page		Page
<i>Terebra succinea</i>	1859, 312	<i>Testacella maugei</i>	1854, 163
<i>swainsoni</i>	1859, 299	<i>Testudo denticulata</i>	1858, 166
<i>taniolata</i>	1859, { 310	<i>elephantopus</i>	1853, 12
<i>tahitensis</i>	1859, 320	<i>elongata</i>	1856, 181
<i>tenera</i>	1859, 289	<i>emys</i>	1849, 144
<i>tessellata</i>	{ 1859, 314	<i>erosa</i>	1858, 166
<i>textilis</i>	1859, 301	<i>gopher</i>	{ 1849, 17
<i>tiarella</i>	1859, 276	{ 1856, 181
<i>tigrina</i>	1859, 281	<i>græca</i>	{ 1856, 182
<i>torquata</i>	1859, 304	<i>horsfieldi</i>	1860, 415
<i>traiilli</i>	1859, 285	<i>indica</i>	1853, 12
<i>tricolor</i>	1859, 310	<i>mauritanica</i>	1848, 38
<i>triseriata</i>	1859, 315	<i>planiceps</i>	1853, 12
<i>tristis</i>	1859, 306	<i>radiata</i>	{ 1858, 166
<i>trochlea</i>	1859, 277	{ 1860, 371
<i>tuberculosa</i>	1859, 303	<i>schoepfii</i>	1858, 166
<i>tuberosa</i>	1859, 303	<i>senegalensis</i>	1858, 166
<i>undatella</i>	{ 1859, 300	<i>sulcata</i>	1858, 166
.....	1860, 450	<i>tabulata</i>	{ 1848, 38
<i>undulata</i>	{ 1859, 298	{ 1856, 181
.....	1860, 450	<i>Tetrabothrium gerrardii</i> ..	1860, 448
<i>ustulata</i>	1859, 294	<i>Tetracerus iodes</i>	1850, 117
<i>varicosa</i>	1859, 303	<i>paccerois</i>	1850, 117
<i>variegata</i>	{ 1859, 296	{ 1850, 117
.....	1860, 450	<i>quadricornis</i>	{ 1850, 170
<i>venosa</i>	1859, 283	{ 1858, 522
.....	1860, 449	<i>subquadricornutus</i> .	1850, { 117
<i>verreauxi</i>	1859, 286	{ 170
.....	1860, 449	<i>Tetragonops</i>	1857, 268
<i>violascens</i>	1859, 305	<i>Tetragonopterus senes</i> ..	1860, 319
<i>virginea</i>	{ 1859, 310	<i>peruanus</i>	1859, 90
.....	1860, 450	<i>rutilus</i>	1860, 234
<i>vittata</i>	1859, 321	<i>Tetrao coturnix</i>	1858, 504
<i>zebra</i>	{ 1859, 280	<i>francolinus</i>	1858, 502
.....	321	{ 1858, 1
<i>Terebratella australis</i> ..	1852, 76	<i>obscurus</i>	{ 1859, 236
<i>bouchardii</i>	1852, 77	<i>Tetraogallus himalay-</i>	1858, 501
<i>californiana</i>	1852, 76	<i>ensis</i>	{ 1859, 186
<i>cumingii</i>	1852, 78	<i>tibetanus</i>	1853, 47
<i>dorsata</i>	1852, 76	<i>Tetrarhynchus rugosus</i> .	1853, 22
<i>evansii</i>	1852, 77	<i>strangulatus</i>	1853, 23
<i>grayii</i>	1852, 76	<i>Thais fuscus</i>	1851, 230
<i>rubicunda</i>	1852, 76	<i>hæmastoma</i>	1851, 230
<i>spitzbergensis</i>	1852, 78	<i>minuta</i>	1851, 230
<i>zealandica</i>	1852, 77	<i>patula</i>	1851, 230
<i>Terebratula capensis</i> ...	1852, 80	<i>persica</i>	1851, 230
<i>caput-serpentis</i> ...	1856, 368	<i>Thala roseata</i>	1854, 135
<i>depressa</i>	1852, 79	<i>Thalasseus torresii</i>	1858, 188
<i>neapolitana</i>	1852, 81	<i>Thalassidroma hornbyi</i> .	1853, 62
<i>seminulum</i>	1852, 81	{ 1859, 98
<i>Terebratulina cumingii</i> .	1852, 79	<i>neréis</i>	{ 1860, 390
<i>Teredo arenaria</i>	1858, 258	<i>ThalHELLa ornata</i>	1848, 44
<i>navalis</i>	1857, 245	<i>Thalotia australis</i>	1851, 172
<i>norvegica</i>	{ 1857, 245	<i>crenellifera</i>	1851, 173
.....	246	<i>elongata</i>	1851, 172
<i>Testacella haliotideæ</i> ...	1854, 163	<i>lehmanni</i>	1851, 172
		<i>obscura</i>	1851, 172

	Page		Page
<i>Thalotia picta</i>	1851, 172	<i>Thamnophilus capistratus</i>	1858, 218
<i>pulcherrima</i>	1851, 172	<i>capitalis</i>	1858, { 65
<i>pyrgos</i>	1851, 172		214
<i>strigata</i>	1851, 172	<i>cinereus</i>	1858, 207
<i>suturalis</i>	1851, 173	<i>cinnamomeus</i>	1858, { 209
<i>tringulata</i>	1851, 173		249
<i>zebrides</i>	1851, 173	<i>cirrhatu</i>	1858, 215
<i>zebuensis</i>	1851, 172		{ 1855, 69
<i>Thalurania colombica</i> ..	1855, 141	<i>corvinus</i>	{ 1858, 65
<i>tschudii</i>	{ 1858, 460		{ 1858, 210
	1860, 312	<i>cristatellus</i>	1858, 207
<i>verticeps</i>	1860, 95	<i>cristatus</i>	1858, 215
	{ 1848, 13		{ 1856, 141
<i>viridipectus</i>	{ 1854, 111		1856, 295
	1857, 16		1858, 217
<i>Thalurina columbiana</i> ..	1852, 8	<i>doliatus</i>	{ 1858, 457
<i>eriphile</i>	1852, 9		{ 1859, 57
<i>furcata</i>	1852, 8		1859, 303
<i>glaucois</i>	1852, 9		{ 1859, 383
<i>nigrofasciata</i>	1852, 8	<i>fasciatus</i>	1858, 220
<i>refulgens</i>	1852, 9	<i>ferrugineus</i>	1858, 213
<i>venusta</i>	1852, 9		{ 208
<i>verticeps</i>	1852, 9	<i>fuliginosus</i>	1858, { 222
<i>viridipectus</i>	1852, 9		207
<i>wagleri</i>	1852, 9	<i>gigas</i>	1858, 238
<i>watertoni</i>	1852, 9		{ 239
<i>Thamnistes anabatinus</i> ..	1860, 299	<i>griseus</i>	1858, { 288
	{ 1854, 142		235
<i>Thamnobia fuscata</i> ..	{ 1857, 94	<i>gularis</i>	1858, { 208
	1858, 491	<i>guttatus</i>	1858, { 249
<i>Thamnocenchris aurifer</i> ..	1860, 459		{ 1855, 70
<i>Thamnomanes caesius</i> ..	1858, 223	<i>hyperythrus</i>	{ 1858, 211
	{ 27		{ 1855, 148
<i>glaucus</i>	1858, { 223		1858, 65
	65	<i>immaculatus</i>	{ 1858, 211
<i>Thamnophilus aethiops</i> ..	1858, { 212		{ 1860, 89
	457	<i>jani</i>	1858, 288
<i>affinis</i>	1858, 288	<i>leachi</i>	1858, 207
<i>albicans</i>	1855, 148		{ 1855, 18
<i>albicollis</i>	1858, 249	<i>leucauchen</i>	{ 1858, 216
	{ 1855, 18	<i>leuconotus</i>	1858, { 206
<i>albinuchalis</i>	{ 1858, 216		208
<i>albiventer</i>	1858, 209	<i>lineatus</i>	1858, { 208
<i>amazonicus</i>	1858, 214		211
<i>ambiguus</i>	1858, 213	<i>luctuosus</i> ...	1858, 208
<i>aspersiventer</i>	1855, 148	<i>lunulatus</i>	1858, { 208
<i>aspersiventris</i>	1858, 217		213
<i>atricapillus</i>	1858, 215	<i>maculatus</i>	1858, { 65
<i>atropileus</i>	1858, 220		220
<i>axillaris</i>	1858, 288	<i>maculipennis</i>	1858, { 209
<i>badius</i>	1858, 220		209
<i>bicolor</i>	1858, 209	<i>major</i>	1857, 133
<i>brevirostris</i>	1855, 148		{ 1858, 65
	{ 1856, 141	<i>melanoceps</i>	{ 1858, 210
<i>bridgesi</i>	{ 1858, 212		1860, 252
<i>caerulescens</i>	1858, 213	<i>melanocrissus</i>	{ 1855, 19
	{ 1855, 19		1858, 216
<i>caesius</i>	1858, 212	<i>melanonotus</i>	{ 1858, 216

	Page		Page
<i>Thamnophilus melano-</i>	1857, 133	<i>Thamnophilus tenuipunc-</i>	
<i>thorax</i>	1858, 210	<i>tatus</i>	1858, 219
	1855, 69	<i>torquatus</i>	1858, 220
	1855, 147		1855, 18
	1856, 142	<i>transandeanus</i> ...	1858, 210
	1857, 203		1860, 278
<i>melanurus</i>	1858, 65		1860, 294
	1858, 209	<i>undulatus</i>	1858, 207
	1859, 57	<i>ventralis</i>	1858, 213
<i>meleager</i>	1859, 383	<i>vigorzi</i>	1858, 207
<i>mentalis</i>	1860, 252	<i>viridis</i>	1858, 208
	1858, 208	<i>Thanasimus anthicoides</i> ..	1852, 43
<i>multistriatus</i> ...	1858, 221	<i>capicola</i>	1852, 38
	1855, 148	<i>cursorius</i>	1852, 53
	1858, 219	<i>irregularis</i>	1852, 38
<i>myiotherinus</i>	1855, 146	<i>sellatus</i>	1852, 42
	1858, 251	<i>subscutellaris</i>	1852, 44
	1855, 148	<i>Tharhaleus modularis</i> ..	1854, 118
	1858, 65	<i>Thaumalea picta</i>	1860, 183
<i>nævius</i>	1858, 213		1858, 358
	1860, 278	<i>Thaumatias candidus</i> ..	1859, 386
	1860, 294	<i>linnei</i>	1852, 460
<i>niger</i>	1858, 208	<i>mulleri</i>	1857, 17
<i>nigricans</i>	1858, 213	<i>Thaumastura duponti</i> ..	1856, 288
	1855, 19	<i>Thaumasus gigas</i>	1856, 10
<i>nigrocinereus</i>	1858, 212	<i>Thaumatias ceruleiceps</i> ..	1860, 307
	1858, 288	<i>candidus</i>	1856, 287
<i>olivaceus</i>	1858, 541	<i>nitidifrons</i>	1860, 308
	1858, 208	<i>viridiceps</i>	1860, 307
<i>othello</i>	1858, 208	<i>Thecacera pennigera</i> ...	1859, 65
<i>pallhatus</i>	1858, 219	<i>leucurus</i>	1854, 109
<i>pectoralis</i>	1858, 220	<i>Therosa solitaria</i>	1858, 172
	1858, 213	<i>Thlypopsis fulvescens</i> ..	1856, 112
<i>pileatus</i>	1858, 233	<i>fulvipes</i>	1856, 112
	1854, 112	<i>Thracia curta</i>	1856, 210
<i>quixensis</i>	1858, 66	<i>magnifica</i>	1849, 170
	1858, 241	<i>squamosa</i>	1855, 229
<i>radiatus</i>	1858, 218	<i>Thrasops flavigularis</i> ..	1858, 162
<i>rufater</i>	1858, 239	<i>Thraupis cana</i>	1856, 232
<i>ruficapillus</i>	1858, 220	<i>cyanoccephala</i>	1856, 236
<i>ruficeps</i>	1858, 207	<i>cyanoptera</i>	1856, 234
<i>ruficollis</i>	1858, 214	<i>episcopus</i>	1856, 232
	1854, 112	<i>glaucocolpa</i>	1856, 233
<i>rufiventris</i>	1858, 67	<i>olivascens</i>	1856, 234
	1858, 241	<i>ornata</i>	1856, 234
<i>rufus</i>	1858, 207	<i>sayaca</i>	1856, 234
<i>scalaris</i>	1858, 220	<i>vicarius</i>	1856, 235
	1855, 148	<i>Threnetes cervinicauda</i> ..	1854, 109
<i>schistaceus</i>	1858, 223		111
<i>severus</i>	1858, 208	<i>Threpterus maculosus</i> ..	1850, 70
<i>stagurus</i>	1858, 209	<i>Thryothorus albipectus</i> ..	1860, 273
	1854, 112	<i>bewickii</i>	1859, 372
<i>stellaris</i>	1858, 220	<i>coraya</i>	1858, 64
	1858, 222	<i>euophrys</i>	1860, 74
<i>striatothorax</i>	1858, 221	<i>fasciatoventris</i> ..	1855, 143
<i>striatus</i>	1858, 250		1857, 4
	1858, 65	<i>felix</i>	1859, 371
<i>strigilatus</i>	1858, 215	<i>maculipectus</i>	1856, 290
<i>swainsoni</i>	1858, 208		

	Page		Page
<i>Thryothorus maculi-</i>	363	<i>Tillus (Macrotelus) uni-</i>	
pectus	1859, 372	formis	1852, 37
mexicanus	1855, 66	(<i>Tillicerus</i>) chaly-	
modulator	1858, 63	beus	1852, 41
mystacalis	1860, 64	<i>Timalia erythronota</i>	1854, 276
	74	erythroptera	1854, 276
nigricapillus	1860, 84	grisea	1854, 103
	291	hyperythra	1854, 103
rufalbus	1855, 143		1854, 103
	1856, 140	hypoleuca	1857, 94
rutilans	1855, 143		1858, 488
rutilus	1855, 143	maculata	1854, 276
stratulus	1855, 143	malcolmu	1854, 102
<i>Thylacinus cynocephalus</i>	1850, 89	nigricollis	1854, 276
	1855, 188	pectoralis	1854, 276
<i>Thymallus vulgaris</i>	1848, 88	pyrrhophæa	1854, 276
<i>Thynnus vulgaris</i>	1860, 205	trichorros	1854, 275
<i>Tiara speciosa</i>	1853, 99	<i>Tinamus boucardi</i>	1859, 391
<i>Tiaris cruenta</i>	1860, 276	canus	1857, 20
	151	castaneus	1857, 277
	160	julius	1855, 163
elliotti	1860, 167		1855, 76
	172		1859, 63
olivaceus	1856, 304	major	1860, 253
	1855, 159	meserythrus	1859, 392
pusillus	1856, 304		1857, 277
	1858, 494	parvirostris	1860, 289
<i>Tichodroma muraria</i>	1859, 174	robustus	1860, 253
<i>Tiga amictus</i>	1859, 456	sallæi	1859, 399
intermedia	1859, 456		392
tridactyla	1859, 150	tataupa	1857, 277
	151		1850, 215
<i>Tigris regalis</i>	1858, 513	<i>Tinnunculus alaudarius</i>	1858, 473
	1857, 268	cenchris	1858, 473
<i>Tigrisoma brasiliense</i>	1859, 63	moluccensis	1860, 343
	1860, 72		1856, 284
leucolophum	1860, 371		1857, 125
	1849, 106		1857, 231
	1855, 163		1858, 205
	1857, 268		1858, 357
tigrinum	1858, 359		1858, 554
	1858, 461	sparverius	1859, 52
	1860, 253		1859, 147
	1860, 290		1859, 236
	114		1859, 368
	160		1859, 390
	167		1860, 96
<i>Tilqua rufescens</i>	1860, 169		1855, 77
	170		1855, 150
	171	<i>Tityra albitorques</i>	1857, 71
	172		1859, 53
	153		1859, 384
schlegelii	1860, 160	atricapilla	1857, 72
<i>Tillicerus chalybeus</i>	1852, 41	brasiliensis	1857, 70
<i>Tillus afzelii</i>	1852, 38	castanea	1857, 79
dux	1852, 46		1855, 150
(<i>Macrotelus</i>) subno-		cayana	1857, 69
tatus	1852, 37		1857, 265

	Page		Page
<i>Tityra cinerea</i>	1857, 69	<i>Todirostrum grana-</i>	1855, 77
<i>habia</i>	1856, 78	<i>dense</i>	1855, 148
<i>inquisitrix</i>	1857, { 18	<i>gulare</i>	1857, 84
<i>leuconota</i>	1857, 72	<i>maculatum</i>	1855, 149
<i>marginata</i>	1854, 113	<i>margaritaceiventre</i>	1857, 83
<i>mexicana</i>	1856, 141	<i>multicolor</i>	1857, 84
<i>personata</i>	1856, 297	<i>nigriceps</i>	1855, 67
<i>pileata</i>	1857, 70	<i>palpebrosum</i>	1855, 77
<i>rufa</i>	1857, 70	<i>pectorale</i>	1855, 148
<i>semifasciata</i>	1859, 366	<i>picatum</i>	1857, 84
<i>surinama</i>	1859, 385	<i>pohiocephalum</i>	1857, 84
<i>vieillota</i>	1860, 295	<i>ruficeps</i>	1855, 67
<i>viridis</i>	1857, 72	<i>rufilatum</i>	1855, 77
<i>Tivela tripla</i>	1857, 72	<i>schistaceiceps</i>	1855, 148
<i>vulgaris</i>	1857, 70	<i>spiciferum</i>	1855, 149
<i>Toccus hartlaubi</i>	1857, 74	<i>squamicristatum</i> ..	1857, 83
<i>Tockus erythrorhynchus</i>	1857, 75	<i>striaticolle</i>	1855, 67
<i>Todirhamphus collaris</i> ..	1857, 75	<i>sylvia</i>	1857, 84
<i>diops</i>	1851, 232	<i>Todopsis bonapartii</i>	1855, 156
<i>lazuhi</i>	1851, 232	<i>cæruleocephala</i>	1859, 156
<i>occipitalis</i>	1860, 380	<i>cyranocephala</i>	1858, 177
<i>pectoralis</i>	1860, 346	<i>angustirostris</i>	1859, 156
<i>ruficeps</i>	1854, 260	<i>cineus</i>	1857, 233
<i>varius</i> ..	1851, 52	<i>cyranocephalus</i> ..	1855, 67
<i>Todirostrum auriculare</i> ..	1851, 52	<i>dominicensis</i>	1857, 83
<i>calopterum</i>	1854, 268	<i>macrorhynchus</i>	1858, 177
<i>capitale</i>	1857, 84	<i>marginatus</i>	1859, 156
<i>chrysocrotaphum</i> ..	1857, 82	<i>melanocephalus</i>	1857, 77
<i>cinereigulare</i>	1857, 83	<i>melanocephalus</i>	1855, { 67
<i>cinereum</i>	1858, 70		148
<i>ecaudatum</i>	1855, 67		
<i>exile</i>	1855, 148		
<i>flavifrons</i>	1856, 141		
<i>fumifrons</i>	1857, 82		
<i>furcatum</i>	1857, 203		
<i>galeatum</i>	1858, 458		
<i>gracilipes</i>	1860, 283		
<i>granadense</i>	1857, 86		

	Page		Page
<i>Todus melanocephalus</i> ..	1857, 83	<i>Totanus griseopygius</i> ..	1860, 364
<i>nasutus</i>	1854, 267	<i>hypoleucus</i>	{ 1850, 221
<i>subulatus</i>	1857, 233	{ 1851, 146	
<i>Tolypeutes trinctus</i> ..	1851, 216	{ 1860, 364	
<i>Tomigerus principalis</i> ..	1849, 14	<i>macropterus</i>	1855, 163
<i>venezuelensis</i>	1856, 36	<i>ochropus</i>	1850, 189
<i>Tomodon dorsatus</i>	1860, 455	<i>pulverulentus</i>	1860, 364
<i>lineatus</i>	1860, 455	<i>solitarius</i>	{ 1856, 310
<i>strigatus</i>	1860, 455	{ 1853, 461	
<i>Tomopterna delalandii</i> ..	1860, 163	{ 1855, 163	
<i>strigata</i>	1860, 165	<i>vociferus</i>	{ 1857, 215
	168	(<i>Glottis</i>) <i>horsfieldi</i> ..	1860, 364
	170	(<i>Tringoides</i>) <i>hypo-</i>	
<i>Tomopterus onisciformis</i> ..	1853, 94	<i>leucus</i>	1860, 364
<i>Toreumatica concava</i> ..	1855, 39	<i>Toxicodryas blandingii</i> ..	1858, 159
<i>granulosa</i>	1855, 39	<i>Toxostoma crissalis</i>	1859, 339
<i>hardwickii</i>	1855, 39	<i>curvirostre</i>	{ 1857, 126
<i>reevesii</i>	1855, 39	{ 1857, 212	
<i>Toria capellei</i>	1859, 464	{ 1859, 339	
<i>nipalensis</i>	1859, 464	<i>lecontii</i>	{ 1857, 126
<i>Tornatella bevaletii</i>	1854, 59	{ 1859, 339	
<i>concinna</i>	1854, 61	<i>rediviva</i>	{ 1859, 339
<i>coniformis</i>	1854, 9	<i>redivivum</i>	{ 1857, 126
<i>fasciata</i>	1854, 59	{ 1857, 20	
<i>flammea</i>	1854, 59	<i>vetula</i>	{ 1857, 126
<i>glabra</i>	1854, 61	{ 1859, 339	
<i>insculpta</i>	1854, 61	<i>Trachinus vipera</i>	1860, 416
<i>nitidula</i>	1854, 61		{ 161
<i>oryza</i>	1854, 59	<i>Trachischium fuscum</i> ..	1860, 167
<i>pedipes</i>	1854, 218		{ 171
<i>pellucida</i>	1854, 59		{ 172
<i>punctostriata</i>	1854, 59	<i>obscurostriatum</i> ..	1860, 161
<i>pusilla</i>	1854, 59		{ 167
<i>senegalensis</i>	1854, 59	<i>rugosum</i>	1860, 161
<i>sieboldii</i>	1854, 59	<i>Trachycomus ochroce-</i>	
<i>solidula</i>	1854, 61	<i>phalus</i>	1854, 279
<i>tessellata</i>	1854, 61	<i>Trachydosaurus rugosus</i> ..	1860, 243
<i>venusta</i>	1854, 59	<i>Trachyphonus cafer</i>	1859, 399
<i>virgata</i>	1854, 59	<i>margaritatus</i>	{ 1850, 219
<i>Tornatellina achatinoides</i> ..	1852, 68	{ 1859, 399	
<i>cumingiana</i>	1849, 134	<i>purpuratus</i>	1859, 399
<i>gouldi</i>	1856, 335	<i>squamiceps</i>	1859, 399
<i>kusteri</i>	1854, 295	<i>subsulfuscus</i>	1859, 398
<i>mauritiana</i>	1852, 150	<i>vallanta</i>	1859, 399
<i>newcombii</i>	1856, 335	<i>Trachypterus falx</i>	1860, 248
<i>nitida</i>	1860, 439	<i>gryphurus</i>	1850, 248
<i>novoseelandica</i>	1852, 149	<i>iris</i>	1860, 248
<i>perforata</i>	1856, 336	<i>vogmarus</i>	1851, 117
<i>petitiana</i>	1855, 1		{ 1848, 89
<i>Tornatina cerealis</i>	1850, 203	<i>Tragelaphus angasii</i> ..	{ 1850, 144
<i>culcitella</i>	1856, 203	{ 1850, 199	
<i>gracilis</i>	1860, 19	<i>cari</i>	1850, 146
<i>inculta</i>	1856, 203	<i>decula</i>	1850, 145
<i>sandwicensis</i>	1860, 19	<i>euryceros</i>	1850, 144
<i>Totanus calidris</i>	1858, 506	<i>hippelaphus</i>	1850, 146
<i>glottis</i>	{ 1851, 146	<i>scriptus</i>	1850, 145
{ 1858, 505		<i>sylvaticus</i>	1850, 145
<i>griseopygius</i>	1848, 39		

	Page		Page
<i>Triglyphodon fuscum</i> ..	1858, 164	<i>Trionyx labiatus</i>	1858, 167
<i>Trigona crassatelloides</i> ..	1856, 216	<i>mortoni</i>	1858, 167
<i>tantilla</i>	1856, 201	<i>Triphoris affinis</i>	1860, 434
<i>Trigonia jukesii</i>	1849, 159	<i>albidus</i>	1851, 278
<i>lamarchei</i>	1849, 159	<i>alternata</i>	1860, 434
<i>margaritacea</i>	1849, 159	<i>cingulatus</i>	1851, 279
<i>nobilis</i>	1853, 73	<i>cingulifera</i>	1860, 434
<i>pectinata</i>	1849, 159	<i>clavata</i>	1860, 434
<i>strangei</i>	1852, 91	<i>festivus</i>	1851, 278
<i>Trigonocephalus affinis</i> ..	1860, { 164	<i>flammulata</i>	1860, 434
		<i>fucata</i>	1860, 433
		<i>incisa</i>	1860, 434
<i>blomhoffii</i>	{ 1858, 378	<i>labiatus</i>	1851, 279
	{ 1858, 383	<i>nigrofuscus</i>	1851, 278
	{ 1860, 173	<i>pulchellus</i>	1851, 278
<i>halys</i>	{ 1858, 378	<i>scitulus</i>	1851, 278
	{ 1860, 172	<i>triticea</i> ..	1860, 433
<i>hypnalis</i>	1858, 383	<i>variegatus</i>	1851, 277
<i>Trigonophorus delesserti</i> ..	1856, 15	<i>vestalis</i> ..	1851, 278
<i>hookeri</i>	1856, 14	<i>Tripsurus auritus</i>	1859, 457
<i>Trilatitius blepotis</i> ...	1858, 121	<i>Triptorhinus orthonyx</i> ..	1856, 142
<i>Trimesurus albolabris</i> ..	1860, 115	<i>Triquetra contorta</i>	1858, 91
<i>bicolor</i>	1860, { 164	<i>lanceolata</i>	1858, 91
	{ 166	<i>Tritia concinna</i>	1851, 112
<i>elegans</i>	1860, { 164	<i>costellifera</i>	1851, 113
	{ 160	<i>dealbata</i>	1851, 112
<i>maculatus</i>	1860, 164	<i>gayi</i>	1851, 112
<i>Tringa bonaparti</i>	1860, 387	<i>reticulata</i>	1851, 112
<i>cinerea</i>	1851, 146	<i>sulcata</i>	1851, 112
<i>helvetica</i>	1860, 363	<i>trifasciata</i>	1851, 113
<i>hyperborea</i>	1858, 188	<i>trivittata</i>	1851, 112
<i>hypoleuca</i>	1860, 364	<i>Triton africanus</i>	1854, 312
<i>interpres</i>	1860, 363	<i>anomalus</i>	1851, 111
<i>minuta</i> ..	1858, 506	<i>asper</i>	1858, 141
<i>pectoralis</i>	{ 1856, 310	<i>hibronii</i>	1858, 143
	{ 1858, 556	<i>boltenianus</i>	1854, 311
	{ 1851, 146	<i>chemnitzii</i>	1856, 209
<i>pugnax</i>	1860, 258	<i>comptus</i>	1854, 312
<i>pusilla</i>	1856, 311	<i>crebristriatus</i>	1856, 165
<i>rufescens</i>	1860, 108		{ 1856, 346
<i>schinzii</i>	1860, 387	<i>cristatus</i>	{ 1858, 143
<i>subarquata</i>	{ 1851, 146		{ 1860, 204
	{ 1860, 365	<i>laevis</i>	1858, 141
<i>urvilli</i>	1860, 386	<i>marmoratus</i>	1858, 143
<i>variabilis</i>	1851, 146	<i>minor</i>	1858, 139
	{ 1859, 237	<i>obscurus</i>	1854, 312
<i>wilsoni</i>	1860, 253	<i>perforatus</i>	1856, 209
<i>Tringoides hypoleuca</i> .	1859, 189	<i>punctatus</i>	1858, 141
	1860, 365	<i>puncticulatus</i>	1858, 139
	{ 1857, 215	<i>pusilla</i>	1860, 434
	{ 1858, 450	<i>pyriformis</i>	1854, 302
<i>macularius</i>	{ 1858, 461	<i>subcristatus</i>	1858, 391
	{ 1860, 254	<i>vittatus</i>	1858, 140
	{ 1860, 298	<i>Tritonella anomala</i>	1851, 111
<i>Triumphalia cumingii</i> ..	1849, 161	<i>ascanus</i>	1851, 111
<i>globosa</i>	1849, 160	<i>decussata</i>	1851, 111
<i>pulcherrima</i>	1849, 161	<i>dentifera</i>	1851, 111
<i>Trionyx aegyptiacus</i>	1858, 167		

	Page		Page
<i>Tritonella fasciata</i>	1851, 111	<i>Trochilus sabinæ</i>	1855, 140
<i>festiva</i>	1851, 111	<i>saucerotii</i>	1848, 14
<i>fuscata</i>	1851, 112	<i>spencei</i>	1848, 12
<i>multigrana</i>	1851, 112	<i>strophianthis</i>	1848, 12
<i>obliqueplicata</i>	1851, 112	<i>uropygialis</i>	1855, 140
<i>scabriuscula</i>	1851, 111	(<i>Selosphorus</i>) <i>scin-</i>	
<i>signata</i>	1851, 112	<i>tilla</i>	1850, 162
<i>tritoniiformis</i>	1851, 111	(<i>Thalurama</i>) <i>venusta</i>	1850, 163
<i>Tritonia hawaiiensis</i> ...	1860, 33	(<i>Thaumantias</i> ?) <i>chi-</i>	
<i>varicosa</i>	1851, 111	<i>onura</i>	1850, 162
<i>Triumphus distorta</i>	1856, 41	<i>Trochiscus norrisii</i>	1856, 224
<i>Trochalopteron rufigulare</i>	1858, 488	<i>Trochita spirata</i>	1850, 271
<i>rufogulare</i>	1859, 182		152
<i>Trochatella excavata</i> ..	1855, 101		154
<i>Trochetia subviridis</i>	1850, 52		156
<i>Trochilus allardi</i>	1855, 140		163
<i>amabilis</i>	1851, 115		164
<i>amethysticollis</i>	1848, 12	<i>Trochus</i> —	1851, 165
<i>bonapartii</i>	1848, 11		166
<i>brachyrhynchus</i>	1855, 140		170
<i>brevirostris</i>	1850, 163		184
? <i>cæruleogularis</i>	1850, 163		185
<i>caligatus</i>	1848, 14		191
? <i>castaneoventris</i> ..	1850, 163	<i>acutangulus</i>	1851, 150
<i>cephalus</i>	1857, 227	<i>acutus</i>	1851, 151
<i>clarisse</i>	1848, 12	<i>adansonii</i>	1851, 185
	{ 1856, 287	<i>adelaidæ</i>	1851, 186
<i>colubris</i>	{ 1857, 212	<i>ægyptiacus</i>	1851, 184
	{ 1859, 367	<i>agathensis</i>	1851, 185
	{ 1859, 386	<i>agrestis</i>	1851, 158
<i>coruscus</i>	1855, 140		180
<i>cupripennis</i>	1848, 12	<i>alabastrites</i>	1850, 271
<i>cuvieri</i>	1856, 140	<i>albidus</i>	1851, 163
<i>cyanicollis</i>	1853, 61	<i>annulatus</i>	1851, 164
<i>cyanurus</i>	1855, 140	<i>antoni</i>	1851, 165
<i>edwardi</i>	1850, 164	<i>anus</i>	1851, 159
<i>eos</i>	1848, 11	<i>argyrostomus</i>	1851, 180
<i>erythronotus</i>	{ 1848, 14	<i>armillatus</i>	1851, 164
	{ 1850, 164	<i>asper</i>	1851, 154
<i>exortus</i>	1855, 140	<i>asperulus</i>	1851, 150
<i>floriceps</i>	1853, 62	<i>ater</i>	1851, 180
	{ 1852, 8	<i>atratus</i>	1851, 178
<i>furcatus</i>	{ 1858, 460	<i>atropurpureus</i>	1851, 180
	{ 1860, 312	<i>attenuatus</i>	1851, 172
<i>goudotii</i>	1850, 163	<i>aureotinctus</i>	1856, 224
<i>guerini</i>	1848, 14	<i>australis</i>	1851, 171
<i>helanthea</i>	1848, 11		172
<i>lafresnayi</i>	1855, 140	<i>badius</i>	1851, 170
<i>latirostris</i>	1858, 297	<i>belcheri</i>	1854, 89
<i>leadbeateri</i>	1849, 96	<i>bellulus</i>	1851, 171
<i>lindeni</i>	1848, 14	<i>benzi</i>	1851, 188
<i>longirostris</i>	1850, 163	<i>biasoletti</i>	1851, 184
<i>mavors</i>	1848, 12	<i>bicanaliculatus</i>	1851, 181
<i>nigrofasciatus</i>	1848, 13	<i>bicingulatus</i>	1851, 166
<i>niveoventer</i>	1850, 164	<i>bicolor</i>	1851, 191
<i>pamela</i>	1848, 12	<i>brazilianus</i>	1851, 156
<i>parvirostris</i>	1855, 140	<i>byronianus</i>	1851, 156
<i>rufus</i>	1850, 162	<i>cærulescens</i>	1851, 161

	Page		Page
<i>Trochus callichrous</i>	1851, 166	<i>Trochus eximius</i>	1851, 165
<i>calliferus</i>	1851, 188	<i>fanulum</i>	1851, 184
<i>calyculus</i>	1851, 188	<i>fasciatus</i>	1851, 185
	1854, 39	<i>fastigiatus</i>	1851, 160
<i>canaliculatus</i>	1851, 185	<i>fenestratus</i>	1851, 161
<i>capensis</i>	1851, 185	<i>filosus</i>	1851, 165
<i>carinatus</i>	1851, 181		1856, 224
<i>carniferus</i>	1851, 152	<i>flammiger</i>	1856, 355
<i>carneus</i>	1851, 166	<i>flavidus</i>	1856, 354
	1850, 271	<i>formosus</i>	1851, 163
<i>castaneus</i>	1851, 165	<i>foveolatus</i>	1851, 151
	1856, 224	<i>fragilis</i>	1851, 103
<i>cateniferus</i>	1856, 224	<i>fulguratus</i>	1851, 179
<i>chlorostomus</i>	1851, 166	<i>fumosus</i>	1851, 186
<i>cicer</i>	1851, 181	<i>fuscatus</i>	1851, 184
<i>ciliaris</i>	1851, 165	<i>fuscescens</i>	1851, 157
<i>cinerarius</i>	1851, 184	<i>gabaldianus</i>	1851, 185
<i>cinereus</i>	1851, 156		1851, 182
<i>cingulatus</i>	1851, 178	<i>gallina</i>	1856, 224
<i>clanguloides</i>	1851, 158	<i>gemmosus</i>	1851, 165
<i>clangulus</i>	1851, 158	<i>gylus</i>	1851, 166
<i>clelandi</i>	1851, 166	<i>granatum</i>	1851, 164
<i>concameratus</i>	1851, 178	<i>granulatus</i>	1851, 163
<i>concauus</i>	1851, 152	<i>guanicus</i>	1851, 158
<i>concurvus</i>	1851, 154	<i>gumeensis</i>	1851, 158
<i>conicus</i>	1851, 165	<i>hanleyanus</i>	1851, 154
<i>conuloides</i>	1851, 163	<i>ignobilis</i>	1851, 155
<i>conulus</i>	1851, 165	<i>impervius</i>	1851, 182
<i>conus</i>	1851, 150	<i>inæqualis</i>	1851, 153
<i>corallinus</i>	1851, 153	<i>incarnatus</i>	1851, 155
	1851, 159	<i>incrassatus</i>	1851, 154
<i>corrugatus</i>	1854, 41	<i>indecorus</i>	1851, 179
<i>costalis</i>	1851, 190	<i>indistinctus</i>	1851, 164
<i>costatus</i>	1851, 153	<i>inflatus</i>	1851, 184
<i>crassus</i>	1851, 179	<i>interruptus</i>	1851, 164
<i>crenulatus</i>	1851, 164	<i>iridis</i>	1851, 169
<i>crinitus</i>	1851, 179	<i>iris</i>	1851, 169
<i>cruciatus</i>	1851, 156	<i>irisodontes</i>	1851, 171
<i>cumingii</i>	1851, 150	<i>javanicus</i>	1854, 40
<i>decoratus</i>	1851, 165	<i>jucundus</i>	1851, 185
<i>delicatulus</i>	1851, 152	<i>juyubinus</i>	1851, 165
<i>dentatus</i>	1851, 151	<i>kochii</i>	1851, 152
<i>depictus</i>	1851, 165	<i>laevigatus</i>	1851, 181
<i>depressus</i>	1851, 153		1851, 185
<i>discrepans</i>	1851, 103	<i>laevis</i>	1851, 181
<i>divaricatus</i>	1851, 184	<i>langieri</i>	1851, 164
	1851, 163		1851, 172
<i>doliarius</i>	1856, 224	<i>lehmanni</i>	1854, 41
<i>dubius</i>	1851, 165	<i>lenticularis</i>	1850, 203
<i>electissimus</i>	1851, 184	<i>leucostigma</i>	1851, 171
<i>elegantulus</i>	1851, 154		1851, 165
<i>elongatus</i>	1851, 172	<i>ligatus</i>	1856, 224
<i>erythroleucus</i>	1851, 165	<i>limbatus</i>	1851, 158
<i>euryomphalus</i>	1851, 181	<i>lineatus</i>	1851, 184
<i>euxinicus</i>	1851, 185	<i>lineolatus</i>	1851, 184
<i>exasperatus</i>	1851, 165	<i>listeri</i>	1851, 152
<i>excavatus</i>	1851, 156	<i>littoralis</i>	1851, 184
<i>exiguus</i>	1851, 165	<i>ludwigi</i>	1851, 159

	Page		Page
<i>Trochus lugubris</i>	1851, 181	<i>Trochus pellis-serpentis</i>	1851, 182
<i>luridus</i>	{ 1851, 186	<i>perforatus</i>	1851, 184
<i>lyonsi</i>	{ 1856, 224	<i>personatus</i>	1851, 189
<i>maculatus</i>	1851, 183	<i>perspectivus</i>	1851, 186
<i>magulus</i>	1851, 183	<i>pfeifferi</i>	1851, 181
<i>magus</i>	1851, 184	<i>pharaonis</i>	1851, 187
<i>marcidus</i>	1856, 204	<i>philberti</i>	1851, 185
<i>margaritus</i>	1851, 189	<i>picoides</i>	1856, 204
<i>margunatus</i>	1851, 181	<i>pictus</i>	1851, 172
<i>marmoratus</i>	1851, 181	<i>porcatus</i>	1851, 172
<i>martini</i>	1851, 186	<i>prasnus</i>	1851, 181
<i>matonii</i>	1851, 184	<i>preissianus</i>	1854, 40
<i>maugeri</i>	1851, 183	<i>preissii</i>	1851, 172
<i>mauritanus</i>	1851, 181	<i>pulcherrimus</i>	1851, 172
<i>maximus</i>	1851, 180	<i>pulligo</i>	1851, 182
<i>mediterraneus</i>	1851, 183	<i>punctatus</i>	1851, 184
<i>melaleucos</i>	1851, 183	<i>punctulatus</i>	1851, 179
<i>melanoloma</i>	1851, 179	<i>purpuratus</i>	1851, 189
<i>merula</i>	1851, 181	<i>pustulosus</i>	1851, 185
<i>metaformis</i>	1851, 186	<i>pyramidatus</i>	1851, 184
<i>microstomus</i>	1851, 181	<i>pyramis</i>	1851, 184
<i>miliarius</i>	1851, 186	<i>pyrgos</i>	1851, 172
<i>millegrammus</i>	1851, 186	<i>quadratus</i>	1851, 184
<i>mmatus</i>	1851, 186	<i>quadricarinatus</i>	1851, 186
<i>mmutus</i>	1851, 186	<i>quadricostatus</i>	1851, 186
<i>modestus</i>	1851, 186	<i>racketti</i>	1851, 184
<i>modulus</i>	1850, 203	<i>radiatus</i>	1851, 182
<i>mcestus</i>	1851, 180	<i>radula</i>	1851, 178
<i>montagui</i>	1851, 184	<i>rarinineatus</i>	1851, 184
<i>multicolor</i>	1851, 185	<i>regius</i>	1851, 183
<i>nassaviensis</i>	1851, 185	<i>reticularis</i>	1851, 178
<i>neritoides</i>	1851, 189	<i>reticulatus</i>	1851, 184
<i>niger</i>	1854, 40	<i>richardi</i>	1851, 181
<i>nigerrimus</i>	{ 1851, 180	<i>rotelliformis</i>	1851, 186
<i>niloticus</i>	{ 1854, 40	<i>rubro-flammulatus</i>	1851, 186
<i>nitens</i>	1851, 185	<i>rusticus</i>	1851, 180
<i>nitidulus</i>	1851, 189	<i>saga</i>	1851, 182
<i>nitilgineus</i>	1851, 190	<i>sagittiferus</i>	1851, 181
<i>noduliferus</i>	1851, 181	<i>sartorii</i>	1851, 185
<i>notatus</i>	1851, 189	<i>sauciatus</i>	1851, 181
<i>nucleus</i>	1851, 188	<i>scaber</i>	1851, 184
<i>obeliscus</i>	1851, 181	<i>scabrosus</i>	1851, 189
<i>obliquatus</i>	1851, 186	<i>scalaris</i>	1851, 183
<i>obliquerradiatus</i>	1851, 185	<i>sedgwicki</i>	1851, 183
<i>obscurus</i>	1851, 172	<i>selectus</i>	1851, 183
<i>occidentalis</i>	1851, 183	<i>signatus</i>	1851, 172
<i>occultus</i>	1851, 186	<i>sinensis</i>	1851, 181
<i>ochroleucos</i>	1851, 186	<i>sisyphius</i>	1851, 183
<i>odontis</i>	1851, 182	<i>smithi</i>	1851, 188
<i>ornatus</i>	1851, 184	<i>solandri</i>	1854, 41
<i>pallidulus</i>	1856, 355	<i>spadiceus</i>	1851, 189
<i>pallidus</i>	1856, 224	<i>spengleri</i>	1851, 184
<i>papillosus</i>	1851, 183	<i>spinosus</i>	1851, 180
<i>parvus</i>	1851, 186	<i>stellatus</i>	1851, 183
<i>patholatus</i>	1851, 186	<i>stenomphalus</i>	1851, 181
		<i>stratus</i>	1851, 184
		<i>strigillatus</i>	1851, 182
		<i>strigosus</i>	1851, 186

	Page		Page
<i>Trochus striolatus</i>	1851, 178	<i>Trochus (Monodonta)</i>	
<i>suavis</i>	1851, 182	<i>gallina</i>	1850, 271
<i>subucula</i>	1851, 183	(—) <i>pyriformis</i>	1856, 204
<i>subviridis</i>	1851, 184		
<i>sulcatus</i>	1851, 178	<i>Troglodytes aedon</i>	{ 1858, 298
<i>tabularis</i>	1851, 181		{ 1859, 363
<i>tæniatus</i>	1851, { 178	<i>æquinoctialis</i>	{ 1859, 372
<i>tamsii</i>	1851, 191	<i>brunneicollis</i>	{ 1855, 142
<i>tectum</i>	1850, 203		{ 1858, 297
<i>tentorium</i>	1851, 183	<i>europæus</i>	{ 1859, 372
<i>tenuis</i>	1851, 163		{ 1851, 145
<i>tergestinus</i>	1851, 179	<i>furvus</i>	{ 1859, 137
<i>tessellatus</i>	1851, 178		{ 1860, 273
<i>tiaratus</i>	1851, 184	<i>gladiator</i>	{ 1860, 291
<i>tigrinus</i>	1851, 180		{ 1855, 76
<i>torulosus</i>	1851, 156	<i>gonilla</i>	{ 1858, 243
<i>tranquebaricus</i>	1851, 164		{ 1848, 53
<i>tricolor</i>	1851, 164		{ 1848, 56
<i>tridens</i>	1851, 181	<i>hyemalis</i>	{ 1851, 263
<i>triserialis</i>	1851, 151		{ 1859, 1
<i>trochiformis</i>	1850, 271		{ 1850, 290
<i>tuberculatus</i>	1851, 184	<i>niger</i>	{ 1848, { 27
<i>tumidus</i>	1851, 184		{ 30
<i>turbinoïdes</i>	1851, 185		{ 35
<i>turgidulus</i>	1851, 159	<i>nipalensis</i>	{ 1858, 489
<i>turris</i>	1851, 155		{ 1859, 185
<i>umbilicalis</i>	1851, 185	<i>palustris</i>	{ 1856, 290
<i>umbilicaris</i>	1851, 184	<i>platensis</i>	{ 1859, 95
<i>umbilicatus</i>	1851, 185	<i>rectirostris</i>	{ 1858, 243
<i>undulosus</i>	1850, 224		{ 27
<i>varians</i>	1851, 185	<i>savagei</i>	{ 1848, { 53
<i>variegatus</i>	1851, 156		{ 56
<i>varius</i>	1851, 185	<i>solstitialis</i>	{ 1858, 550
<i>vermis</i>	1851, 154		{ 1860, 84
<i>vernalis</i>	1851, 154	<i>Trogon ambiguus</i>	1859, 387
<i>verrucosus</i>	1851, 153	<i>antisiensis</i>	1856, 137
<i>versicolor</i>	1851, 184		{ 107
<i>vestiarius</i>	1853, 187	<i>aurantiventris</i>	{ 1856, { 139
<i>vinctus</i>	1851, 166		{ 285
<i>violaceus</i>	1851, 163		{ 1856, 286
<i>virgatus</i>	1851, 151	<i>caligatus</i>	{ 1859, 367
<i>virginæus</i>	1856, 224		{ 1859, 387
<i>viridescens</i>	1851, 154		{ 1860, 284
<i>viridis</i>	1851, 154		{ 1855, 137
<i>viridulus</i>	1851, 156	<i>collaris</i>	{ 1856, 368
<i>vittatus</i>	1851, 165		{ 1860, 69
<i>vulneratus</i>	1851, 185	<i>curucui</i>	{ 1855, 137
<i>zealandicus</i>	1851, 178	<i>diardi</i>	{ 1859, 460
<i>zebra</i>	1851, 178	<i>duvaucellii</i>	{ 1859, 459
<i>zebrinus</i>	1851, 179	<i>elegans</i>	{ 1858, 357
<i>ziziphinus</i>	{ 1850, 271	<i>eytoni</i>	{ 1856, 368
	{ 1851, 163	<i>fasciatus</i>	{ 1859, 460
(<i>Euchele</i>) <i>alabastrum</i>	1857, 209	<i>kasumba</i>	{ 1859, 460
(<i>Margarita</i>) <i>hilli</i>	1850, 272	<i>luzoniensis</i>	{ 1859, 395
(—) <i>purpuratus</i>	1850, 272		{ 1858, 96
(<i>Monodonta</i>) <i>aureo-</i>		<i>massenæ</i>	{ 1859, 53
<i>tinctus</i>	1850, 271		{ 1859, 387
		<i>melanocephalus</i>	{ 1857, 227

	Page		Page
<i>Trogon melanocephalus</i> {	1858, 357	<i>Tropidonotus stollatus</i> {	1858, 382
	1859, 53		1860, 162
	1859, 367		1860, 168
	1859, 387		1860, 170
<i>melanopterus</i>	1854, 110		162
<i>melanurus</i>	1857, 201	<i>subminiatus</i>	1860, 167
	1860, 284		170
<i>mexicanus</i>	1859, 367		171
	1857, 387	<i>tigrinus</i>	1858, 383
	1855, 137		1855, 131
<i>personatus</i>	1858, 555	<i>umbratus</i>	1860, 162
	1859, 144		375
	1860, 93	<i>vibakari</i>	1858, 383
	1856, 107	<i>viperinus</i>	1858, 378
<i>puella</i>	1856, 286	<i>Tropidorhynchus bou-</i>	
	1859, 307	<i>roensis</i>	1860, 349
	1859, 387	<i>chrysotus</i>	1859, 155
<i>pulchellus</i>	1855, 137	<i>diemenensis</i>	1859, 161
<i>resplendens</i>	1856, 139	<i>gilolensis</i>	1860, 349
<i>roseigaster</i>	1857, 235	<i>lessoni</i>	1859, 161
<i>rutilus</i>	1859, 459	<i>moluccensis</i>	1860, 349
<i>sallæi</i>	1856, 286	<i>novæ-guinææ</i>	1858, 174
<i>temminckii</i>	1859, 460		1859, 155
	1857, 16	<i>plumigenis</i>	1858, 174
<i>viridis</i>	1858, 60	<i>subcornutus</i>	1860, 349
<i>xalapensis</i>	1856, 286	<i>Truncatella barbadensis</i> .	1856, 337
<i>Tropæa mænas</i>	1859, 264	<i>californica</i>	1857, 111
<i>selene</i>	1859, 261	<i>ceylanica</i>	1856, 336
<i>sinensis</i>	1859, 264	<i>costulata</i>	1854, 217
<i>Trophon morrisoni</i>	1856, 356	<i>littorea</i>	1856, 24
<i>Tropidolepis torquatus</i> .	1860, 454	<i>montagu</i>	1856, 24
<i>Tropidonotus ceraso-</i>	1858, 375	<i>teres</i>	1856, 336
<i>gaster</i>	1860, 162		1854, 217
<i>chrysargos</i>	1858, 383	<i>truncatula</i>	1856, 21
<i>chrysargus</i>	1860, 162	<i>Truncatellina linearis</i> . .	1854, 207
<i>dekayi</i>	1860, 456	<i>minutissima</i>	1854, 207
<i>dipsas</i>	1860, 162	<i>Trupialis guianensis</i> . .	1857, 205
<i>fasciatus</i>	1858, 375	<i>Trypanophora semihya-</i>	
	1858, 375	<i>lina</i>	1859, 197
<i>hydrus</i>	1858, 378		1858, 297
	1858, 375	<i>Tryphæna heloisæ</i>	1859, 367
<i>natrix</i>	1858, 378		1859, 367
	1860, 174	<i>Tudicla armigera</i>	1856, 221
	1858, 375	<i>fusoides</i>	1854, 135
<i>ordinatus</i>	1860, 455	<i>recurva</i>	1854, 135
<i>picturatus</i>	1858, 384	<i>spirillus</i>	1851, 231
	162	<i>Tugali carinata</i>	1851, 89
	166	<i>cicatricosa</i>	1851, 89
<i>platyceps</i>	1860, 167	<i>cinerea</i>	1851, 88
	171	<i>decussata</i>	1851, 89
	172	<i>elegans</i>	1851, 88
	1858, 375	<i>intermedia</i>	1851, 88
<i>quincunciatus</i>	1858, 383	<i>ossea</i>	1851, 88
	1860, 114	<i>parmophoroidea</i>	1851, 89
	1860, 162	<i>radiata</i>	1851, 89
	1860, 168	<i>scutellaris</i>	1851, 89
	1860, 170	<i>Tugala oblonga</i>	1860, 437
<i>sirtalis</i>	1860, 455	<i>Tupana ellioti</i>	1849, 107
			108

	Page		Page
<i>Tupaia ferruginea</i>	1849, { 107	<i>Turbo turcicus</i>	1848, 50
<i>javanica</i>	1849, 108	<i>Turbonilla decussata</i> ...	1860, 438
<i>tana</i>	1849, { 107	<i>Turcica coreensis</i>	1860, 189
<i>Turaccena truncatula</i> ..	1856, 136	<i>monilifera</i>	1854, 87
<i>Turbo acutus</i>	1853, 179	<i>Turdampelis lanioides</i> ..	1858, 542
<i>araucanus</i>	1854, 41	<i>rufococyx</i>	1858, 542
<i>argyrostomus</i>	1860, 16	<i>Turdinus macrodactylus</i> .	1854, 275
<i>articulatus</i>	1848, 51	<i>Turdirostris supercilia-</i>	
<i>carneus</i>	1851, 190	<i>ris</i>	1854, 275
<i>calychnum</i>	1854, 33	<i>Turdus alapi</i>	1858, 245
<i>cinerens</i>	1851, 190	<i>albicollis</i>	{ 1857, 203
<i>circularis</i>	1848, 51	{ 1850, 329	
<i>corallinus</i>	1848, 50	{ 1858, 451	
<i>costatus</i>	1853, 186	<i>albiventris</i>	{ 1859, 186
<i>declivis</i>	1851, 184	{ 1859, 328	
<i>elegantissimus</i>	1853, 179	{ 1860, 272	
<i>fluctuatus</i>	{ 1848, 52	<i>alicus</i>	1859, 326
{ 1855, 234		<i>amaurochalinus</i>	1859, 329
<i>francesiæ</i>	1856, { 20	<i>analus</i>	1854, 278
{ 23		<i>ardosiaceus</i>	1859, 337
<i>gemmatus</i>	1848, 50	<i>armillaris</i>	1860, 353
<i>helicinus</i>	1851, 189	<i>aisinæ</i>	1850, 217
<i>histrio</i>	1848, 52	{ 1857, 202	
<i>incarnatus</i>	1851, 190	{ 1859, 327	
<i>inflatus</i>	1851, 189	{ 1859, 362	
<i>japonicus</i>	1848, 51	{ 1859, 370	
<i>lacteus</i>	1853, 179	<i>atrogularis</i>	1858, 490
<i>laminiferus</i>	1848, 49	{ 1859, 196	
<i>lehmanni</i>	1854, 41	{ 1859, 333	
<i>lineatus</i>	1851, 179	{ 1860, 83	
<i>lugubris</i>	1848, 50	<i>atrothorax</i>	1858, 245
<i>lunaris</i>	1851, 178	<i>auranturostris</i>	1856, 294
<i>margarita</i>	1851, 189	<i>aurantus</i>	1859, 333
<i>militaris</i>	1848, 51	<i>auritus</i>	1853, 285
<i>murreus</i>	1848, 49	<i>bambula</i>	1855, 146
<i>natalensis</i>	1848, 49	{ 1855, 213	
{ 1851, 178		{ 1855, 214	
<i>nigerrimus</i>	1854, 41	{ 1859, 338	
{ 1850, 42		<i>brevicaudus</i>	1858, 278
<i>niveus</i>	1850, 42	<i>brunneus</i>	1858, 542
<i>nivosus</i>	1848, 51	<i>cantator</i>	1858, 250
<i>obscurus</i>	1851, 190	<i>capucinus</i>	1859, 327
<i>ovalis</i>	1854, 59	<i>carbonarius</i>	1859, 334
<i>pica</i>	1851, 179	<i>casius</i>	1859, 330
<i>porcatus</i>	1848, 51	<i>chalybeus</i>	1859, 445
<i>pulcher</i>	1854, 83	{ 1858, 450	
<i>pustulatus</i>	1848, 50	{ 1858, 451	
<i>pyropus</i>	1848, 50	{ 1858, 550	
<i>quoyi</i>	1854, 41	{ 1859, 333	
<i>sandwicensis</i>	1860, 436	<i>chochi</i>	1859, 332
<i>sanguineus</i>	1851, 184	<i>cinnamomeus</i>	1858, 249
<i>saxosus</i>	1848, 49	<i>cirrhatas</i>	1858, 215
<i>semicostatus</i>	1860, 435	<i>colma</i>	1858, 277
<i>separatista</i>	1850, 45	{ 1857, 203	
<i>similis</i>	1853, 179	{ 1859, 327	
<i>trochoides</i>	1848, 50	<i>densirostris</i>	1859, 336
<i>tumidulus</i>	1848, 51	<i>densus</i>	1859, 325
		<i>dominicus</i>	1859, 341

	Page		Page
<i>Turdus erythropterus</i> ..	1850, 217	<i>Turdus luridus</i>	1857, 274
<i>falklandicus</i>	{ 1859, 330	<i>macrourus</i>	{ 1854, 283
<i>felivox</i>	{ 1860, 384	<i>magellanicus</i>	{ 1859, 330
<i>ferrugineus</i>	{ 1859, 336	<i>melanotis</i>	{ 1860, 384
<i>flavipes</i>	{ 1859, 329	<i>melodius</i>	{ 1859, 337
<i>flavirostris</i>	{ 1858, 542	<i>melpomene</i>	{ 1859, 325
<i>flaviventris</i>	{ 1859, 334	<i>merula</i>	{ 1858, 97
<i>formicivorus</i>	{ 1859, 332	<i>merula</i>	{ 1851, 142
<i>fulviventris</i>	{ 1857, 273	<i>merula</i>	{ 1856, 294
<i>fulviventris</i>	{ 1858, 275	<i>migratorius</i>	{ 1857, 5
<i>fulviventris</i>	{ 1859, 331	<i>migratorius</i>	{ 1857, 126
<i>fumigatus</i>	{ 1855, 145	<i>migratorius</i>	{ 1858, 300
<i>fumigatus</i>	{ 1857, 274	<i>migratorius</i>	{ 1859, 285
<i>fumigatus</i>	{ 1859, 329	<i>migratorius</i>	{ 1859, 331
<i>fuscatus</i>	{ 332	<i>migratorius</i>	{ 1859, 362
<i>fuscatus</i>	{ 335	<i>mindanensis</i>	{ 1854, 282
<i>fuscescens</i>	{ 1859, 326	<i>mindanensis</i>	{ 1854, 111
<i>fuscescens</i>	{ 1855, 144	<i>mindanensis</i>	{ 1855, 145
<i>fuscescens</i>	{ 1858, 450	<i>minimus</i>	{ 1857, 212
<i>fuscescens</i>	{ 1858, 451	<i>minimus</i>	{ 1858, 64
<i>fuscescens</i>	{ 1858, 550	<i>minimus</i>	{ 1859, 326
<i>gigas</i>	{ 1859, 136	<i>minimus</i>	{ 1855, 145
<i>gigas</i>	{ 1859, 332	<i>minor</i>	{ 1857, 4
<i>gigas</i>	{ 1860, 63	<i>minor</i>	{ 1857, 212
<i>gigas</i>	{ 1860, 84	<i>minor</i>	{ 1859, 325
<i>gilvus</i>	{ 1859, 342	<i>minutus</i>	{ 1859, 161
<i>grallarius</i>	{ 1858, 280	<i>modestus</i>	{ 1854, 274
<i>grallarius</i>	{ 1856, 294	<i>montanus</i>	{ 1859, 336
<i>grallarius</i>	{ 1857, 274	<i>montanus</i>	{ 1851, 145
<i>grayii</i>	{ 1859, 330	<i>musicus</i>	{ 1855, 165
<i>grayii</i>	{ 1859, 362	<i>musicus</i>	{ 1857, 13
<i>grayii</i>	{ 1859, 370	<i>musicus</i>	{ 1860, 258
<i>griseus</i>	{ 1858, 238	<i>musicus</i>	{ 1856, 294
<i>guttatus</i>	{ 1859, 325	<i>mustelinus</i>	{ 1859, 55
<i>gymnophthalmus</i> ..	{ 1859, 329	<i>mustelinus</i>	{ 1859, 325
<i>gymnopus</i>	{ 1859, 329	<i>mustelinus</i>	{ 1859, 362
<i>helvolus</i>	{ 1856, 294	<i>mustelinus</i>	{ 1857, 4
<i>helvolus</i>	{ 1859, 330	<i>nævius</i>	{ 1858, 3
<i>herminieri</i>	{ 1859, 335	<i>nævius</i>	{ 1859, 381
<i>herminieri</i>	{ 1857, 273	<i>nævius</i>	{ 1857, 4
<i>ignobilis</i>	{ 1859, 328	<i>nævius</i>	{ 1859, 325
<i>ignobilis</i>	{ 1851, 145	<i>nudigenys</i>	{ 1859, 329
<i>iliacus</i>	{ 1857, 18	<i>ochrocephalus</i>	{ 1854, 270
<i>infuscatus</i>	{ 334	<i>olivaceus</i>	{ 1857, 212
<i>infuscatus</i>	{ 362	<i>olivaceus</i>	{ 1859, 329
<i>infuscatus</i>	{ 370	<i>olivater</i>	{ 1859, 333
<i>jamaicensis</i>	{ 1859, 327	<i>orientalis</i>	{ 1854, 272
<i>javanicus</i>	{ 1854, 274	<i>orpheus</i>	{ 1859, 341
<i>lereboulletii</i>	{ 1859, 327	<i>orpheus</i>	{ 1858, 300
<i>leucauchen</i>	{ 1858, 447	<i>pallasi</i>	{ 1859, 325
<i>leucauchen</i>	{ 1859, 328	<i>pallasi</i>	{ 1859, 332
<i>leucogonyx</i>	{ 1858, 542	<i>palmarum</i>	{ 1856, 84
<i>leucogonyx</i>	{ 1859, 333	<i>pectoralis</i>	{ 1858, 273
<i>leucomelas</i>	{ 1859, 327	<i>phæopygos</i>	{ 1858, 64
<i>leucopterus</i>	{ 1858, 246	<i>phæopygos</i>	{ 1859, 327
<i>lineatus</i>	{ 1858, 246	<i>pilaris</i>	{ 1857, 13
<i>lividus</i>	{ 336	<i>pinicola</i>	{ 334
<i>lividus</i>	{ 342	<i>pinicola</i>	{ 362

	Page		Page
<i>Turdus pinicola</i>	1860, 250	<i>Turricula approximata</i> ..	1860, 146
<i>plumbeus</i>	1859, 337	<i>bella</i>	1860, 145
<i>polyglottus</i>	1859, 340	<i>layardii</i>	1854, 135
<i>rex</i>	1858, 280	<i>mirifica</i> ...	1854, 135
<i>rubripes</i>	1859, 336	<i>roseata</i>	1854, 135
<i>ruficollis</i>	1860, 108	<i>Turnus monilifera</i>	1860, 398
<i>rufifrons</i>	1858, 212	<i>Turritella costulata</i> ...	1853, 180
<i>rufigula</i>	1858, 273	<i>elegantissima</i>	1853, 179
<i>rufitorques</i>	1859, 334	<i>fulvocincta</i>	1853, 179
<i>rufiventris</i>	1859, 332	<i>indistincta</i>	1853, 179
<i>rufopalliatu</i> s.....	1859, 332	<i>interrupta</i>	1853, 179
<i>rufulus</i>	1854, 274	<i>truncata</i>	1853, 180
<i>rufus</i>	1858, 212	<i>Turtur bitorquatus</i> ...	1860, 361
<i>schistaceus</i>	1858, 490	<i>camboyensis</i>	1855, 34
<i>serranus</i>	1859, 330	<i>chinensis</i>	1859, 467
	1857, 212		1858, 497
<i>silens</i>	1858, 300	<i>humilis</i>	1859, 150
	1859, 325		1859, 151
	1857, 4		1859, 187
<i>solitarius</i>	1857, 212	<i>meena</i>	1859, 187
	1859, 325		1858, 498
<i>speciosus</i>	1854, 271	<i>orientalis</i>	1859, 187
<i>striga</i>	1859, 445		1849, 172
<i>strigatus</i>	1859, 445	<i>visonius</i>	1855, 34
<i>surinamensis</i>	1856, 115		1860, 371
	1857, 212	<i>senegalensis</i>	1858, 498
	1858, 300		1858, 498
<i>swainsoni</i>	1858, 450	<i>suratensis</i>	1859, 150
	1858, 451		1859, 151
	1859, 326		1860, 361
	1860, 84	<i>tigrina</i>	1860, 361
<i>thenca</i>	1859, 344	<i>tigrinus</i>	1859, 467
<i>tinni</i> ens.....	1858, 281	<i>Tylodina atlantica</i> ...	1856, 46
<i>tintinnabulatus</i>	1858, 250	<i>citrina</i>	1856, 46
	371	<i>punctulata</i>	1856, 45
<i>torquatus</i>	1860, 442	<i>rafinesquii</i>	1856, 45
<i>tricolor</i>	1854, 283	<i>Typhis fimbriatus</i>	1853, 70
	1856, 294	<i>grandis</i>	1854, 42
<i>tristis</i>	1859, 330	<i>tetrapterus</i>	1856, 41
<i>triurus</i>	1859, 341	<i>triangularis</i>	1855, 124
	1858, 490	<i>Typhlops diardii</i>	1860, 114
<i>unicolor</i>	1859, 181	<i>oxyrhynchus</i>	1858, 264
	1859, 326	<i>philippinus</i>	1858, 263
<i>ustulatus</i>	1859, 326	<i>tenuis</i>	1860, 454
<i>varius</i>	1860, 108	<i>Typhon robusta</i>	1860, 363
<i>viridis</i>	1854, 286	<i>temminckii</i>	1860, 363
	1857, 13	<i>Tyrannula affinis</i>	1859, 44
<i>viscivorus</i>	1858, 489	<i>ardesiaca</i>	1859, 144
	1859, 181	<i>ardosiaca</i>	1855, 149
	1859, 276	<i>barbirostris</i>	1859, 44
<i>vulpinus</i>	1855, 141	<i>cayennensis</i>	1856, 296
	1857, 4	<i>cinchoneti</i>	1856, 149
<i>wilsoni</i>	1859, 326	<i>cineracea</i>	1858, 457
<i>xanthopus</i>	1859, 161	<i>cinnamomea</i>	1855, 149
<i>xanthosceles</i>	1859, 334	<i>coop</i> er.....	1851, 51
(Monticola) ery-		<i>coronata</i>	1856, 296
thropterus.....	1860, 350	<i>crinita</i>	1851, 51
<i>Turnix pugnax</i>	1859, 150	<i>diadema</i>	1855, 149
	151		

	Page		Page
<i>Tyrannula erythrura</i>	1855, 149		457
<i>gossii</i>	1851, 51		
<i>icterophrys</i>	1855, 149	<i>Tyrannus melancholi-</i>	1858, 55
<i>mexicana</i>	1851, 51	<i>cus</i>	1859, 143
<i>nigricans</i>	1855, 149		1859, 306
<i>obscura</i>	1857, 127		1860, 92
<i>ornata</i>	1859, 44		1860, 281
<i>pallida</i>	1855, 149	<i>niveigularis</i>	1860, 281
<i>phoenicura</i>	1859, 144	<i>rufescens</i>	1859, 41
<i>ruficeps</i>	1857, 127	<i>rufinus</i>	1855, 150
<i>rufipectus</i>	1854, 113	<i>rufiventris</i>	1855, 77
<i>setophagoides</i>	1858, 70	<i>thamnophiloides</i>	1859, 331
<i>stolida</i>	1855, 149	<i>vociferans</i>	1859, 41
<i>sulphureipygia</i>	1855, 149	<i>Tyrse argus</i>	1859, 333
	1855, 144	<i>niloticus</i>	1858, 167
	1859, 41		
<i>setophagoides</i>	1859, 149	<i>Uarus niloticus</i>	1858, 155
<i>stolida</i>	1851, 51	<i>ocellatus</i>	1858, 155
<i>sulphureipygia</i>	1858, 458	<i>Ulula fasciata</i>	1858, 132
<i>Tyrannulus chrysops</i>	1859, 144	<i>Umbellularia groenland-</i>	
	1860, 93	<i>ica</i>	1859, 440
<i>cinereiceps</i>	1860, 69	<i>Umbonum chalconotum</i>	1853, 188
<i>elatus</i>	1855, 150	<i>conicum</i>	1853, 188
<i>flavidifrons</i>	1856, 141	<i>costatum</i>	1853, 188
<i>nigricans</i>	1856, 296	<i>depressum</i>	1853, 188
<i>nigricapillus</i>	1855, 150	<i>elegans</i>	1853, 188
<i>rufipectus</i>	1860, 93	<i>excisum</i>	1851, 232
<i>semiflavus</i>	1856, 28	<i>giganteum</i>	1853, 188
<i>Tyrannus atricapillus</i>	1860, 300	<i>guamense</i>	1853, 180
<i>atrifrons</i>	1858, 215	<i>javanicum</i>	1853, 188
	1857, 274	<i>moniliferum</i>	1853, 188
<i>audax</i>	1859, 43	<i>sagittatum</i>	1853, 188
	1855, 150	<i>striolatum</i>	1853, 189
<i>boissonneaui</i>	1856, 150	<i>suturale</i>	1853, 188
<i>borealis</i>	1856, 297	<i>vestiarum</i>	1851, 232
<i>cæsius</i>	1859, 42	<i>zelandicum</i>	1853, 187
<i>canadensis</i>	1855, 150		1853, 189
<i>cooperi</i>	1858, 554	<i>Umbrellacella granulata</i>	1857, 289
<i>curtipes</i>	1858, 301	<i>unibraculum</i>	1859, 482
<i>erythropygius</i>	1858, 223		1857, 289
<i>fumigatus</i>	1856, 207	<i>Umbrella mediterranea</i>	1859, 482
	1858, 301	<i>ovalis</i>	1856, 46
<i>intrepidus</i>	1859, 43	<i>Uncia charltoni</i>	1856, 161
<i>matutinus</i>	1860, 92	<i>irbis</i>	1856, 396
<i>melancholicus</i>	1855, 150	<i>Uno bengalensis</i>	1856, 395
	1858, 554	<i>butoini</i>	1850, 198
	1857, 232	<i>eximius</i>	1859, 349
	1858, 302	<i>gravidus</i>	1860, 15
	1859, 55	<i>grayii</i>	1860, 14
	1859, 383	<i>hainesianus</i>	1858, 91
	1857, 232	<i>housei</i>	1860, 15
	1855, 150	<i>humilis</i>	1860, 14
	1856, 141	<i>inornatus</i>	1860, 15
	1856, 297	<i>myersianus</i>	1860, 14
	1858, 70	<i>rusticus</i>	1860, 14
		<i>sagittarius</i>	1860, 15
		<i>scobinatus</i>	1860, 15

	Page		Page
<i>Unio tumidulus</i>	1860, 16	<i>Urubitinga zonura</i>	1860, 288
<i>tumidus</i>	1850, 244	<i>Urubitornis solitaria</i> ..	{ 1856, 145
<i>Upucerthia vulgaris</i>	1859, 95		{ 1858, 130
	{ 1851, 145	<i>Urva cancrivora</i>	1856, 397
	{ 1855, 27		
<i>Upupa epops</i>	{ 1857, 101	<i>Vacca marina</i>	1853, 113
	{ 1858, 474	<i>Valvaria alba</i>	1854, 36
	{ 1850, 174	<i>Valvata piscinalis</i>	{ 1853, 44
<i>nigripennis</i>	1850, 151		{ 1856, 186
<i>senegalensis</i>	1855, 40	<i>Vanellus bilobus</i>	1855, 80
<i>Urochoma hueti</i>	1857, 19	<i>cayennensis</i>	1855, 163
<i>Urochroa bougieri</i>	1860, 95	<i>cinctus</i>	1860, 386
<i>Urocissa flavirostris</i>	1850, { 172	<i>ciistatus</i>	{ 1851, 146
	{ 200		{ 1858, 505
<i>magnirostris</i>	1850, { 151	<i>goensis</i>	1855, 81
	{ 200	<i>melanogaster</i>	1860, 363
<i>occipitalis</i>	1850, { 172	<i>ptiloscelis</i>	1858, 556
	{ 200	<i>resplendens</i>	{ 1858, 556
<i>sinensis</i>	1859, 200		{ 1860, 82
<i>Urogalba amazonum</i> ..	1855, 14	<i>strigilatus</i>	1850, 221
<i>paradisea</i>	{ 1855, 14	<i>Vanga cristata</i>	1859, 446
	{ 1857, 262	<i>striata</i>	1858, 207
<i>Uroloncha molucca</i>	1850, 444	<i>Vanganella taylorii</i>	1851, 125
<i>punctularia</i>	1859, 443	<i>Vanicoro quoyiana</i> . .	1853, 175
<i>Uromastix griseus</i>	1860, { 161	<i>rugata</i>	1853, 174
	{ 107	<i>Vanikoro imbricata</i>	1860, 435
	{ 170	<i>semiplicata</i>	1860, 435
<i>spinipes</i>	{ 1849, 95	<i>Varanus heraldicus</i> ...	1860, 160
	{ 1850, 470	<i>Varicella cordovana</i> ...	1856, 321
	{ 1850, 475	<i>guadeloupensis</i> ..	1856, 335
<i>Uropeltis ceylonicus</i> ..	1858, 202	<i>ornzabæ</i>	1856, 320
<i>grandis</i>	1858, 262	<i>speciosa</i>	1856, 321
<i>pardalis</i>	1858, 263	<i>Vasum ceramicum</i>	1851, 231
<i>philippinus</i>	1858, 263	<i>Velasia chilensis</i>	1851, 239
<i>Urostacte benjamini</i>	1860, 95	<i>Velletia filosa</i>	1853, 82
<i>Urota sinope</i>	1849, 60	<i>lacustris</i>	1853, 89
<i>Urrua bengalensis</i>	1854, 45	<i>Velutina haliotideae</i>	1853, 38
	{ 1850, 477	<i>sirkensis</i>	1851, 225
	{ 1860, 130	<i>Venerupis chinensis</i>	1853, 4
<i>Ursus americanus</i>	{ 1860, 180	<i>cordieri</i>	1856, 214
	{ 1860, 417	<i>cumingii</i>	1853, 4
<i>arctos</i>	1860, { 130	<i>digona</i>	1853, 3
	{ 372	<i>derelicta</i>	1853, 4
<i>isabellinus</i> .. .	{ 1849, 105	<i>elegans</i>	1853, 5
	{ 1858, 517	<i>insignis</i>	1853, 6
<i>labiatus</i>	1850, 156	<i>mitis</i>	1853, 5
	{ 1857, 140	<i>obesa</i>	1853, 5
	{ 1858, 520	<i>paupercula</i>	1853, 5
<i>marinus</i>	1850, 102	<i>planicosta</i>	1853, 4
<i>Urubitinga anthracina</i> .	1858, 295	<i>pulcherrima</i>	1853, 4
	{ 1859, 52	<i>siliqua</i>	1853, 5
<i>schistacea</i>	1858, { 128	<i>Vemlia callonota</i>	1860, 286
	{ 129	<i>melanogastera</i>	1859, 457
<i>unicincta</i>	{ 1858, 150	<i>mentalis</i>	1850, 456
	{ 1859, 147	<i>miniata</i>	1859, 456
<i>zonura</i>	1858, 129	<i>pumcea</i>	1859, 456
		<i>Venus californiensis</i>	1856, 206
		<i>casina</i>	1853, 3

	Page		Page
<i>Venus clathrata</i>	1853, 3	<i>Vespertilio daubentonii</i> ..	1858, 89
<i>consobrina</i>	1853, 3	{ 1848, 112	
<i>crispata</i>	1853, 2	{ 1857, 45	
<i>dispar</i>	1856, 215	<i>emarginatus</i> ..	{ 1858, 80
<i>excavata</i>	1856, 210	{ 1858, 336	
<i>lamellifera</i>	1856, 214	{ 1858, 368	
<i>leucodon</i>	1856, 216	<i>escholtzii</i>	1858, 12
<i>listeri</i>	1853, 3	<i>ferrugineus</i>	1857, 53
<i>nuttalli</i>	1856, 216	<i>formosa</i>	1857, 53
<i>scripta</i>	1853, 6	<i>formosus</i>	{ 1858, 82
<i>sculpta</i>	1853, 3	{ 1858, 368	
<i>sowerbyi</i>	1853, 2	<i>furnalis</i>	1858, 540
<i>straminea</i>	1856, 215	<i>hardwickii</i>	1858, 329
<i>tantilla</i>	1856, 201	<i>hasselti</i>	1857, 54
<i>Vermetus lævis</i>	1860, 413	<i>hilairi</i>	1858, 89
<i>varians</i>	1856, 315	<i>imbricatus</i>	1858, 539
<i>Vermicella annulata</i> ..	1859, 87	<i>isidori</i>	1858, 89
<i>occipitalis</i>	1859, 87	<i>korivoula</i>	1858, 78
<i>Vermiculum incurvatum</i>	1858, 436	<i>lanosus</i>	1858, 331
<i>Verpa penis</i>	1851, 232	<i>lasiurus</i>	1857, 35
<i>Vertagus graniferus</i> ...	1860, 433	<i>lepturus</i>	1858, 547
<i>Vertigo nitens</i>	1860, 439	<i>leucippe</i>	1859, 72
<i>Vertumnus cranchii</i>	1850, 97	<i>macropus</i>	1857, 53
<i>Vespertilio abramus</i>	1858, { 538	<i>madagascariensis</i> ..	1858, 89
<i>akokomuli</i>	1858, { 539	<i>marginatus</i>	1858, 537
<i>albescens</i>	1860, 261	<i>maximus</i>	1857, 52
<i>alcythoe</i>	1859, 72	<i>miniopterus</i>	1858, 81
<i>aristippe</i>	{ 1858, 81	<i>monachus</i>	1857, 35
<i>bechsteini</i>	{ 1859, 72	<i>murinus</i>	1857, 52
<i>blepotis</i>	1858, 121	{ 1858, 89	
<i>blosseivillii</i>	1857, 35	<i>mystacinus</i>	{ 1858, 539
<i>blythii</i>	1857, 53	{ 1859, 74	
<i>brachypterus</i>	{ 1858, 538	<i>natalensis</i>	{ 1858, 118
{ 1858, 539		{ 1857, 53	
<i>caliginosus</i>	1859, 73	{ 1857, 140	
<i>cappacmii</i>	1858, 81	<i>nattereri</i>	{ 1858, 27
<i>caroli</i>	1857, 54	{ 1858, 81	
<i>carolinensis</i>	1857, 45	{ 1859, 74	
{ 1858, 89		<i>nigricans</i>	{ 1858, 546
<i>chiloensis</i>	{ 1858, 546	{ 1860, 211	
{ 1860, 261		<i>noctivagans</i>	1857, 45
<i>chinensis</i>	1857, 52	<i>pachypus</i>	1858, { 538
<i>cinerens</i>	1857, 37	{ 539	
<i>circumdatus</i>	1858, 540	<i>pallidus</i>	{ 1857, 45
{ 1856, 394		{ 1858, 546	
<i>coromandelicus</i> ..	{ 1858, 539	<i>papillosus</i>	{ 1856, 178
<i>creeks</i>	1857, 45	{ 1858, 35	
<i>crepuscularis</i>	1857, 45	{ 1858, 327	
<i>cyclope</i>	1858, 108	<i>parvulus</i>	{ 1858, 89
<i>darjelingensis</i>	1856, 394	{ 1859, 73	
<i>dasycnemus</i>	1857, 54	<i>pearsoni</i>	1858, { 87
<i>dasythrix</i>	1858, 117	{ 368	
<i>daubentonii</i>	1857, 54	<i>pellucidus</i>	1858, 329
		<i>picta</i>	1856, 175
		<i>pictus</i>	1858, { 78
			{ 325

	Page		Page
<i>Vespertilio pipistrellus</i> ..	1850, 156	<i>Vipera trimaculata</i>	1850, 83
<i>polythrax</i>	1858, 80	<i>V-nigrum</i>	1858, 163
<i>pruinosis</i>	1857, 37	<i>Vireo altiloquus</i>	1857, 231
<i>pulverulentus</i>	1857, 45		1859, 138
<i>rubellus</i>	1857, 35	<i>flavifrons</i>	1857, 227
<i>ruber</i>	1858, 89		1860, 251
<i>rufoniger</i>	1858, 82	<i>gilvus</i>	1858, 302
	83	<i>huttoni</i>	1858, 302
	79		1859, 137
<i>rufopictus</i>	1858, 85	<i>josephæ</i>	1860, 63
	368		1860, 85
<i>savii</i> ...	1859, 72	<i>modestus</i>	1860, 462
<i>schreibersii</i>	1858, 117		1857, 204
<i>scotinus</i>	1858, 127	<i>noveboracensis</i> .	1857, 228
<i>sericeus</i>	1859, 74		1859, 137
<i>siligorensis</i>	1856, 304		1860, 462
<i>speciosus</i>	1858, 108	<i>solitarius</i>	1859, 298
	1856, 180		1859, 363
	1856, 304		1859, 375
<i>suillus</i>	1857, 45	<i>versicolor</i>	1855, 150
	1858, 367		1857, 76
	1858, 370		1855, 151
<i>tasmanensis</i>	1857, 45	<i>Vireolanius icterophrys</i>	1857, 4
<i>tasmaniensis</i>	1858, 27		1857, 213
	1858, 539	<i>melitophrys</i>	1857, 213
<i>tenuis</i>	1859, 73		1859, 363
<i>tessellatus</i>	1857, 35		1859, 137
<i>tibialis</i>	1858, 126	<i>Vireosylva agilis</i>	1860, 64
<i>timorensis</i>	1858, 30		1860, 273
<i>tralatitius</i>	1858, 538	<i>altiloqua</i> ..	1855, 84
	539	<i>cobanensis</i>	1860, 463
<i>trilatitius</i>	1858, 89		1856, 208
	1859, 73	<i>flavoviridis</i>	1859, 375
<i>tristis</i>	1858, 124		1855, 84
<i>tuberculatus</i>	1857, 135	<i>frenata</i>	1859, 138
<i>ursinii</i>	1858, 81		1859, 208
	117	<i>gilva</i>	1858, 302
	27		1855, 133
<i>velatus</i>	1858, 28	<i>olivacea</i>	1855, 151
	546		1859, 137
<i>villosissimus</i>	1857, 35		1859, 363
<i>vispistrellus</i>	1858, 81	<i>philadelphica</i>	1860, 463
	1859, 72		1855, 133
<i>vulpinus</i>	1856, 180	<i>virescons</i>	1855, 151
<i>Vauxia fusconigra</i>	1860, 141		1860, 64
<i>lineata</i>	1853, 73	<i>Virgularia australis</i> ...	1859, 483
<i>nigrofusca</i>	1860, 369	<i>Vison</i>	1848, 86
	1850, 218	<i>Vitrina abyssinica</i>	1848, 108
<i>Vidua paradisea</i>	1860, 442	<i>americana</i>	1852, 156
<i>principalis</i>	1850, 218	<i>aperta</i>	1848, 107
<i>Vinago capellei</i>	1859, 464	<i>aurea</i>	1854, 122
<i>giganteus</i>	1859, 464	<i>beckiana</i> ..	1848, 105
	1855, 191	<i>behni</i>	1854, 163
<i>Vipera berus</i>	1858, 374	<i>bensonii</i> ..	1848, 107
	1860, 174	<i>bicolor</i>	1848, 104
<i>hexacera</i>	1858, 163	<i>borneensis</i>	1856, 324
<i>nasicornis</i>	1858, 163	<i>castanea</i>	1852, 56
<i>psyche</i>	1859, 84	<i>celebensis</i>	1856, 325

	Page		Page
<i>Voluta cymbiola</i>	1855, 63	<i>Voluta lyrata</i>	1855, 61
<i>cymbium</i>	1855, 52	<i>maculata</i>	1855, 64
<i>delessertiana</i>	1855, 61	} 1853, 49	
<i>denticulata</i>	{ 1854, 33	<i>magellanica</i>	1855, 57
} 1856, 22		<i>magnifica</i>	1855, 57
<i>deshayesi</i>	{ 1854, 73	<i>mamilla</i>	{ 1855, 55
} 1855, 56		} 1859, 34	
<i>diadema</i>	1855, 54	<i>marmorata</i>	1855, 64
<i>dubia</i>	1855, 55	<i>megaspura</i>	1855, 58
<i>ducalis</i>	1855, { 54	<i>melo</i>	1855, 53
} 63		<i>micans</i>	1858, 57
<i>dufresnei</i>	1855, 62	<i>minuta</i>	1854, 9
<i>ebrea</i>	1855, 59	<i>mitis</i>	1855, 56
<i>elongata</i>	1855, 58	<i>mitriformis</i>	1855, 60
<i>erythrostoma</i>	1858, 42	<i>modesta</i>	1855, 63
<i>fasciata</i>	1854, 11	<i>multicosta</i>	1855, 61
<i>ferussaci</i>	1855, 58	<i>musica</i>	1855, 59
} 1855, 58		<i>narisa</i>	1855, 62
<i>festiva</i>	{ 1856, 61	<i>nautica</i>	1855, 54
} 1856, 3		<i>navicula</i>	1855, 51
<i>flammea</i>	1854, 59	<i>neptuni</i>	1855, 52
<i>flammula</i>	1855, 68	<i>nitidula</i>	1858, 57
<i>flava</i>	1854, 9	<i>nivea</i>	1858, 54
<i>flavicans</i>	1855, 63	<i>nivosa</i>	1855, 56
<i>fluctuata</i>	1855, 64	<i>nobilis</i>	1855, 62
<i>fulgetrum</i>	1855, 63	<i>nodulosa</i>	1855, 59
<i>fulminata</i>	1855, 60	<i>norrisii</i>	1855, 56
<i>fulva</i>	1855, 59	<i>nucleus</i>	1855, 61
<i>fusiformis</i>	1855, 58	} 38	
<i>fusus</i>	1855, 58	<i>oliva</i>	{ 1858, 42
<i>gibbosa</i>	1858, 50	} 47	
<i>glans</i>	1855, 52	} 49	
<i>gracilis</i>	1855, { 57	<i>olla</i>	1855, 51
} 58		<i>oryza</i>	1858, 57
<i>gouldingii</i>	1855, 62	<i>pacifica</i>	{ 1855, 58
<i>guinaica</i>	1855, 59	} 1856, 2	
<i>harpa</i>	1855, 61	<i>pallida</i>	1855, 64
<i>hebræa</i>	1856, 3	<i>papillaris</i>	1855, 51
<i>hiatula</i>	1858, 52	<i>papillosa</i>	1855, 63
<i>impemalis</i>	1855, { 57	<i>pellis-serpentis</i> ..	1855, 56
} 62		<i>pepo</i>	1855, 52
<i>incrassata</i>	1858, 41	<i>perdicina</i>	1855, 61
<i>indica</i>	1855, { 53	<i>pinguis</i>	1858, 48
} 60		<i>piperita</i>	1855, 56
<i>insularis</i>	1855, 58	<i>plicata</i>	1855, 59
} 38		<i>polyzonalis</i>	1855, 59
<i>ispidula</i>	{ 41	<i>porcina</i>	1855, 52
} 50		} 38	
} 57		<i>porphyria</i>	1858, { 41
<i>jaspidea</i>	1858, 54	<i>præputium</i>	1855, 53
<i>junonia</i>	1855, 57	<i>proboscidalis</i>	1855, 52
<i>lævigata</i>	1855, 50	<i>pulchra</i>	1855, 56
<i>lapponica</i>	1855, 60	<i>punctata</i>	1855, 57
<i>lineata</i>	1855, 64	<i>pusilla</i>	1854, 10
<i>livida</i>	1854, 10	<i>pusio</i>	1855, 59
<i>luteostoma</i>	1855, 57	<i>reticulata</i>	1855, 64
<i>lyreiformis</i>	1855, { 58	} 1854, 32	
} 60		<i>ringens</i>	{ 1858, 52

	Page		Page
<i>Voluta rosiniana</i>	1859, 231	<i>Vulpes indicus</i>	1856, 397
<i>rubiginosa</i>	1855, 52	<i>leucopus</i>	1858, 516
<i>rudis</i>	1855, 58	<i>montanus</i>	1855, 126
<i>rupestris</i>	1855, 60	<i>pusillus</i>	1856, 397
<i>rubila</i>	1855, 56	<i>vulgaris</i>	1858, 516
<i>scapha</i>	1855, { 52	<i>pusillus</i>	1858, 516
<i>scrofa</i>	1855, { 62	<i>vulgaris</i>	1860, 371
<i>serpentina</i>	1855, 63	<i>vulgaris</i>	1854, 1
<i>sohdula</i>	1855, 56	<i>Vultur bengalensis</i> ..	1854, 258
<i>sophia</i>	1854, 61	<i>changoun</i>	1855, 128
<i>spectabilis</i>	1855, 63	<i>cinereus</i>	1854, 258
<i>spiralis</i>	1855, 57	<i>cinereus</i>	1855, 128
<i>stragulata</i>	1853, 177	<i>fulvus</i>	1855, 128
<i>subnodosa</i>	1855, 64	<i>indicus</i>	1855, { 1
<i>sulcata</i>	1855, 57	<i>iota</i>	1854, { 258
<i>tenebrosa</i>	1855, 59	<i>leuconotus</i>	1851, 53
<i>tessellata</i> ...	1858, 51	<i>leuconotus</i>	1854, 258
<i>tiarella</i> ..	1855, 54	<i>occipitalis</i>	1850, 214
<i>tigrina</i> ..	1855, 59	<i>papa</i>	1851, 53
<i>tomatilis</i>	1858, 49	<i>pondicerianus</i>	1851, 53
<i>triplicata</i>	1854, 59	<i>pondicerianus</i>	1858, 469
<i>tuberculata</i>	1854, 10	<i>ponticerianus</i>	1854, 1
<i>tuberculata</i>	1855, { 57	<i>tenuirostris</i>	1855, 128
<i>turneri</i> ..	1855, { 58	<i>Vulture, The King</i>	1851, 53
<i>undulata</i>	1855, 64	<i>Warnea australis</i>	1858, 310
<i>utriculus</i>	1855, 50	<i>vaginifera</i>	1858, 309
<i>ventricosa</i>	1858, { 57	<i>Wilkinsonæa abbotiana</i>	1857, 168
<i>vespertilio</i>	1855, { 56	<i>bensoniana</i>	1857, 172
<i>vexillum</i>	1855, 63	<i>bensoniana</i>	1857, 168
<i>virescens</i>	1855, 60	<i>dysoniana</i>	1857, 175
<i>volva</i>	1855, 59	<i>gouldiana</i>	1857, 168
<i>volvacea</i>	1855, 63	<i>greenwoodiana</i>	1857, { 168
<i>zebra</i>	1855, 63	<i>hanleyana</i>	1857, { 173
<i>Volutella angulata</i> ..	1855, 64	<i>hanleyana</i>	1857, 168
<i>cymbiola</i>	1855, 62	<i>hollandiana</i>	1857, 175
<i>fulgetrum</i> ...	1855, 63	<i>hollandiana</i>	1857, 168
<i>imperialis</i> ..	1855, 63	<i>jardimiana</i>	1857, 173
<i>papillosa</i>	1855, { 63	<i>jardimiana</i>	1857, 168
<i>scapha</i>	1859, 231	<i>laidlawiana</i>	1857, 168
<i>sophia</i>	1855, 62	<i>laidlawiana</i>	1857, 174
<i>volvacea</i> ..	1855, 63	<i>moussoniana</i>	1857, 168
<i>Volutohites abyssicola</i>	1855, 65	<i>moussoniana</i>	1857, 176
<i>Volutomitra cinnamomea</i>	1854, 134	<i>schomburgkiana</i> ..	1857, 168
<i>corniculum</i>	1854, 135	<i>schomburgkiana</i> ..	1857, 171
<i>digna</i> ..	1854, 135	<i>tappaniana</i> ..	1857, 168
<i>vineta</i> ...	1854, 134	<i>tappaniana</i> ..	1857, 175
<i>Volva birostrata</i> ...	1854, 130	<i>wilkinsonæana</i> ...	1857, 168
<i>rosea</i>	1854, 130	<i>wilkinsonæana</i> ...	1857, 171
<i>Volvatella fragilis</i>	1860, 20	<i>Xancus maculatus</i>	1851, 230
<i>Vulpes azaræ</i>	1859, 51	<i>pyrum</i>	1851, 230
<i>bengalensis</i>	1856, 397	<i>Xanthocephalus ictero-</i>	
<i>bengalensis</i>	1858, 515	<i>cephalus</i>	1859, 235
<i>fernlatus</i> ..	1856, 397	<i>cephalus</i>	1859, 150
<i>flavescens</i>	1858, 516	<i>Xantholæma indica</i>	1859, { 151

	Page		Page
<i>Xanthopygia leucophrys</i> 1854,	283	<i>Zamenis atrovirens</i> 1858,	378
tricolor ... 1854,	283	caudolineatus 1858,	378
<i>Xanthornis affinis</i> 1850,	301	cliffordii 1858,	162
<i>Xanthoura peruviana</i> .. 1855,	153	dablii 1858,	378
<i>Xenodon macrophthal-</i>	161	hippocrepis 1858,	378
<i>mus</i> }	1800, 167	mexicanus 1800,	310
rhabdocephalus 1860,	442	ventrimaculatus .. 1858,	375
severus 1850,	80		378
<i>Xenogenys azureus</i> 1860,	353	<i>Zanclostomus æneus</i> 1800,	112
<i>Xenopeltis unicolor</i> 1860,	114	hardt 1850,	453
	1850, 289	javanicus 1850,	458
<i>Xenops genibarbis</i> }	1858, 63	sirkee 1859,	150
	1858, 457	sumatranus 1859,	458
	1860, 203	<i>Zanthopygia leucophrys</i> . 1854,	283
	1850, 280	tricolor 1854,	283
mexicanus }	1859, 382	<i>Zelima paradoxa</i> 1859,	422
rutilans 1850,	27		1858, 450
<i>Xenospongia patellifor-</i>		<i>Zenaida hypoleuca</i> }	1858, 460
<i>mis</i> 1858,	230		1858, 556
<i>Xenurus antiquus</i> ... 1851,	215		1800, 97
nudicandis 1851,	215		1850, 309
uncinctus 1851,	215		1858, 305
<i>Xerophila armillata</i> ... 1854,	170	leucoptera }	1859, 368
caperata... 1854,	169		1800, 371
<i>Xiphocolaptes albicollis</i> 1857,	202	pentheria ... 1850,	30
<i>promeropurhynchus</i> 1850,	140	ruficauda ... 1850,	30
<i>Xiphorhynchus flavigas-</i>			1850, 309
<i>ter</i> 1850,	289		1857, 235
grenadensis 1858,	63	<i>Zenaidura carolinensis</i> . }	1858, 305
procervus 1854,	111		1850, 309
pucherani ... 1855,	142		1859, 391
pusillus 1860,	278	<i>Zenatia cumingiana</i> ... 1854,	72
thoracicus 1860,	277	solenoides 1854,	72
	293	<i>Zeus conchifer</i> 1850,	247
<i>Xylobius albovarius</i> 1852,	40	gallus 1850,	247
dulcis ... 1852,	40	<i>Zidona angulata</i> 1855,	62
<i>Xylobuceo scolopaceus</i> .. 1859,	307	<i>Ziziphinus agrestis</i> 1851,	166
<i>Xylotretus chrysidens</i> .. 1852,	50	alabastrum 1851,	163
excavatus 1852,	46	annulatus }	1851, 164
			1856, 224
<i>Yetus cymbium</i> 1855,	52	antoni 1851,	165
navicula 1855,	51	armillatus 1851,	164
neptuni 1855,	52	asperulatus 1851,	168
olla }	1853, 36	bicinctulatus 1851,	166
	1855, 51	californicus 1851,	168
proboscidalis 1855,	52	canaliculatus 1851,	163
<i>Yoldia gloriosa</i> 1855,	226	chlorostomus 1851,	166
lancoolata 1855,	226	ciliaris 1851,	165
lepidula 1856,	50	comptus 1854,	38
woodwardi 1860,	370	conulus 1851,	163
<i>Yphantis baltimorensis</i> 1856,	142	cunninghami 1851,	164
<i>Yunx indica</i> 1840,	112	decoratus 1851,	165
pectoralis 1849,	112	decussatus 1851,	167
	1850, 219	dohiarius 1851,	163
torquilla }	1860, 243	dubius 1851,	165
		duplicatus 1851,	168

	Page		Page
<i>Ziziphinus elegantulus</i>	1851, 167	<i>Zonites</i> ^P <i>coresia</i>	1849, 166
<i>euglyptus</i>	1854, 38	<i>crystallinus</i>	1854, 178
<i>eviguus</i>	1851, 165	<i>Zoncenus mulleri</i>	1858, 186
<i>eximius</i>	1851, 165	<i>pinon</i>	1858, 186
<i>filosus</i>	1851, 165	<i>zocæ</i>	1858, 186
<i>genmosus</i>	1851, 165	<i>Zonotrichia aureigula</i>	1856, 86
<i>gilvus</i>	1851, 166	<i>botteini</i>	1857, 214
<i>granatum</i>	1851, 164	<i>cassini</i>	1857, 214
<i>granulatus</i>	1851, 163	<i>comata</i>	1857, 7
<i>indistinctus</i>	1851, 164	<i>gambelli</i>	{ 1857, 7 1857, 127 1859, 235
<i>interruptus</i>	1851, 164	<i>leucophrys</i>	{ 1857, 7 1857, 127
<i>japonicus</i>	1851, 167	<i>mortoni</i>	1857, 7
<i>javanicus</i>	1854, 40	<i>mystacalis</i>	{ 1856, 305 1859, 379
<i>jubinus</i>	1851, 165	<i>pilcata</i>	{ 1853, 160 1857, 7 1858, 450 1858, 454 1858, 552 1859, 140 1860, 63 1860, 76
<i>laevigatus</i>	1851, 165	<i>querula</i>	{ 1857, 7 1855, 214 1859, 338
<i>langieri</i>	1851, 164	<i>Zoothera cinclaps</i>	{ 1859, 470 1860, 174
<i>luridus</i>	1851, 166	<i>Zootoca deserti</i>	1859, 470
<i>metaformis</i>	1851, 166	<i>viripara</i>	1860, 174
<i>millegranus</i>	1851, 166	<i>Zopherosis georgii</i>	1859, 121
<i>mimatus</i>	1851, 166	<i>Zosterops africeps</i>	1860, 350
<i>montagui</i>	1851, 164	<i>chloris</i>	1860, 350
<i>nebulosa</i>	1851, 168	<i>citrinella</i>	1858, 175
<i>ornatus</i>	1851, 164	<i>dorsalis</i>	1855, 164
<i>perspectivus</i>	1851, 166	<i>griseonota</i>	1859, 161
<i>picturatus</i>	1851, 168	<i>griseotincta</i>	1858, 175
<i>polychroma</i>	1851, 168	<i>palpebrosus</i>	{ 1858, 496 1859, 183
<i>pyramidatus</i>	1851, 164	<i>strenuus</i>	{ 1855, 165 1855, 165
<i>pyramis</i>	1851, 164	<i>tephropleurus</i>	{ 1855, 165 1859, 161
<i>rubropunctatus</i>	1851, 167	<i>xanthochroa</i>	{ 1854, 190 1856, 186
<i>scutulus</i>	1854, 38	<i>Zua lubrica</i>	{ 1854, 199 1854, 176
<i>selectus</i>	1851, 163	<i>maderensis</i>	1854, 199
<i>speciosus</i>	1854, 38	<i>Zurama pulchella</i>	1854, 176
<i>spectabilis</i>	1854, 37		
<i>striatus</i>	1851, 165		
<i>stirgus</i>	1851, 166		
<i>ticaonicus</i>	1851, 167		
<i>tigris</i>	1851, 163		
<i>tranquebaricus</i>	1851, 164		
<i>unicinctus</i>	1851, 167		
<i>vulgaris</i>	1851, 163		
<i>zonamestus</i>	{ 1851, 166 1854, 40		
<i>Zoantharia cauliculata</i>	1857, 280		
<i>Zoanthus bertholetii</i>	1858, 558		
<i>couchii</i>	{ 1858, 557 1859, 124		
<i>Zonites cellarius</i>	1854, 177		
<i>chiron</i>	1849, 166		

THE END OF INDEX

Indian Agricultural Research Institute (Pusa)
LIBRARY, NEW DELHI-110012

This book can be issued on or before

Return Date	Return Date